
Assignment 5


• Once installation is complete below screenshot will be visible.

```
This is your host IP address:
This is your host IPv6 address
Horizon is now available at http://www.ldashboard
Keystone is serving at http://www.ldashboard
Keystone is serving at http://www.ldashboard
The password: secret
Services are running under systemd unit files.
For more information see:
https://docs.openstack.org/developer/devstack/systemd.html
2017-06-19 16:13:18.557 | WARNING:
2017-06-19 16:13:18.557 | Using lib/neutron-legacy is deprecated, and it will be removed in the future
2017-06-19 16:13:18.557 | stack.sh completed in 1933 seconds.
```


• OpenStack dashboard can now be accessed at: http://<IP Address>/dashboard/




• Create Network



• Create a network that virtual machine can use.





• Once all these things are done, click —Next.



• Create Virtual Machine/Instance



Access Virtual Machine Console



• Click on —Console and OpenStack will take you to the console of the virtual machine. The console will look something like this:

```
Connected (unnerypted to: OEMU (instance-0000001)

[ 2.164811] MET: Registered protocol family 10
[ 2.180216] MET: Registered protocol family 17
[ 2.181637] Registering the dns_resolver key type
[ 2.221567] registered taskstats version 1
[ 2.251264] Freeing initrd memory: 3452k freed
[ 2.406290] Magic number: 5:833:342
[ 2.406395] rtc_mos 00:01: setting system clock to 2017-06-22 18:18:41 UTC (1498155521)
[ 2.410548] powernow-k8: Processor cpuid 663 not supported
[ 2.414248] BIOS EDD facility v0.16 2004-Jun-25, 0 devices found
[ 2.414675] EDD information not available.
[ 2.410477] Freeing unused kernel memory: 928k freed
[ 2.469513] Write protecting the kernel read-only data: 12288k
[ 2.521076] Freeing unused kernel memory: 1194k freed
[ 2.560647] Freeing unused kernel memory: 1194k freed
[ 2.563628] Refined TSC clocksource calibration: 2593.959 MHz.
[ 2.564469] Switching to clocksource tsc
```