DOGFOOD 2026 · HACKATHON RAPTORS


Raptor Desk

From uncertainty to a signed decision.

Submissions, fair judging and a public vote in one self-hosted portal. It finds the prize places the data can't settle, asks the right judges, records what people decided and why, and publishes a signed result anyone can verify offline.

T1–T4 verified | Official checker 7/7 | Extended 32/32

4/4 bonus challenges | 369 tests | docker compose up



github.com/GauravS13/raptor-desk

Agenda

Click any section to jump to it. Every slide has an Agenda button to come back.

01 **Why and how**
The problem with judging, the approach, the scorecard
slide 3 ›

02 **Participants**
Sign in, teams, versioned submissions, feedback
slide 8 ›

03 **Organizers**
Lifecycle, rubric, people, assignment, exports
slide 13 ›

04 **Judges**
Keyboard console, pairwise mode, passport
slide 18 ›

05 **The fairness engine**
Bias correction, doubt, kingmakers, calibration
slide 22 ›

06 **Decide and publish**
Deliberation, signed snapshots, method card
slide 28 ›

07 **Vote and integrations**
Community vote, webhooks, embed, API first
slide 31 ›

08 **Security, ops and proof**
Isolation, operations, checkers, what is unique
slide 34 ›

01

Why and how

A hackathon ranking decides prize money. It should show its math, admit its doubt, and be checkable by anyone.

- The problem, in the official fixtures
- The approach: one chain
- The DOGFOOD scorecard
- Architecture

The problem: judge luck decides prizes

All numbers are from the official DOGFOOD fixtures: 40 projects, 30 judges, 123 reviews.

4.333 = 4.333

The raw average ties for first place: prj_11 and prj_34

3rd → 7th

prj_10 was third only because it drew a generous judge

−0.82 … +0.52

Judge leniency range, against gaps of 0.02–0.10 between neighbouring projects

7 × NaN

Projects the textbook z-score cannot rank (flat-lining and one-review judges)

Traps in the fixtures, all named at boot

- **A flat-lining judge** (jdg_07) gives identical scores everywhere: detected and excluded from the fit
- **Duplicate project** prj_41 is prj_07 resubmitted: merged, never double-counted
- **Three teams called "StillTrail"** each keeps its id and gets a unique display name
- **Late and missing reviews** 49 of 123 reviews have no written comment: reported before teams see scores

The approach: one chain, from doubt to a verifiable decision

Most portals stop at a ranking. Raptor Desk carries it to a decision anyone can check.

1 **Measure**
Bias-corrected scores: quality + judge leniency + noise

→

2 **Doubt**
P(top k) for every prize place, close calls, kingmaker check

→

3 **Ask**
The right judges for the right projects, within a budget

→

4 **Deliberate**
Append-only decisions, each with a written reason

→

5 **Freeze & sign**
Ed25519-signed snapshot, hash-chained ledger

→

6 **Publish**
Method card, certificates, offline verifier

Ask loops back to Measure: new reviews update every chance. Whatever is still close goes to people, on the record. A model never silently decides prize money.

The DOGFOOD scorecard, and how to check each claim

40% Tier completion and correctness

T1–T4 claimed. Official checker 7/7 for T1–T2, extended checker 32/32 for T3–T4, with a positive control for every refusal.

```
python3 tools/run.py .dogfood.toml
```

25% Judging integrity

Isolation enforced in the API. Bias model beats averaging in 96% of 200 simulated events. Close calls and kingmakers found. Calibration published. Signed hash chain.

```
GET /api/events/evt_01/kingmakers
```

20% Adoptability and operability

docker compose up, offline, no .env. DOGFOOD 2026 preloaded. Health report, verified restore, exports, whole-event bundles.

```
make doctor
```

15% Code quality and innovation

369 tests, architecture contracts, UI/API parity test, 38 recorded decisions. The Measure → Doubt → Ask loop.

```
make check
```

☰ Agenda

Architecture: one command, fully offline

docker compose up starts everything. No .env, no network calls, fonts and scripts vendored.

app · :8080

Django 5.2 LTS, django-ninja REST API, HTMX pages, strict CSP. Boot: check → migrate → safety gate → seed → gunicorn.

worker

Transactional outbox: email and HMAC-signed webhooks with retries. Never slows a voter or a judge.

Mailpit · :8025

A local inbox: invites, magic links, review requests. Nothing leaves the machine.

SQLite (WAL) on the data volume

Append-only tables enforced by database triggers: audit log, phase history, submitted versions, decisions, snapshots, score ledger, signed documents, pairwise comparisons. `doctor` checks the triggers.

scoring_engine: a pure package

No web framework inside, enforced by an import contract. Additive ridge model, shrunken z, bootstrap P(top k), close-call proposals, Bradley–Terry, kingmaker check, calibration.

02


Participants

From sign-in to a feedback report, with nothing to install.


- Sign in and demo accounts
- Event page, teams, submissions
- Public gallery and comments
- Feedback report and queries

☰ Agenda

Sign in, and a home page with real results



Sign in: password or magic link, and one-click demo accounts




Home: the latest published ranking, with chances and signature


- **Magic links** by email, single use, hashed at rest
- **Demo accounts** exist only in the demo profile; production refuses to start with them

☰ Agenda

Event page, teams and versioned submissions



DOGFOOD 2026 preloaded: prizes, deadlines and the published rubric




Teams: create, invite by link or email, join, leave


- **Versioned submissions:** resubmit = version 2 of the same project; submitted versions are frozen by a trigger
- **Deadlines enforced by the server:** a closed event refuses submissions (checked by the official checker)

☰ Agenda

Public gallery, project pages and moderated comments



Gallery: search, tracks and tags; public by design



Project page: submission answers, team, comments


- **Duplicates and name clashes resolved** (prj_41 → prj_07, three “StillTrail” teams)
- **Comment moderation:** hide with a reason, recorded in the audit trail

☰ Agenda

Feedback report: scores explained, judges anonymous

After publishing, each team sees its place, its chance, its criterion scores against the event, and the judges' written feedback.

- **Place and chance** with the 90% interval
- **Scores by criterion** raw and corrected, against the event
- **Written feedback** from every reviewer, unnamed
- **Signed participation record** verifiable at /verify
- **“Something factually wrong?”** sends a query to the organizer's Queries tab, answered on the record




03

Organizers


Run the whole event from one console, with every change on the record.

- Console and lifecycle
- Rubric, tracks, prizes
- People and the judging plan
- Audit, exports and bundles

Console and an event lifecycle with preflight checks



Your events: create, import a bundle, open any event




Overview: lifecycle, preflight checks, phase history


draft · registration · submissions · eligibility · judging · deliberation · published · archived

☰ Agenda

Rubric, tracks, prizes and questions




Rubric: weights, scales, a gate, and tie-break-only bonuses




Tracks, prizes and submission questions

- **Gates:** a project below the gate is listed but never ranked
- **Bonus criteria** never change a score; they only break exact ties
- **Templates:** dogfood-2026 plus three other Raptors events

People, roles and a judging plan that respects people



People: roles per event, invitations, revocation




Judging: ledger check, progress, coverage, assignment, conflicts

- **Assignment:** track coverage, load caps and declared conflicts
- **One-click recusal** by a judge proposes a replacement
- **Ledger verified** against the live database on every visit

Exports at every stage, and whole-event bundles

Data goes in and out without lock-in: CSV for spreadsheets, bundles for archive and migration, webhooks for everything else.

- **CSV exports** for projects, scores, results, votes; safe against formula injection
- **Event bundle** JSON with a manifest SHA-256; import lands in draft
- **Audit trail** append-only, filterable, downloadable as CSV
- **Queries tab** teams' factual queries, answered on the record



04


Judges

Fast, keyboard-first reviewing, and records they can take with them.


- Queue and review console
- Pairwise mode
- Protocols, certificates and passport

☰ Agenda

A keyboard-first review console



Queue: in a random order per judge, across events



Review: number keys per criterion, Ctrl+Enter to submit


- **Autosave** of drafts; submitted reviews are frozen into the signed ledger
- **Isolation:** a judge reads only their own scores, enforced in the API (403)
- **Recusal** in one click, audited

☰ Agenda

Pairwise mode: “which is stronger?”


Bonus challenge: Pairwise Mode (hard).

- ← **or** → picks the stronger; ↓ is too close to call
- **Bradley–Terry** MM algorithm, weak prior, bootstrap intervals
- **Pairs that decide close calls come first**
- **Beside the scores, never instead:** disagreement surfaces in deliberation
- **Append-only** comparisons, in the hash-chained ledger




☰ Agenda

Signed protocols, certificates and a judge passport



Passport: opt-in, cross-event, signed certificates



Verify: paste a code or a signed JSON document

- **Ed25519 signatures** over canonical JSON; the deployment key is pinned
- **tools/verify.py:** standard-library RFC 8032, works fully offline

05

The fairness engine


Measure the bias, doubt the ranking, ask for the evidence that would settle it.

- Normalization with proof
- Measure → Doubt → Ask
- Kingmaker check
- Calibration, published
- Judge diagnostics

☰ Agenda

Normalization you can defend

s(jp) = q(p) + b(j) + ε, fitted by ridge-regularised alternating least squares.



96%


of runs where the additive model beats the raw average

0 NaN


on any input: one review, identical scores, an empty event

- **Leniency b(j)** is estimated, not assumed: positive is generous
- **Flat-liners** carry no signal and are left out of the fit, and reported
- **Sensitivity:** the top four are stable across every λ and k tested
- **Reproducible:** JUDGING.md tables are generated and checked in CI

Measure → Doubt → Ask, on the organizer's results page



Results: corrected scores, intervals and P(top k) meters




Close calls: proposed judges, reasons and a budget

- **Close call =** a 20–80% chance of a prize place
- **Ask these judges:** one click assigns and emails them; chances update as reviews arrive
- **demo_loop** shows a whole round with synthetic reviews

Kingmaker check: does one judge decide a prize?

The ranking is refitted without each judge in turn. A judge whose removal alone changes the top 5, or first place, is listed.



Kingmaker check does one judge decide a prize?

Each judge's reviews are removed in turn and the ranking refitted. A judge listed here decides, alone, who holds the top 5 or who comes first. That is not an accusation: it marks a prize that rests on one opinion. Ask for more reviews above, or settle it in deliberation with a reason on the record.

Without judge	Reviews	Enters the top 5	Leaves it	First place
Wei Lindqvist jdg_02	6	Salt Kiln	Slow Trail	unchanged
Noor Haddad jdg_04	4	none	none	Iron Switch → Salt Loom
Sofia Duarte jdg_09	5	Salt Kiln	Slow Trail	unchanged
Amara Silva jdg_11	6	Salt Kiln	Salt Loom	unchanged
Yuki Sato jdg_15	6	none	none	Iron Switch → Salt Ledger
Nadia Rahman jdg_16	6	Copper Kiln	Dry Relay	unchanged
Felix Roth jdg_22	5	Salt Kiln	Salt Loom	unchanged
Diego Herrera jdg_24	11	Salt Kiln, Open Kiln	Slow Trail, Salt Loom	unchanged
Ines Rocha jdg_29	9	Small Relay	Slow Trail	unchanged

On the results page, and at GET /api/events/{id}/kingmakers

9 of 30

judges alone move a top-5 place on the official fixtures


2 judges

jdg_04 and jdg_15 each decide first place on their own

- **Stricter than the bootstrap,** which resamples reviews but keeps every judge
- **Not an accusation:** it marks a prize resting on one opinion; ask for reviews or decide in deliberation

Calibration, published whatever it says

Do stated chances match what really happens? 200 simulated events, the production bootstrap (300 resamples), 7,973 projects.



52%

of "90% intervals" contain the truth: too narrow

0.073

Brier score, against 0.109 for the base rate

50% flagged

of projects ranked on the wrong side of the prize line were close calls beforehand


So chances point people at the doubt; they never decide. The fix (a residual bootstrap) is known and waits for its own calibration run.

☰ Agenda

Judge diagnostics: leniency, spread and misfit

Every judge's estimated offset, how much they spread their scores, and how far they sit from consensus after the offset.

- **Leniency** from −0.82 (harsh) to +0.52 (generous) on the fixtures
- **Flat-liner excluded:** jdg_07 gives identical scores on every criterion
- **Fewer than 3 reviews** flagged: their offset rests on little evidence
- **Method switch:** additive, shrunken z or raw; disagreement is flagged



Judge diagnostics

Leniency is the judge's estimated offset: negative means harsh, positive means generous. Misfit is how far their scores sit from the consensus after that offset.

Judge	Reviews	Leniency	Spread	Misfit	Notes
jdg_01	1	-0.82	0.00	0.82	fewer than 3 reviews
jdg_10	3	-0.41	0.42	0.40	
jdg_27	2	-0.35	0.33	0.38	fewer than 3 reviews
jdg_14	3	-0.35	0.54	0.66	
jdg_20	6	-0.29	0.74	0.48	
jdg_23	1	-0.21	0.00	0.21	fewer than 3 reviews
jdg_08	3	-0.21	0.68	0.52	
jdg_25	5	-0.18	0.40	0.27	
jdg_24	11	-0.17	0.59	0.47	
jdg_28	2	-0.13	0.17	0.08	fewer than 3 reviews
jdg_04	4	-0.09	0.64	0.81	
jdg_18	3	-0.08	0.16	0.19	
jdg_09	5	-0.07	0.50	0.37	
jdg_12	2	-0.05	0.50	0.44	fewer than 3 reviews
jdg_29	9	-0.01	0.39	0.29	
jdg_07	3	0.00	0.00	0.50	identical scores everywhere: excluded
jdg_16	6	0.00	0.70	0.45	
jdg_11	6	0.08	0.70	0.48	
jdg_26	9	0.09	0.34	0.29	
jdg_22	5	0.09	0.68	0.51	

06

Decide and publish

People decide the close calls, on the record. The result is frozen, signed and explained.


- Deliberation board
- Freeze and sign
- Published results and method card
- Tamper-evident ledger

☰ Agenda

Deliberation: decisions with written reasons


Append-only decisions, bonus tie-break notes and a line under the prize places. Publishing is blocked while a prize close call is undecided.

- **Every decision needs a reason** and is stored append-only
- **Prize line** drawn under the prize places
- **Freeze and sign:** an Ed25519-signed results snapshot
- **Preflight** blocks publishing if a close call is undecided or the snapshot is stale



☰ Agenda

Published results, method card, tamper-evident ledger



Public results: winners, full ranking, decisions, method card

demo_tamper: a raw SQL edit is caught

```
$ docker compose exec app python src/manage.py demo_tamper
before:   valid, 126 entries
tampered: review rev_01m3…qap5v3 (jdg_18 on prj_39),
          functionality 3 -> 5, by a direct SQL UPDATE
after:    INVALID at entry 119: the scores of review
          rev_01m3…qap5v3 were changed outside the portal
restored: valid, 126 entries
```

- **Method card:** method, evidence, parameters, snapshot hash, signing key
- **Hash-chained, signed ledger** of every submitted score, checked against the live data
- **Offline check:** tools/verify.py rejects a tampered copy

07


Vote and integrations

A community vote that is hard to stuff, and data that flows out safely.


- Community vote
- Anti-abuse controls
- Webhooks, embed, bundles
- API first

☰ Agenda


A community vote that is hard to stuff



Ballot: each voter's own stable order



Organizer: mint tokens, tally, held votes




Settings: windows, schemes, networks


- **Link, email or member tokens,** hashed at rest, each with its own ballot shuffle
- **Own-team votes refused;** single-vote or quadratic scheme
- **Burst quarantine:** per-event threshold; held votes are reviewed, never dropped
- **Trusted venue networks** (CIDR): a room on one Wi-Fi is not ballot stuffing
- **Email-domain allowlist** for email voting
- **Refusals audited** after the transaction, so they are never lost

☰ Agenda


Integrations and API first



OpenAPI at /api/docs



Embed code, bundles, webhooks



The embeddable gallery

- **API first (bonus):** every console action is in the REST API; a test enforces it
- **Bearer tokens** hashed at rest; JSON 401/403, never a redirect
- **Event bundles** with a manifest SHA-256; imports land in draft
- **Webhooks:** HMAC-SHA256 in X-Dogfood-Signature, via the outbox, with retries
- **SSRF blocked:** private and internal targets refused outside the demo
- **Payloads** carry ids and names, never scores, tallies or emails

08

Security, ops and proof

Default-deny, operable for real, and every claim re-checked on every push.

- Isolation, with curl
- Operations
- Proof and quality
- Only in Raptor Desk
- Bonus challenges

Isolation, enforced in the API, not the frontend

The rules disqualify “role checks only in the frontend”. Three curl calls against the running portal:

```
$ curl localhost:8080/api/judges/jdg_26/scores -H "Authorization: Bearer rd_seed_jdg24_44de"
{"error": {"code": "forbidden", "message": "Judges can only read their own scores."}}  → 403

$ curl localhost:8080/api/judge/scores -H "Authorization: Bearer rd_seed_prt_priya1_2e88"
{"error": {"code": "forbidden", "message": "You do not have access to this resource."}}  → 403

$ curl localhost:8080/api/judge/scores
{"error": {"code": "unauthorized", "message": "Authentication required."}}  → 401
```

Default-deny @policy

on every page and API operation

Refuses to boot

if any route lacks a policy (raptor.E001)

Access matrix

generated from real responses for 8 identities

Threat model


with a ranked list of what is not stopped

☰ Agenda

Built to run for real

Operations that tell you what to fix, and refuse to do the dangerous thing.

- **manage.py doctor:** a health report that says what to fix, including the append-only triggers
- **Online backups;** restore verifies checksums and schema version first, and takes a safety backup
- **JSON logs** by route pattern; URL tokens redacted from every line, enforced by a test
- **Prometheus metrics** for admins only, read from the database
- **Production safety gate:** refuses to start while demo tokens or demo passwords exist
- **DOGFOOD 2026 preloaded** from its own template: the T1 gate, 40/25/20/15 weights, tie-break bonuses



```
# HELP raptor_desk_info Version and profile of this deployment.
# TYPE raptor_desk_info gauge
raptor_desk_info{version="0.1.0",profile="demo"} 1
# HELP raptor_desk_users Accounts.
# TYPE raptor_desk_users gauge
raptor_desk_users 123
# HELP raptor_desk_events Events by lifecycle phase.
# TYPE raptor_desk_events gauge
raptor_desk_events{phase="draft"} 0
raptor_desk_events{phase="registration"} 0
raptor_desk_events{phase="submissions"} 1
raptor_desk_events{phase="eligibility"} 0
raptor_desk_events{phase="judging"} 2
raptor_desk_events{phase="deliberation"} 0
raptor_desk_events{phase="published"} 1
raptor_desk_events{phase="archived"} 0
# HELP raptor_desk_projects Projects by event and status.
# TYPE raptor_desk_projects gauge
raptor_desk_projects{event="evt_01",status="submitted"} 40
raptor_desk_projects{event="evt_archive",status="submitted"} 40
raptor_desk_projects{event="evt_vote",status="submitted"} 8
# HELP raptor_desk_assignments Judge assignments by event and status.
# TYPE raptor_desk_assignments gauge
raptor_desk_assignments{event="evt_01",status="done"} 123
raptor_desk_assignments{event="evt_archive",status="done"} 123
# HELP raptor_desk_reviews Reviews by event and status.
# TYPE raptor_desk_reviews gauge
raptor_desk_reviews{event="evt_01",status="submitted"} 126
raptor_desk_reviews{event="evt_archive",status="submitted"} 126
# HELP raptor_desk_outbox_messages Queued side effects (emails and others) by state.
# TYPE raptor_desk_outbox_messages gauge
raptor_desk_outbox_messages{state="pending"} 0
raptor_desk_outbox_messages{state="failed"} 0
raptor_desk_outbox_messages{state="done"} 151
# HELP raptor_desk_outbox_oldest_due_seconds How long the oldest pending message has been due. Grows if the worker stops.
# TYPE raptor_desk_outbox_oldest_due_seconds gauge
raptor_desk_outbox_oldest_due_seconds 0
# HELP raptor_desk_audit_events Entries in the append-only audit trail.
# TYPE raptor_desk_audit_events counter
raptor_desk_audit_events 23
# HELP raptor_desk_database_bytes Size of the SQLite database and its write-ahead log.
# TYPE raptor_desk_database_bytes gauge
raptor_desk_database_bytes 2430280
# HELP raptor_desk_data_volume_free_bytes Free space on the data volume.
# TYPE raptor_desk_data_volume_free_bytes gauge
raptor_desk_data_volume_free_bytes 1010271088640
# HELP raptor_desk_last_backup_timestamp_seconds When the newest backup was written (0 if none).
# TYPE raptor_desk_last_backup_timestamp_seconds gauge
raptor_desk_last_backup_timestamp_seconds 0
```

/metrics: admin-only Prometheus

```
raptor-desk: checking configuration (every route
             must declare an access policy)
raptor-desk: applying database migrations
raptor-desk: safety gate (production never starts
             with demo credentials)
raptor-desk: seeding (demo profile loads the fixtures)
raptor-desk: serving on http://localhost:8080
```

☰ Agenda

Proof, not claims

CI boots Docker and runs both checkers on every push. The README cannot overclaim.

```
DOGFOOD 2026 acceptance report
portal: http://localhost:8080
claimed: T1 T2 T3 T4

T1  gallery is public ................. PASS
T1  project from fixtures shown ....... PASS
T1  closed event refuses submissions .. PASS
T2  judge sees own scores ............. PASS
T2  judge cannot see peer scores ...... PASS
T2  participant blocked ............... PASS
T2  csv export works .................. PASS

claimed T1 T2 T3 T4, verified T1 T2
```

The official checker, unmodified. T3–T4: our extended checker, 32/32, verified T3 T4.

7/7
official checker, byte-identical in CI

32/32
extended checker, T3 and T4

369
tests on every commit

- **SHA-256 pinned:** run.py and fixtures.json are byte-for-byte the published files
- **Positive controls:** every “refused” check has a matching “allowed” check
- **Contracts:** the engine cannot import the web framework; UI/API parity test
- **Generated docs:** truth table and JUDGING.md tables fail CI if they drift
- **38 decisions** recorded with the alternatives rejected

Only in Raptor Desk

Ten things we found in no other entry, from a survey of the strongest DOGFOOD repositories.

01 **Deliberation board**
decisions with written reasons; publishing blocked while undecided

02 **Public method card**
method, evidence, parameters, snapshot hash, signing key

03 **Judge passport**
opt-in, cross-event, signed certificates

04 **Refuses to boot unguarded**
any route without an access policy stops start-up

05 **Ledger vs. live database**
with a tamper demo that proves it

06 **Doctor and verified restore**
checksums and schema checked before replacing anything

07 **No URL token in any log**
with a test covering every token route

08 **Pairwise aimed at close calls**
the pairs that decide a prize come first

09 **Trusted venue networks**
one Wi-Fi room is not ballot stuffing

10 **A README that cannot overclaim**
generated from both checker reports; CI fails on drift

Bonus challenges: 4 of 4

✓ Normalization Proof

hard

JUDGING.md: method, fixture results, 200-run simulation against a known truth, sensitivity analysis, calibration. Generated and checked in CI.

✓ Pairwise Mode

hard

A or B with ← → ↓. Bradley–Terry (MM, prior, bootstrap) beside the scores; pairs that decide close calls come first.

✓ Threat Model

medium

THREAT-MODEL.md: Sybil votes, ballot stuffing, collusion, tampering, SSRF, token leaks, with a ranked list of what is not stopped.

✓ API First

medium

Every console action in the REST API, enforced by a parity test. OpenAPI at /api/docs and /api/openapi.json.

☰ Agenda


Evaluate it in five minutes

One command, then the /tour page walks each scoring criterion with a click.

```
docker compose up
# open http://localhost:8080  →  /tour

python3 tools/run.py .dogfood.toml \
        --fixtures data/fixtures.json
python3 tools/run_extended.py .dogfood-extended.toml
```

- **Organizer:** Sample Hack 2026 → Results, Deliberation, Voting
- **Judge A:** score with the keyboard, then Compare pairs
- **Judge B:** try to read Judge A's scores (refused)
- **Participant:** form a team in DOGFOOD 2026, submit, resubmit
- **Admin:** /metrics and every event



☰ Agenda

From uncertainty to a signed decision.

Measure → Doubt → Ask → Deliberate → Freeze and sign → Publish

```
docker compose up
```

github.com/GauravS13/raptor-desk

Built for DOGFOOD 2026 · Hackathon Raptors