

```
mysql> CREATE DATABASE DigitalBookshelf;
Query OK, 1 row affected (0.03 sec)
```

```
mysql>
```

```
mysql> USE DigitalBookshelf;
Database changed
```

```
mysql> CREATE TABLE Books (
  ->     Title VARCHAR(100),
  ->     Author VARCHAR(50),
  ->     PageCount INT
  -> );
```

```
Query OK, 0 rows affected (0.07 sec)
```

```
mysql> INSERT INTO Books (Title, Author, PageCount)
  -> VALUES ('Atomic Habits', 'Gaurav', 320),
  -> ('Rich Dad Poor Dad', 'Robert', 336),
  -> ('Harry Potter', 'Lata', 350),
  -> ('Ikigai', 'Premchand', 208),
  -> ('Wings of Fire', 'A.P.J. Abdul Kalam', 180);
```

```
Query OK, 5 rows affected (0.02 sec)
Records: 5  Duplicates: 0  Warnings: 0
```

```
mysql> SELECT * FROM Books;
```

Title	Author	PageCount
Atomic Habits	Gaurav	320
Rich Dad Poor Dad	Robert	336
Harry Potter	Lata	350
Ikigai	Premchand	208
Wings of Fire	A.P.J. Abdul Kalam	180

```
5 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM Books
  -> WHERE Author = 'James Clear';
Empty set (0.00 sec)
```

```
mysql> SELECT * FROM Books
  -> WHERE Author = 'Gaurav';
```

Title	Author	PageCount
Atomic Habits	Gaurav	320

```
1 row in set (0.01 sec)
```

```
mysql> UPDATE Books
  -> SET Status = 'Finished'
```

```

mysql> SELECT * FROM Books
      -> WHERE Author = 'Gaurav';
+-----+-----+-----+
| Title      | Author | PageCount |
+-----+-----+-----+
| Atomic Habits | Gaurav |      320 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> UPDATE Books
      -> SET Status = 'Finished'
      -> SET Status = 'Finished'^C
mysql> UPDATE Books
      -> SET PageCount = 'Finished'
      -> WHERE Title = Ikigai;
ERROR 1054 (42S22): Unknown column 'Ikigai' in 'where clause'
mysql> UPDATE Books
      -> SET PageCount = 'Finished'
      -> Where Title = Ikigai;
ERROR 1054 (42S22): Unknown column 'Ikigai' in 'where clause'
mysql> UPDATE Books
      -> SET Status = 'Finished'
      -> WHERE Title = 'Ikigai';
ERROR 1054 (42S22): Unknown column 'Status' in 'field list'
mysql> UPDATE Books
      -> SET Status = 'Finished'
      -> WHERE Title = 'Ikigai';
ERROR 1054 (42S22): Unknown column 'Status' in 'field list'
mysql> DESC Books;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| Title      | varchar(100)  | YES  |     | NULL    |       |
| Author     | varchar(50)   | YES  |     | NULL    |       |
| PageCount  | int           | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.02 sec)

mysql> UPDATE Books
      -> SET Status = 'Finished'
      -> WHERE Title = 'Ikigai';
ERROR 1054 (42S22): Unknown column 'Status' in 'field list'
mysql> ALTER TABLE Books
      -> ADD Status VARCHAR(20);
Query OK, 0 rows affected (0.05 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> UPDATE Books
      -> SET Status = 'Finished'
      -> WHERE Title = 'Ikigai';

```

```
-> WHERE Title = 'Ikigai';
ERROR 1054 (42S22): Unknown column 'Status' in 'field list'
mysql> ALTER TABLE Books
-> ADD Status VARCHAR(20);
Query OK, 0 rows affected (0.05 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> UPDATE Books
-> SET Status = 'Finished'
-> WHERE Title = 'Ikigai';
Query OK, 1 row affected (0.01 sec)
Rows matched: 1 Changed: 1 Warnings: 0
```

```
mysql> Select * from Books;
```

Title	Author	PageCount	Status
Atomic Habits	Gaurav	320	NULL
Rich Dad Poor Dad	Robert	336	NULL
Harry Potter	Lata	350	NULL
Ikigai	Premchand	208	Finished
Wings of Fire	A.P.J. Abdul Kalam	180	NULL

```
5 rows in set (0.00 sec)
```

```
mysql> DELETE FROM Books
-> WHERE Title = 'Harry Potter';
Query OK, 1 row affected (0.02 sec)
```

```
mysql> Select * from Books;
```

Title	Author	PageCount	Status
Atomic Habits	Gaurav	320	NULL
Rich Dad Poor Dad	Robert	336	NULL
Ikigai	Premchand	208	Finished
Wings of Fire	A.P.J. Abdul Kalam	180	NULL

```
4 rows in set (0.00 sec)
```

```
mysql> |
```