
newindiaelectricals

# END-TO-END ELECTRICALS FOR STEEL & POWER PROJECTS





MOTORS
PUMPS
PANELS
SWITCHGEARS
TRANSFORMERS
SUBSTATIONS

INTEGRATED STEEL PLANTS
SPONGE IRON PLANTS
STEEL MELT SHOPS
ROLLING MILLS
PALLETISATION
DRI

SINCE 1969

# STEEL & POWER are two sides of a coin. INSEPARABLE.

We have been associated with the development of the STEEL Industry over the last 45 years. Since our inception in 1969, NIEL has been involved very closely with developing equipments and import substitutes for STEEL producers of the country.

The philosophy of using India's engineering to develop larger and larger motors was something old timers will remember about us. We were in the forefront to help develop higher capacity Mill Duty Motors and Controls.


The tradition is still on and even today we are always pursuing to bring newer technologies and friendlier solutions to STEEL makers in India and abroad. We are putting our collective knowledge to now offer a ONE-STOP-SHOP for the entire Power & Electrical needs of any STEEL & POWER Plant.

Buying, solutions from New India Electricals means, gaining a partner you can rely on for the life of your plant and equipments. We help you with equipment sizing and design right from the early design stage onto the delivery phase and then throughout the life of the equipment.

Our Equipments are manufactured under most stringent quality processes with a clear focus on performance reliability and longevity.

## Motors:

We can offer the full complement of Motors for all STEEL and Power plant applications. Right from a High Voltage 10MW Mill Main Drive motor to 1MW DC Mill Stand motor to the Sophisticated and robust Shear Motors to Fan Drive - Squirrel Cage TEFC motors to Roller table motors and right upto the Pump drive / Water complex SPDP motors. We have it all.



### THREE PHASE INDUCTION MOTORS

| | | |
|---|---|---|
| Range | : | Upto 8000KW |
| Voltage | : | 415/660/3300/6600/11000V |
| RPM | : | 3000/1500/1000/750/600 |
| Insulation | : | Class "F" |
| Mounting | : | Horizontal/Vertical Flange/ Foot cum Flange |
| Enclosure | : | IP 22 / IP 55 |
| Cooling | : | IC 01/411/511/611 |




### AC MILL DUTY MOTORS

| | | |
|---|---|---|
| Range | : | 110 to 2000kW |
| Voltage | : | 0.415/3.3/6.6kV |
| RPM | : | 1000/750/600 |
| Insulation | : | Class "F" |
| Mounting | : | Horizontal |
| Enclosure | : | IP 23 |
| Cooling | : | IC 01 |
| Applications: | | Steel Mills, Rolling Mills, SugarMills, Paper Mills, Cement, Fertilizer |



### AC MOTORS - CAGE ROTOR

| | | |
|---|---|---|
| Range | : | 0.37 to 2500 kW |
| Voltage | : | 0.38, 0.415/3.3/6.6kV |
| RPM | : | 3000/1500/1000/750/600 |
| Insulation | : | Class "F" |
| Mounting | : | Horizontal/Vertical Flange/ Foot cum Flange |
| Enclosure | : | IP 22 / IP 55 |
| Cooling | : | IC 01/411/511/611 |



### AC MOTORS - WOUND ROTOR

| | | |
|---|---|---|
| Range | : | 7.5 to 20000 kW |
| Voltage | : | 0.38/0.415/3.3/6.6kV |
| RPM | : | 1500/1000/750/600 |
| Insulation | : | Class "F" |
| Mounting | : | Horizontal |
| Enclosure | : | IP 22 / IP 55 |
| Cooling | : | IC 01/411/511/611 |
| Duty | : | SI |




### ROLLER TABLE MOTORS

| | | |
|---|---|---|
| Range | : | 0.37 to 37 kW |
| Voltage | : | 380 & 415 Volts |
| RPM | : | 1500/1000/750 |
| Insulation | : | Class "F" |
| Mounting | : | Horizontal/Vertical Flange |
| Enclosure | : | IP 55 |
| Cooling | : | IC 01/411/511/611 |



### DC MOTORS

| | | |
|---|---|---|
| Range | : | Up to 3000 kW |
| Voltage | : | 180 to 1000V |
| RPM | : | 1800/1000/600 |
| Insulation | : | Class "F" / "H" |
| Mounting | : | Horizontal Foot / Vertical Flange |
| Enclosure | : | IP 21 /22 23 / 44 |
| Cooling | : | IC 01/06/0041/0141/0666 |
| Types | : | Laminated / Solid yoke |
| Duty | : | S1/S4 |



### BRAKE MOTORS

| | | |
|---|---|---|
| Range | : | 0.18 to 20 kW |
| Voltage | : | 380 & 415 Volts |
| RPM | : | 1500/1000/750 |
| Insulation | : | Class "F" |
| Mounting | : | Horizontal/Vertical Flange/ Foot cum Flange |
| Enclosure | : | IP 55 |
| Cooling | : | IC 411 |

AC/DC Brakes



### CRANE DUTY MOTORS

| | | |
|---|---|---|
| Range | : | 0.37 to 1000 kW |
| Duty | : | S3, S4, S5 |
| Starts/Hour | : | 6/150/300 |
| CDF | : | 25%, 40%, 60%, 100% |
| Type | : | Cage / Slipring |
| Insulation | : | Class "F" |
| Enclosure | : | IP 55 |
| Cooling | : | IC 411 |

# Pumps & Valves



## End Suction Pump
## SERIES : DB / DB (Large)

**RANGE**

Delivery Size : up to 300 mm
Capacity : up to 1900 m³ / hr
Head : up to 100 mtrs.
Temperature : (-) 10°C to 100°C

**FEATURES**

- Back pull - out design
- Conforming to DIN 24255
- End Suction
- Gland packed / Mechanical seal
- 3500 to 1500 rpm
- Available in various material combinations

**APPLICATION**

- Air conditioning
- Fire Fighting
- Booster service
- Water
- Brine, Oils etc.



## End Suction Pump
## SERIES : CE

**RANGE**

Delivery Size : upto 125 mm
Capacity : up to 660 m³ / hr
Head : up to 100 meters
Temperature : (-) 10°C to 140°C

**FEATURES**

- Back Pullout Design
- Confirming to DIN 24256 and ISO 2858
- Single stage with back pull - out type design.
- Suitable for 3500 / 1500 rpm
- Gland packed / Mechanical Seal

**APPLICATION**

- Air conditioning
- Fire Fighting
- Condensate water supply
- Booster Services
- Handling clear and turbid water up to 3000 ppm



## Solids Handling Pump
## SERIES : SHM/SHS

**RANGE**

Delivery Size : up to 200 mm
Capacity : up to 800 m³/hr
Head : up to 90 metres
Temperature : (-) 10°C to 140°C

**FEATURES**

- Back pull-out design
- Handle Solid up to 105 mm
- Gland packed/Mechanical Seal
- 50HZ / 60 HZ availability
- Also available in vertical execution

**APPLICATION**

- Sludge & Sewage
- Powdered material slurries
- Sugar factory waste
- Contaminate Process Liquids
- Paper Pulp
- Viscous Liquids



## Horizontal Multistage Pump
## SERIES : RKB

**RANGE**

Delivery Size : up to 200 mm
Capacity : up to 850 m³ /hr
Head : up to 850 metres
Temperature : (-) 40°C to 140°C

**FEATURES**

- Gland packed/Mechanical Seal
- Suction flange can be directed left or right
- Enclosed impellers
- Also available in Vertical Execution

**APPLICATION**

- Fire-fighting
- Booster Service
- Mine Dewatering
- Boiler feed
- Sprinkler Irrigation



## Horizontal Axially Split Casing Pump
## SERIES : UP/UPL/UPH/UP (T)

**RANGE**

Delivery Size : up to 1100 mm
Capacity : up to 20,000 m³/hr
Head range : up to 160 metres
Temperature : (-) 10°C to 90°C

**FEATURES**

- Gland packed/Mechanical Seal
- Easy maintenance
- Rugged and sturdy
- Bottom Suction branch
- Low NPSH

**APPLICATION**

- Water supply
- Irrigation
- Air-conditioning
- Power plants



- Fire fighting

## Horizontal Axially Split Casing Pump
## SERIES : DSM/DSM (T)

**RANGE**

Delivery Size : up to 150 mm
Capacity : up to 470 m³/hr
Head : up to 180 metres
Temperature : (-) 10°C to 90°C

**FEATURES**

- Gland packed/Mechanical Seal
- Easy maintenance
- Two stage
- Stable characteristics
- Low NPSW

**APPLICATION**

- Water supply
- Irrigation schemas
- Air-conditioning
- Fire fighting



## Sluice Valve

**RANGE**

Size : 50 to 1300 mm
Pressure : PN 1.0 and PN 1.6
Conforming to : IS : 780 & IS 2906
Rating PN 16 Conforming to BS 5163

**FEATURES**

- Rigid and sturdy design
- Low pressure loss
- Available in Non Rising as well as in Rising Spindle type
- Long service life
- Resilient Seated valves available

**APPLICATION**

- Water
- Effluent



## Butterfly Valve

**RANGE**

Size : 50 to 2500 mm
Pressure upto PN 16
Conforming to BS : 5155
Pressure up to Class 250
Conforming to AWWA C 504
Higher pressure on request

**FEATURES**

- Available in Centric design up to 600 mm. single. Double Eccentric design from sizes 65 mm to 2500 mm
- Less wear and tear
- Self cleaning and non jamming seat design
- Low operating torque
- Rigid and sturdy design

**APPLICATION**

- Water
- Effluent
- Sewage
- Chemical and petrochemical

# Panels

Motor Controls is something that we pride in as we have been manufacturing these for over 35 years now. We started off with the Oil immersed switchgears moved on to Air-break then onto SF6 & Vacuum too. Our Liquid Rotor Resistance starters are still being operated in many plants all over the world.



Motor Control Centers & Power Control Centers

with all this experience in STEEL MILLS we have developed special control panel designs to ensure longevity and reliability.

Owing to the complete modularity of our system we can design sophisticated PCCs & MCCs with simplicity, We have learnt our lessons by making units and systems for global customers like L&T, ABB, SIEMENS, AREVA, CGL and Schneider. With this system, the physical dimensions of each compartment can be vaired in width, height and depth to accommodate the various space requirements for different components required for different controls. For example, in one MCC we can plan to install direct on line, Star Delta, Soft Start & Auto transformers Starters with relative ease and also ensure that all the overall controls and protections are in place. Our design system will also allow the design of intelligent Motor Control Centers which integrate electronic and programmable devices connected to a network such as DeviceNet and ProfiBus together with traditional electromechanical equipments.



## Soft Starters, VFD Drives & DC Drives

With the development of Power Electronics, a whole new segment has opened up in the Control and Power Management of systems. We have kept pace with this change and thus can offer you Motor Control Switchgear with Soft Starters for Low Voltage and Medium Voltage applications.

Soft starters are a simple and economic method of controlling AC motors for fixed speed applications. We offer Soft Start Systems with the most compact of all the softstarter modules, thereby making it possible to design compact starting equipments. Our built-in by-pass reduces the energy loss and makes the connection easier and with only three potentiometers, the set-up couldn't be any easier. The optimized ramping characteristics will ensure a very smooth start and stop for all applications. The torque control function has been developed and tested together with various pumping Systems to ensure the absolutely best possible stop of pumps without water hammering and pressure surges.

Our VFD Drive panels are an ideal way of controlling AC Motors for variable speed applications. Our Drive solutions are built around some of the world's most robust drive modules manufactured by ABB, SIEMENS, SCHNEIDER and L&T. With System automation and efficient use of Power becoming a pronounced government & management directive, our VFD panels are the ideal solution.

We offer Soft Starters and VFD solutions in Low Voltage and Medium Voltage ranges too.

## Process Automation Panels

Our Automation experience in Steel is exemplary. In the Mill area we have experience in automation right from the Mill approach table to Roughing Mill Control on to Shear Control and Finishing. We can provide group /individual cascade speed control for better flexibility and efficient production stand-wise, with Speed Ramp management, Bite Compensation, Loop Control, Loop forming and Mechanism activation, Loop adjustment, Tail bar loop removal.

In the Quenching And Cooling bed areas, our expertise and experience will enable length calculations, pinch roll control, Dividing shear control, onto Cooling bed Rake control, with alignment and roller table controls too.



# Switchgear

Our complete range of Medium Voltage switchgear covers every aspect of this critical installation. These are the gateways to some of the most expensive equipments installed in your plant and thus we do not take ANY chances. All inputs are strictly high quality branded components with international warranties and service back-ups. To ensure our design is robust and able to withstand faults and adverse conditions, our panels are type-tested with CPRI before putting them onto customer installations. To ensure longevity of the panels we are one of the first System Houses to introduce special Alu-Zinc coated steel enclosures that are 10 times more corrosion resistant than the normal powder coated enclosures.



VCB PANELS



CONTACTOR PANELS



OUT DOOR KIOSKS



SF6 PANELS



BUS DUCT SYSTEMS



NEUTRAL GROUNDING RESISTORS



CONTROL & RELAY PANELS



Power$^{+}$F 110$^{\circ}$



Power$^{+}$VO



Power$^{+}$V

| DESCRIPTION | UNIT | Power$^{+}$V | Power$^{+}$F | Power$^{+}$F3 | Power$^{+}$V3 | Power$^{+}$VO | Power$^{+}$FO | Power$^{+}$F30 |
|---|---|---|---|---|---|---|---|---|
| Rated Voltage | KV | 3.3 to 12 | 3.3 to 12 | 36 | 36 | 3.3 to 12 | 3.3 to 12 | 36 |
| Rated Frequency | Hz | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| Rated Busbar Current | A | Upto 3000 A | 3000 A | 2000 A | 2000 A | Upto 2000 A | 3000 A | 2000 A |
| Short time | KA | 26.2/40 | 40 | 31.5 | 31.5 | 26.2/40 | 40 | 31.5 |
| Withstand Current | KAb | 66/100 | 100 | | | 66/100 | 100 | |
| Insulation Levels | KVrms/KVp | 28/75 | 28/75 | 70/140 | 70/140 | 28/75 | 28/75 | 70/140 |
| Dimensions L×D×H | mm | 600x1450x2350<br>800x1450x2350 | 800×1450×2350 | 1220×2300×2300 | 1200×2300×2200 | 700x1450x2350 | 800×1450×2350 | 1220×2300×2300 |
| Degree of Protection<br>* Enclosure<br>* Between Compartments | | <br>IP4×<br>IP2× | <br>IP4×<br>IP2× | <br>IP4×<br>IP2× | <br>IP4×<br>IP2× | <br>IP54<br>IP2× | <br>IP54<br>IP2× | <br>IP54<br>IP2× |
| Weight with Breaker (App) | KG | 750 | 850 | 1300 | 1200 | 900 | 1000 | 1500 |

# Transformers

Transformers being an integral part of any power solution for a STEEL plant, New India Electricals has forged alliances with some of the mature manufacturers to ensure the right quality. Our Transformers are manufactured with specific Low-Loss and High Efficiency designs. Our aim is to provide a comprehensive range of Transformers to our valued customers.

Right from the Main Power Transformer to Furnace Transformers all the way to Auxiliary Power Supply, all our Transformers are manufactured keeping STEEL MILL load patterns, supply conditions and operating conditions in mind. Our designs indeed confirm to the relevant IS/ BS & IEC Standards with optimum utilization of active materials. With special features such as larger size breathers, Sandwiched radiator panels, enlarged terminal arrangement, built-in overload capacities, we are able to offer trouble free performance during surges and short circuits.


## DISTRIBUTION TRANSFORMERS



### Specification

- 3Phase, 50 Hz in voltages of 11 kV, 22kV and 33kV
- Off-circuit tap changer to provide+5% to - 10%
- On-load tap changer to provide +7% to - 21% taps in steps of 1.75%
- Class A insulated
- Vector group Dyn 11
- Continuos duty
- Copper wound / Aluminium wound
- Painting as per IS / IEC standards
- HV side cable box
- LV side cable box / bus duct
- Standard fittings as per IS 2026 / IEC 76

## POWER TRANSFORMERS



### Specification

- 3Phase, 50 Hz in voltages of 11 kV, 22kV and 33kV, 66kV & 111kV
- Off-circuit tap changer to provide + 5% to - + 7.5% & + 5% to - 10% taps in steps of 2.5%
- On-load tap changer to provide + 5% to - 15% taps in steps of 1.25%
- Class A, uniform / non-uniform insulated
- Vector group Dyn 11, YNd 11, YNyn 0
- Continuous duty, double copper wound
- Painting as per IS/IEC standards
- Both HV & LV side outdoor bushings or cable boxes
- Cooling radiators / fans.
- Standard fittings as per IS / IEC standard df
- Buchholz relay with alarm and trip contact with shut off valves
- Oil temperature indicator with alarm and trip contact
- Magnetic oil level gauge with alarm contact
- Mashalling box to house oil temperature indicator and winding temperature indicator
- Cooler control unit
- Neutral current transformer

## FURNACE TRANSFORMERS



### Specification

- 3Phase, 50 Hz in voltages of 11 kV, 22kV and 33kV
- Off-circuit tap changer to provide + 5% to - + 7.5% & + 5% to - 10% taps in steps of 2.5%
- On-load tap changer to provide +5% to - 15% taps in steps of 1.25%
- Class A, uniform / non-uniform insulated
- Vector group Dyn 11, YNd 11, Dd0y11
- Continuous duty, double copper wound
- Painting as per IS / IEC standards
- Both HV & LV side outdoor bushings / cable box / bus ducts / bus bar risers
- Standard fittings as per IS / IEC standards

### Main Features

- Transformers are designed for induction furnace, arc furnace & submerged arc furnace application
- Magnetic circuit - lamination CRGO M3 to M5 type
- Electric circuit - electrolytic grade 99.9% pure copper with transposition in LV coil for current sharing in parallel conductors
- Dielectric circuits - Electric grade press paper, boards and mineral oil
- Thermal circuit - adequate cooling ducts are provided radially & axially for the smooth flow of oil internally. Radiator cooling banks are provided for natural air cooling ONAN & additional fans for ONAF cooling. High current transformers are provided with OFW cooling


# Substations

A platform for total Substation Design & Construction services on TURNKEY basis upto 400 kv

As smaller units are becoming uneconomical investors are now setting up larger capacities and integrated plants. This calls for plants to manage larger power infrastructures. We at NIEL have stepped up our capabilities to enable our customers to do this.

Our customers have put their faith in us and today we can claim to have erected and completed over 40 Substations upto 230KV Class all over the world.

Be it a Generating Substation, Transmission line or a Distribution Station – we have done them all.




We can deliver value for Steel Mill Substations as we have in-house expertise on :
Design → System knowledge → Product knowledge → Manufacturing→ Erection & Commissioning→Field Experience

### New India Electricals can deliver value for Substation Solutions by offering:

- Full Engineering Design and project implementation services
- Application engineering and detailed electrical system design.
- Project management, scheduling, tracking, construction management and site supervision
- Engineer, procure, construct (EPC) package & utility coordination.
- Packaged electrical control houses.
- Field engineering and repair services

### Accepting single-source design/build responsibility

In a service industry where deadlines are often missed and budgets are overrun, NIEL has a proven record of on time completion, while consistently finishing at or below original project budgets.

### Maintaining technology leadership

Provides optimal solutions to customer's application needs. Our system integration capability coupled with highly experienced teams will deliver a high technology solution considering practical utility interface and plant operation requirements.

### Providing a modularized, application specific design

With over 30+ years of experience in projects & electrical industry, NIEL designs projects to minimize project cycle time and optimize life cycle cost. Our team is trained to incorporate the latest standards and equipment, while ensuring all technical needs are met.

### Delivering Maintenance and service programs

With an extensive network of field engineering offices and service centers of all our Partner suppliers, we can assure a high level of after-sales & service reliability.

### Products Expertise:

Power transformers, Breakers, Isolators, Lighting Arrestors, CVT, CT, PT, ACSR Conductors, Connectors, Medium Voltage panels, Control panels, Protective Relay & Power Management systems, Battery & Chargers, Capacitor Systems & etc.

### We succeed due to:

Clear Scope Definition ; Efficient Resource Capacity Plans ; Quality Management ; Open Communication ; Managed Scope Change ; Regular Reporting & A Win /win Approach.

## TURNKEY SUBSTATION SOLUTIONS



DESIGN & ENGINEERING



EQUIPMENT SELECTION & SUPPLY



ERECTION & COMMISSIONING



TESTING & HANDOVER

## CUSTOMER LIST

Accent Steels (India) Pvt. Ltd.
A.C.Steels
AKS Alloys (P) Ltd.
Anand Electricals & Engineering Co.
Anil Steel & Alloys
Associated Steel Industries
Avtar Foundry & Workshop
Balajee Loha Pvt. Limited
Bhagyalakshmi Rolling Mill Pvt. Ltd.
Bhuwalka Steel Industries (UAE) FZE
Bhuwalka Steel Industries Limited
BMA Stainlees Ltd.
Bunty International
Choudhry Rolls Corporartion
CRM Steel
Dhanalakshmi Re-Rolling Mill
Dhanalaxmi Iron Industries Ltd.
Durga Engineering and Foundry Works
Electrotherm (India) Ltd .
Ganga Industries Ltd.
Gangadhara Steels Pvt. Ltd.
Gunlakshmi Metallics,
Govaan Steels Pvt. Ltd.
Hama Iron and Steel Industries Pvt. Ltd.
Hariom Concast & Steels Pvt. Ltd.
Hariom Ingots and Power Pvt. Ltd.
Hi Tech Mineral Industries Covai
Hi-Tech Mineral Industries Covai Ltd.
Hothur Steel
Hy-Tuf Steels Pvt. Ltd.
Indore Rolling Mill (P) Ltd.
Indra Steel Traders
Indus Smelters
Indus Steels & Alloys Ltd.
Jagdamba Steels (P). Ltd. (OFF)
Jamnadas Steel Pvt. Ltd.
K.L. Concast Pvt. Ltd.
K.L. Steel (P) Ltd.
Kalindi Ispat (P) Ltd.
Karthik Alloys Limited
Kathuria Rollmill Pvt. Ltd.
Khyati Ispat Pvt. Ltd.
Lakshmi Steel Overseas Limited
Maa Kudargadi Steels (P) Ltd.
Mahadeva Steel Mills Pvt. Ltd.
Mahalakshmi Steel Industries
Mahalakshmi Structures (P) Ltd.
Mahamaya Ispat Ltd
Mahamaya Steel Industries,
Mahendra Strips Pvt. Ltd
National Steel and Agro Industries Ltd
Nibi Steel Ltd.
Orient Ispat Pvt. Ltd.
Panchratna Metal Processing Ltd.
Pioneer Torsteel Mills (P) Ltd. (OFF)
Prakash Industries Limited
Preet Machines Ltd.
Prime Ispat Limited
RANA Udyog Private Limited (OFF)
Reiance Steel Industries
Roopam Steel Rolling Mill
Rukminirama Steel Rollings Pvt. Ltd.
S.D. Bansal Iron and Steel Pvt. Ltd
Samriddhi Ispat Pvt. Ltd
Seth Banshidhar Kedia Steel Pvt. Ltd.,
Shakti Industries
Shilpa Re-rollers Pvt. Ltd.
Shivali Udyog (I) Limited
Shivam Structural & Steel Mills Pvt. Ltd.
Shri Bajrang Metallics And Power Ltd.
Shri Tamilnadu Metals Industries
Sonthalia Steel Rolling Mills Pvt. Ltd.
South Central Steel & Power Limited
Sree Ramakrishna Alloys Limited
Sri Ganesh Shiv Parvathi Steel (P) Ltd.
Steel Exchange India Limited
Sunder Ispat Limited
Sunmarg Ispat Pvt Ltd.
Super Ispat Pvt. Ltd.
Shri Ulaganayagi Amman Steels
Sri Padmabalaji Steels Pvt. Ltd.
Shree Nagani Steels
Shree Steels
The Assam Tubes Ltd.
Tigrania Metals Pvt. Ltd.
Tusyan Nec Limited
Universal Steel Rollong Mills Pvt. Ltd.
Venkat Bajali Steel Rolling Mill Pvt. Ltd.
Vinar Ispat Ltd.
Vinayaka Ispat Udyog
Vkg Steel & Energy Pvt. Ltd.

## EXPORTS TO OVER 32 COUNTRIES

ALGERIA; BANGLADESH; BHUTAN; BOTSWANA; CHINA; DUBAI; EGYPT; FINLAND; GERMANY; GHANA; INDONESIA; KENYA; KUWAIT : MALAWI: MALAYSIA; MALTA; MYANMAR; NIGERIA; PAKISTAN; PHILIPPINES; SAUDI ARABIA; SINGAPORE; SOUTH AFRICA; SRI LANKA; SWEDEN; THAILAND; UAE; UNITED KINGDOM; UNITED STATES OF AMERICA; YEMEN; ZAMBIA, TANZANIA

## PRODUCT PARTNERS

Kirloskar ABB AREVA SIEMENS KOLNIFE Crompton Greaves Power+ Kirloskar Enriching Lives

## SYSTEMS & SOLUTION PARTNERS

kathuria ROLLMILLPVTLTD

Vega GROUP

SSS TECH ENGINEERS PVT. LTD.

Lakshmi KAMATH TRANSFORMERS PVT. LTD.

STECH PROJECTS PVT LTD

KORUS ENERGY

**New India Electricals Ltd.**
Power House, # 18, J.C. Road, Bangalore - 560 002. INDIA

Tel : +91 80 42434343, 22235434 Fax : +91 80 22226666
Mail : National : sales@newindiaelectricals.com
International : export@newindiaelectricals.com
Site : www.nielgroup.com / www.newindiaelectricals.com