

KOSHIKA APEX CELLULAR THERAPY & BMT CENTRE

Clinical Diagnostic Division & Transplant Core
StemBridge Technology Park, Electronic City, Bangalore - 560100

NABL ISO 15189 & FACT-JACIE AFFILIATED

Report ID: MED-KOSHIKA-2026-8829
Barcode: KOSH*0914*88029

CYTOMEGALOVIRUS (CMV) QUANTITATIVE REAL-TIME PCR (IU/ML)

Patient Name:	Clinical Patient #29 (Verified Cohort)	Date of Exam:	September 14, 2026
MRN / Patient ID:	KOSH-BMT-2026-1029	Age / Gender:	49 Yrs / Male
Blood Group & Rh:	O-	Referring Doctor:	Dr. Ramesh Sarin, MD, DM (Hemato-Oncology)
Clinical Diagnosis:	Hematologic Malignancy Protocol Assessment #29	Specimen / Source:	Plasma K2-EDTA

Test / Assay Target	Observed Value	Reference Range	Method / Assay	Status / Interpretation
CMV DNA Viral Load	Not Detected (< 35)	< 35 IU/mL LOD	Real-Time PCR	Target Not Detected
Log10 CMV Copy Number	0.0 Log10 IU/mL	0.0 Log10	Digital Quant	Negative Baseline
Assay Linear Range	35 - 10,000,000 IU/mL	Valid Standard	WHO Calibration	Passed Quality Control
Specimen Extraction Quality	Valid Internal Control	Passed	Extraction Control	Validated Processing

CLINICAL INTERPRETATION & RECOMMENDATIONS:

- CMV DNA viral load is undetectable (< 35 IU/mL) via WHO-calibrated real-time PCR assay.
- Patient remains protected from active cytomegalovirus reactivation under letermovir prophylaxis.
- All assay analytical internal and external controls passed standard quality criteria.
- Report electronically signed and validated under NABL laboratory oversight protocols.

Scientific Analyst Team
Medical Technologist / Pathologist

Dr. Transplant Pathologist, MD
Consultant Hematopathologist

Dr. Director of Clinical Services, MD, DM
Director of Cellular Therapy & BMT