

KOSHIKA APEX CELLULAR THERAPY & BMT CENTRE

Clinical Diagnostic Division & Transplant Core
StemBridge Technology Park, Electronic City, Bangalore - 560100

NABL ISO 15189 & FACT-JACIE AFFILIATED

Report ID: MED-KOSHIKA-2026-8851
Barcode: KOSH*0914*88051

ADAMTS13 PROTEASE ACTIVITY & BETHESDA INHIBITOR NEUTRALIZATION SCREEN

Patient Name:	Clinical Patient #51 (Verified Cohort)	Date of Exam:	September 14, 2026
MRN / Patient ID:	KOSH-BMT-2026-1051	Age / Gender:	26 Yrs / Male
Blood Group & Rh:	AB+	Referring Doctor:	Dr. Ramesh Sarin, MD, DM (Hemato-Oncology)
Clinical Diagnosis:	Hematologic Malignancy Protocol Assessment #51	Specimen / Source:	Citrated Platelet-Poor Plasma

Test / Assay Target	Observed Value	Reference Range	Method / Assay	Status / Interpretation
ADAMTS13 Activity	78.4 %	68.0 - 130.0 %	FRETs-VWF73 Assay	Normal Protease Function
ADAMTS13 Inhibitor Neutralization	< 0.4 Bethesda Units	< 0.4 BU Negative	Inhibitor Mixing Test	Negative (No Inhibitor)
ADAMTS13 IgG Autoantibody	5.2 U/mL	< 12.0 Negative	ELISA	Negative Autoantibody
Diagnostic Ruling	TTP Excluded	TTP if < 10%	Clinical Guideline	Normal Cleaving Enzyme

CLINICAL INTERPRETATION & RECOMMENDATIONS:

- Normal ADAMTS13 activity (78.4%) completely rules out Thrombotic Thrombocytopenic Purpura (TTP).
- Post-transplant microangiopathy in this patient is calcineurin-related; switch to Sirolimus recommended.
- All assay analytical internal and external controls passed standard quality criteria.
- Report electronically signed and validated under NABL laboratory oversight protocols.

Scientific Analyst Team
Medical Technologist / Pathologist

Dr. Transplant Pathologist, MD
Consultant Hematopathologist

Dr. Director of Clinical Services, MD, DM
Director of Cellular Therapy & BMT