

Bonas-KAO Tender — April 2026

5 Rough Diamond Parcels · Lot-by-Lot Bid Summary

LOT-BY-LOT BID SUMMARY

Lo t	Article	Rough Cts	Pol Cts	Yield	Total Pol \$	Pol \$/ct (Rough)	Labour /Rough Ct	Rough Cost/ct	Profit	Final Bid \$/ct	Total Bid \$
80	3 Gr +11 Z GEM	866.17	345.75	39.9%	\$200,913	\$231.96	\$100.00	\$131.96	10%	\$118.76	\$102,901
81	-11+7 Z GEM	543.80	217.62	40.0%	\$100,525	\$184.86	\$100.00	\$84.86	10%	\$76.37	\$41,525
82	3 Gr +11 MB GEM	1,207.55	465.54	38.6%	\$267,110	\$221.20	\$100.00	\$121.20	10%	\$109.08	\$131,714
83	-11+7 MB GEM	606.90	238.57	39.3%	\$117,659	\$193.87	\$100.00	\$93.87	10%	\$84.48	\$51,273
84	3 Gr +7 Fancy Shapes	523.39	212.31	40.6%	\$129,335	\$247.11	\$100.00	\$147.11	10%	\$132.40	\$69,288

Usable goods definition: D–H colour / VVS or VS1 clarity. Non-Usable: IJ colour or VS2 / SI1 and below.

Rough sieve labels are rough grading sieves. Polish Sieve/MM derived from avg pol ct/stone via Polish Sieve Size chart (BE/HK ref). Final Bid = (Pol \$ / Rough Ct – Labour/Rough Ct) × (1 – 10%). Labour on rough cts. Figures rounded.

Lot 80 3 Gr +11 Z GEM

Tender: Bonas-KAO | Assortment Summary

Rough Cts	Polish Cts	Polish Pcs	Avg Yield	Pol Size (Rounds)	Polish Value	\$/ct (Polish)	Total Bid
866.17	345.75	1,996	39.9%	3.60–3.80 mm	\$200,913	\$232	\$102,901

SIEVE-WISE / POLISH SIZE-WISE SUMMARY

Rough Sieve	Rough Cts	Pol Pcs	Pol Cts	Yield	Avg Pol Sz (ct)	Polish Sieve	Pol MM (Dia)	Value US\$
3 GRs	187.60	488	84.42	45.0%	0.1718	+15.5/–16	3.60–3.70 mm	\$48,892
+11	678.79	1,508	261.33	38.5%	0.1782	~+17	3.70–3.80 mm	\$152,021
TOTAL	866.17	1,996	345.75	39.9%	—	—	—	\$200,913

COLOUR PROFILE (POL CTS) · CLARITY PROFILE (POL CTS)

Colour	Pol Cts	%	Clarity	Pol Cts	%
DEF	56.46	16.3%	VVS	99.02	28.6%
G	98.84	28.6%	VS1	52.98	15.3%
H	93.54	27.1%	VS2	65.31	18.9%
IJ	96.91	28.0%	SI1	128.44	37.1%
TOTAL	345.75	100.0%	TOTAL	345.75	100.0%

USABLE vs NON-USABLE

Usable: D–H colour / VVS or VS1 clarity. Non-Usable: IJ colour or VS2 / SI1 / SI2 and below.

Category	Rough Cts	Pol Cts	Pol Value	Pol \$/ct (rough basis)	% Pol Cts	% Pol Value
Usable (D–H / VVS & VS1)	432.74	172.98	\$116,529	\$269.27	50.0%	58.0%
Non-Usable (IJ / VS2 & below)	433.43	172.77	\$84,384	\$194.69	50.0%	42.0%
TOTAL	866.17	345.75	\$200,913	\$232.00	100.0%	100.0%

BID SUMMARY

Total Polish Value	\$200,912.67	Polish \$ / Rough Ct	\$231.96
Labour / Rough Ct	\$100.00	Rough Cost / Rough Ct	\$131.96
Profit Margin	10%	Final Bid \$ / Rough Ct	\$118.76
Total Labour (866.17 cts)	\$86,617	Total Bid Value	\$102,901

FLUORESCENCE PROFILE (ROUGH CTS BASIS)

Fluorescence (Rough Cts basis)	Rough Cts	% of Parcel
None / Faint	736.24	85.0%
Medium / Strong	129.93	15.0%
TOTAL	866.17	100.0%

Rough sieve labels are rough grading sieves. Polish Sieve/MM derived from avg pol ct/stone via Polish Sieve Size chart (BE/HK ref). Final Bid = (Pol \$ / Rough Ct – Labour/Rough Ct) × (1 – 10%). Labour on rough cts. Figures rounded.

Lot 81 -11+7 Z GEM

Tender: Bonas-KAO | Assortment Summary

Rough Cts 543.80	Polish Cts 217.62	Polish Pcs 2,293	Avg Yield 40.0%	Pol Size (Rounds) 2.50–3.10 mm	Polish Value \$100,525	\$/ct (Polish) \$185	Total Bid \$41,525
---------------------	----------------------	---------------------	--------------------	-----------------------------------	---------------------------	-------------------------	-----------------------

SIEVE-WISE / POLISH SIZE-WISE SUMMARY

Rough Sieve	Rough Cts	Pol Pcs	Pol Cts	Yield	Avg Pol Sz (ct)	Polish Sieve	Pol MM (Dia)	Value US\$
+9	417.89	1,548	167.16	40.0%	0.1080	+12.5/–13	3.00–3.10 mm	\$76,047
+7	126.17	745	50.47	40.0%	0.0682	+10/–10.5	2.50–2.60 mm	\$22,478
TOTAL	543.80	2,293	217.62	40.0%	—	—	—	\$100,525

COLOUR PROFILE (POL CTS) · CLARITY PROFILE (POL CTS)

Colour	Pol Cts	%	Clarity	Pol Cts	%
DEF	19.56	9.0%	VVS	142.61	65.5%
G	92.63	42.6%	VS1	36.52	16.8%
H	79.08	36.3%	VS2	19.07	8.8%
IJ	26.35	12.1%	SI1	19.43	8.9%
TOTAL	217.62	100.0%	TOTAL	217.62	100.0%

USABLE vs NON-USABLE

Usable: D–H colour / VVS or VS1 clarity. Non-Usable: IJ colour or VS2 / SI1 / SI2 and below.

Category	Rough Cts	Pol Cts	Pol Value	Pol \$/ct (rough basis)	% Pol Cts	% Pol Value
Usable (D–H / VVS & VS1)	410.00	164.00	\$82,131	\$200.32	75.6%	81.7%
Non-Usable (IJ / VS2 & below)	133.80	53.62	\$18,394	\$137.47	24.4%	18.3%
TOTAL	543.80	217.62	\$100,525	\$184.86	100.0%	100.0%

BID SUMMARY

Total Polish Value	\$100,525.17	Polish \$ / Rough Ct	\$184.86
Labour / Rough Ct	\$100.00	Rough Cost / Rough Ct	\$84.86
Profit Margin	10%	Final Bid \$ / Rough Ct	\$76.37
Total Labour (543.80 cts)	\$54,380	Total Bid Value	\$41,525

FLUORESCENCE PROFILE (ROUGH CTS BASIS)

Fluorescence (Rough Cts basis)	Rough Cts	% of Parcel
None / Faint	462.23	85.0%
Medium / Strong	81.57	15.0%
TOTAL	543.80	100.0%

Rough sieve labels are rough grading sieves. Polish Sieve/MM derived from avg pol ct/stone via Polish Sieve Size chart (BE/HK ref). Final Bid = (Pol \$ / Rough Ct – Labour/Rough Ct) × (1 – 10%). Labour on rough cts. Figures rounded.

Lot 82 3 Gr +11 MB GEM

Tender: Bonas-KAO | Assortment Summary

Rough Cts	Polish Cts	Polish Pcs	Avg Yield	Pol Size (Rounds)	Polish Value	\$/ct (Polish)	Total Bid
1,207.55	465.54	2,822	38.6%	3.50–3.70 mm	\$267,110	\$221	\$131,714

SIEVE-WISE / POLISH SIZE-WISE SUMMARY

Rough Sieve	Rough Cts	Pol Pcs	Pol Cts	Yield	Avg Pol Sz (ct)	Polish Sieve	Pol MM (Dia)	Value US\$
3 GRs	324.82	866	136.42	42.0%	0.1564	+15/–15.5	3.50–3.60 mm	\$74,044
+11	889.51	1,956	329.12	37.0%	0.1691	+15.5/–16	3.60–3.70 mm	\$193,066
TOTAL	1,207.55	2,822	465.54	38.6%	—	—	—	\$267,110

COLOUR PROFILE (POL CTS) · CLARITY PROFILE (POL CTS)

Colour	Pol Cts	%	Clarity	Pol Cts	%
DEF	131.75	28.3%	VVS	70.07	15.1%
G	147.29	31.6%	VS1	106.42	22.9%
H	90.45	19.4%	VS2	92.93	20.0%
IJ	96.05	20.6%	SI1	196.13	42.1%
TOTAL	465.54	100.0%	TOTAL	465.54	100.0%

USABLE vs NON-USABLE

Usable: D–H colour / VVS or VS1 clarity. Non-Usable: IJ colour or VS2 / SI1 / SI2 and below.

Category	Rough Cts	Pol Cts	Pol Value	Pol \$/ct (rough basis)	% Pol Cts	% Pol Value
Usable (D–H / VVS & VS1)	709.83	277.50	\$178,984	\$252.14	58.8%	67.0%
Non-Usable (IJ / VS2 & below)	497.72	188.04	\$88,126	\$177.08	41.2%	33.0%
TOTAL	1,207.55	465.54	\$267,110	\$221.20	100.0%	100.0%

BID SUMMARY

Total Polish Value	\$267,109.75	Polish \$ / Rough Ct	\$221.20
Labour / Rough Ct	\$100.00	Rough Cost / Rough Ct	\$121.20
Profit Margin	10%	Final Bid \$ / Rough Ct	\$109.08
Total Labour (1,207.55 cts)	\$120,755	Total Bid Value	\$131,714

FLUORESCENCE PROFILE (ROUGH CTS BASIS)

Fluorescence (Rough Cts basis)	Rough Cts	% of Parcel
None / Faint	1,026.42	85.0%
Medium / Strong	181.13	15.0%
TOTAL	1,207.55	100.0%

Rough sieve labels are rough grading sieves. Polish Sieve/MM derived from avg pol ct/stone via Polish Sieve Size chart (BE/HK ref). Final Bid = (Pol \$ / Rough Ct – Labour/Rough Ct) × (1 – 10%). Labour on rough cts. Figures rounded.

Lot 83 -11+7 MB GEM

Tender: Bonas-KAO | Assortment Summary

Rough Cts 606.90	Polish Cts 238.57	Polish Pcs 2,386	Avg Yield 39.3%	Pol Size (Rounds) 2.40–3.10 mm	Polish Value \$117,659	\$/ct (Polish) \$194	Total Bid \$51,273
---------------------	----------------------	---------------------	--------------------	-----------------------------------	---------------------------	-------------------------	-----------------------

SIEVE-WISE / POLISH SIZE-WISE SUMMARY

Rough Sieve	Rough Cts	Pol Pcs	Pol Cts	Yield	Avg Pol Sz (ct)	Polish Sieve	Pol MM (Dia)	Value US\$
+9	467.01	1,868	186.80	40.0%	0.1000	+12.5/–13	3.00–3.10 mm	\$93,514
+7	139.89	933	51.77	37.0%	0.0555	+9.5/–10	2.40–2.50 mm	\$24,144
TOTAL	606.90	2,386	238.57	39.3%	—	—	—	\$117,659

COLOUR PROFILE (POL CTS) · CLARITY PROFILE (POL CTS)

Colour	Pol Cts	%	Clarity	Pol Cts	%
DEF	110.34	46.2%	VVS	66.81	32.9%
G	83.48	35.0%	VS1	28.63	14.1%
H	23.87	10.0%	VS2	35.79	17.6%
IJ	20.88	8.8%	SI1	71.56	35.3%
TOTAL	238.57	100.0%	TOTAL	202.79	100.0%

USABLE vs NON-USABLE

Usable: D–H colour / VVS or VS1 clarity. Non-Usable: IJ colour or VS2 / SI1 / SI2 and below.

Category	Rough Cts	Pol Cts	Pol Value	Pol \$/ct (rough basis)	% Pol Cts	% Pol Value
Usable (D–H / VVS & VS1)	338.15	133.12	\$70,595	\$208.77	55.7%	59.9%
Non-Usable (IJ / VS2 & below)	268.75	105.45	\$47,064	\$175.09	44.3%	40.1%
TOTAL	606.90	238.57	\$117,659	\$193.87	100.0%	100.0%

BID SUMMARY

Total Polish Value	\$117,658.76	Polish \$ / Rough Ct	\$193.87
Labour / Rough Ct	\$100.00	Rough Cost / Rough Ct	\$93.87
Profit Margin	10%	Final Bid \$ / Rough Ct	\$84.48
Total Labour (606.90 cts)	\$60,690	Total Bid Value	\$51,273

FLUORESCENCE PROFILE (ROUGH CTS BASIS)

Fluorescence (Rough Cts basis)	Rough Cts	% of Parcel
None / Faint	515.87	85.0%
Medium / Strong	91.04	15.0%
TOTAL	606.90	100.0%

Rough sieve labels are rough grading sieves. Polish Sieve/MM derived from avg pol ct/stone via Polish Sieve Size chart (BE/HK ref). Final Bid = (Pol \$ / Rough Ct – Labour/Rough Ct) × (1 – 10%). Labour on rough cts. Figures rounded.

Lot 84 3 Gr +7 Fancy Shapes

Tender: Bonas-KAO | Assortment Summary

Rough Cts	Polish Cts	Polish Pcs	Avg Yield	Polish Value	\$/ct (Polish)	Total Bid
523.39	212.31	1,630	40.6%	\$129,335	\$247	\$69,288

SIEVE-WISE / POLISH SIZE-WISE SUMMARY

Rough Sieve	Shape	Pol Pcs	Pol Cts	Yield	Avg Pol Sz (ct)	Polish Sieve (Rounds only)	Pol MM (Rounds only)	Value US\$
+7	Rounds	13	0.78	40–46%	0.0600	+10/–10.5	2.50–2.60 mm	\$1,328.24
+7	Fancies	150	9.13	40–46%	0.0609	—	—	\$2,900.04
+9	Rounds	70	7.84	40–46%	0.1120	+12.5/–13	3.00–3.10 mm	\$5,096.44
+9	Fancies	455	50.96	40–46%	0.1121	—	—	\$24,424.52
+11	Rounds	317	57.09	40–46%	0.1801	+15.5/–16	3.60–3.70 mm	\$37,944.48
+11	Fancies	283	50.93	40–46%	0.1801	—	—	\$35,367.00
3 Grs	Rounds	124	20.18	40–46%	0.1628	+15.5/–16	3.60–3.70 mm	\$12,173.52
3 Grs	Fancies	218	16.18	40–46%	0.0742	—	—	\$10,100.98
TOTAL	—	1,630	212.31	—	—	—	—	\$129,334.74

Polish Sieve/MM for Rounds only. Fancies marked '—'.

COLOUR PROFILE (POL CTS) · CLARITY PROFILE (POL CTS)

Colour	Pol Cts	%	Clarity	Pol Cts	%
DEF	62.79	29.6%	VVS	46.12	34.7%
G	74.66	35.2%	VS1	17.45	13.1%
H	74.86	35.3%	VS2	37.46	28.2%
IJ	0.00	0.0%	SI1	31.88	24.0%
TOTAL	212.31	100.0%	TOTAL	132.91	100.0%

USABLE vs NON-USABLE

Usable: D–H colour / VVS or VS1 clarity. Non-Usable: IJ colour or VS2 / SI1 / SI2 and below.

Category	Rough Cts	Pol Cts	Pol Value	Pol \$/ct (rough basis)	% Pol Cts	% Pol Value
Usable (D–H / VVS & VS1)	295.50	118.50	\$84,900	\$287.33	56.5%	65.6%
Non-Usable (IJ / VS2 & below)	227.89	93.81	\$44,435	\$194.98	43.5%	34.4%
TOTAL	523.39	212.31	\$129,335	\$247.11	100.0%	100.0%

BID SUMMARY

Total Polish Value	\$129,334.74	Polish \$ / Rough Ct	\$247.11
Labour / Rough Ct	\$100.00	Rough Cost / Rough Ct	\$147.11
Profit Margin	10%	Final Bid \$ / Rough Ct	\$132.40
Total Labour (523.39 cts)	\$52,339	Total Bid Value	\$69,288

FLUORESCENCE PROFILE (ROUGH CTS BASIS)

Fluorescence (Rough Cts basis)	Rough Cts	% of Parcel
None / Faint	429.18	82.0%
Medium / Strong	94.21	18.0%
TOTAL	523.39	100.0%

Rough sieve labels are rough grading sieves. Polish Sieve/MM derived from avg pol ct/stone via Polish Sieve Size chart (BE/HK ref). Final Bid = (Pol \$ / Rough Ct – Labour/Rough Ct) × (1 – 10%). Labour on rough cts. Figures rounded.