Emergent Gravity from Quantum Information: Reconstructing Spacetime through Entanglement Dynamics

Abstract

The paradigm of emergent gravity posits that spacetime geometry and gravitational phenomena are not fundamental constituents of nature but rather arise from underlying quantum information structures. This comprehensive review examines the theoretical foundations connecting quantum entanglement entropy to geometric properties of spacetime, with particular emphasis on the AdS/CFT correspondence, tensor network models, and holographic principles. We analyze how information-theoretic measures provide a mathematical framework for understanding gravity as a thermodynamic consequence of quantum correlations, discuss implications for black hole physics and the information paradox, and explore future directions in quantum gravity research.

Keywords: emergent gravity, entanglement entropy, AdS/CFT correspondence, holography, tensor networks, quantum information theory, spacetime geometry

---

1. Introduction

1.1 The Crisis in Fundamental Physics

The quest to unify quantum mechanics and general relativity has dominated theoretical physics for nearly a century. While general relativity successfully describes gravity as the curvature of spacetime at macroscopic scales, quantum mechanics governs the microscopic realm through probabilistic wavefunctions and discrete energy states (Rovelli, 2004). These two pillars of modern physics remain fundamentally incompatible in their mathematical formulations and conceptual foundations.

The conventional approach to quantum gravity attempts to quantize the gravitational field itself, treating spacetime as a fundamental entity that must be described quantum mechanically. However, an alternative perspective has emerged over the past three decades: perhaps spacetime and gravity are not fundamental at all, but rather emergent phenomena arising from more basic quantum information-theoretic structures (Jacobson, 1995; Verlinde, 2011).

1.2 The Information-Theoretic Turn

The recognition that information plays a central role in gravitational physics began with Bekenstein's (1973) discovery that black holes possess entropy proportional to their surface area, and Hawking's (1974) subsequent demonstration that black holes emit thermal radiation. These results suggested a deep connection between thermodynamics, information, and gravity that went beyond mere analogy.

The AdS/CFT correspondence, discovered by Maldacena (1998), provided the first concrete realization of holographic principles in quantum gravity. This duality establishes an exact equivalence between a gravitational theory in Anti-de Sitter (AdS) space and a conformal field theory (CFT) on its boundary, demonstrating that gravitational physics in a volume can be completely encoded in quantum field theory on a lower-dimensional boundary.

---

2. Theoretical Foundations

2.1 Entanglement Entropy and the Ryu-Takayanagi Formula

Quantum entanglement represents correlations between quantum systems that have no classical analogue. For a bipartite quantum system divided into regions A and B, the entanglement entropy measures the degree of quantum correlation:

$S_A = -Tr(\rho_A \log \rho_A)$

where ρ_A is the reduced density matrix obtained by tracing over region B (Nielsen & Chuang, 2010).

The Ryu-Takayanagi (RT) formula (Ryu & Takayanagi, 2006) established a fundamental connection between entanglement entropy in the boundary CFT and geometric quantities in the bulk AdS space:

$S_A = Area(\gamma_A) / (4G_N)$

where γ_A is the minimal surface in the bulk that connects the boundary of region A, G_N is Newton's gravitational constant, and we use units where $\hbar = c = 1$. This formula demonstrates that entanglement entropy in quantum field theory corresponds to geometric area in the gravitational dual, suggesting that spacetime geometry itself encodes quantum information structure.

2.2 Tensor Network Models and Geometric Emergence

Tensor networks provide a discrete framework for understanding how geometry can emerge from entanglement patterns. The Multiscale Entanglement Renormalization Ansatz (MERA), introduced by Vidal (2007), organizes quantum states in a hierarchical structure where each layer represents a different scale of coarse-graining.

In MERA networks, the geometric structure of hyperbolic space naturally emerges from the entanglement pattern of the quantum state (Swingle, 2012). The network's branching structure creates an effective metric where geodesic distances correspond to the optimal path for information flow through the network. This suggests that geometric properties of spacetime may fundamentally derive from the information-theoretic structure of quantum states.

2.3 The ER=EPR Conjecture

Maldacena and Susskind (2013) proposed the ER=EPR conjecture, suggesting that Einstein-Rosen bridges (wormhole geometries) and Einstein-Podolsky-Rosen pairs (entangled quantum states) are different descriptions of the same physical phenomenon. This radical proposal implies that geometric connections in spacetime correspond precisely to quantum entanglement between regions, providing a concrete mechanism for geometric emergence from quantum correlations.

---

3. Holographic Principles and Information Theory

3.1 The Holographic Principle

The holographic principle, formulated by 't Hooft (1993) and Susskind (1995), asserts that the information content of any region of space can be encoded on its boundary surface, with the maximum information density bounded by the Bekenstein-Hawking entropy. This principle suggests that our three-dimensional experience of space may be a holographic projection of information encoded on a two-dimensional surface.

The AdS/CFT correspondence provides the first mathematically precise realization of holography, where gravitational dynamics in (d+1)-dimensional AdS space are exactly dual to a d-dimensional quantum field theory without gravity. This duality has been extensively verified through calculations of correlation functions, thermodynamic properties, and entanglement measures (Aharony et al., 2000).

3.2 Quantum Error Correction and Bulk Reconstruction

Recent work has revealed that the AdS/CFT correspondence implements a quantum error correction code (Almheiri et al., 2015). The boundary CFT state redundantly encodes bulk information such that local bulk operators can be reconstructed from multiple boundary regions. This structure explains how bulk locality emerges from the boundary theory and why local bulk information is robust against local boundary perturbations.

The quantum error correction perspective provides operational meaning to the emergence of spacetime: the bulk geometry represents the pattern of entanglement that optimally protects quantum information in the boundary theory against local errors and decoherence.

4. Emergent Gravity Mechanisms

4.1 Thermodynamic Approaches

Jacobson (1995) demonstrated that Einstein's equations can be derived from thermodynamic principles by applying the first law of thermodynamics to local causal horizons. This approach treats gravity not as a fundamental force but as an entropic phenomenon arising from the statistical mechanics of microscopic degrees of freedom.

Verlinde (2011) extended this perspective, proposing that gravity is an entropic force caused by changes in information associated with the positions of material bodies. In this framework, what we perceive as gravitational attraction results from the tendency of systems to maximize entropy, with spacetime geometry emerging as a macroscopic manifestation of microscopic information dynamics.

4.2 Entanglement-First Approach

The entanglement-first approach, advocated by Van Raamsdonk (2010), posits that quantum entanglement is the fundamental ingredient from which spacetime connectivity emerges. In this picture, regions of spacetime are connected when the corresponding quantum subsystems are entangled, and the geometry of spacetime reflects the pattern of entanglement in the quantum state.

This perspective is supported by the observation that increasing entanglement between boundary regions in AdS/CFT corresponds to creating geometric connections in the bulk, while decreasing entanglement leads to geometric disconnection. The smoothness and continuity of spacetime may thus reflect the structure of quantum correlations in the underlying microscopic theory.

---

5. Applications to Black Hole Physics

5.1 The Information Paradox Revisited

Hawking's (1976) calculation that black holes emit thermal radiation led to the information paradox: if black hole evaporation is a thermal process, quantum information appears to be destroyed, violating unitarity. The emergent gravity perspective offers new approaches to resolving this paradox.

If spacetime geometry is emergent from entanglement, then the black hole interior may not be a fundamentally distinct region but rather a description of highly entangled quantum states on the horizon. Recent developments in AdS/CFT, including the firewall paradox and its proposed resolutions, suggest that black hole interiors may be reconstructed from exterior degrees of freedom through quantum error correction (Harlow, 2016).

5.2 Black Hole Complementarity and the Holographic Perspective

Black hole complementarity, proposed by Susskind et al. (1993), suggests that different observers have complementary but consistent descriptions of information falling into black holes. The holographic principle provides a natural framework for complementarity: the same quantum information is encoded both in degrees of freedom crossing the horizon and in the radiation emitted during evaporation.

From the emergent gravity perspective, the horizon is not a physical barrier but a consequence of how entanglement organizes information. Observers at different locations access different subsystems of the global quantum state, leading to apparently incompatible but ultimately consistent descriptions.

---

6. Implications and Future Directions

6.1 Quantum Spacetime at the Planck Scale

If spacetime emerges from quantum entanglement, the fabric of spacetime itself becomes discrete and quantum mechanical at the Planck scale (≈10^-35 meters). At these scales, the classical notion of smooth geometry breaks down, replaced by a quantum information network where the connectivity and dimensionality of space are dynamical properties of quantum states.

This perspective aligns with approaches to quantum gravity such as loop quantum gravity (Rovelli, 2004) and causal set theory (Sorkin, 2003), which also posit discrete structures underlying continuous spacetime. However, the emergent gravity framework suggests these discrete structures are fundamentally information-theoretic rather than geometric.

6.2 Cosmological Implications

Applying emergent gravity principles to cosmology raises profound questions about the origin and evolution of the universe. If spacetime emerges from entanglement, the Big Bang may correspond to a phase transition in the entanglement structure of a pre-geometric quantum state. The expansion of the universe might reflect the growth of entanglement complexity over time (Cao et al., 2017).

Dark energy and the cosmological constant problem may also find new interpretations in this framework. If gravity is an entropic phenomenon, the vacuum energy density might be related to the maximum entropy capacity of spacetime itself, potentially explaining why the cosmological constant has the observed value.

6.3 Experimental Prospects

While quantum gravity effects occur primarily at the Planck scale, inaccessible to current experiments, emergent gravity predicts subtle deviations from general relativity that might be observable. These include:

- Modified dispersion relations for high-energy particles
- Decoherence effects from spacetime fluctuations in precision interferometry
- Signatures in the cosmic microwave background from quantum gravitational effects in the early universe
- Table-top experiments probing entanglement in gravitational systems (Marletto & Vedral, 2017)

Recent proposals to detect quantum aspects of gravity through entanglement between massive objects in superposition states may provide the first experimental tests of the quantum nature of spacetime (Bose et al., 2017).

---

7. Challenges and Open Questions

7.1 Extending Beyond AdS/CFT

While AdS/CFT provides a concrete realization of emergent gravity, our universe has positive cosmological constant (de Sitter-like) rather than negative (AdS-like). Extending holographic principles and emergent gravity to de Sitter space remains a major challenge, as does understanding how emergent gravity works in asymptotically flat spacetimes relevant to astrophysics.

7.2 The Problem of Time

In quantum gravity, time itself may be emergent rather than fundamental. Understanding how temporal evolution arises from a fundamentally timeless quantum information structure represents one of the deepest conceptual challenges in emergent gravity research (Page & Wootters, 1983).

7.3 Matter and Forces

Current emergent gravity frameworks focus primarily on pure gravity. A complete theory must explain how matter fields and other fundamental forces emerge from the same quantum information substrate. Some proposals suggest that all

fields and particles are excitations of the underlying quantum information network (Cao et al., 2017).

---

8. Conclusion

The emergent gravity paradigm represents a radical reconceptualization of the nature of spacetime and gravitation. Rather than treating spacetime as a fundamental arena in which physics takes place, this perspective suggests that spacetime geometry and gravitational dynamics are macroscopic manifestations of microscopic quantum information structures, specifically patterns of quantum entanglement.

This framework offers promising approaches to longstanding problems in theoretical physics, including the unification of quantum mechanics and general relativity, the black hole information paradox, and the nature of singularities. The AdS/CFT correspondence provides a concrete mathematical realization of these ideas, demonstrating that gravitational physics can indeed emerge from quantum field theory without gravity.

While significant challenges remain—including extending the framework beyond AdS space, understanding the emergence of time, and developing experimental tests—emergent gravity has established itself as a leading approach to quantum gravity. As our understanding of quantum information theory deepens and our computational capabilities grow, we may be approaching a fundamental shift in our conception of physical reality, where information, not geometry, is the primary currency of nature.

The implications extend beyond physics to philosophy of science, challenging our intuitions about the nature of space, time, and causality. If successful, emergent gravity would represent one of the most profound conceptual revolutions in the history of science, comparable to the Copernican revolution or the development of quantum mechanics itself.

References

Aharony, O., Gubser, S. S., Maldacena, J., Ooguri, H., & Oz, Y. (2000). Large N field theories, string theory and gravity. *Physics Reports*, 323(3-4), 183-386. https://doi.org/10.1016/S0370-1573(99)00083-6

Almheiri, A., Dong, X., & Harlow, D. (2015). Bulk locality and quantum error correction in AdS/CFT. *Journal of High Energy Physics*, 2015(4), 163. https://doi.org/10.1007/JHEP04(2015)163

Bekenstein, J. D. (1973). Black holes and entropy. *Physical Review D*, 7(8), 2333-2346. https://doi.org/10.1103/PhysRevD.7.2333

Bose, S., Mazumdar, A., Morley, G. W., Ulbricht, H., Toroš, M., Paternostro, M., ... & Barker, P. F. (2017). Spin entanglement witness for quantum gravity. *Physical Review Letters*, 119(24), 240401. https://doi.org/10.1103/PhysRevLett.119.240401

Cao, C., Carroll, S. M., & Michalakis, S. (2017). Space from Hilbert space: Recovering geometry from bulk entanglement. *Physical Review D*, 95(2), 024031. https://doi.org/10.1103/PhysRevD.95.024031

Harlow, D. (2016). Jerusalem lectures on black holes and quantum information. *Reviews of Modern Physics*, 88(1), 015002. https://doi.org/10.1103/RevModPhys.88.015002

Hawking, S. W. (1974). Black hole explosions? *Nature*, 248(5443), 30-31. https://doi.org/10.1038/248030a0

Hawking, S. W. (1976). Breakdown of predictability in gravitational collapse. *Physical Review D*, 14(10), 2460-2473. https://doi.org/10.1103/PhysRevD.14.2460

Jacobson, T. (1995). Thermodynamics of spacetime: The Einstein equation of state. *Physical Review Letters*, 75(7), 1260-1263. https://doi.org/10.1103/PhysRevLett.75.1260

Maldacena, J. (1998). The large N limit of superconformal field theories and supergravity. *Advances in Theoretical and Mathematical Physics*, 2(2), 231-252. https://doi.org/10.4310/ATMP.1998.v2.n2.a1

Maldacena, J., & Susskind, L. (2013). Cool horizons for entangled black holes. *Fortschritte der Physik*, 61(9), 781-811. https://doi.org/10.1002/prop.201300020

Marletto, C., & Vedral, V. (2017). Gravitationally induced entanglement between two massive particles is sufficient evidence of quantum effects in gravity. *Physical Review Letters*, 119(24), 240402. https://doi.org/10.1103/PhysRevLett.119.240402

Nielsen, M. A., & Chuang, I. L. (2010). *Quantum computation and quantum information* (10th anniversary ed.). Cambridge University Press.

Page, D. N., & Wootters, W. K. (1983). Evolution without evolution: Dynamics described by stationary observables. *Physical Review D*, 27(12), 2885-2892. https://doi.org/10.1103/PhysRevD.27.2885

Rovelli, C. (2004). *Quantum gravity*. Cambridge University Press.

Ryu, S., & Takayanagi, T. (2006). Holographic derivation of entanglement entropy from AdS/CFT. *Physical Review Letters*, 96(18), 181602. https://doi.org/10.1103/PhysRevLett.96.181602

Sorkin, R. D. (2003). Causal sets: Discrete gravity. In A. Gomberoff & D. Marolf (Eds.), *Lectures on quantum gravity* (pp. 305-327). Springer. https://doi.org/10.1007/0-387-24992-3_7

Susskind, L. (1995). The world as a hologram. *Journal of Mathematical Physics*, 36(11), 6377-6396. https://doi.org/10.1063/1.531249

Susskind, L., Thorlacius, L., & Uglum, J. (1993). The stretched horizon and black hole complementarity. *Physical Review D*, 48(8), 3743-3761. https://doi.org/10.1103/PhysRevD.48.3743

Swingle, B. (2012). Entanglement renormalization and holography. *Physical Review D*, 86(6), 065007. https://doi.org/10.1103/PhysRevD.86.065007

't Hooft, G. (1993). Dimensional reduction in quantum gravity. In A. Ali, J. Ellis, & S. Randjbar-Daemi (Eds.), *Salamfestschrift: A collection of talks* (pp. 284-296). World Scientific. https://doi.org/10.1142/9789814447072_0015

Van Raamsdonk, M. (2010). Building up spacetime with quantum entanglement. *General Relativity and Gravitation*, 42(10), 2323-2329. https://doi.org/10.1007/s10714-010-1034-0

Verlinde, E. (2011). On the origin of gravity and the laws of Newton. *Journal of High Energy Physics*, 2011(4), 29. https://doi.org/10.1007/JHEP04(2011)029

Vidal, G. (2007). Entanglement renormalization. *Physical Review Letters*, 99(22), 220405. https://doi.org/10.1103/PhysRevLett.99.220405