HIRANIX

The Perfect Choice for Every Fix

PRODUCT CATALOGUE 2026

www.hiranix.in



ABOUT US

Hiranix is a trusted name in the electrical and hardware industry, dedicated to delivering high-quality, reliable, and innovative solutions for every need. With a strong focus on durability, performance, and customer satisfaction, we provide a wide range of products designed to simplify installations and ensure long-lasting results.

From essential electrical accessories to robust hardware solutions, Hiranix caters to both residential and industrial requirements. Our products are engineered with precision, using advanced technology and premium-grade materials, ensuring safety, strength, and superior performance in every application.

CABLE NAIL CLIP

Cable nail clips, also known simply as nail clips or cable clips, are small plastic fasteners used to secure electrical cables and wires to surfaces such as walls, ceilings, or baseboards. They have a nail or nails for attaching to the surface and a clip or clamp mechanism to hold the cable in place.

These clips are commonly used in both residential and commercial settings to organize and manage cables, preventing them from becoming tangled or creating tripping hazards. They come in various sizes and designs to accommodate different cable diameters and mounting requirements.



Material Used- 100% Virgin HDPE
Mild Steel (MS) Nails

TECHNICAL DATA

Of Single Nail Cable Clips

SIZE	PCS PER PKT	PKTS PER MASTER	WEIGHT (IN GRAMS PER PKT)	WEIGHT (IN KGS PER MASTER)	NAIL SIZE (IN MM)
4MM	100 PCS	750	40.00	30.00	1.6 X 16
5MM	100 PCS	550	45.00	24.50	1.6 X 16
6MM	100 PCS	450	50.00	22.50	1.6 X 16
7MM	100 PCS	400	70.00	27.00	1.8 X 19
8MM	100 PCS	300	80.00	24.50	1.8 X 19
9MM	100 PCS	220	115.00	25.50	2.0 X 23
10MM	100 PCS	200	120.00	23.50	2.0 X 23
12MM	100 PCS	140	195.00	27.50	2.3 X 25
14MM	100 PCS	100	235.00	23.50	2.3 X 31
16MM	100 PCS	80	290.00	23.00	2.3 X 31
18MM	100 PCS	60	375.00	22.50	2.7 X 38
20MM	100 PCS	50	420.00	21.00	2.7 X 38
25MM	100 PCS	35	560.00	20.00	2.7 X 45
BATTEN ROUND	100 PCS	750	40.00	30.00	1.6 X 16
BATTEN FLAT	100 PCS	700	40.00	28.00	1.6 X 16
BATTEN OVAL	50 PCS	700	40.00	28.00	1.8 X 19

Master size (Length x Breadth x Height)
20 Inches X 5.5 Inches X 38 Inches

TECHNICAL DATA

Of Double Nail Clamps

SIZE	PCS PER PKT	PKTS PER MASTER	WEIGHT (IN GRAMS PER PKT)	WEIGHT (IN KGS PER MASTER)	NAIL SIZE (IN MM)
20MM DBL	50 PCS	65	349.00	22.50	2.7 X 38
25MM DBL	50 PCS	45	449.00	20.50	2.7 X 45
32MM DBL	50 PCS	32	768.00	24.50	3.3 X 55
35MM DBL	50 PCS	24	887.00	21.50	3.3 X 65
40MM DBL	50 PCS	20	1020.00	20.50	3.3 X 65
50MM DBL	25 PCS	24	808.00	19.50	3.8 X 90

Master size (Length x Breadth x Height)
20 Inches X 5.5 Inches X 38 Inches



DOUBLE NAIL CLAMP

Double nail clamps feature two nails for added stability and holding power, making them ideal for securing multiple cables or thicker wires in more demanding installations. They provide a more secure and reliable solution, ensuring cables remain firmly in place, even in heavy-duty applications.

SURFACE MODULAR GANG BOX

Material Used- 100% Virgin ABS
Mild Steel (MS) Screws

Surface modular gang boxes are a type of electrical enclosure designed to house electrical devices such as switches, outlets, or data communication components. These boxes are typically installed on the surface of walls or ceilings, as opposed to recessed boxes which are installed within the wall or ceiling itself.

Surface modular gang boxes come in various sizes and configurations to suit different installation requirements and building codes. They are commonly used in residential, commercial, and industrial settings for electrical wiring and networking applications.

TECHNICAL DATA

Of Surface Modular Gang Boxes

SIZE	PCS PER BOX	BOXES PER MASTER	WEIGHT (IN GRAMS PER PIECE)	WEIGHT (IN KGS PER MASTER)	NO. OF SCREWS
1 MODULAR	10PCS	69 (690 PCS)	40.00	28.00	2
2 MODULAR	10PCS	49 (490 PCS)	50.00	25.00	2
3 MODULAR	10PCS	38 (380 PCS)	60.00	23.00	2
4 MODULAR	10PCS	31 (310 PCS)	70.00	22.00	2
6 MODULAR	10PCS	21 (210 PCS)	85.00	18.00	2
8 MODULAR(H)	10PCS	15 (150 PCS)	110.00	17.00	4
8 MODULAR(SQ)	5PCS	36 (180 PCS)	115.00	21.00	4
9 MODULAR	10PCS	15 (150 PCS)	120.00	18.50	4
12 MODULAR	5PCS	30 (150 PCS)	125.00	19.00	4
16 MODULAR	5PCS	24 (120 PCS)	170.00	21.00	4
18 MODULAR	5PCS	21 (105 PCS)	185.00	20.00	4

Surface Modular Gang Boxes Are Available In Both
Plain & Silver

Master size (Length x Breadth x Height)
35 Inches X 20 Inches X 26.5 Inches

NYLON CABLE TIE

Nylon cable ties, also known as zip ties or wire ties, are fastening devices used to bundle and secure items together. They are commonly made from nylon plastic and feature a flexible ratchet mechanism that allows them to be tightened and locked in place.

Nylon cable ties come in various lengths, widths, and colors to accommodate different needs. They are valued for their durability, ease of use, and affordability. Additionally, some cable ties are designed to be reusable, allowing for adjustments and reuse in different applications.



Material Used- PA 66
Antioxidants

TECHNICAL DATA

Of Nylon Cable Ties

SIZE	PCS PER PKT	PKTS PER MASTER	WEIGHT (IN GRAMS PER PKT)	WEIGHT (IN KGS PER MASTER)	THICKNESS (IN MM)
100MM AND 150 MM CABLE TIES					
CT-100X1.8	100 PCS	600	20.00	14.55	1.8
CT-100X2.5	100 PCS	400	25.00	11.70	2.5
CT-150X2.5	100 PCS	300	35.00	12.40	2.5
CT-150X3.6	100 PCS	200	55.00	12.25	3.6
200MM AND 250 MM CABLE TIES					
CT-200X2.5	100 PCS	240	50.00	13.75	2.5
CT-200X3.0	100 PCS	200	55.00	12.45	3.0
CT-200X3.6	100 PCS	180	75.00	14.81	3.6
CT-200X4.8	100 PCS	140	100.00	15.00	4.8
CT-250X3.0	100 PCS	140	80.00	12.35	3.0
CT-250X3.6	100 PCS	120	90.00	11.80	3.6
CT-250X4.8	100 PCS	100	120.00	12.85	4.8

Master size (Length x Breadth x Height)
19 Inches X 10 Inches X 15 Inches

TECHNICAL DATA

Of Nylon Cable Ties

SIZE	PCS PER PKT	PKTS PER MASTER	WEIGHT (IN GRAMS PER PKT)	WEIGHT (IN KGS PER MASTER)	THICKNESS (IN MM)
300MM AND 350 MM CABLE TIES					
CT-300X3.2	100 PCS	140	85.00	13.20	3.2
CT-300X3.6	100 PCS	100	110.00	11.95	3.6
CT-300X4.8	100 PCS	100	150.00	15.95	4.8
CT-350X3.6	100 PCS	100	125.00	13.55	3.6
CT-350X4.8	100 PCS	80	160.00	13.65	4.8
400MM AND 450 MM CABLE TIES					
CT-400X3.6	100 PCS	80	170.00	14.50	3.6
CT-400X4.8	100 PCS	80	200.00	16.90	4.8
CT-450X4.8	100 PCS	60	250.00	15.75	4.8

Master size (Length x Breadth x Height)

19 Inches X 15 Inches X 10 Inches

MCB BOX

MCB (Miniature Circuit Breaker) box, also known as an MCB distribution box, is an electrical enclosure designed to house multiple MCBs for circuit protection and power distribution. Typically made of durable metal base or high-quality plastic, the box provides a secure and flame-retardant housing for electrical components.

Inside, various MCBs are installed, each corresponding to a specific circuit in the electrical system and rated for different current capacities, such as 6A, 10A, or 16A. Bus bars within the box facilitate the efficient distribution of electrical power from the main supply to each MCB, while separate neutral and earth terminals ensure safe connections for grounding.



Material Used- 100% Virgin PVC

MCB DISTRIBUTION PUSH BUTTON

MCB (Miniature Circuit Breaker) distribution box is a crucial component in electrical systems, commonly found in residential, commercial, and industrial setups.

It serves the primary function of distributing power to various circuits while offering protection against electrical faults. Inside the box, MCBs are installed to detect and interrupt current during overloads or short circuits, thereby preventing potential fires and safeguarding connected appliances. Bus bars efficiently route incoming power to the MCBs, while neutral and earth terminals ensure safe current return paths.

Material Used- 100% Virgin ABS
Mild Steel (MS) Base

TECHNICAL DATA

Of MCB and MCB Distribution Boxes

SIZE	PCS PER BOX	BOXES PER MASTER	WEIGHT (IN GRAMS PER PKT)	WEIGHT (IN KGS PER MASTER)	NO. OF SCREWS
MCB BOX WITH PLASTIC BASE					
1/2	20 PCS	480	50.00	24.00	2
3/4	10 PCS	240	77.00	18.50	2
MCB BOX WITH METAL BASE					
1/2	20 PCS	480	71.00	34.00	2
2/4	10 PCS	240	114.00	27.40	2
MCB DISTRIBUTION BOARDS (PUSH-BUTTON)					
2X4	1 PCS	64	420.00	26.90	0
6x8	1 PCS	48	630.00	30.25	0
10x12	1 PCS	32	820.00	26.25	0
16x18	1 PCS	24	1030.00	24.75	0

FR-PVC INSUATION TAPE



FR-PVC Insulation tapes are a specialized type of insulation tape designed to offer not only electrical insulation but also resistance to flames and high temperatures. These tapes are typically used in applications where there is a risk of fire or exposure to high temperatures, such as in electrical installations, automotive wiring, industrial machinery, and aerospace.

FR (Flame Retardant) insulation tapes are made from materials that have been treated or formulated to resist ignition and slow down the spread of flames. These tapes are ISI certified and comes in various colors such as black , red , yellow , white , green , blue while black is more common.

Material Used- FR-PVC Granules
Rubber Adhesive

WALLPLUGS (GITTI)

Wall plugs, also known as wall anchors or gitti , are small plastic devices used to provide support and stability for screws when attaching objects to walls, especially in materials like drywall or plaster where the wall's integrity may not be sufficient to hold the weight of the object being mounted.

The basic idea is that you drill a hole into the wall, insert the wall plug into the hole, and then drive a screw into the plug. The plug expands to grip the sides of the hole, providing a secure anchor for the screw.



Material Used- 100% Virgin HDPE

TECHNICAL DATA

Of FR-PVC Insulation Tapes & Wallplugs

SIZE	PCS PER PKT/BOX	PKTS/BOXES PER MASTER	WEIGHT (IN GRAMS PER BOX/PKT)	WEIGHT (IN KGS PER MASTER)	THICKNESS (IN MM)
FR-PVC INSULATION TAPES					
6 METERS	30 PCS	20	660.00	13.50	16
15 METERS	20 PCS	20	900.00	18.00	16
WALLPLUGS					
GITTI 35MM HEAVY	50 PCS	350	41.50	14.50	-
GITTI 40MM HEAVY	50 PCS	280	57.00	16.00	-
GITTI 50MM HEAVY	25 PCS	220	64.00	14.50	-

FR-PVC Insulation Tapes
Master size (Length x Breadth x Height)
19 Inches X 10 Inches X 15 Inches

Wallplugs
Master size (Length x Breadth x Height)
20 Inches X 5.5 Inches X 38 Inches

PLASTIC CPVC/UPVC CLAMP

CPVC clamps are designed to secure CPVC pipes, which are used in hot and cold water systems, industrial applications, and chemical transport. These clamps offer enhanced resistance to heat and chemical corrosion, making them ideal for high-temperature environments.

UPVC clamps, on the other hand, are used to secure UPVC pipes typically found in cold water systems, sewage, and drainage. Known for their rigidity, strength, and impact resistance, UPVC clamps provide long-lasting durability and are commonly used in construction and plumbing to ensure pipe stability.



Material Used- 100% Virgin HDPE
Mild Steel (MS) Nails

TECHNICAL DATA

Of Plastic CPVC/UPVC Clamps

SIZE	PCS PER PKT	PKTS PER MASTER	WEIGHT (IN GRAMS PER PKT)	WEIGHT (IN KGS PER MASTER)	NAIL SIZE (IN MM)
PLASTIC CPVC CLAMPS					
CPVC 3/4	100 PCS	35	799.00	27.50	2.7 X 45
CPVC 1	100 PCS	20	1230.00	24.50	3.3 X 55
CPVC 1 1/4	50 PCS	24	892.50	21.50	3.3 X 65
CPVC 1 1/2	25 PCS	40	595.50	23.50	3.3 X 80
CPVC 2	25 PCS	24	875.50	21.00	3.8 X 90
PLASTIC UPVC CLAMPS					
UPVC 1/2	100 PCS	140	779.50	27.00	2.7 X 45
UPVC 3/4	100 PCS	100	1260.00	25.00	3.3 X 55
UPVC 1	100 PCS	80	1701.50	23.50	3.3 X 65
UPVC 1 1/4	100 PCS	60	1107.50	22.00	3.3 X 70
UPVC 1 1/2	100 PCS	50	654.50	20.50	3.3 X 80
UPVC 2	100 PCS	35	970.00	19.50	3.8 X 90

Master size (Length x Breadth x Height)
20 Inches X 5.5 Inches X 38 Inches

ROUND & FAN SHEET

A round sheet made from Nylon and HDPE is a strong, lightweight, and durable circular sheet designed for industrial and engineering applications. Combining the toughness of Nylon with the chemical and moisture resistance of HDPE, this sheet offers excellent mechanical strength, wear resistance, and dimensional stability.

It is ideal for use in high-impact environments and provides smooth surface finishing for easy machining and fabrication. These round sheets are commonly used for making washers, spacers, machine parts, and insulating components. Available in various diameters and thicknesses.

Material Used-HDPE & Nylon

CCTV CAMERA BOX

CCTV camera box is a protective enclosure designed to house and secure CCTV cameras, ensuring reliable performance in various environmental conditions. Made from high-quality materials such as ABS, polycarbonate, or metal, these boxes safeguard the camera against dust, rain, heat, and tampering.

The design allows easy installation and maintenance, with provisions for cable entry, mounting holes, and adjustable brackets. They are widely used in residential, commercial, and industrial surveillance systems, providing enhanced protection, durability, and a neat, professional finish to camera installations.

Material Used- 100% Virgin PP

TECHNICAL DATA

Of Round Sheets

SIZE	PCS PER BOX	BOXES PER MASTER	WEIGHT (IN GRAMS PER PCS)	WEIGHT (IN KGS PER MASTER)	THICKNESS (IN MM)
ROUND SHEET					
3.5 x 3.5 INCH	100 PCS	20	11.00	22.00	2
4 x 4 INCH	100 PCS	20	15.00	30.00	2
FAN SHEET					
6 X 6 INCH	100 PCS	20	71.00	52.50	2
7 X 7 INCH	100 PCS	20	114.00	42.00	2
CCTV CAMERA BOX					
4 X 4 INCH	20 PCS	27	55.00	30.00	-
5 X 5 INCH	20 PCS	18	85.00	30.50	-

OPEN SURFACE BOX



Open Surface Box is a high-quality electrical fitting designed for convenient and efficient installation in residential, commercial, and industrial applications. Made from durable materials, it ensures long-lasting performance and excellent strength.

Its open design allows easy access for wiring and maintenance, making it ideal for quick installations. Suitable for various electrical fittings, the box provides a neat and organized setup while maintaining safety and reliability.Perfect for electricians and contractors looking for a dependable and easy-to-use solution.

Material Used- 100% Virgin HIPS
Brass terminals

TECHNICAL DATA

Of Open Surface Boxes

SIZE	PCS PER BOX	BOXES PER MASTER	WEIGHT (IN GRAMS PER PIECE)	WEIGHT (IN KGS PER MASTER)	NO. OF TERMINALS
2 MODULAR	20PCS	32 (640 PCS)	61.00	40.00	2
3 MODULAR	10PCS	56 (560 PCS)	72.50	40.50	2
4 MODULAR	10PCS	48 (480 PCS)	84.50	40.50	2
6 MODULAR	10PCS	32 (320 PCS)	106.50	34.00	2
8 MODULAR(H)	10PCS	30 (300 PCS)	134.00	40.20	4
8 MODULAR(SQ)	10PCS	30 (300 PCS)	115.50	34.65	4
12 MODULAR	10PCS	20 (200 PCS)	160.50	32.10	4
16 MODULAR	5PCS	30 (150 PCS)	195.50	29.50	4
18 MODULAR	5PCS	32 (160 PCS)	210.00	33.60	6

Master size (Length x Breadth x Height)

35 Inches X 20 Inches X 26.5 Inches

METAL JUNCTION BOX

Metal Junction Box is a robust and durable electrical enclosure designed for superior strength and long-lasting performance. Manufactured from high-quality metal, it offers excellent resistance to heat, impact, and wear, making it ideal for both residential and industrial applications.

Its sturdy construction ensures enhanced safety and protection for electrical connections, while providing a secure and reliable housing for switches, sockets, and other fittings. Designed for easy installation, the Metal Box is a dependable choice for professionals seeking quality, safety, and durability in every project.

Material Used- 100% Virgin PP

TECHNICAL DATA

Of Metal Junction Boxes

SIZE	PCS PER BOX	BOXES PER MASTER	WEIGHT (IN GRAMS PER PIECE)	WEIGHT (IN KGS PER MASTER)	NO. OF SCREWS
2 MODULAR	20PCS	10 (200 PCS)	155.00	31.00	2
3 MODULAR	20PCS	8 (160 PCS)	185.00	29.60	2
4 MODULAR	10PCS	10 (100 PCS)	230.00	23.00	2
6 MODULAR	10PCS	10 (100 PCS)	320.00	32.00	2
8 MODULAR(H)	10PCS	8 (80 PCS)	360.00	28.80	2
8 MODULAR(SQ)	10PCS	8 (80 PCS)	360.00	28.80	4
12 MODULAR	5PCS	12 (60 PCS)	470.00	28.20	4
16 MODULAR	5PCS	12 (60 PCS)	530.00	31.80	4
18 MODULAR	5PCS	12 (60 PCS)	660.00	39.60	4

Master size (Length x Breadth x Height)

35 Inches X 20 Inches X 26.5 Inches

CONCRETE NAILS

Concrete Nails are premium-quality fasteners designed for securely fixing wood, metal, and other materials to concrete, brick, block, and masonry surfaces. Made from high-grade hardened steel, they offer exceptional strength, excellent penetration, and superior resistance to bending during installation.

Their sharp point and durable construction ensure a firm grip and long-lasting performance, making them ideal for construction, electrical installations, carpentry, and general building applications. Available in various sizes, concrete nails provide a reliable fastening solution for both professional contractors and everyday projects.

Material Used- 100% Virgin PP

TECHNICAL DATA

Of Concrete Nails

SIZE	GRAMS PER BOX	BOXES PER MASTER	WEIGHT (IN KGS PER MASTER)	LENGTH IN MM	DIAMETER IN MM
3.2 X 25(1 INCH)	850	25	21.50	25	3.2
3.6 X 38(1 ½ INCH)	850	25	21.50	38	3.6
4.0X38(1 ½ INCH)	850	25	21.50	38	4.0
5.0X38(1 ½ INCH)	850	25	21.50	38	5.0
3.6X50(2 INCH)	850	25	21.50	50	3.6
4.0X50(2 INCH)	850	25	21.50	50	4.0
5.0X50(2 INCH)	850	25	21.50	50	5.0
4.0X63(2 ½ INCH)	850	25	21.50	63	4.0
4.0X75(3 INCH)	850	25	21.50	75	4.0
5.0X100(4 INCH)	850	25	21.50	100	5.0

Master size (Length x Breadth x Height)

35 Inches X 20 Inches X 26.5 Inches

DISTRIBUTION BOXES

Open Surface Box is a high-quality electrical fitting designed for convenient and efficient installation in residential, commercial, and industrial applications. Made from durable materials, it ensures long-lasting performance and excellent strength.

Its open design allows easy access for wiring and maintenance, making it ideal for quick installations. Suitable for various electrical fittings, the box provides a neat and organized setup while maintaining safety and reliability.Perfect for electricians and contractors looking for a dependable and easy-to-use solution.

Material Used- Galvanised Iron
Brass terminals

TECHNICAL DATA

Of Distribution Boxes

SIZE	PCS PER BOX	BOXES PER MASTER	WEIGHT (IN KGS PER BOX)	WEIGHT (IN KGS PER MASTER)	NO. OF MCB
ELITE DISTRIBUTION BOXES					
4 WAY	1PCS	24	1.20	29.00	4
6 WAY	1PCS	20	1.30	26.00	6
8 WAY	1PCS	18	1.50	27.00	8
10 WAY	1PCS	16	1.70	27.50	10
12 WAY	1PCS	12	1.90	23.00	12
16 WAY	1PCS	10	2.25	22.50	16
MAGNUM DISTRIBUTION BOXES					
4 WAY	1PCS	24	1.30	31.50	4
6 WAY	1PCS	20	1.60	32.00	6
8 WAY	1PCS	18	1.70	31.00	8
10 WAY	1PCS	16	1.95	31.50	10
12 WAY	1PCS	12	2.20	26.50	12
16 WAY	1PCS	10	2.60	26.00	16

UPVC/CPVC ENDPLUGS

UPVC/CPVC Endplugs are manufactured using premium-grade, high-strength materials to provide a secure, durable, and leak-proof sealing solution for UPVC and CPVC piping systems. Engineered with precision for accurate dimensions and a perfect fit, these Endplugs effectively seal pipe ends during installation, pressure testing, maintenance, or future pipeline extensions.

Their robust construction ensures excellent resistance to corrosion, chemicals, rust, moisture, impact, and high-pressure conditions, making them suitable for both hot and cold water applications.

Material Used- 100% Virgin HDPE
Rubber O-Rings

TECHNICAL DATA

Of UPVC/CPVC Endplugs

SIZE	PCS PER PKT	PKTS PER MASTER	WEIGHT (IN GRAMS PER PKT)	WEIGHT (IN KGS PER MASTER)	LENGTH
UPVC ENDPLUG-15MM	50PCS	40	300.00	12.00	65MM
CPVC ENDPLUG-15MM	50PCS	40	300.00	12.00	65MM

Master size (Length x Breadth x Height)
20 Inches X 5.5 Inches X 38 Inches

TERMS AND CONDITIONS

01 **TECHNICAL** — Technical details such as weight may have minor variations and are not exact, point-to-point specifications. Please confirm critical specifications with us before finalizing your purchase.

02 **RETURN** — Goods once sold are not eligible for return or refund. Please review your order carefully before placing it.

03 **IMAGE** — The products may differ from the image shown; images are for visual representation only.

04 **ORDER** — All orders and transactions are subject to our terms and conditions. Prices, availability, and specifications are subject to change without prior notice.

05 **JURISDICTION** — Subject to Ahmedabad jurisdiction only

TO KNOW MORE

Call Us - + 91 9106189869

Website - www.hiranix.in

Gmail - contact@hiranix.in

OR
DOWNLOAD OUR APP

Playstore

Appstore