```
<!DOCTYPE html>
<html lang="en">
<head>
  <link rel="stylesheet" href="products.css">
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  <div id="container">
    <div id="first">
      <div class="guitar">
         <div id="guitar" class="product"></div>
         <div>Guitar</div>
      </div>
      <div class="violin">
         <div id="violin" class="product"></div>
         <div>Violin</div>
      </div>
    </div>
    <div id="second">
      <div class="drums">
         <div id="drums" class="product"></div>
         <div>Drums</div>
      </div>
      <div class="piano">
         <div id="piano" class="product"></div>
```

```
<div>Piano</div>
      </div>
    </div>
  </div>
</body>
</html>
<!DOCTYPE html>
<html lang="en">
<head>
  <link rel="stylesheet" href="register.css">
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  <div id="container">
    <form action="" method="post">
      <h1>Login</h1>
    <div class="fillbox">
      <input type="text" name="email" class="input" placeholder="Enter email">
    </div>
    <div class="fillbox">
      <input type="text" name="name" class="input" placeholder="Enter username">
    </div>
    <div class="fillbox">
      <input type="password" name="password" class="input" placeholder="Enter password">
```

```
</div>
    <div class="button">
      <input type="submit" value="sign up" name="submit" id="button">
    </div>
    <div class="register">
      already have an account?<a href="login.php">Log in here</a>
    </div>
    </form>
  </div>
  <?php
 if(isset($_POST["submit"])){
  require_once("conn.php");
  $email=$_POST["email"];
  $uname=$_POST["name"];
  $password=$_POST["password"];
  $query="insert into customer(name,email)
      values("".$name."","".$email."")";
  mysqli_query($conn,$query);
  header("location:login.php");
  ?>
</body>
</html>
<!DOCTYPE html>
<html lang="en">
<head>
  <link rel="stylesheet" href="login.css">
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
```

}

```
</head>
<?php
 $email = $password = "";
$email_err = $password_err = "";
 if ($_SERVER["REQUEST_METHOD"] == "POST") {
 // Validate email
 if (empty(trim($_POST["email"]))) {
 $email_err = "Please enter your email.";
 } else {
 $email = trim($_POST["email"]);
 // Validate password
 if (empty(trim($_POST["password"]))) {
 $password_err = "Please enter your password.";
 } else {
 $password = trim($_POST["password"]);
 // Check for errors before querying the database
 if (empty($email_err) && empty($password_err)) {
 // Prepare a SQL statement
 $sql = "SELECT id, email, password FROM customers WHERE email = ?";
 if ($stmt = $conn->prepare($sql)) {
 // Bind variables to the prepared statement as parameters
 $stmt->bind_param("s", $param_email);
 // Set parameters
 $param_email = $email;
 // Attempt to execute the prepared statement
 if ($stmt->execute()) {
 // Store result
 $stmt->store_result();
 // Check if email exists, if yes then verify password
```

```
if ($stmt->num_rows == 1) {
 // Bind result variables
 $stmt->bind_result($id, $email, $hashed_password);
 if ($stmt->fetch()) {
 if (password_verify($password, $hashed_password)) {
 // Password is correct, so start a new session
 session_start();
 // Store data in session variables
 $_SESSION["loggedin"] = true;
 $_SESSION["id"] = $id;
 $_SESSION["email"] = $email;
 // Redirect user to welcome page
 header("location: welcome.php");
} else {
// Display an error message if password is not valid
$password_err = "The password you entered is not valid.";
}
}
} else {
// Display an error message if email doesn't exist
$email_err = "No account found with that email.";
}
} else {
echo "Oops! Something went wrong. Please try again later.";
}
// Close statement
$stmt->close();
}
// Close connection
$conn->close();
```

```
}
?>
<body>
  <div id="container">
    <form action="" method="post">
      <h1>Login</h1>
    <div class="fillbox">
      <input type="text" name="uname" class="input" placeholder="username">
    </div>
    <div class="fillbox">
      <input type="password" name="password" class="input" placeholder="password">
    </div>
    <div class="button">
      <input type="submit" value="log in" name="submit" id="button">
    </div>
    <div class="register">
      >Don't have an account?<a href="register.php">Register here</a>
    </div>
    </form>
  </div>
</body>
</html>
*{
  margin:0;
```

```
padding:0;
  box-sizing: border-box;
}
body{
  display: flex;
  justify-content: right;
  align-items:center;
  min-height: 100vh;
 margin-right:150px;
  background: url(bg.jpg) no-repeat;
  background-position: center;
  background-size:cover;
}
#container
{
width:400px;
background: transparent;
backdrop-filter: blur(10px);
color:white;
border-radius: 12px;
padding: 30px 40px;
border:2px solid rgba(255, 255, 255, .2)
}
#container h1{
  font-size: 36px;
  text-align: center;
}
#container .fillbox{
```

```
width:100%;
  height: 50px;
  margin:30px 0;
}
.fillbox .input{
  height: 100%;
  width: 100%;
  background: transparent;
  border:none;
  outline: none;
  border:2px solid rgba(255,255,255, .2);
  border-radius: 40px;
  color: white;
  font-size: 16px;
  padding: 20px 45px 20px 20px;
}
.input:hover{
  border:3.5px solid rgba(255,255,255, .2);
}
.fillbox input::placeholder
{
  color:white;
}
#button {
  height: 45px;
  width:100%;
  background-color: white;
  border-radius: 40px;
  border:none;
```

```
box-shadow: 0 0 10px rgba(0, 0, 0, .1);
  cursor:pointer;
  font-size: 16px;
  font-weight:600;
}
#button:hover{
  background-color: rgb(44, 125, 206);
}
.register{
  font-size: 14.5px;
  text-align:center;
  margin: 20px 0 15px;
}
.register p a {
  color:white;
  text-decoration: none;
}
a:hover
{
  text-decoration: underline;
        font-weight:900;
}
#container .button{
  width: 100%;
}
*{
  margin:0;
  padding:0;
```

```
box-sizing: border-box;
}
body{
  display: flex;
  justify-content:right;
  align-items:center;
  min-height: 100vh;
 margin-right: 100px;
  background: url(bg.jpg) no-repeat;
  background-position: center;
  background-size:cover;
}
#container
{
width:auto;
display: flex;
flex-direction: column;
justify-content:right;
align-items: end;
background: transparent;
backdrop-filter: blur(10px);
color:white;
border-radius: 12px;
padding: 30px 40px;
border:2px solid rgba(255, 255, 255, .2);
}
.product{
  height: 170px;
```

```
margin: 10px;
  margin: 50px;
}
#first{
  display: flex;
  flex-direction: row;
  margin-right: 10px;
}
#second{
  display: flex;
  flex-direction: row;
  margin-right: 10px;
}
.guitar
{
  display: flex;
  flex-direction: column;
  align-items: center;
}
.guitar:hover{
  border:3.5px solid rgba(255,255,255, .2);
}
.violin
{
  display: flex;
  flex-direction: column;
  align-items: center;
```

width: 170px;

```
}
.violin:hover{
  border:3.5px solid rgba(255,255,255, .2);
}
.drums
{
  display: flex;
  flex-direction: column;
  align-items: center;
}
.drums:hover{
  border:3.5px solid rgba(255,255,255, .2);
}
.piano
{
  display: flex;
  flex-direction: column;
  align-items: center;
}
.piano:hover{
  border:3.5px solid rgba(255,255,255, .2);
}
#guitar
{
  background: url(guitar.png) no-repeat;
  background-position: center;
  background-size:contain;
}
#piano
{
```

```
background: url(piano.png) no-repeat;
  background-position: center;
  background-size:contain;
}
#violin
{
  background: url(violin.png) no-repeat;
  background-position: center;
  background-size:contain;
}
#drums
{
  background: url(drums.png) no-repeat;
  background-position: center;
  background-size:contain;
}
*{
  margin:0;
  padding:0;
  box-sizing: border-box;
}
body{
  display: flex;
  justify-content: right;
  align-items:center;
  min-height: 100vh;
 margin-right:150px;
  background: url(bg.jpg) no-repeat;
```

```
background-position: center;
  background-size:cover;
}
#container
{
width:400px;
background: transparent;
backdrop-filter: blur(10px);
color:white;
border-radius: 12px;
padding: 30px 40px;
border:2px solid rgba(255, 255, 255, .2)
}
#container h1{
  font-size: 36px;
  text-align: center;
}
#container .fillbox{
  width:100%;
  height: 50px;
  margin:30px 0;
}
.fillbox .input{
  height: 100%;
  width: 100%;
  background: transparent;
  border:none;
  outline: none;
  border:2px solid rgba(255,255,255, .2);
```

```
border-radius: 40px;
  color: white;
  font-size: 16px;
  padding: 20px 45px 20px 20px;
}
.input:hover{
  border:3.5px solid rgba(255,255,255, .2);;
}
.fillbox input::placeholder
{
  color:white;
}
#button {
  height: 45px;
  width:100%;
  background-color: white;
  border-radius: 40px;
  border:none;
  box-shadow: 0 0 10px rgba(0, 0, 0, .1);
  cursor:pointer;
  font-size: 16px;
  font-weight:600;
}
#button:hover{
  background-color: rgb(44, 125, 206);
}
.register{
  font-size: 14.5px;
  text-align:center;
```

```
margin: 20px 0 15px;
}
.register p a {
  color:white;
  text-decoration: none;
}
a:hover
{
  text-decoration: underline;
        font-weight:900;
}
#container .button{
  width: 100%;
}
<?php
// Assuming $conn is your database connection
// Check if the user ID is provided in the query string
if (isset($_GET['id'])) {
  // Escape user ID to prevent SQL injection
  $user_id = mysqli_real_escape_string($conn, $_GET['id']);
  // Prepare SQL query to retrieve user information
  $sql = "SELECT * FROM customer WHERE id = '$user_id'";
  // Execute SQL query
  $result = mysqli_query($conn, $sql);
  if ($result) {
```

```
// Check if user exists
    if (mysqli_num_rows($result) > 0) {
      // Fetch user details
      $row = mysqli_fetch_assoc($result);
      $name = $row['name'];
      $email = $row['email'];
      $orders = $row['orders'];
      $products = $row['products'];
      $joining_date = $row['joining_date'];
      // Add other columns as needed
    } else {
      echo "User not found.";
    }
  } else {
    echo "Error: " . mysqli_error($conn);
  }
  // Close database connection
  mysqli_close($conn);
} else {
  echo "User ID not provided.";
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>User Profile</title>
  <style>
    body {
```

```
font-family: Arial, sans-serif;
  background-color: #f4f4f4;
  color: #333;
  margin: 0;
  padding: 0;
}
.container {
  max-width: 800px;
  margin: 50px auto;
  padding: 20px;
  background-color: rgb(167, 20, 20);
  border-radius: 8px;
  box-shadow: 0px 0px 10px rgba(0, 0, 0, 0.1);
}
h1 {
  text-align: center;
}
.user-info {
  margin-bottom: 20px;
}
.user-info h2 {
  margin-top: 0;
}
.user-info p {
  margin: 5px 0;
}
```

```
.subscription-details {
      border-top: 1px solid #666;
      padding-top: 20px;
    }
    .subscription-details h2 {
      margin-top: 0;
    }
    .subscription-details p {
      margin: 5px 0;
    }
  </style>
</head>
<body>
<div class="container">
  <h1>User Profile</h1>
  <div class="user-info">
    <h2>User Information</h2>
    <strong>Name:</strong> <?php echo isset($name) ? $name : "; ?>
    <strong>Email:</strong> <?php echo isset($email) ? $email : "; ?>
    <strong>Orders:</strong> <?php echo isset($orders) ? $orders : "; ?>
    <strong>Products:</strong> <?php echo isset($products) ? $products : "; ?>
  </div>
  <div class="subscription-details">
    <h2>Joining Details</h2>
    <strong>Joining Date:</strong> <?php echo isset($joining_date) ? $joining_date : "; ?>
```

</div>

</div>

</body>

</html>







