```html
<!DOCTYPE HTML>

<html lang="en">

<head>

<meta charset="utf-8">

<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

<meta name="author" content="Bootstrap-ecommerce by Vosidiy">

<title>Add to Cart Product using Ajax</title>

<link rel="shortcut icon" type="image/x-icon" href="assets/images/logos/squanchy.jpg" >

<link rel="apple-touch-icon" sizes="180x180" href="assets/images/logos/squanchy.jpg">

<link rel="icon" type="image/png" sizes="32x32" href="assets/images/logos/squanchy.jpg">

<!-- jQuery -->

<!-- Bootstrap4 files-->

<link href="assets/css/bootstrap.css" rel="stylesheet" type="text/css"/>

<link href="assets/css/ui.css" rel="stylesheet" type="text/css"/>

<link href="assets/fonts/fontawesome/css/fontawesome-all.min.css" type="text/css"
rel="stylesheet">

<link href="assets/css/OverlayScrollbars.css" type="text/css" rel="stylesheet"/>

<!-- Font awesome 5 -->

<style>

        .avatar {

 vertical-align: middle;

 width: 35px;

 height: 35px;

 border-radius: 50%;

}
```

```css
.bg-default, .btn-default{

        background-color: #f2f3f8;

}

.btn-error{

        color: #ef5f5f;

}
```

```html
</style>

<!-- custom style -->

</head>

<body>

<section class="header-main">

        <div class="container">

<div class="row align-items-center">

        <div class="col-lg-3">

        <div class="brand-wrap">

                <img class="logo" src="assets/images/logos/squanchy.jpg">

                <h2 class="logo-text">Add2Cart</h2>

        </div> <!-- brand-wrap.// -->

        </div>

        <div class="col-lg-6 col-sm-6">

                <form action="#" class="search-wrap">

                        <div class="input-group">

                            <input type="text" class="form-control" placeholder="Search">

                            <div class="input-group-append">
```

```html
<button class="btn btn-primary" type="submit">

  <i class="fa fa-search"></i>

</button>

</div>

</div>

</form> <!-- search-wrap .end// -->

</div> <!-- col.// -->

<div class="col-lg-3 col-sm-6">

<div class="widgets-wrap d-flex justify-content-end">

<div class="widget-header">

<a href="add2cart" class="btn btn-primary m-btn m-btn--icon m-btn--icon-only" id="home">

<i class="fa fa-home"></i>

</a>

</div> <!-- widget .// -->

</div>   <!-- widgets-wrap.// -->

</div> <!-- col.// -->

</div> <!-- row.// -->

</div> <!-- container.// -->

</section>

<!-- ======================= SECTION CONTENT ======================= -->

<section class="section-content padding-y-sm bg-default ">

<div class="container-fluid">
```

```html
<div class="row">

        <div class="col-md-8 card padding-y-sm card ">

                <ul class="nav bg radius nav-pills nav-fill mb-3 bg" role="tablist">

                        <li class="nav-item">

                                <a class="nav-link active show" data-toggle="pill" href="#nav-tab-card" data-id="" id="cate_list">

                                        <i class="fa fa-tags"></i> All

                                </a>

                        </li>

                        <?php //echo "<pre/>"; print_r(getproductpist);die;

                                                        //echo isset($categoryList) ? $categoryList : ''

                        ?>

                        @foreach ($categorylist as $category)

                        <li class="nav-item">

                                <a class="nav-link" data-toggle="pill" href="#nav-tab-paypal" data-id="{{$category->id}}" id="cate_list">

                                        <i class="fa fa-tags "></i>{{ $category->categoryname }}</a>

                        </li>

                        @endforeach

        </ul>

<span  id="items">

<div class="row">

<div class="col-md-3">
```

```html
</div> <!-- col // -->

</div> <!-- row.// -->

</span>

        </div>

<div class="col-md-4">

   <div class="card">

           <span id="cart">

                                                <table class="table table-hover
shopping-cart-wrap">

                                                <thead class="text-
muted">

                                                        <tr>

                                                        <th
scope="col">Item</th>

                                                        <th
scope="col" width="120">Qty</th>

                                                        <th
scope="col" width="120">Price</th>

                                                        <th
scope="col" class="text-right" width="200">Delete</th>

                                                        </tr>

                                                </thead>

                                                <tbody>

                                                        <!-- <tr
class="qty_tr" data-product-id="33">

        <td>
```

```html
            <figure class="media">

                        <div class="img-wrap"><img src="assets/images/items/1.jpg"
class="img-thumbnail img-xs"></div>

                        <figcaption class="media-body">

                                <h6 class="title text-truncate">Product name </h6>

                        </figcaption>

            </figure>

    </td>

    <td class="text-center">

     <div class="m-btn-group m-btn-group--pill btn-group mr-2" role="group" aria-
label="...">

                        <button type="button" class="m-btn btn btn-default"><i class="fa fa-
minus"></i></button>

                        <button type="button" class="m-btn btn btn-default quantity"
disabled>3</button>

                        <button type="button" class="m-btn btn btn-default"><i class="fa fa-
plus"></i></button>

</div>
```

```
            </td>

            <td>

            <div class="price-wrap">

                    <var class="price" >$145</var>

            </div>

            </td>

            <td class="text-right">

            <a href="" class="btn btn-outline-danger"> <i class="fa fa-trash"></i></a>

            </td>

            </tr> -->

                                                            </tbody>

                                                    </table>

        </span>

    </div> <!-- card.// -->
<div class="box">
<dl class="dlist-align">
 <dt>Total: </dt>
 <dd class="text-right h4 b" id="total_price"> $0 </dd>
</dl>
```

```html
<div class="row">

        <div class="col-md-6">

                <a href="#" class="btn  btn-default btn-error btn-lg btn-block"><i class="fa fa-
times-circle "></i> Cancel </a>

        </div>

        <div class="col-md-6">

                <a href="#" class="btn  btn-primary btn-lg btn-block"><i class="fa fa-shopping-
bag"></i> Charge </a>

        </div>

</div>

</div> <!-- box.// -->

</div>

</div>

</div><!-- container //  -->

</section>

<!-- ======================= SECTION CONTENT END// ======================= -->


<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.6.0/jquery.min.js"></script>

<script src="assets/js/jquery-2.0.0.min.js" type="text/javascript"></script>

<script src="assets/js/bootstrap.bundle.min.js" type="text/javascript"></script>

<script src="assets/js/OverlayScrollbars.js" type="text/javascript"></script>

<script>

$(document).ready(function (){

        $(document).on('click',''){
```

```
                    }
$(document).on('click', "a#cate_list",function (){

    //var id = $(this).val();

    //$(this).attr("id");

    //alert($(this).data("id"));

    var id = $(this).data("id");

    //console.log(id);

    var app_url = "<?php echo env('APP_URL'); ?>";

    //console.log(app_url);

    $.ajax({

                        type:"GET",

                        url:app_url+'/categorywiseprd?category_id='+id,

                        success: function(response){

                          $('#items').html(response.dynamic_html);

                         }

                    });
});


$(document).on('click', "a.addtocart",function (){

        //console.log("Ok Done");

        var addproducttocart;


        var product_id = $(this).attr("data-product-id");
```

```javascript
//var product_id=33;

//console.log(qty);

//product_price = $(this).attr("data-product-price");

//console.log($(this));

var product_price=$.trim($(this).parents('.info-wrap').find('.action-wrap .price-wrap span').text());

var product_name = $.trim($(this).parents('.info-wrap').find('.title').text());

var product_image = $(this).attr('data-productimage');

var mainprice='';

if($('#cart .shopping-cart-wrap tbody').find('tr[data-product-id="'+product_id+'"]').length >0){

    var qty = $.trim($('#cart .shopping-cart-wrap tbody').find('tr[data-product-id="'+product_id+'"] .quantity').text());


    var mainprice = product_price * qty;

    var newqty= parseInt(qty)+1;


    var totalprice=$.trim($('#total_price').text());

    var maintotalprice1 = totalprice.split('$');


    var maintotalprice = parseInt(maintotalprice1[1]) + parseInt(mainprice);

        addproducttocart='<tr data-product-id="'+product_id+'">';

            addproducttocart+='<td>';

            addproducttocart+='<figure class="media">';

            addproducttocart+='<div class="img-wrap">
```

```
<img src="'+product_image+'" class="img-thumbnail img-xs"></div>';

                                        addproducttocart+='<figcaption class="media-
body">';

                                        addproducttocart+='<h6 class="title text-
truncate">'+product_name+'</h6>';

                                        addproducttocart+='</figcaption>';

                                        addproducttocart+='</figure>' ;

                                        addproducttocart+='</td>';

                                        addproducttocart+='<td class="text-center"> ';

                                        addproducttocart+='<div class="m-btn-group
m-btn-group--pill btn-group mr-2" role="group" aria-label="...">';

                                        addproducttocart+='<button type="button"
class="m-btn btn btn-default"><i class="fa fa-minus"></i></button>';

                                        addproducttocart+='<button type="button"
class="m-btn btn btn-default quantity" disabled data-qty="">'+newqty+'</button>';

                                        addproducttocart+='<button type="button"
class="m-btn btn btn-default"><i class="fa fa-plus"></i></button>';

                                        addproducttocart+='</div>';

                                        addproducttocart+='</td>';

                                        addproducttocart+='<td>';

                                        addproducttocart+='<div class="price-wrap">' ;

                                        addproducttocart+='<var
class="price">$'+mainprice+'</var>' ;

                                        addproducttocart+='</div>';

                                        addproducttocart+='</td>';

                                        addproducttocart+='<td class="text-right">';

                                        addproducttocart+='<a href="" class="btn btn-
```

```
outline-danger"> <i class="fa fa-trash"></i></a>';

                                        addproducttocart+='</td>';

                                        addproducttocart+='</tr>';

                                        $('#cart').find('.shopping-cart-wrap tbody
tr[data-product-id="'+product_id+'"]').remove();

                                        $('#cart').find('.shopping-cart-wrap
tbody').append(addproducttocart);


                                        var myprice =
$("#total_price").text('$'+maintotalprice);

                                        //console.log(myprice);

            }else{

                    console.log('only one product');

                     var qty = 1;


                      var mainprice = parseInt(product_price) * parseInt(qty);

                      //var newqty= parseInt(qty)+1;


                      //var totalprice=$.trim($('#total_price').text());

                      //var maintotalprice1 = totalprice.split('$');


                      //var maintotalprice = parseInt(maintotalprice[1]) +
parseInt(mainprice);

                                      addproducttocart='<tr data-product-
id="'+product_id+'">';

                                        addproducttocart+='<td>';
```

```
addproducttocart+='<figure class="media">';
addproducttocart+='<div class="img-wrap">
<img src="'+product_image+'" class="img-thumbnail img-xs"></div>';
addproducttocart+='<figcaption class="media-body">';
addproducttocart+='<h6 class="title text-truncate">'+product_name+'</h6>';
addproducttocart+='</figcaption>';
addproducttocart+='</figure>' ;
addproducttocart+='</td>';
addproducttocart+='<td class="text-center"> ';
addproducttocart+='<div class="m-btn-group m-btn-group--pill btn-group mr-2" role="group" aria-label="...">';
addproducttocart+='<button type="button" class="m-btn btn btn-default"><i class="fa fa-minus"></i></button>';
addproducttocart+='<button type="button" class="m-btn btn btn-default quantity" disabled data-qty="">'+qty+'</button>';
addproducttocart+='<button type="button" class="m-btn btn btn-default"><i class="fa fa-plus"></i></button>';
addproducttocart+='</div>';
addproducttocart+='</td>';
addproducttocart+='<td>';
addproducttocart+='<div class="price-wrap">' ;
addproducttocart+='<var class="price">$'+mainprice+'</var>' ;
addproducttocart+='</div>';
addproducttocart+='</td>';
```

13

```
                                    addproducttocart+='<td class="text-right">';

                                    addproducttocart+='<a href="" class="btn btn-
outline-danger"> <i class="fa fa-trash"></i></a>';

                                    addproducttocart+='</td>';

                                    addproducttocart+='</tr>';


                                    $('#cart').find('.shopping-cart-wrap
tbody').append(addproducttocart);


                                    $("#total_price").text('$'+mainprice);



            }

            getTotal();

            });

    });

</script>

</body>

</html>




cotroller


public function categoryList(){

    $category = DB::select('select * from category');
```

```php
        return view('my_cart',['categorylist'=> $category]);

        //return view('my_cart',compact('categorylist'));

        //return view('my_cart')->with(['categorylist' => $category]);

    }


public function CateWiseProduct(Request $request){

    $categoryId = $request->query('category_id');

    $app_url = env('APP_URL');

    $dynamic_html='';

    $dynamic_html .='<div class="row">';

    if(!empty($categoryId)){

        $getprd = DB::table('product')

                ->leftjoin('category','category.id','=','product.catgory_id')

                ->select(

                    'category.id as category_id',

                    'category.categoryname as category_name',

                    'category.status as category_status',

                    'product.id as product_id',

                    'product.productname as productname',

                    'product.catgory_id as product_catgory_id',

                    'product.price as price',

                    'product.image as product_image',

                    'product.status as product_status',

                )
```

```php
            ->where('category.id',$categoryId)

            ->get()

            ->toArray();
    if(!empty($getprd)){

     foreach ($getprd as $key => $value) {

        //print_r($getprd);

        $image_url = $app_url.'/upload/products/'.$value->product_image;

        $dynamic_html .='<div class="col-md-3">';

        $dynamic_html .='<figure class="card card-product">';

        $dynamic_html .='<div class="img-wrap">';

        $dynamic_html .='<img src="'.$image_url.'">';

        $dynamic_html .='</div>';

        $dynamic_html .='<figcaption class="info-wrap">';

        $dynamic_html .='<a href="#" class="title" data-prduct-name="'.$value->
productname.'">'.$value->productname.'</a>';

        $dynamic_html .='<div class="action-wrap">';

        $dynamic_html .='<a href="javascript:void(0);" class="btn btn-primary addtocart btn-
sm float-right" id="addtocart" data-product-id="'.$value->product_id.'" data-productimage="'.
$image_url.'"> <i class="fa fa-cart-plus"></i> Add </a>';

        $dynamic_html .= '<div class="price-wrap h5">';

        $dynamic_html .='<span class="price-new" data-product-price="'.$value->price.'">'.
$value->price.'</span>';

        $dynamic_html .='</div>';

        $dynamic_html .='</div>';

        $dynamic_html .='</figcaption>';

        $dynamic_html .='</figure>';
```

```php
        $dynamic_html .='</div>';


    }

} else{

    $dynamic_html .='<div class="col-md-3">Product Not Found!</div>';

}

} else {

    $getprd = DB::table('product')

        ->select('*')

        ->get()

        ->toArray();

    foreach ($getprd as $key => $value) {

        //print_r($getprd);

        $image_url = $app_url.'/upload/products/'.$value->image;

        $dynamic_html .='<div class="col-md-3">';

        $dynamic_html .='<figure class="card card-product">';

        $dynamic_html .='<div class="img-wrap">';

        $dynamic_html .='<img src="'.$image_url.'">';

        $dynamic_html .='<a class="btn-overlay" href="#"><i class="fa fa-search-plus"></i>
Quick view</a>';

        $dynamic_html .='</div>';

        $dynamic_html .='<figcaption class="info-wrap">';

        $dynamic_html .='<a href="#" class="title">'.$value->productname.'</a>';

        $dynamic_html .='<div class="action-wrap">';

        $dynamic_html .='<a href="javascript:void(0);" class="btn btn-primary btn-sm float-
```

```php
right addtocart" id="addtocart" data-product-id="'.$value->id.'" data-productimage="'.
$image_url.'"> <i class="fa fa-cart-plus"></i> Add </a>';

        $dynamic_html .= '<div class="price-wrap h5">';

        $dynamic_html .='<span class="price-new">'.$value->price.'</span>';

        $dynamic_html .='</div>';

        $dynamic_html .='</div>';

        $dynamic_html .='</figcaption>';

        $dynamic_html .='</figure>';

        $dynamic_html .='</div>';

    }

  }

  $dynamic_html .='</div>';

  return response()->json([

    "dynamic_html"=>$dynamic_html


  ]);
}


Route::get('mycart', function () {

  return view('my_cart');

});

Route::get('categorywiseprd',[ProductController::class,'CateWiseProduct']);

Route::post('categorywiseprd',[ProductController::class,'CateWiseProduct']);
```