

Counter App by Aayan

Counter using Class Component:

0

Add +

Decrease -

Reset

Counter App by Aayan

Counter using Class Component:

13

Add +

Decrease -

Reset ↺



Counter App by Aayan

Counter using Class Component:

9

Add +

Decrease -

Reset ↺

EXPLORER

OPEN EDITORS

JS App.js my-count...

X JS Counter.js my-c...

JS index.js my-coun...

REACT

> form

v my-counter-app

> node_modules

> public

v src

App.css

JS App.js

JS App.test.js

JS Counter.js

index.css

JS index.js

logo.svg

JS reportWebVitals.js

JS setupTests.js

.gitignore

package-lock.json

package.json

README.md

JS App.js

JS Counter.js X

JS index.js

my-counter-app > src > JS Counter.js > ...

```
1 import React, { Component } from 'react';
2
3 class Counter extends Component {
4   constructor() {
5     super();
6     this.state = {
7       count: 0
8     };
9   }
10
11   handleIncrease = () => {
12     this.setState({ count: this.state.count + 1 });
13   };
14
15   handleDecrease = () => {
16     this.setState({ count: this.state.count - 1 });
17   };
18
19   handleReset = () => {
20     this.setState({ count: 0 });
21   };
22
23   render() {
24     return (
25       <div style={{ marginTop: "30px" }}>
26         <h2>Counter using Class Component:</h2>
27         <h1>{this.state.count}</h1>
28
29         <button
30           onClick={this.handleIncrease}
31           style={{ margin: "10px", padding: "10px 20px" }}
32         >
33           Add +
34         </button>
35
36         <button
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\ayaan\OneDrive\Desktop\react\my-counter-app> npm run build
On Your Network: http://10.14.11.52:3000
```

Note that the development build is not optimized.
To create a production build, use `npm run build`.

```
webpack compiled successfully
```

> OUTLINE

> TIMELINE

0 0 Live Share



4 Finance headline
India reported 11...



Search

EXPLORER

✓ OPEN EDITORS

✕ JS App.js my-c... 1
JS Counter.js my-c...
logo.svg my-cou...
JS index.js my-coun...

✓ REACT

> form
✓ my-counter-app ●
> node_modules
> public

✓ src

App.css

JS App.js 1

JS App.test.js

JS Counter.js

index.css

JS index.js

logo.svg

JS reportWebVitals.js

JS setupTests.js

.gitignore

{ } package-lock.json

{ } package.json

i README.md

> OUTLINE

> TIMELINE

1 0 Live Share

Finance headline
India reported 11...

JS App.js 1 ✕

JS Counter.js

logo.svg

JS index.js

my-counter-app > src > JS App.js > ...

```
1 import React from 'react';
2 import Counter from './Counter';
3
4 function App() {
5   return (
6     <div style={{ textAlign: "center", marginTop: "40px" }}
7       <h1>Counter App by Aayan</h1>
8       <Counter />
9     </div>
10   );
11 }
12
13 export default App;
14
```

PROBLEMS 1

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

PS C:\Users\ayaan\OneDrive\Desktop\react\my-counter-app> npm s

On Your Network: http://10.14.11.52:3000

Note that the development build is not optimized.
To create a production build, use `npm run build`.

webpack compiled successfully

□



Search