

APEX Superbadge

//MaintenanceRequestHelper

```
public with sharing class MaintenanceRequestHelper {
    public static void updateWorkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();

        For (Case c : updWorkOrders){
            if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
                if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
                    validIds.add(c.Id);
                }
            }
        }

        if (!validIds.isEmpty()){
            List<Case> newCases = new List<Case>();
            Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment__c, Equipment__r.Maintenance_Cycle__c,(SELECT
Id,Equipment__c,Quantity__c FROM Equipment_Maintenance_Items__r)
FROM Case WHERE Id IN :validIds]);
            Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
            AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM
Equipment_Maintenance_Item__c WHERE Maintenance_Request__c IN :ValidIds GROUP
BY Maintenance_Request__c];

            for (AggregateResult ar : results){
                maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal)
ar.get('cycle'));
            }

            for(Case cc : closedCasesM.values()){
                Case nc = new Case (
```

```

        ParentId = cc.Id,
        Status = 'New',
        Subject = 'Routine Maintenance',
        Type = 'Routine Maintenance',
        Vehicle__c = cc.Vehicle__c,
        Equipment__c = cc.Equipment__c,
        Origin = 'Web',
        Date_Reported__c = Date.Today()

    );

    If (maintenanceCycles.containsKey(cc.Id)){
        nc.Date_Due__c = Date.today().addDays((Integer)
maintenanceCycles.get(cc.Id));
    }

    newCases.add(nc);
}

insert newCases;

List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
for (Case nc : newCases){
    for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
        Equipment_Maintenance_Item__c wpClone = wp.clone();
        wpClone.Maintenance_Request__c = nc.Id;
        ClonedWPs.add(wpClone);

    }
}
insert ClonedWPs;
}
}
}

```

```

//MaintenanceRequestHelperTest
@istest
public with sharing class MaintenanceRequestHelperTest {

    private static final string STATUS_NEW = 'New';
    private static final string WORKING = 'Working';
    private static final string CLOSED = 'Closed';
    private static final string REPAIR = 'Repair';
    private static final string REQUEST_ORIGIN = 'Web';
    private static final string REQUEST_TYPE = 'Routine Maintenance';
    private static final string REQUEST_SUBJECT = 'Testing subject';

    PRIVATE STATIC Vehicle__c createVehicle(){
        Vehicle__c Vehicle = new Vehicle__C(name = 'SuperTruck');
        return Vehicle;
    }

    PRIVATE STATIC Product2 createEq(){
        product2 equipment = new product2(name = 'SuperEquipment',
            lifespan_months__C = 10,
            maintenance_cycle__C = 10,
            replacement_part__c = true);
        return equipment;
    }

    PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
        case cs = new case(Type=REPAIR,
            Status=STATUS_NEW,
            Origin=REQUEST_ORIGIN,
            Subject=REQUEST_SUBJECT,
            Equipment__c=equipmentId,
            Vehicle__c=vehicleId);
        return cs;
    }

    PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id

```

```
requestId){
    Equipment_Maintenance_Item__c wp = new
Equipment_Maintenance_Item__c(Equipment__c = equipmentId,
                                Maintenance_Request__c = requestId);
    return wp;
}
```

[illegible]

[illegible]

```
where Maintenance_Request__c = :emptyReq.Id];
```

```
system.assert(workPart != null);  
system.assert(allRequest.size() == 1);  
}
```

```
@istest
```

```
private static void testMaintenanceRequestBulk(){  
    list<Vehicle__C> vehicleList = new list<Vehicle__C>();  
    list<Product2> equipmentList = new list<Product2>();  
    list<Equipment_Maintenance_Item__c> workPartList = new  
list<Equipment_Maintenance_Item__c>();  
    list<case> requestList = new list<case>();  
    list<id> oldRequestIds = new list<id>();  
  
    for(integer i = 0; i < 300; i++){  
        vehicleList.add(createVehicle());  
        equipmentList.add(createEq());  
    }  
    insert vehicleList;  
    insert equipmentList;  
  
    for(integer i = 0; i < 300; i++){  
        requestList.add(createMaintenanceRequest(vehicleList.get(i).id,  
equipmentList.get(i).id));  
    }  
    insert requestList;  
  
    for(integer i = 0; i < 300; i++){  
        workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));  
    }  
    insert workPartList;  
  
    test.startTest();  
    for(case req : requestList){  
        req.Status = CLOSED;  
        oldRequestIds.add(req.Id);  
    }  
}
```

```

    }
    update requestList;
    test.stopTest();

    list<case> allRequests = [select id
                              from case
                              where status =: STATUS_NEW];

    list<Equipment_Maintenance_Item__c> workParts = [select id
                                                       from Equipment_Maintenance_Item__c
                                                       where Maintenance_Request__c in: oldRequestIds];

    system.assert(allRequests.size() == 300);
}
}

```

```

//WarehouseCalloutService
public with sharing class WarehouseCalloutService {

    private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';

```

```

    //@future(callout=true)
    public static void runWarehouseEquipmentSync(){

```

```

        Http http = new Http();
        HttpRequest request = new HttpRequest();

        request.setEndpoint(WAREHOUSE_URL);
        request.setMethod('GET');
        HttpResponse response = http.send(request);

```

```

        List<Product2> warehouseEq = new List<Product2>();

```

```

        if (response.getStatusCode() == 200){
            List<Object> jsonResponse =

```

```

(List<Object>)JSON.deserializeUntyped(response.getBody());
    System.debug(response.getBody());

    for (Object eq : jsonResponse){
        Map<String,Object> mapJson = (Map<String,Object>)eq;
        Product2 myEq = new Product2();
        myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
        myEq.Name = (String) mapJson.get('name');
        myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
        myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
        myEq.Cost__c = (Decimal) mapJson.get('lifespan');
        myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
        myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
        warehouseEq.add(myEq);
    }

    if (warehouseEq.size() > 0){
        upsert warehouseEq;
        System.debug('Your equipment was synced with the warehouse one');
        System.debug(warehouseEq);
    }

}
}
}

```



```

//WarehouseCalloutServiceMock
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
    // implement http mock callout
    global static HttpResponse respond(HttpRequest request){

        System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment',
request.getEndpoint());
        System.assertEquals('GET', request.getMethod());

        // Create a fake response
        HttpResponse response = new HttpResponse();
        response.setHeader('Content-Type', 'application/json');

response.setBody('{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5
,"name":"Generator 1000
kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}');
        response.setStatusCode(200);
        return response;
    }
}

```

```

//WarehouseCalloutServiceTest
@isTest
private class WarehouseCalloutServiceTest {
    @isTest
    static void testWareHouseCallout(){
        Test.startTest();
        // implement mock callout test here
        Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
        WarehouseCalloutService.runWarehouseEquipmentSync();
        Test.stopTest();
        System.assertEquals(1, [SELECT count() FROM Product2]);
    }
}

```

```

//WarehouseSyncSchedule
global class WarehouseSyncSchedule implements Schedulable {
    global void execute(SchedulableContext ctx) {

        WarehouseCalloutService.runWarehouseEquipmentSync();
    }
}

//WarehouseSyncScheduleTest
@isTest
public class WarehouseSyncScheduleTest {

    @isTest static void WarehousescheduleTest(){
        String scheduleTime = '00 00 01 * * ?';
        Test.startTest();
        Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
        String jobId=System.schedule('Warehouse Time To Schedule to Test',
scheduleTime, new WarehouseSyncSchedule());
        Test.stopTest();
        //Contains schedule information for a scheduled job. CronTrigger is similar to a
cron job on UNIX systems.
        // This object is available in API version 17.0 and later.
        CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
        System.assertEquals(jobID, a.Id,'Schedule ');

    }
}

```

1. Automate Leads

Error Condition Formula

```
OR(AND(LEN(State) > 2,  
NOT(CONTAINS("AL:AK:AZ:AR:CA:CO:CT:DE:DC:FL:GA:HI:ID:IL:IN:IA:KS:KY:LA:ME:MD:MA:MI:MN:MS:MO:MT:NE:NV:NH:NJ:NM:NY:NC:ND:OH:OK:OR:PA:RI:SC:SD:TN:TX:UT:VT:VA:WA:WV:WI:WY", State)) ), NOT(OR(Country = "US", Country = "USA", Country = "United States", ISBLANK(Country))))
```

2. Automat Accounts

Formula:

```
IF(DATE(YEAR( Last_won_deal_date__c )+2,MONTH(Last_won_deal_date__c ),DAY(Last_won_deal_date__c ))<=TODAY(),"Yes","No")
```

Validation Rule 1:

```
OR(AND(LEN(BillingState) > 2,  
NOT(CONTAINS("AL:AK:AZ:AR:CA:CO:CT:DE:DC:FL:GA:HI:ID:IL:IN:IA:KS:KY:LA:ME:MD:MA:MI:MN:MS:MO:MT:NE:NV:NH:NJ:NM:NY:NC:ND:OH:OK:OR:PA:RI:SC:SD:TN:TX:UT:VT:VA:WA:WV:WI:WY", BillingState)) ),AND(LEN(ShippingState) > 2,  
NOT(CONTAINS("AL:AK:AZ:AR:CA:CO:CT:DE:DC:FL:GA:HI:ID:IL:IN:IA:KS:KY:LA:ME:MD:MA:MI:MN:MS:MO:MT:NE:NV:NH:NJ:NM:NY:NC:ND:OH:OK:OR:PA:RI:SC:SD:TN:TX:UT:VT:VA:WA:WV:WI:WY", ShippingState)) ),NOT(OR(BillingCountry = "US",BillingCountry = "USA",BillingCountry = "United States", ISBLANK(BillingCountry))),  
NOT(OR(ShippingCountry = "US",ShippingCountry = "USA",ShippingCountry = "United States", ISBLANK(ShippingCountry))))
```

Validation Rule 2:

```
ISCHANGED( Name ) && ( OR( ISPICKVAL( Type ,'Customer - Direct') ,ISPICKVAL( Type  
, 'Customer - Channel') ))
```

Error Message:

You cannot change Account Name for "customer direct" or "customer channel"

3.Create Robot Setup Object:

```
CASE( WEEKDAY( Date__c ),  
1,"Sunday",  
2,"Monday",  
3,"Tuesday",  
4,"Wednesday",  
5,"Thursday",  
6,"Saturday",  
Text( WEEKDAY( Date__c ) ) )
```

4.Create Sales Process and Validate Opportunities

Validation Formula:

```
IF(( Amount > 100000 && Approved__c <> True && ISPICKVAL( StageName,'Closed  
Won') ),True,False)
```

5.aUTOMATE OPPORTUNITY

FORMULA:

```
CASE(MOD([Opportunity].CloseDate + 180- DATE(1900,1,7),7),0,[Opportunity].CloseDate  
+ 181,6,[Opportunity].CloseDate + 182,[Opportunity].CloseDate + 180)
```