12/31/2018 Page 1

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	United States			
	All causes	2,813,503	100.0	863.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	647,457	23.0	198.8
2	Malignant neoplasms (C00-C97)	599,108	21.3	183.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	169,936	6.0	52.2
4	Chronic lower respiratory diseases (J40-J47)	160,201	5.7	49.2
5	Cerebrovascular diseases (I60-I69)	146,383	5.2	44.9
6	Alzheimer disease (G30)	121,404	4.3	37.3
7	Diabetes mellitus (E10-E14)	83,564	3.0	25.7
8	Influenza and pneumonia (J09-J18)	55,672	2.0	17.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	50,633	1.8	15.5
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	47,173	1.7	14.5
11	Chronic liver disease and cirrhosis (K70,K73-K74)	41,743	1.5	12.8
12	Septicemia (A40-A41)	40,922	1.5	12.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	35,316	1.3	10.8
14	Parkinson disease (G20-G21)	31,963	1.1	9.8
15	Pneumonitis due to solids and liquids (J69)	20,108	0.7	6.2
	All other causes (residual)	561,920	20.0	172.5
	Alabama			
	All causes	53,238	100.0	1,092.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,110	24.6	268.9
2	Malignant neoplasms (C00-C97)	10,410	19.6	213.5
3	Chronic lower respiratory diseases (J40-J47)	3,484	6.5	71.5
4	Cerebrovascular diseases (I60-I69)	2,931	5.5	60.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,703	5.1	55.4
6	Alzheimer disease (G30)	2,563	4.8	52.6
7	Influenza and pneumonia (J09-J18)	1,176	2.2	24.1
8	Diabetes mellitus (E10-E14)	1,173	2.2	24.1
9	Septicemia (A40-A41)	1,036	1.9	21.3
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	980	1.8	20.1
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	836	1.6	17.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	756	1.4	15.5
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	602	1.1	12.3
14	Parkinson disease (G20-G21)	555	1.0	11.4
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	531	1.0	10.9
	All other causes (residual)	10,392	19.5	213.2

^{...} Category not applicable

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Alaska			
	All causes	4,411	100.0	596.2
1	Malignant neoplasms (C00-C97)	926	21.0	125.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	814	18.5	110.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	436	9.9	58.9
4	Chronic lower respiratory diseases (J40-J47)	204	4.6	27.6
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	200	4.5	27.0
6	Cerebrovascular diseases (I60-I69)	190	4.3	25.7
7	Diabetes mellitus (E10-E14)	130	2.9	17.6
8	Chronic liver disease and cirrhosis (K70,K73-K74)	121	2.7	16.4
9	Alzheimer disease (G30)	98	2.2	13.2
10	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	78	1.8	10.5
11	Influenza and pneumonia (J09-J18)	66	1.5	8.9
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	54	1.2	7.3
13	Septicemia (A40-A41)	46	1.0	6.2
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	40	0.9	5.4
15	Parkinson disease (G20-G21)	36	0.8	4.9
	All other causes (residual)	972	22.0	131.4
	Arizona			
	All causes	57,758	100.0	823.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,398	21.5	176.7
2	Malignant neoplasms (C00-C97)	12,008	20.8	171.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,184	7.2	59.6
4	Chronic lower respiratory diseases (J40-J47)	3,802	6.6	54.2
5	Alzheimer disease (G30)	3,058	5.3	43.6
6	Cerebrovascular diseases (I60-I69)	2,681	4.6	38.2
7	Diabetes mellitus (E10-E14)	2,054	3.6	29.3
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,327	2.3	18.9
9	Chronic liver disease and cirrhosis (K70,K73-K74)	1,137	2.0	16.2
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,019	1.8	14.5
11	Influenza and pneumonia (J09-J18)	876	1.5	12.5
12	Parkinson disease (G20-G21)	754	1.3	10.7
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	540	0.9	7.7
14	Septicemia (A40-A41)	468	0.8	6.7
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	441	0.8	6.3
	All other causes (residual)	11,011	19.1	156.9

^{...} Category not applicable

12/31/2018 Page 3

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Arkansas			
	All causes	32,588	100.0	1,084.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	8,270	25.4	275.3
2	Malignant neoplasms (C00-C97)	6,517	20.0	216.9
3	Chronic lower respiratory diseases (J40-J47)	2,517	7.7	83.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,625	5.0	54.1
5	Cerebrovascular diseases (I60-I69)	1,612	4.9	53.7
6	Alzheimer disease (G30)	1,436	4.4	47.8
7	Diabetes mellitus (E10-E14)	1,180	3.6	39.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	725	2.2	24.1
9	Influenza and pneumonia (J09-J18)	720	2.2	24.0
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	631	1.9	21.0
11	Septicemia (A40-A41)	460	1.4	15.3
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	399	1.2	13.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	399	1.2	13.3
14	Parkinson disease (G20-G21)	295	0.9	9.8
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	278	0.9	9.3
	All other causes (residual)	5,524	17.0	183.9
	California			
	All causes	268,189	100.0	678.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	62,797	23.4	158.8
2	Malignant neoplasms (C00-C97)	59,516	22.2	150.5
3	Cerebrovascular diseases (I60-I69)	16,355	6.1	41.4
4	Alzheimer disease (G30)	16,238	6.1	41.1
5	Chronic lower respiratory diseases (J40-J47)	13,881	5.2	35.1
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	13,840	5.2	35.0
7	Diabetes mellitus (E10-E14)	9,595	3.6	24.3
8	Influenza and pneumonia (J09-J18)	6,340	2.4	16.0
9	Essential hypertension and hypertensive renal disease (I10,I12,I15)	5,596	2.1	14.2
10	Chronic liver disease and cirrhosis (K70,K73-K74)	5,325	2.0	13.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4,312	1.6	10.9
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,887	1.4	9.8
13	Parkinson disease (G20-G21)	3,370	1.3	8.5
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,022	0.8	5.1
15	Pneumonitis due to solids and liquids (J69)	1,702	0.6	4.3
	All other causes (residual)	43,413	16.2	109.8

^{...} Category not applicable

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Colorado			
	All causes	38,063	100.0	678.8
1	Malignant neoplasms (C00-C97)	7,829	20.6	139.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,060	18.5	125.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,037	8.0	54.2
4	Chronic lower respiratory diseases (J40-J47)	2,604	6.8	46.4
5	Cerebrovascular diseases (I60-I69)	1,988	5.2	35.5
6	Alzheimer disease (G30)	1,830	4.8	32.6
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,181	3.1	21.1
8	Diabetes mellitus (E10-E14)	1,017	2.7	18.1
9	Chronic liver disease and cirrhosis (K70,K73-K74)	865	2.3	15.4
10	Influenza and pneumonia (J09-J18)	577	1.5	10.3
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	503	1.3	9.0
12	Parkinson disease (G20-G21)	490	1.3	8.7
13	Septicemia (A40-A41)	484	1.3	8.6
14	Pneumonitis due to solids and liquids (J69)	304	0.8	5.4
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	298	0.8	5.3
	All other causes (residual)	7,996	21.0	142.6
	Connecticut			
	All causes	31,312	100.0	872.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,138	22.8	198.9
2	Malignant neoplasms (C00-C97)	6,608	21.1	184.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,078	6.6	57.9
4	Chronic lower respiratory diseases (J40-J47)	1,471	4.7	41.0
5	Cerebrovascular diseases (I60-I69)	1,403	4.5	39.1
6	Alzheimer disease (G30)	1,077	3.4	30.0
7	Diabetes mellitus (E10-E14)	694	2.2	19.3
8	Influenza and pneumonia (J09-J18)	675	2.2	18.8
9	Septicemia (A40-A41)	619	2.0	17.3
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	554	1.8	15.4
11	Chronic liver disease and cirrhosis (K70,K73-K74)	407	1.3	11.3
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	405	1.3	11.3
13	Pneumonitis due to solids and liquids (J69)	392	1.3	10.9
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	366	1.2	10.2
15	Parkinson disease (G20-G21)	350	1.1	9.8
	All other causes (residual)	7,075	22.6	197.2

^{...} Category not applicable

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Delaware			
	All causes	9,178	100.0	954.1
1	Malignant neoplasms (C00-C97)	2,085	22.7	216.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,990	21.7	206.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	608	6.6	63.2
4	Cerebrovascular diseases (I60-I69)	571	6.2	59.4
5	Chronic lower respiratory diseases (J40-J47)	526	5.7	54.7
6	Alzheimer disease (G30)	377	4.1	39.2
7	Diabetes mellitus (E10-E14)	244	2.7	25.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	205	2.2	21.3
9	Influenza and pneumonia (J09-J18)	184	2.0	19.1
10	Septicemia (A40-A41)	132	1.4	13.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	112	1.2	11.6
12	Parkinson disease (G20-G21)	107	1.2	11.1
13	Chronic liver disease and cirrhosis (K70,K73-K74)	106	1.2	11.0
14	Pneumonitis due to solids and liquids (J69)	69	0.8	7.2
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	63	0.7	6.5
	All other causes (residual)	1,799	19.6	187.0
	District of Columbia			
	All causes	4,965	100.0	715.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,284	25.9	185.0
2	Malignant neoplasms (C00-C97)	1,031	20.8	148.6
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	427	8.6	61.5
4	Cerebrovascular diseases (I60-I69)	246	5.0	35.4
5	Diabetes mellitus (E10-E14)	138	2.8	19.9
6	Chronic lower respiratory diseases (J40-J47)	137	2.8	19.7
7	Alzheimer disease (G30)	125	2.5	18.0
8	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	117	2.4	16.9
9	Influenza and pneumonia (J09-J18)	79	1.6	11.4
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	76	1.5	11.0
11	Human immunodeficiency virus (HIV) disease (B20-B24)	68	1.4	9.8
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	67	1.3	9.7
13	Septicemia (A40-A41)	63	1.3	9.1
14	Chronic liver disease and cirrhosis (K70,K73-K74)	53	1.1	7.6
15	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	47	0.9	6.8
	All other causes (residual)	1,007	20.3	145.1

^{...} Category not applicable

12/31/2018 Page 6

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

			Percent	
Rank ¹	Cause of death (based on the International Classification of Diseases, Tenth Revision) and State	Number	of total deaths	Rate
INAIIN	Teriur Nevision) and State	Number	ucains	Nate
	Florida			
	All causes	203,636	100.0	970.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	46,440	22.8	221.3
2	Malignant neoplasms (C00-C97)	45,131	22.2	215.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	13,059	6.4	62.2
4	Chronic lower respiratory diseases (J40-J47)	12,619	6.2	60.1
5	Cerebrovascular diseases (I60-I69)	12,602	6.2	60.1
6	Alzheimer disease (G30)	6,980	3.4	33.3
7	Diabetes mellitus (E10-E14)	6,172	3.0	29.4
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,227	1.6	15.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,172	1.6	15.1
10	Chronic liver disease and cirrhosis (K70,K73-K74)	3,098	1.5	14.8
11	Influenza and pneumonia (J09-J18)	3,057	1.5	14.6
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,622	1.3	12.5
13	Parkinson disease (G20-G21)	2,571	1.3	12.3
14	Septicemia (A40-A41)	2,478	1.2	11.8
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
	behavior (D00-D48)	1,294	0.6	6.2
	All other causes (residual)	39,114	19.2	186.4
	Georgia			
	All causes	83,098	100.0	796.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	18,389	22.1	176.3
2	Malignant neoplasms (C00-C97)	17,135	20.6	164.3
3	Chronic lower respiratory diseases (J40-J47)	4,866	5.9	46.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,712	5.7	45.2
5	Cerebrovascular diseases (I60-I69)	4,399	5.3	42.2
6	Alzheimer disease (G30)	4,290	5.2	41.1
7	Diabetes mellitus (E10-E14)	2,348	2.8	22.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,942	2.3	18.6
9	Septicemia (A40-A41)	1,611	1.9	15.4
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,451	1.7	13.9
11	Influenza and pneumonia (J09-J18)	1,400	1.7	13.4
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,220	1.5	11.7
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,146	1.4	11.0
14	Parkinson disease (G20-G21)	844	1.0	8.1
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	810	1.0	7.8
	All other causes (residual)	16,535	19.9	158.5

^{...} Category not applicable

12/31/2018 Page 7

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

<u></u>	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Hawaii			
	All causes	11,390	100.0	797.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,575	22.6	180.4
2	Malignant neoplasms (C00-C97)	2,456	21.6	172.0
3	Cerebrovascular diseases (I60-I69)	764	6.7	53.5
4	Influenza and pneumonia (J09-J18)	637	5.6	44.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	585	5.1	41.0
6	Alzheimer disease (G30)	465	4.1	32.6
7	Chronic lower respiratory diseases (J40-J47)	378	3.3	26.5
8	Diabetes mellitus (E10-E14)	299	2.6	20.9
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	227	2.0	15.9
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	208	1.8	14.6
11	Parkinson disease (G20-G21)	145	1.3	10.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	132	1.2	9.2
13	Septicemia (A40-A41)	125	1.1	8.8
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	124	1.1	8.7
15	Pneumonitis due to solids and liquids (J69)	91	0.8	6.4
	All other causes (residual)	2,179	19.1	152.6
	Idaho			
	All causes	14,011	100.0	816.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,084	22.0	179.6
2	Malignant neoplasms (C00-C97)	3,020	21.6	175.9
3	Chronic lower respiratory diseases (J40-J47)	925	6.6	53.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	876	6.3	51.0
5	Cerebrovascular diseases (I60-I69)	726	5.2	42.3
6	Alzheimer disease (G30)	672	4.8	39.1
7	Diabetes mellitus (E10-E14)	394	2.8	22.9
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	392	2.8	22.8
9	Influenza and pneumonia (J09-J18)	255	1.8	14.9
10	Parkinson disease (G20-G21)	206	1.5	12.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	197	1.4	11.5
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	170	1.2	9.9
13	Septicemia (A40-A41)	117	8.0	6.8
14	Pneumonitis due to solids and liquids (J69)	103	0.7	6.0
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	94	0.7	5.5
	All other causes (residual)	2,780	19.8	161.9

^{...} Category not applicable

12/31/2018 Page 8

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Illinois			
	All causes	109,721	100.0	857.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	25,394	23.1	198.4
2	Malignant neoplasms (C00-C97)	24,150	22.0	188.6
3	Cerebrovascular diseases (I60-I69)	6,020	5.5	47.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	6,019	5.5	47.0
5	Chronic lower respiratory diseases (J40-J47)	5,732	5.2	44.8
6	Alzheimer disease (G30)	4,021	3.7	31.4
7	Diabetes mellitus (E10-E14)	2,927	2.7	22.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,565	2.3	20.0
9	Influenza and pneumonia (J09-J18)	2,402	2.2	18.8
10	Septicemia (A40-A41)	1,815	1.7	14.2
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,474	1.3	11.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,407	1.3	11.0
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,327	1.2	10.4
14	Parkinson disease (G20-G21)	1,274	1.2	10.0
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,120	1.0	8.7
	All other causes (residual)	22,074	20.1	172.4
	Indiana			
	All causes	65,597	100.0	983.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,445	22.0	216.7
2	Malignant neoplasms (C00-C97)	13,462	20.5	201.9
3	Chronic lower respiratory diseases (J40-J47)	4,375	6.7	65.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,978	6.1	59.7
5	Cerebrovascular diseases (I60-I69)	3,150	4.8	47.2
6	Alzheimer disease (G30)	2,771	4.2	41.6
7	Diabetes mellitus (E10-E14)	2,096	3.2	31.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,440	2.2	21.6
9	Septicemia (A40-A41)	1,277	1.9	19.2
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,092	1.7	16.4
11	Influenza and pneumonia (J09-J18)	1,078	1.6	16.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	900	1.4	13.5
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	814	1.2	12.2
14	Parkinson disease (G20-G21)	730	1.1	10.9
15	Pneumonitis due to solids and liquids (J69)	481	0.7	7.2
	All other causes (residual)	13,508	20.6	202.6

^{...} Category not applicable

12/31/2018 Page 9

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Iowa			
	All causes	30,530	100.0	970.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,180	23.5	228.2
2	Malignant neoplasms (C00-C97)	6,449	21.1	205.0
3	Chronic lower respiratory diseases (J40-J47)	1,939	6.4	61.6
4	Alzheimer disease (G30)	1,597	5.2	50.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,536	5.0	48.8
6	Cerebrovascular diseases (I60-I69)	1,416	4.6	45.0
7	Diabetes mellitus (E10-E14)	918	3.0	29.2
8	Influenza and pneumonia (J09-J18)	578	1.9	18.4
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	479	1.6	15.2
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	399	1.3	12.7
11	Parkinson disease (G20-G21)	377	1.2	12.0
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	367	1.2	11.7
13	Chronic liver disease and cirrhosis (K70,K73-K74)	337	1.1	10.7
14	Septicemia (A40-A41)	322	1.1	10.2
15	Pneumonitis due to solids and liquids (J69)	212	0.7	6.7
	All other causes (residual)	6,424	21.0	204.2
	Kansas			
	All causes	27,063	100.0	929.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,723	21.1	196.5
2	Malignant neoplasms (C00-C97)	5,494	20.3	188.6
3	Chronic lower respiratory diseases (J40-J47)	1,832	6.8	62.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,567	5.8	53.8
5	Cerebrovascular diseases (I60-I69)	1,355	5.0	46.5
6	Alzheimer disease (G30)	894	3.3	30.7
7	Diabetes mellitus (E10-E14)	874	3.2	30.0
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	553	2.0	19.0
9	Influenza and pneumonia (J09-J18)	546	2.0	18.7
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	541	2.0	18.6
11	Atherosclerosis (I70)	387	1.4	13.3
12	Parkinson disease (G20-G21)	359	1.3	12.3
13	Septicemia (A40-A41)	330	1.2	11.3
14	Chronic liver disease and cirrhosis (K70,K73-K74)	317	1.2	10.9
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	264	1.0	9.1
	All other causes (residual)	6,027	22.3	206.9

^{...} Category not applicable

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Kentucky			
	All causes	48,212	100.0	1,082.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,343	21.5	232.2
2	Malignant neoplasms (C00-C97)	10,145	21.0	227.8
3	Chronic lower respiratory diseases (J40-J47)	3,480	7.2	78.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,264	6.8	73.3
5	Cerebrovascular diseases (I60-I69)	2,050	4.3	46.0
6	Alzheimer disease (G30)	1,765	3.7	39.6
7	Diabetes mellitus (E10-E14)	1,474	3.1	33.1
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,024	2.1	23.0
9	Septicemia (A40-A41)	979	2.0	22.0
10	Influenza and pneumonia (J09-J18)	932	1.9	20.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	770	1.6	17.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	682	1.4	15.3
13	Parkinson disease (G20-G21)	443	0.9	9.9
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	441	0.9	9.9
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	310	0.6	7.0
	All other causes (residual)	10,110	21.0	227.0
	Louisiana			
	All causes	45,804	100.0	977.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,260	24.6	240.4
2	Malignant neoplasms (C00-C97)	9,513	20.8	203.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,780	6.1	59.3
4	Chronic lower respiratory diseases (J40-J47)	2,467	5.4	52.7
5	Cerebrovascular diseases (I60-I69)	2,460	5.4	52.5
6	Alzheimer disease (G30)	2,188	4.8	46.7
7	Diabetes mellitus (E10-E14)	1,272	2.8	27.2
8	Septicemia (A40-A41)	1,080	2.4	23.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,076	2.3	23.0
10	Influenza and pneumonia (J09-J18)	785	1.7	16.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	720	1.6	15.4
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	653	1.4	13.9
13	Chronic liver disease and cirrhosis (K70,K73-K74)	543	1.2	11.6
14	Parkinson disease (G20-G21)	477	1.0	10.2
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	371	0.8	7.9
	All other causes (residual)	8,159	17.8	174.2

^{...} Category not applicable

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Maine			
	All causes	14,676	100.0	1,098.6
1	Malignant neoplasms (C00-C97)	3,391	23.1	253.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,844	19.4	212.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	990	6.7	74.1
4	Chronic lower respiratory diseases (J40-J47)	982	6.7	73.5
5	Cerebrovascular diseases (I60-I69)	736	5.0	55.1
6	Alzheimer disease (G30)	601	4.1	45.0
7	Diabetes mellitus (E10-E14)	395	2.7	29.6
8	Influenza and pneumonia (J09-J18)	301	2.1	22.5
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	274	1.9	20.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	260	1.8	19.5
11	Parkinson disease (G20-G21)	200	1.4	15.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	196	1.3	14.7
13	Septicemia (A40-A41)	120	0.8	9.0
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	117	0.8	8.8
15	Pneumonitis due to solids and liquids (J69)	114	0.8	8.5
	All other causes (residual)	3,155	21.5	236.2
	Maryland			
	All causes	49,926	100.0	824.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,653	23.3	192.5
2	Malignant neoplasms (C00-C97)	10,796	21.6	178.4
3	Cerebrovascular diseases (I60-I69)	2,820	5.6	46.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,408	4.8	39.8
5	Chronic lower respiratory diseases (J40-J47)	2,079	4.2	34.4
6	Diabetes mellitus (E10-E14)	1,439	2.9	23.8
7	Alzheimer disease (G30)	1,191	2.4	19.7
8	Influenza and pneumonia (J09-J18)	990	2.0	16.4
9	Septicemia (A40-A41)	882	1.8	14.6
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	830	1.7	13.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	630	1.3	10.4
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	587	1.2	9.7
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	584	1.2	9.6
14	Parkinson disease (G20-G21)	573	1.1	9.5
15	Chronic liver disease and cirrhosis (K70,K73-K74)	484	1.0	8.0
	All other causes (residual)	11,980	24.0	197.9

^{...} Category not applicable

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Massachusetts			
	All causes	58,803	100.0	857.2
1	Malignant neoplasms (C00-C97)	12,934	22.0	188.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,140	20.6	177.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,821	6.5	55.7
4	Chronic lower respiratory diseases (J40-J47)	2,842	4.8	41.4
5	Cerebrovascular diseases (I60-I69)	2,367	4.0	34.5
6	Alzheimer disease (G30)	1,841	3.1	26.8
7	Influenza and pneumonia (J09-J18)	1,433	2.4	20.9
8	Diabetes mellitus (E10-E14)	1,321	2.2	19.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,193	2.0	17.4
10	Septicemia (A40-A41)	864	1.5	12.6
11	Chronic liver disease and cirrhosis (K70,K73-K74)	766	1.3	11.2
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	682	1.2	9.9
13	Parkinson disease (G20-G21)	625	1.1	9.1
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	620	1.1	9.0
15	Pneumonitis due to solids and liquids (J69)	581	1.0	8.5
	All other causes (residual)	14,773	25.1	215.4
	Michigan			
	All causes	97,602	100.0	979.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	25,187	25.8	252.8
2	Malignant neoplasms (C00-C97)	20,671	21.2	207.5
3	Chronic lower respiratory diseases (J40-J47)	5,688	5.8	57.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,623	5.8	56.4
5	Cerebrovascular diseases (I60-I69)	5,002	5.1	50.2
6	Alzheimer disease (G30)	4,428	4.5	44.4
7	Diabetes mellitus (E10-E14)	2,798	2.9	28.1
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,874	1.9	18.8
9	Influenza and pneumonia (J09-J18)	1,798	1.8	18.0
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,457	1.5	14.6
11	Chronic liver disease and cirrhosis (K70,K73-K74)	1,323	1.4	13.3
12	Septicemia (A40-A41)	1,244	1.3	12.5
13	Parkinson disease (G20-G21)	1,049	1.1	10.5
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	938	1.0	9.4
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	588	0.6	5.9
	All other causes (residual)	17,934	18.4	180.0

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Minnesota			
	All causes	44,371	100.0	795.
1	Malignant neoplasms (C00-C97)	9,896	22.3	177.
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	8,230	18.5	147.
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,788	6.3	50.
4	Alzheimer disease (G30)	2,474	5.6	44
5	Chronic lower respiratory diseases (J40-J47)	2,464	5.6	44
6	Cerebrovascular diseases (I60-I69)	2,250	5.1	40
7	Diabetes mellitus (E10-E14)	1,312	3.0	23
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	783	1.8	14
9	Influenza and pneumonia (J09-J18)	697	1.6	12
10	Parkinson disease (G20-G21)	675	1.5	12
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	590	1.3	10
12	Chronic liver disease and cirrhosis (K70,K73-K74)	568	1.3	10
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	537	1.2	9
14	Septicemia (A40-A41)	396	0.9	7
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
	behavior (D00-D48)	283	0.6	5
	All other causes (residual)	10,428	23.5	187
	Mississippi			
	All causes	32,280	100.0	1,081
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,944	24.6	266
2	Malignant neoplasms (C00-C97)	6,526	20.2	218
3	Chronic lower respiratory diseases (J40-J47)	2,037	6.3	68
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,738	5.4	58
5	Cerebrovascular diseases (I60-I69)	1,723	5.3	57
6	Alzheimer disease (G30)	1,626	5.0	54
7	Diabetes mellitus (E10-E14)	1,164	3.6	39
8	Influenza and pneumonia (J09-J18)	782	2.4	26
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	741	2.3	24
10	Septicemia (A40-A41)	582	1.8	19
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	551	1.7	18
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	445	1.4	14
13	Chronic liver disease and cirrhosis (K70,K73-K74)	437	1.4	14
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	360	1.1	12
15	Parkinson disease (G20-G21)	279	0.9	g
	All other causes (residual)	5,345	16.6	179

^{...} Category not applicable

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Missouri			
	All causes	61,876	100.0	1,012.
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,820	24.0	242.4
2	Malignant neoplasms (C00-C97)	12,971	21.0	212.
3	Chronic lower respiratory diseases (J40-J47)	3,940	6.4	64.
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,776	6.1	61.
5	Cerebrovascular diseases (I60-I69)	3,159	5.1	51.
6	Alzheimer disease (G30)	2,545	4.1	41.
7	Diabetes mellitus (E10-E14)	1,605	2.6	26.
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,515	2.4	24.
9	Influenza and pneumonia (J09-J18)	1,281	2.1	21.
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,151	1.9	18.
11	Septicemia (A40-A41)	861	1.4	14
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	700	1.1	11
13	Chronic liver disease and cirrhosis (K70,K73-K74)	690	1.1	11
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	655	1.1	10
15	Parkinson disease (G20-G21)	621	1.0	10
	All other causes (residual)	11,586	18.7	189.
	Montana			
	All causes	10,200	100.0	971.
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,164	21.2	206.
2	Malignant neoplasms (C00-C97)	2,145	21.0	204.
3	Chronic lower respiratory diseases (J40-J47)	752	7.4	71
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	579	5.7	55.
5	Cerebrovascular diseases (I60-I69)	487	4.8	46
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	311	3.0	29
7	Diabetes mellitus (E10-E14)	292	2.9	27
8	Alzheimer disease (G30)	285	2.8	27
9	Chronic liver disease and cirrhosis (K70,K73-K74)	195	1.9	18
10	Influenza and pneumonia (J09-J18)	185	1.8	17
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	129	1.3	12
12	Septicemia (A40-A41)	111	1.1	10
13	Parkinson disease (G20-G21)	100	1.0	9
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	94	0.9	8
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
-	behavior (D00-D48)	79	0.8	7
	All other causes (residual)	2,292	22.5	218

^{...} Category not applicable

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Discours		Percent of total	
Rank ¹	Cause of death (based on the International Classification of Diseases, Tenth Revision) and State	Number	deaths	Rate
	Nebraska			
	All causes	16,878	100.0	879.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,581	21.2	186.5
2	Malignant neoplasms (C00-C97)	3,502	20.7	182.4
3	Chronic lower respiratory diseases (J40-J47)	1,224	7.3	63.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	811	4.8	42.2
5	Cerebrovascular diseases (I60-I69)	760	4.5	39.6
6	Alzheimer disease (G30)	698	4.1	36.4
7	Diabetes mellitus (E10-E14)	575	3.4	29.9
8	Influenza and pneumonia (J09-J18)	393	2.3	20.5
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	275	1.6	14.3
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	274	1.6	14.3
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	226	1.3	11.8
12	Parkinson disease (G20-G21)	225	1.3	11.7
13	Chronic liver disease and cirrhosis (K70,K73-K74)	211	1.3	11.0
14	Pneumonitis due to solids and liquids (J69)	153	0.9	8.0
15	Septicemia (A40-A41)	152	0.9	7.9
	All other causes (residual)	3,818	22.6	198.8
	Nevada			
	All causes	24,657	100.0	822.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,417	26.0	214.0
2	Malignant neoplasms (C00-C97)	5,283	21.4	176.2
3	Chronic lower respiratory diseases (J40-J47)	1,633	6.6	54.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,496	6.1	49.9
5	Cerebrovascular diseases (I60-I69)	1,137	4.6	37.9
6	Alzheimer disease (G30)	779	3.2	26.0
7	Influenza and pneumonia (J09-J18)	636	2.6	21.2
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	627	2.5	20.9
9	Diabetes mellitus (E10-E14)	609	2.5	20.3
10	Chronic liver disease and cirrhosis (K70,K73-K74)	458	1.9	15.3
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	302	1.2	10.1
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	299	1.2	10.0
13	Parkinson disease (G20-G21)	251	1.0	8.4
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	221	0.9	7.4
15	Septicemia (A40-A41)	174	0.7	5.8
	All other causes (residual)	4,335	17.6	144.6

^{...} Category not applicable

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	New Hampshire			
	All causes	12,504	100.0	931.2
1	Malignant neoplasms (C00-C97)	2,760	22.1	205.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,721	21.8	202.6
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	907	7.3	67.5
4	Chronic lower respiratory diseases (J40-J47)	755	6.0	56.2
5	Cerebrovascular diseases (I60-I69)	514	4.1	38.3
6	Alzheimer disease (G30)	436	3.5	32.5
7	Diabetes mellitus (E10-E14)	340	2.7	25.3
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	265	2.1	19.7
9	Influenza and pneumonia (J09-J18)	230	1.8	17.1
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	169	1.4	12.6
11	Parkinson disease (G20-G21)	168	1.3	12.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	162	1.3	12.1
13	Septicemia (A40-A41)	145	1.2	10.8
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	100	8.0	7.4
15	Pneumonitis due to solids and liquids (J69)	84	0.7	6.3
	All other causes (residual)	2,748	22.0	204.6
	New Jersey			
	All causes	74,846	100.0	831.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	18,840	25.2	209.2
2	Malignant neoplasms (C00-C97)	16,264	21.7	180.6
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,482	6.0	49.8
4	Cerebrovascular diseases (I60-I69)	3,474	4.6	38.6
5	Chronic lower respiratory diseases (J40-J47)	3,227	4.3	35.8
6	Alzheimer disease (G30)	2,829	3.8	31.4
7	Diabetes mellitus (E10-E14)	1,908	2.5	21.2
8	Septicemia (A40-A41)	1,898	2.5	21.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,591	2.1	17.7
10	Influenza and pneumonia (J09-J18)	1,337	1.8	14.8
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	808	1.1	9.0
12	Parkinson disease (G20-G21)	798	1.1	8.9
13	Chronic liver disease and cirrhosis (K70,K73-K74)	797	1.1	8.9
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	795	1.1	8.8
15	Pneumonitis due to solids and liquids (J69)	714	1.0	7.9
	All other causes (residual)	15,084	20.2	167.5

^{...} Category not applicable

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	New Mexico			
	All causes	18,673	100.0	894.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,896	20.9	186.6
2	Malignant neoplasms (C00-C97)	3,620	19.4	173.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,460	7.8	69.9
4	Chronic lower respiratory diseases (J40-J47)	1,143	6.1	54.7
5	Cerebrovascular diseases (I60-I69)	878	4.7	42.0
6	Diabetes mellitus (E10-E14)	673	3.6	32.2
7	Chronic liver disease and cirrhosis (K70,K73-K74)	605	3.2	29.0
8	Alzheimer disease (G30)	572	3.1	27.4
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	491	2.6	23.5
10	Influenza and pneumonia (J09-J18)	338	1.8	16.2
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	330	1.8	15.8
12	Septicemia (A40-A41)	227	1.2	10.9
13	Parkinson disease (G20-G21)	224	1.2	10.7
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	173	0.9	8.3
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	155	8.0	7.4
	All other causes (residual)	3,888	20.8	186.2
	New York			
	All causes	155,358	100.0	782.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	44,092	28.4	222.1
2	Malignant neoplasms (C00-C97)	34,956	22.5	176.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	7,687	4.9	38.7
4	Chronic lower respiratory diseases (J40-J47)	7,258	4.7	36.6
5	Cerebrovascular diseases (I60-I69)	6,264	4.0	31.6
6	Influenza and pneumonia (J09-J18)	4,517	2.9	22.8
7	Diabetes mellitus (E10-E14)	4,176	2.7	21.0
8	Alzheimer disease (G30)	3,521	2.3	17.7
9	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,699	1.7	13.6
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,296	1.5	11.6
11	Septicemia (A40-A41)	2,239	1.4	11.3
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,696	1.1	8.5
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,671	1.1	8.4
14	Parkinson disease (G20-G21)	1,449	0.9	7.3
15	Pneumonitis due to solids and liquids (J69)	948	0.6	4.8
	All other causes (residual)	29,889	19.2	150.6

^{...} Category not applicable

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	North Carolina			
	All causes	93,157	100.0	906.8
1	Malignant neoplasms (C00-C97)	19,474	20.9	189.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	18,808	20.2	183.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,985	6.4	58.3
4	Chronic lower respiratory diseases (J40-J47)	5,540	5.9	53.9
5	Cerebrovascular diseases (I60-I69)	5,098	5.5	49.6
6	Alzheimer disease (G30)	4,289	4.6	41.7
7	Diabetes mellitus (E10-E14)	2,903	3.1	28.3
8	Influenza and pneumonia (J09-J18)	2,076	2.2	20.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,040	2.2	19.9
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,521	1.6	14.8
11	Septicemia (A40-A41)	1,496	1.6	14.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,273	1.4	12.4
13	Parkinson disease (G20-G21)	1,007	1.1	9.8
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	962	1.0	9.4
15	Pneumonitis due to solids and liquids (J69)	769	8.0	7.5
	All other causes (residual)	19,916	21.4	193.9
	North Dakota			
	All causes	6,415	100.0	849.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,326	20.7	175.5
2	Malignant neoplasms (C00-C97)	1,280	20.0	169.4
3	Alzheimer disease (G30)	387	6.0	51.2
4	Chronic lower respiratory diseases (J40-J47)	358	5.6	47.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	339	5.3	44.9
6	Cerebrovascular diseases (I60-I69)	337	5.3	44.6
7	Diabetes mellitus (E10-E14)	194	3.0	25.7
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	154	2.4	20.4
9	Influenza and pneumonia (J09-J18)	147	2.3	19.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	122	1.9	16.2
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	104	1.6	13.8
12	Chronic liver disease and cirrhosis (K70,K73-K74)	87	1.4	11.5
13	Pneumonitis due to solids and liquids (J69)	86	1.3	11.4
14	Parkinson disease (G20-G21)	81	1.3	10.7
15	Septicemia (A40-A41)	71	1.1	9.4
	All other causes (residual)	1,342	20.9	177.7

^{...} Category not applicable

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

<u> </u>	Cause of death (based on the International Classification of Diseases,		Percent of total	_
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Ohio			
	All causes	123,648	100.0	1,060.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	28,008	22.7	240.2
2	Malignant neoplasms (C00-C97)	25,643	20.7	219.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,971	7.3	76.9
4	Chronic lower respiratory diseases (J40-J47)	7,312	5.9	62.7
5	Cerebrovascular diseases (I60-I69)	6,425	5.2	55.1
6	Alzheimer disease (G30)	5,117	4.1	43.9
7	Diabetes mellitus (E10-E14)	3,740	3.0	32.1
8	Influenza and pneumonia (J09-J18)	2,243	1.8	19.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,237	1.8	19.2
10	Septicemia (A40-A41)	2,066	1.7	17.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,740	1.4	14.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,603	1.3	13.7
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,383	1.1	11.9
14	Parkinson disease (G20-G21)	1,297	1.0	11.1
15	Pneumonitis due to solids and liquids (J69)	870	0.7	7.5
	All other causes (residual)	24,993	20.2	214.4
	Oklahoma			
	All causes	40,452	100.0	1,029.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,772	26.6	274.0
2	Malignant neoplasms (C00-C97)	8,203	20.3	208.7
3	Chronic lower respiratory diseases (J40-J47)	3,035	7.5	77.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,563	6.3	65.2
5	Cerebrovascular diseases (I60-I69)	1,947	4.8	49.5
6	Alzheimer disease (G30)	1,752	4.3	44.6
7	Diabetes mellitus (E10-E14)	1,398	3.5	35.6
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	756	1.9	19.2
9	Chronic liver disease and cirrhosis (K70,K73-K74)	670	1.7	17.0
10	Influenza and pneumonia (J09-J18)	625	1.5	15.9
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	478	1.2	12.2
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	461	1.1	11.7
13	Septicemia (A40-A41)	423	1.0	10.8
14	Parkinson disease (G20-G21)	375	0.9	9.5
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	318	0.8	8.1
	All other causes (residual)	6,676	16.5	169.8

^{...} Category not applicable

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Oregon			
	All causes	36,624	100.0	884.0
1	Malignant neoplasms (C00-C97)	8,083	22.1	195.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,942	19.0	167.6
3	Chronic lower respiratory diseases (J40-J47)	2,088	5.7	50.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,076	5.7	50.1
5	Cerebrovascular diseases (I60-I69)	2,066	5.6	49.9
6	Alzheimer disease (G30)	1,850	5.1	44.7
7	Diabetes mellitus (E10-E14)	1,243	3.4	30.0
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	825	2.3	19.9
9	Chronic liver disease and cirrhosis (K70,K73-K74)	642	1.8	15.5
10	Influenza and pneumonia (J09-J18)	573	1.6	13.8
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	560	1.5	13.5
12	Parkinson disease (G20-G21)	465	1.3	11.2
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	377	1.0	9.1
14	Septicemia (A40-A41)	242	0.7	5.8
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
	behavior (D00-D48)	223	0.6	5.4
•••	All other causes (residual)	8,369	22.9	202.0
	Pennsylvania			
	All causes	135,656	100.0	1,059.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	32,312	23.8	252.3
2	Malignant neoplasms (C00-C97)	28,387	20.9	221.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	9,527	7.0	74.4
4	Cerebrovascular diseases (I60-I69)	6,700	4.9	52.3
5	Chronic lower respiratory diseases (J40-J47)	6,667	4.9	52.1
6	Alzheimer disease (G30)	4,213	3.1	32.9
7	Diabetes mellitus (E10-E14)	3,704	2.7	28.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,898	2.1	22.6
9	Influenza and pneumonia (J09-J18)	2,718	2.0	21.2
10	Septicemia (A40-A41)	2,412	1.8	18.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,030	1.5	15.9
12	Parkinson disease (G20-G21)	1,557	1.1	12.2
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,336	1.0	10.4
14	Pneumonitis due to solids and liquids (J69)	1,191	0.9	9.3
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,025	8.0	8.0
	All other causes (residual)	28,979	21.4	226.3

^{...} Category not applicable

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Rhode Island			
	All causes	10,157	100.0	958.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,339	23.0	220.7
2	Malignant neoplasms (C00-C97)	2,154	21.2	203.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	718	7.1	67.8
4	Chronic lower respiratory diseases (J40-J47)	521	5.1	49.2
5	Alzheimer disease (G30)	435	4.3	41.1
6	Cerebrovascular diseases (I60-I69)	425	4.2	40.1
7	Diabetes mellitus (E10-E14)	275	2.7	26.0
8	Influenza and pneumonia (J09-J18)	206	2.0	19.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	176	1.7	16.6
10	Chronic liver disease and cirrhosis (K70,K73-K74)	148	1.5	14.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	129	1.3	12.2
12	Parkinson disease (G20-G21)	110	1.1	10.4
13	Septicemia (A40-A41)	101	1.0	9.5
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	93	0.9	8.8
15	Pneumonitis due to solids and liquids (J69)	80	0.8	7.5
	All other causes (residual)	2,247	22.1	212.1
	South Carolina			
	All causes	49,441	100.0	984.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,418	21.1	207.3
2	Malignant neoplasms (C00-C97)	10,356	20.9	206.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,147	6.4	62.6
4	Chronic lower respiratory diseases (J40-J47)	2,983	6.0	59.4
5	Cerebrovascular diseases (I60-I69)	2,691	5.4	53.6
6	Alzheimer disease (G30)	2,549	5.2	50.7
7	Diabetes mellitus (E10-E14)	1,535	3.1	30.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	950	1.9	18.9
9	Septicemia (A40-A41)	884	1.8	17.6
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	838	1.7	16.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	812	1.6	16.2
12	Influenza and pneumonia (J09-J18)	723	1.5	14.4
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	575	1.2	11.4
14	Parkinson disease (G20-G21)	507	1.0	10.1
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	444	0.9	8.8
	All other causes (residual)	10,029	20.3	199.6

^{...} Category not applicable

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	South Dakota			
	All causes	7,996	100.0	919.4
1	Malignant neoplasms (C00-C97)	1,715	21.4	197.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,710	21.4	196.6
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	537	6.7	61.7
4	Chronic lower respiratory diseases (J40-J47)	505	6.3	58.1
5	Alzheimer disease (G30)	444	5.6	51.1
6	Cerebrovascular diseases (I60-I69)	414	5.2	47.6
7	Diabetes mellitus (E10-E14)	263	3.3	30.2
8	Influenza and pneumonia (J09-J18)	217	2.7	25.0
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	191	2.4	22.0
10	Chronic liver disease and cirrhosis (K70,K73-K74)	153	1.9	17.6
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	102	1.3	11.7
12	Septicemia (A40-A41)	100	1.3	11.5
13	Parkinson disease (G20-G21)	89	1.1	10.2
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	75	0.9	8.6
15	Pneumonitis due to solids and liquids (J69)	54	0.7	6.2
	All other causes (residual)	1,427	17.8	164.1
	Tennessee			
	All causes	70,096	100.0	1,043.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	16,019	22.9	238.5
2	Malignant neoplasms (C00-C97)	14,302	20.4	213.0
3	Chronic lower respiratory diseases (J40-J47)	4,657	6.6	69.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,435	6.3	66.0
5	Alzheimer disease (G30)	3,522	5.0	52.4
6	Cerebrovascular diseases (I60-I69)	3,519	5.0	52.4
7	Diabetes mellitus (E10-E14)	1,915	2.7	28.5
8	Influenza and pneumonia (J09-J18)	1,656	2.4	24.7
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,166	1.7	17.4
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,140	1.6	17.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	1,038	1.5	15.5
12	Septicemia (A40-A41)	989	1.4	14.7
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	722	1.0	10.8
14	Parkinson disease (G20-G21)	716	1.0	10.7
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	557	0.8	8.3
	All other causes (residual)	13,743	19.6	204.6

^{...} Category not applicable

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Texas			
	All causes	198,106	100.0	699.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	45,346	22.9	160.2
2	Malignant neoplasms (C00-C97)	40,668	20.5	143.7
3	Cerebrovascular diseases (I60-I69)	10,790	5.4	38.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,763	5.4	38.0
5	Chronic lower respiratory diseases (J40-J47)	10,650	5.4	37.6
6	Alzheimer disease (G30)	9,545	4.8	33.7
7	Diabetes mellitus (E10-E14)	5,832	2.9	20.6
8	Septicemia (A40-A41)	4,268	2.2	15.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4,256	2.1	15.0
10	Chronic liver disease and cirrhosis (K70,K73-K74)	4,107	2.1	14.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,778	1.9	13.3
12	Influenza and pneumonia (J09-J18)	2,954	1.5	10.4
13	Parkinson disease (G20-G21)	2,338	1.2	8.3
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,304	1.2	8.1
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,653	8.0	5.8
	All other causes (residual)	38,854	19.6	137.3
	Utah			
	All causes	18,035	100.0	581.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,749	20.8	120.9
2	Malignant neoplasms (C00-C97)	3,161	17.5	101.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,238	6.9	39.9
4	Alzheimer disease (G30)	991	5.5	31.9
5	Cerebrovascular diseases (I60-I69)	888	4.9	28.6
6	Chronic lower respiratory diseases (J40-J47)	826	4.6	26.6
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	663	3.7	21.4
8	Diabetes mellitus (E10-E14)	596	3.3	19.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	384	2.1	12.4
10	Influenza and pneumonia (J09-J18)	334	1.9	10.8
11	Chronic liver disease and cirrhosis (K70,K73-K74)	243	1.3	7.8
12	Parkinson disease (G20-G21)	234	1.3	7.5
13	Septicemia (A40-A41)	211	1.2	6.8
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	173	1.0	5.6
15	Certain conditions originating in the perinatal period (P00-P96)	147	8.0	4.7
	All other causes (residual)	4,197	23.3	135.3

^{...} Category not applicable

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Vermont			
	All causes	6,007	100.0	963.2
1	Malignant neoplasms (C00-C97)	1,434	23.9	229.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,332	22.2	213.6
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	394	6.6	63.2
4	Chronic lower respiratory diseases (J40-J47)	375	6.2	60.1
5	Alzheimer disease (G30)	370	6.2	59.3
6	Cerebrovascular diseases (I60-I69)	249	4.1	39.9
7	Diabetes mellitus (E10-E14)	163	2.7	26.1
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	112	1.9	18.0
9	Influenza and pneumonia (J09-J18)	86	1.4	13.8
10	Parkinson disease (G20-G21)	81	1.3	13.0
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	79	1.3	12.7
12	Chronic liver disease and cirrhosis (K70,K73-K74)	71	1.2	11.4
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
	behavior (D00-D48)	45	0.7	7.2
14	Septicemia (A40-A41)	34	0.6	5.5
15	Aortic aneurysm and dissection (I71)	33	0.5	5.3
	All other causes (residual)	1,149	19.1	184.2
	Virginia			
	All causes	68,579	100.0	809.7
1	Malignant neoplasms (C00-C97)	15,064	22.0	177.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,861	21.7	175.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,922	5.7	46.3
4	Cerebrovascular diseases (I60-I69)	3,555	5.2	42.0
5	Chronic lower respiratory diseases (J40-J47)	3,363	4.9	39.7
6	Alzheimer disease (G30)	2,549	3.7	30.1
7	Diabetes mellitus (E10-E14)	1,967	2.9	23.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,618	2.4	19.1
9	Septicemia (A40-A41)	1,249	1.8	14.7
10	Influenza and pneumonia (J09-J18)	1,245	1.8	14.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,179	1.7	13.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	970	1.4	11.5
13	Parkinson disease (G20-G21)	836	1.2	9.9
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	681	1.0	8.0
15	Pneumonitis due to solids and liquids (J69)	574	8.0	6.8
	All other causes (residual)	14,946	21.8	176.5

^{...} Category not applicable

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Washington			
	All causes	56,995	100.0	769.6
1	Malignant neoplasms (C00-C97)	12,664	22.2	171.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,582	20.3	156.4
3	Alzheimer disease (G30)	3,710	6.5	50.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,455	6.1	46.7
5	Chronic lower respiratory diseases (J40-J47)	3,177	5.6	42.9
6	Cerebrovascular diseases (I60-I69)	3,028	5.3	40.9
7	Diabetes mellitus (E10-E14)	1,812	3.2	24.5
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,297	2.3	17.5
9	Influenza and pneumonia (J09-J18)	1,041	1.8	14.1
10	Chronic liver disease and cirrhosis (K70,K73-K74)	982	1.7	13.3
11	Parkinson disease (G20-G21)	671	1.2	9.1
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	637	1.1	8.6
13	Pneumonitis due to solids and liquids (J69)	574	1.0	7.8
14	Septicemia (A40-A41)	538	0.9	7.3
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	439	8.0	5.9
	All other causes (residual)	11,388	20.0	153.8
	West Virginia			
	All causes	23,276	100.0	1,281.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,849	20.8	267.0
2	Malignant neoplasms (C00-C97)	4,654	20.0	256.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,892	8.1	104.2
4	Chronic lower respiratory diseases (J40-J47)	1,681	7.2	92.6
5	Cerebrovascular diseases (I60-I69)	1,058	4.5	58.3
6	Diabetes mellitus (E10-E14)	864	3.7	47.6
7	Alzheimer disease (G30)	770	3.3	42.4
8	Influenza and pneumonia (J09-J18)	458	2.0	25.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	436	1.9	24.0
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	393	1.7	21.6
11	Septicemia (A40-A41)	368	1.6	20.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	337	1.4	18.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	323	1.4	17.8
14	Parkinson disease (G20-G21)	204	0.9	11.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown	400	0.5	6.7
	behavior (D00-D48)	122	0.5	6.7
	All other causes (residual)	4,867	20.9	268.0

^{...} Category not applicable

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2017 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Wisconsin			
	All causes	52,681	100.0	909.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,860	22.5	204.6
2	Malignant neoplasms (C00-C97)	11,318	21.5	195.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,746	7.1	64.6
4	Chronic lower respiratory diseases (J40-J47)	2,834	5.4	48.9
5	Cerebrovascular diseases (I60-I69)	2,513	4.8	43.4
6	Alzheimer disease (G30)	2,428	4.6	41.9
7	Diabetes mellitus (E10-E14)	1,433	2.7	24.7
8	Influenza and pneumonia (J09-J18)	974	1.8	16.8
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	926	1.8	16.0
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	922	1.8	15.9
11	Parkinson disease (G20-G21)	690	1.3	11.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	679	1.3	11.7
13	Septicemia (A40-A41)	555	1.1	9.6
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	502	1.0	8.7
15	Pneumonitis due to solids and liquids (J69)	455	0.9	7.9
	All other causes (residual)	10,846	20.6	187.1
	Wyoming			
	All causes	4,768	100.0	823.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,001	21.0	172.8
2	Malignant neoplasms (C00-C97)	948	19.9	163.6
3	Chronic lower respiratory diseases (J40-J47)	366	7.7	63.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	348	7.3	60.1
5	Alzheimer disease (G30)	212	4.4	36.6
6	Cerebrovascular diseases (I60-I69)	190	4.0	32.8
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	157	3.3	27.1
8	Diabetes mellitus (E10-E14)	121	2.5	20.9
9	Influenza and pneumonia (J09-J18)	115	2.4	19.9
10	Chronic liver disease and cirrhosis (K70,K73-K74)	101	2.1	17.4
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	63	1.3	10.9
12	Pneumonitis due to solids and liquids (J69)	57	1.2	9.8
13	Parkinson disease (G20-G21)	48	1.0	8.3
14	Septicemia (A40-A41)	45	0.9	7.8
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
	behavior (D00-D48)	35	0.7	6.0
	All other causes (residual)	961	20.2	165.9

^{...} Category not applicable