
Part B: fixed factor versus matching-history references
Marginal 95% basic intervals; pH adjusted jointly over all 19 contrasts per weighting; block 13
value | vs Own history
104
260
520
expanding
pH=1.0000
pH=1.0000
pH=1.0000
pH=1.0000
−5
0
5
10
Improvement relative to reference (%)
value | vs Ridge
104
260
520
expanding
pH=1.0000
pH=1.0000
pH=1.0000
pH=0.7664
−2.5
0.0
2.5
5.0
7.5
Improvement relative to reference (%)
value | vs Elastic net
104
260
520
expanding
pH=0.0019
pH=1.0000
pH=1.0000
pH=1.0000
−5
0
5
10
Improvement relative to reference (%)
value | vs PLS
104
260
520
expanding
pH=0.0019
pH=0.0629
pH=1.0000
pH=1.0000
0
5
10
15
20
Improvement relative to reference (%)
equal | vs Own history
104
260
520
expanding
pH=1.0000
pH=0.9636
pH=1.0000
pH=0.0930
−2
0
2
4
Improvement relative to reference (%)
equal | vs Ridge
104
260
520
expanding
pH=0.0640
pH=1.0000
pH=1.0000
pH=1.0000
−2
0
2
Improvement relative to reference (%)
equal | vs Elastic net
104
260
520
expanding
pH=0.0036
pH=0.3211
pH=0.3912
pH=1.0000
0
5
10
15
Improvement relative to reference (%)
equal | vs PLS
104
260
520
expanding
pH=0.0019
pH=0.0119
pH=0.1064
pH=1.0000
0
5
10
15
20
25
Improvement relative to reference (%)