# DOKUMENTACIJA PRAKTIKUM IZ PHP-a

https://praktikumphp19616.000webhostapp.com/

Aleksa Gavrilovic 196/16

# Sadrzaj:


- Opis Funkcionalnosti
- Stranice, dizajn
- Baza Podataka
- Struktura Projekta
- Kodovi

## Opis Funkcionalnosti

Organico je prodavnica zdrave hrane. Postoje dve vrste korisnika. Autorizovani I Admini. Autorizovani korisnici mogu da dodaju proivode u korpu. Admin ima kontrolu nad celokupnim sadrzajem sajte. Prikaz proizvoda se vrsi putem AJAXA, omogucena je paginacija, sortiranje i filtriranje po kategorijama. Pri logovanju ako korisnik pogresi sifru(ako korisnicko ime postoji a sifra je neispravna) dobice email upozorenja o neovlascenom pristupu korisnickom nalogu. Admin ima pristup admin panelu preko koga se AJAXOM upravlja celokupnim sadrzajem sajta, takodje je omogucen uvid u statistiku pristupa stranicama I broj trenutno ulogovanih korisnika. Omogucen je I eksport podataka u excel formatu. Validacija sadrzaja je I klijentska I serverska. Takodje je omogucen I upload slike koje se smanjuje iz velikog u mali format radi lakseg prikazivanja. Svi fajlovi su odgovarajuce Organizovani.


# Stranice, dizajn

#### Pocetna Stranica




Na pocetnoj stranici se nalaze vesti koje se prikazuju putetm paginacije, takodje se nalazi dugme za logovanje. Ako je korisnik ulogovan bice ispisano njegovo ime.

#### Proizvodi




Na stranici proizvodi se sa leve strane nalazi inicijalno prikaz svih proizvoda sa rastucom cenom. Sa leve strane se nalazi meni preko koga se filtriraju I sortiraju proizvodi. Ako se klikne na proizvod bice prikazana stranica za pojedinacni prikaz proizvoda.

# Pojedinacan Proizvod




Klikom na odredjeni proizvod na ovoj stranici se detaljnije prikazuju sve informacije o zeljenom proizvodu. I ako je korisnik ulogovan mocice da doda proizvod u korpu, u koliko nije bize preusmeren na stranicu za logovanje.

# Prijava korisnika




Klikom na prijavu se proverava prvo da li su korisnicko ime I sifra u ispravnom formatu, a onda ukoliko je dobro korisnicko ime a sifra pogresna korisnik je obavesten o tome, I ako je sve ispravno korisnik je ulogovan.

# Registracija



Registracija korisnika, sa serverskom I klijentskom validacijom.


Admin panel



Admin panel za celokupno upravljanje sadrzajem sajta. Ovde je I omogucen eksport


Podataka o proizvodima I korisnicima u obliku excel fajla. Takodje prisutna statistika pristupa.

# Korpa



U koliko je korisnik ulogovan I dodao proizvode u korpu on ice ovde biti prikazani.

#### Baza Podataka



Activate Windows

# Struktura projekta

- ▲ assets
- ▶ css
- ▶ images
- ▶ img
- ▶ js
- .env
- enfig.php
- en connection.php
- data
- ≣ log.txt
- ≡ userCount.txt
- ▶ news
- ▶ products
- ▶ user
- ✓ views
- ▶ fixed
- ▶ pages
- ▶ partials
- 💏 index.php

# KODOVI Index.php

```
<?php
   $_SESSION['korpa'] = array();
    include "config/connection.php";
   include "views/fixed/head.php";
    include "views/fixed/header.php";
   include "views/fixed/nav.php";
    if(isset($_GET['page'])){
        switch($_GET['page']){
            case "pocetna":
                include "views/pages/pocetna.php";
                break;
            case "onama":
                include "views/pages/onama.php";
                break;
            case "kontakt":
                include "views/pages/kontakt.php";
                break;
            case "login" :
                include "views/pages/login.php";
                break;
            case "registracija" :
                include "views/pages/registracija.php";
                break;
            case "proizvodi" :
                include "views/pages/proizvodi.php";
                break;
            case "adminProizvod" :
                include "views/pages/adminProizvod.php";
                break;
            case "adminVesti" :
                include "views/pages/adminVesti.php";
                break;
            case "adminKorisnici" :
                include "views/pages/adminKorisnici.php";
                break;
            case "proizvodUnos" :
                include "views/pages/proizvodUnos.php";
                break;
            case "vestUnos" :
                include "views/pages/vestUnos.php";
                break;
            case "korisnikUnos" :
                include "views/pages/korisnikUnos.php";
                break;
```

```
case "updateProduct" :
                include "views/pages/updateProduct.php";
                break;
            case "izmeniKorisnika" :
                include "views/pages/izmeniKorisnika.php";
                break;
            case "statistika" :
                include "views/pages/statistika.php";
                break;
            case "kolica" :
                include "views/pages/kolica.php";
                break;
            case "singleProduct":
                if(isset($_GET['id'])){
                    include 'views/pages/singleProduct.php';
                break;
            default :
                include "views/pages/pocetna.php";
        }
    else{
        include "views/pages/pocetna.php";
include "views/fixed/footer.php";
```

#### AdminNews.js

```
window.onload = function(){
   $(document).on('click', '.obrisi', function(e){
       e.preventDefault();
       let id = $(this).data('id');
       $.ajax({
           url: 'models/news/delete.php',
           method: 'GET',
           data: {
               id: id
           },
           dataType: 'json',
           success: function(data){
               ispisProizvoda(data);
           error: function(greska, status, statusText){
               console.log(greska.parseJSON);
               alert(greska.parseJSON.poruka);
       })
   });
function ispisProizvoda(arr){
   ispis=`<a href='index.php?page=proizvodUnos' class="dodajProizvod">Dodaj
Vest</a>`;
   arr.forEach(function(element){
       ispis += `Naziv: ${element.naslov}
                                                                    ≺span
class="izmena"> <a class="obrisi" data-id="${element.id}">Obrisi</a> </span>`
    document.getElementById("adminProizvod").innerHTML = ispis;
```

#### AdminProduct.js

```
window.onload = function(){
    $(document).on('click', '.obrisi', function(e){
        e.preventDefault();
        let id = $(this).data('id');
        $.ajax({
           url: 'models/products/delete.php',
           method: 'GET',
           data: {
               id: id
            },
           dataType: 'json',
            success: function(data){
               ispisProizvoda(data);
           },
           error: function(greska, status, statusText){
               console.log(greska.parseJSON);
               alert(greska.parseJSON.poruka);
       })
   });
function ispisProizvoda(arr){
    ispis=`<a href='index.php?page=proizvodUnos' class="dodajProizvod">Dodaj
Proizvod</a>`;
    arr.forEach(function(element){
        ispis += `Naziv: ${element.naziv}, Cena:
${element.cena}
                    <span href="index.php?page=updateProduct&id=${element.id}>
class="izmena"> <a>Izmeni</a> <a class="obrisi" data-id="${element.id}">Obrisi</a>
</span>`
   });
    ispis+=` <a href="models/products/exportEXCEL.php" class="dodajProizvod">Export
    document.getElementById("adminProizvod").innerHTML = ispis;
```

#### AdminUser.js

```
window.onload = function(){
    $(document).on('click', '.obrisi', function(e){
        e.preventDefault();
        let id = $(this).data('id');
        $.ajax({
           url: 'models/user/deleteUser.php',
           method: 'GET',
           data: {
               id: id
            },
           dataType: 'json',
            success: function(data){
                ispisProizvoda(data);
           },
           error: function(greska, status, statusText){
                console.log(greska);
                alert(greska.parseJSON.poruka);
        })
    });
function ispisProizvoda(arr){
    ispis=`<a href='index.php?page=proizvodUnos' class="dodajProizvod">Dodaj
Proizvod</a>`;
    arr.forEach(function(element){
        ispis += `Ime i Prezime: ${element.ime},
${element.prezime} Uloga: ${element.uloga} <span class="izmena"> <a</pre>
href="index.php?page=izmeniKorisnika&id=${element.id}">Izmeni</a> <a class="obrisi"</pre>
data-id="${element.id}">Obrisi</a> </span>`;
   });
    ispis+=` <a href="models/products/exportEXCEL.php" class="dodajProizvod">Export
u excel</a>`;
    document.getElementById("adminProizvod").innerHTML = ispis;
```

#### Main.js

```
window.onload = function(){
    var forma = document.getElementsByClassName("forma_item");
    var korIme = forma[0];
    var sifra = forma[1];
    var reKorIme = /^[\w]{3,19}$/;
    var reSifra = /^[A-Za-z]{3,19}$/;
    document.getElementById("btnLogin").addEventListener("click", function(){
        var nizGreske = [];
        if(!reKorIme.test(korIme.value)){
            nizGreske.push("Korisnicko nije u dobrom formatu!");
            korIme.classList.remove("zelena");
            korIme.classList.add("crvena");
        else{
            korIme.classList.remove("crvena");
            korIme.classList.add("zelena");
        if(!reSifra.test(sifra.value)){
            nizGreske.push("Sifra nije u dobrom formatu!");
            sifra.classList.remove("zelena");
            sifra.classList.add("crvena");
        else{
            sifra.classList.remove("crvena");
            sifra.classList.add("zelena");
        if(nizGreske.length > 0){
            var ispis ="";
            nizGreske.forEach(function(element){
                ispis += element+"<br>";
            });
            document.getElementById("rezultat").innerHTML = ispis;
        else{
            document.getElementById("rezultat").innerHTML = "";
            $.ajax({
                data:{
                    korIme : korIme.value,
                    sifra : sifra.value
                },
                dataType:"json",
                method:"GET",
```

```
url:"./models/user/loginuser.php",
                success : function(podaci){
                    korIme.classList.remove("crvena");
                    korIme.classList.add("zelena");
                    sifra.classList.remove("crvena");
                    sifra.classList.add("zelena");
                    document.getElementById("rezultat").innerHTML =
podaci.message+" nastavite sa <a class='kupovina-link'</pre>
href='index.php?page=proizvodi'>kupovinom</a>";
                },
                error:function(error, xhr, status){
                    console.log(error);
                    var obj = error.responseJSON;
                    if(obj.num == 0){
                        document.getElementById("rezultat").innerHTML =
obj.message;
                        korIme.classList.remove("zelena");
                        korIme.classList.add("crvena");
                    else if(obj.num == 1){
                        document.getElementById("rezultat").innerHTML =
obj.message;
                        sifra.classList.remove("zelena");
                        sifra.classList.add("crvena");
                }
            });
    });
```

#### Products.js

```
window.onload = function(){
    var sort = document.getElementById("categories");
    sortiranje("cenaRastuce",1);
    brojStranica("cenaRastuce");
    sort.addEventListener("change",function(){
        var vrednost = sort.options[sort.selectedIndex].value;
        //console.log(vrednost);
        switch(vrednost){
            case "1" :
                sortiranje("cenaRastuce", 1);
                brojStranica("cenaRastuce");
                break;
            case "2" :
                sortiranje("cenaOpadajuce", 1);
                brojStranica("cenaOpadajuce");
                break;
            case "3":
                sortiranje("nazivRastuce", 1);
                brojStranica("nazivRastuce");
                break;
            case "4":
                sortiranje("nazivOpadajuce", 1);
                brojStranica("nazivOpadajuce");
                break;
    });
    var kategorije = document.getElementsByClassName("categories__item");
    for(var i = 0;i < kategorije.length;i++){</pre>
        kategorije[i].addEventListener("click", function(){
            var vrednost = this.dataset.id;
            var broj = this.dataset.broj;
            filterKat(broj, vrednost);
            dohvatiBrojStranica(vrednost);
        });
function sortiranje(str, num){
    $.ajax({
```

```
data:{
            str: str,
            num : num
        },
        dataType:"json",
        method:"GET",
        url:"./models/products/sort.php",
        success : function(podaci){
            ispisProizvoda(podaci);
        error:function(error, xhr, status){
            console.log(error.responseText);
        }
    });
function brojStranica(str){
    $.ajax({
        data:{
            pos : 1
        },
        method:"GET",
        url:"./models/products/brojStranica.php",
        success : function(podaci){
            ispisLinkova(podaci, str);
        },
        error:function(error, xhr, status){
            console.log(error);
    });
function ispisLinkova(num, str){
    var broj = Math.ceil(num/9);
    //console.log(broj);
    var ispis = "";
    var link = 1;
    var brojic = 10;
    for(var i = 0; i < broj;i++){
       if(i == 0){
            ispis+=`<a data-vrsta='sort' data-vrednost=${str} data-broj='1'</pre>
class="strance">${link++}</a>`;
        else{
            ispis+=`<a data-vrsta='sort' data-vrednost=${str} data-</pre>
broj='${brojic}' class="strance">${link++}</a>`;
            brojic = brojic+10;
    document.getElementById("paginacija").innerHTML = ispis;
```

```
var stranice = document.getElementsByClassName("strance");
    for(var i = 0;i < stranice.length;i++){</pre>
        stranice[i].addEventListener("click", function(){
            var vrsta = this.dataset.vrsta;
            var broj = this.dataset.broj;
            var vrednost = this.dataset.vrednost;
            switch(vrsta){
                case "sort":
                    sortiranje(vrednost, broj);
            }
        })
function ispisProizvoda(arr){
    var ispis= "";
    arr.forEach(element => {
        ispis+= `<div class="product-card proizvod">
        <a href="index.php?page=singleProduct&id=${element.id}">
          <div class="product-image">
             <img src="${element.mala}" alt='${element.naziv}'>
          </div>
          <div class="product-info">
            <h3>${element.naziv}</h3><h6>${element.cena}</h6>
          </div>
        </a>
        </div>`;
    });
    document.getElementById("proizvodi").innerHTML = ispis;
function ispisLinkovaFilter(num1, num2){
    var broj = Math.ceil(num1/9);
    //console.log(broj);
   var ispis = "";
   var link = 1;
    var brojic = 10;
    for(var i = 0; i < broj;i++){</pre>
        if(i == 0){
            ispis+=`<a data-kat='${num2}' data-broj='1'</pre>
class="strance">${link++}</a>`;
        }
        else{
            ispis+=`<a data-kat='${num2}' data-broj='${brojic}'</pre>
class="strance">${link++}</a>`;
            brojic = brojic+10;
```

```
document.getElementById("paginacija").innerHTML = ispis;
    var stranice = document.getElementsByClassName("strance");
    for(var i = 0;i < stranice.length;i++){</pre>
        stranice[i].addEventListener("click", function(){
            var kategorija = this.dataset.kat;
            var broj2 = this.dataset.broj;
            filterKat(broj2,kategorija);
        });
function filterKat(broj, vrednost){
   $.ajax({
        data:{
            id : vrednost,
            broj : broj
        },
        dataType:"JSON",
        method:"GET",
        url:"./models/products/categoryFilter.php",
        success : function(podaci){
            console.log(podaci);
            ispisProizvoda(podaci);
        error:function(error, xhr, status){
            console.log(error);
    });
function dohvatiBrojStranica(num){
   $.ajax({
        data:{
            id : num
        },
        dataType:"JSON",
        method:"GET",
        url:"./models/products/brojStranicaKat.php",
        success : function(podaci){
            ispisLinkovaFilter(podaci, num);
        },
        error:function(error, xhr, status){
            console.log(error);
   });
```

#### Reg.js

```
window.onload = function(){
    var forma = document.getElementsByClassName("forma item");
    var korIme = forma[0];
    var ime = forma[1];
    var Prezime = forma[2];
    var Email = forma[3];
    var sifra = forma[4];
    var Grad = forma[5];
    var Ulica = forma[6];
    var reKorIme = /^[\w]{3,19}$/;
    var reSifra = /^[\w]{3,19}$/;
    var reIme = /^[A-Z]{1}[a-z]{3,12}$/;
    var rePrezime = /^[A-Z]{1}[a-z]{3,15}$/;
    var reEmail = /^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/;
    var reUlica = /^[\w\s]{4,25}$/;
    document.getElementById("btnReg").addEventListener("click", function(){
       var gradVrednost = Grad.options[Grad.selectedIndex].value;
        var nizGreske = [];
        if(!reKorIme.test(korIme.value)){
            nizGreske.push("Korisnicko Ime nije u dobrom formatu!");
            korIme.classList.remove("zelena");
            korIme.classList.add("crvena");
        else{
            korIme.classList.remove("crvena");
            korIme.classList.add("zelena");
        if(!reSifra.test(sifra.value)){
            nizGreske.push("Ime nije u dobrom formatu!");
            sifra.classList.remove("zelena");
            sifra.classList.add("crvena");
        else{
            sifra.classList.remove("crvena");
            sifra.classList.add("zelena");
        if(!reIme.test(ime.value)){
            nizGreske.push("Ime nije u dobrom formatu!");
            ime.classList.remove("zelena");
            ime.classList.add("crvena");
```

```
ime.classList.remove("crvena");
    ime.classList.add("zelena");
if(!rePrezime.test(Prezime.value)){
    nizGreske.push("Prezime nije u dobrom formatu!");
    Prezime.classList.remove("zelena");
   Prezime.classList.add("crvena");
else{
    Prezime.classList.remove("crvena");
    Prezime.classList.add("zelena");
}if(!reEmail.test(Email.value)){
    nizGreske.push("Email nije u dobrom formatu!");
    Email.classList.remove("zelena");
    Email.classList.add("crvena");
else{
    Email.classList.remove("crvena");
    Email.classList.add("zelena");
if(!reUlica.test(Ulica.value)){
    nizGreske.push("Ulica nije u dobrom formatu!");
   Ulica.classList.remove("zelena");
   Ulica.classList.add("crvena");
else{
   Ulica.classList.remove("crvena");
   Ulica.classList.add("zelena");
if(gradVrednost == 0){
    nizGreske.push("Izaberite Grad!");
   Grad.classList.remove("zelena");
   Grad.classList.add("crvena");
   Grad.classList.remove("crvena");
   Grad.classList.add("zelena");
if(nizGreske.length > 0){
    var ispis ="";
    nizGreske.forEach(function(element){
        ispis += element+"<br>";
    document.getElementById("rezultat").innerHTML = ispis;
else{
    document.getElementById("rezultat").innerHTML = "";
   $.ajax({
```

```
data:{
                    korIme : korIme.value,
                    sifra : sifra.value,
                    gradVrednost : gradVrednost,
                    ime : ime.value,
                    prezime : Prezime.value,
                    email : Email.value,
                    ulica : Ulica.value
                },
                dataType:"json",
                method:"POST",
                url:"./models/user/registration.php",
                success : function(podaci){
                    korIme.classList.remove("crvena");
                    korIme.classList.add("zelena");
                    sifra.classList.remove("crvena");
                    sifra.classList.add("zelena");
                    document.getElementById("rezultat").innerHTML = "Uspesna
registracija <a href='index.php?page=login' class='kupovina-link'>Ulogujte
se!</a>";
                },
                error:function(error, xhr, status){
                    console.log(error);
                    var arr = error.responseJSON;
                    var ispis = '';
                    arr.forEach(function(element){
                        ispis+= element + "<br>";
                    });
                    document.getElementById("rezultat").innerHTML = ispis;
                }
            });
    });
```

#### singleProduct.js

```
window.onload = function(){
    var korpa = document.getElementById("Korpa");
    korpa.addEventListener("click",function(){
        console.log("Aleksa");
        var idProizvod = this.dataset.id;
        var idKorisnik = this.dataset.korisnik;
        $.ajax({
            data:{
                idProizvod : idProizvod,
                idKorisnik : idKorisnik
            },
            dataType:"json",
            method:"POST",
            url:"./models/products/insertCart.php",
            success : function(podaci){
                document.getElementById('rezultat').innerHTML = podaci;
            },
            error:function(error, xhr, status){
                console.log(error);
        });
    });
```

## **Update product.js**

```
window.onload = function(){
    document.getElementById("update").addEventListener("click",function(){
        var elementi = document.getElementsByClassName("forma__item");
        var id = this.dataset.id;
        var naziv = elementi[0].value;
        var cena = elementi[1].value;
        var opis = elementi[2].value;
        var sastojci = elementi[3].value;
        var drzava = elementi[4].options[elementi[4].selectedIndex].value;
        var kategorija = elementi[5].options[elementi[5].selectedIndex].value;
        console.log(id);
        $.ajax({
            url: 'models/products/update.php',
            method: 'POST',
            data: {
                id: id,
```

```
naziv: naziv,
    cena: cena,
    opis: opis,
    sastojci: sastojci,
    drzava: drzava,
    kategorija: kategorija
    },
    dataType: 'json',
    success: function(data){
        alert("USPESNA IZMENA!!!!");
    },
    error: function(greska, status, statusText){
        console.log(greska);
    }
});
```

## Vesti.js

```
$(document).ready(function(){
    $("body").on("click", ".strance", function(){
        let limit = $(this).data("limit");
        $.ajax({
            url: "models/news/getPagination.php",
            method: "GET",
            data: {
                limit: limit
            success: function(data){
                ispisVesti(data.news);
                ispisPaginacije(data.numNews);
            },
            error: function(error){
                console.log(error);
        })
    });
});
function ispisVesti(arr){
    var html = "";
    arr.forEach(function(element){
        html+=`<div class="paragraph">
        <h3>${element.naslov}</h3>
        ${element.sadrzaj}
        </div>`;
    });
    $("#vijesti").html(html);
function ispisPaginacije(arr){
    let html = "";
    for(let i = 0; i < arr; i++){
        html +=
        <a class="strance" data-limit="${ i }">
                    ${ i + 1 }
                </a>
    $("#popular").html(html);
```

## Config.php

## **Connection.php**

```
require_once "config.php";
try {
    zabeleziPristup();
    $conn = new PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8",
USERNAME, PASSWORD);
    $conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $ex){
    echo $ex->getMessage();
}
function executeQuery($query){
```

```
global $conn;
   return $conn->query($query)->fetchAll();
function executeQueryOneRow($query){
   global $conn;
   return $conn->query($query)->fetch();
function zabeleziPristup(){
   if(isset($_GET['page'])){
       $file = fopen(BASE_URL . "data/log.txt", "r+");
       $niz = file(BASE_URL . "data/log.txt");
        $string = "";
        foreach($niz as $deoNiza){
            $noviNiz = explode("&",$deoNiza);
            if($noviNiz[0] == $_GET['page']){
                noviNiz[1] = (int) noviNiz[1] + 1;
                $noviRed = implode("&", $noviNiz);
                $string .= trim($noviRed) . "\n";
           else{
                $string .= trim($deoNiza)."\n";
        fwrite($file, $string);
        fclose($file);
```

# **MODELS/NEWS**

```
Delete.php<?php
header('Content-Type: application/json');
if(isset($ GET['id'])){
   include "functions.php";
   require_once '../../config/connection.php';
   $id = $_GET['id'];
   $rezultat = $conn->prepare("DELETE FROM vest WHERE id = ?");
   $rezultat->bindValue(1, $id);
   try {
       $rezultat->execute();
       http_response_code(200); // 204 - Success and No content (Nothing to
return)
       $products = getAllNews();
       echo json_encode($products);
   catch(PDOException $ex){
       echo json_encode(['poruka'=> 'Problem sa bazom: ' . $ex->getMessage()]);
       http_response_code(500);
} else {
   http_response_code(400); // 400 - Bad request
```

## **Functions.php**

```
<?php
function getAllNews(){
   return executeQuery("SELECT * FROM vest");
DEFINE("NEWS_NUM", 5);
function getNews($limit = 0){
   global $conn;
   try{
        $select = $conn->prepare("SELECT * FROM vest LIMIT :limit, :news_count");
        $limit = ((int) $limit) * NEWS_NUM;
        $select->bindParam(":limit", $limit, PDO::PARAM_INT);
        $news count = NEWS NUM;
        $select->bindParam(":news_count", $news_count, PDO::PARAM_INT);
        $select->execute();
        $news = $select->fetchAll();
       return $news;
   catch(PDOException $ex){
        return null;
function countNews(){
    return executeQueryOneRow("SELECT COUNT(*) AS num_of_news FROM vest");
function paginationNum(){
   $result = countNews();
   $numOfNews = $result->num_of_news;
    return ceil($numOfNews / NEWS_NUM);
function newsInsert($naslov,$sadrzaj){
   global $conn;
   $insert = $conn->prepare("INSERT INTO vest VALUES('', ?, ?)");
   $isInserted = $insert->execute([$naslov,$sadrzaj]);
```

```
return $isInserted;
}
```

## getPagination.php

## insertNews.php

}

# **MODELS/PRODUCTS**

## brojStranica.php

```
<?php
  if(isset($_GET['pos'])){
    include "../../config/connection.php";

  include "functions.php";

  $rezultat = getAllProducts();

  echo sizeof($rezultat);
}</pre>
```

## **BrojStranicaKat.php**

```
if(isset($_GET['id'])){
    include 'functions.php';
    include '../../config/connection.php';

    $rezultat = $conn->prepare("SELECT * FROM proizvod where idKategorija = :kat");

    $rezultat->bindparam(":kat", $_GET['id']);
    $rezultat->execute();

    echo $rezultat->rowCount();
}
```

## categoryFilter.php

```
<?php
if(isset($_GET['id'])){
    include 'functions.php';
    include '../../config/connection.php';
    header('Content-Type: application/json');
    $kategorije = proizvodFilter($_GET['id'],$_GET['broj']);
    echo json_encode($kategorije);
}</pre>
```

# Delete.php

```
<?php
header('Content-Type: application/json');
if(isset($_GET['id'])){
    include "functions.php";
    require once '../../config/connection.php';
   $id = $_GET['id'];
   $rezultat = $conn->prepare("DELETE FROM proizvod WHERE id = ?");
   $rezultat->bindValue(1, $id);
   try {
       $rezultat->execute();
        http_response_code(200); // 204 - Success and No content (Nothing to
return)
        $products = getAllProducts();
        echo json_encode($products);
   catch(PDOException $ex){
        echo json_encode(['poruka'=> 'Problem sa bazom: ' . $ex->getMessage()]);
        http_response_code(500);
} else {
   http_response_code(400); // 400 - Bad request
```

## **ExportExcel.php**

```
if($br == $count) break;
    $polje = $workSheet->Range("A".$i);
    $polje->activate;
    $polje->Value = $products[$br]->naziv;
    $polje = $workSheet->Range("B".$i);
    $polje->activate;
    $polje->Value = $products[$br]->cena;
    $polje = $workSheet->Range("C".$i);
    $polje->activate;
    $polje->Value = $products[$br]->opis;
    $polje = $workSheet->Range("D".$i);
    $polje->activate;
    $polje->Value = $products[$br]->sastojci;
    $br++;
$excelFile->_SaveAs("Proizvodi". time() . ".xlsx");
$excelFile->Save();
header("location:../../index.php?page=adminProizvod");
```

# functions.php

```
function getAllProducts(){
    return executeQuery("SELECT * From proizvod");
}
function getOneProduct($id){
    global $conn;
    try {
        $select = $conn->prepare("SELECT p.id AS proizvodId, p.naziv as naziv,
p.opis, p.sastojci, p.cena,s.velika,d.naziv AS drzava FROM proizvod p INNER JOIN
slika s ON p.idSlika = s.id INNER JOIN drzava d ON p.idDrzava = d.id WHERE p.id =
?");
        $select->execute([$id]);
```

```
$proizvod = $select->fetch();
        return $proizvod;
    } catch(PDOException $ex){
        return $ex;
    }
define("UPIT", "SELECT p.naziv,p.cena,s.mala,p.id FROM proizvod p INNER JOIN slika s
ON p.idSlika = s.id");
function cenaRastuce($num){
   global $conn;
   $rezultat = $conn->prepare(UPIT." ORDER BY p.cena LIMIT :num,9");
   $rezultat->bindParam(":num", $num, PDO::PARAM INT);
   $rezultat->execute();
   return $rezultat->fetchAll();
function cenaOpadajuce($num){
   global $conn;
   $rezultat = $conn->prepare(UPIT." ORDER BY p.cena DESC LIMIT :num,9");
   $rezultat->bindParam(":num", $num, PDO::PARAM_INT);
   $rezultat->execute();
   return $rezultat->fetchAll();
function nazivRastuce($num){
   global $conn;
   $rezultat = $conn->prepare(UPIT." ORDER BY p.naziv LIMIT :num,9");
   $rezultat->bindParam(":num", $num, PDO::PARAM_INT);
   $rezultat->execute();
   return $rezultat->fetchAll();
function nazivOpadajuce($num){
   global $conn;
   $rezultat = $conn->prepare(UPIT." ORDER BY p.naziv DESC LIMIT :num,9");
   $rezultat->bindParam(":num", $num, PDO::PARAM_INT);
   $rezultat->execute();
   return $rezultat->fetchAll();
function proizvodFilter($id,$broj){
   $broj = (int) $broj - 1;
   global $conn;
   $rezultat = $conn->prepare("SELECT p.naziv, p.id as id, p.cena, s.mala FROM
proizvod p INNER JOIN slika s ON p.idSlika = s.id WHERE p.idKategorija = :id LIMIT
 .$broj.",9");
   try{
        $rezultat->bindparam(":id",$id);
       // $rezultat->bindparam(":broj",$broj);
       $rezultat->execute();
```

```
return $rezultat->fetchAll();
    catch(PDOException $e){
        return $e;
    }
function getAllCategories(){
    return executeQuery("SELECT * FROM kategorija");
function getAllCountries(){
    return executeQuery("SELECT * FROM drzava");
function insert($putanjaOriginalnaSlika, $putanjaNovaSlika){
    global $conn;
    $insert = $conn->prepare("INSERT INTO slika VALUES('', ?, ?)");
    $isInserted = $insert->execute([$putanjaOriginalnaSlika, $putanjaNovaSlika]);
    return $conn->lastInsertId();
function productInsert($nazivNovi, $cena, $opis, $sastojci, $kategorija, $drzava,
$slika){
    global $conn;
    $insert = $conn->prepare("INSERT INTO proizvod VALUES('', ?, ?, ?, ?, ?, ?, ?, ?,
?)");
    $isInserted = $insert->execute([$nazivNovi, $cena, $opis, $sastojci, $drzava,
$slika, $kategorija]);
    return $isInserted;
```

### insertCart.php

```
<?php
    session_start();
    if(isset($_POST['idKorisnik'])){
        require_once '../../config/connection.php';
        $rezultat = $conn->prepare("SELECT * FROM korpa_artikal WHERE idProizvod =
:idProizvod AND idKorisnik = :idKorisnik");
        $rezultat->bindParam(":idKorisnik", $_POST['idKorisnik']);
        $rezultat->bindParam(":idProizvod", $_POST['idProizvod']);
        try{
        $rezultat->execute();
        if($rezultat->rowCount() == 1){
              $artikal = $rezultat->fetch();
              $kolicina = $artikal->kolicina;
              $kolicina = $kolicina + 1;
```

```
$rezultat2 = $conn->prepare("UPDATE korpa_artikal SET kolicina =
:kolicina WHERE idProizvod = :idProizvod AND idKorisnik = :idKorisnik");
           $rezultat2->bindParam(":kolicina", $kolicina);
           $rezultat2->bindParam(":idKorisnik", $_POST['idKorisnik']);
           $rezultat2->bindParam(":idProizvod", $_POST['idProizvod']);
           $rezultat2->execute();
           http_response_code(200);
           echo json_encode("Proizvod dodat u korpu!");
       else{
           $rezultat3 = $conn->prepare("INSERT INTO korpa_artikal VALUES(null,
:idKorisnik, :idProizvod, 1)");
           $rezultat3->bindParam(":idKorisnik", $_POST['idKorisnik']);
           $rezultat3->bindParam(":idProizvod", $_POST['idProizvod']);
           $rezultat3->execute();
           http_response_code(200);
           echo json_encode("Proizvod dodat u korpu!");
       catch(PDOexception $e){
           http_response_code(500);
           echo json_encode($e);
```

## insertProduct.php

```
if(isset($_POST['btnSubmit'])){
    require_once "../../config/connection.php";
    require_once "functions.php";

    $nazivNovi = $_POST['naziv'];
    $cena = $_POST['cena'];
    $opis = $_POST['opis'];
    $sastojci = $_POST['sastojci'];
    $kategorija = $_POST['kategorija'];
    $drzava = $_POST['drzava'];

    $fajl_naziv = $_FILES['slika']['name'];
    $fajl_tmpLokacija = $_FILES['slika']['tmp_name'];
    $fajl_tip = $_FILES['slika']['type'];
    $fajl_velicina = $_FILES['slika']['size'];

$greske = [];
```

```
$dozvoljeni_tipovi = ['image/jpg', 'image/jpeg', 'image/png'];
        if(count($greske) == 0){
           list($sirina, $visina) = getimagesize($fajl_tmpLokacija);
           $postojecaSlika = null;
            switch($fajl_tip){
                case 'image/jpeg':
                   $postojecaSlika = imagecreatefromjpeg($fajl_tmpLokacija);
                case 'image/png':
                   $postojecaSlika = imagecreatefrompng($fajl_tmpLokacija);
            }
           $novaSirina = 105;
           $novaVisina = ($novaSirina/$sirina) * $visina;
           $novaSlika = imagecreatetruecolor($novaSirina, $novaVisina);
            imagecopyresampled($novaSlika, $postojecaSlika, 0, 0, 0,
$novaSirina, $novaVisina, $sirina, $visina);
            $naziv = time().$fajl naziv;
            $putanjaNovaSlika = 'assets/images/products/nova_'.$naziv;
            switch($fajl_tip){
                case 'image/jpeg':
                   imagejpeg($novaSlika, '../../'.$putanjaNovaSlika, 75);
                   break:
                case 'image/png':
                    imagepng($novaSlika, '../../'.$putanjaNovaSlika);
                   break;
            }
            $putanjaOriginalnaSlika = 'assets/images/products/'.$naziv;
           if(move_uploaded_file($fajl_tmpLokacija,
../../'.$putanjaOriginalnaSlika)){
                echo "Slika je upload-ovana na server!";
                try {
                   $slika = insert($putanjaOriginalnaSlika, $putanjaNovaSlika);
```

# Sort.php

```
<?php
if(isset($_GET['str'])){
    include "../../config/connection.php";
   include "functions.php";
   $vrednost = $_GET['str'];
   $broj = $_GET['num'] -1;
   $rezultat;
   switch($vrednost){
        case "cenaRastuce" :
            $rezultat = cenaRastuce($broj);
           break;
        case "cenaOpadajuce" :
            $rezultat = cenaOpadajuce($broj);
            break:
        case "nazivRastuce":
            $rezultat = nazivRastuce($broj);
           break;
        case "nazivOpadajuce":
            $rezultat = cenaRastuce($broj);
            break;
    echo json_encode($rezultat);
```

# **Update.php**

```
<?php
header('Content-Type: application/json');
if(isset($_POST['id']) && isset($_POST['naziv'])){
    require_once '../../config/connection.php';
    $id = $ POST['id'];
   $cena = $_POST['cena'];
   $naziv = $ POST['naziv'];
   $opis = $_POST['opis'];
   $sastojci = $_POST['sastojci'];
   $kategorija = $_POST['kategorija'];
   $drzava = $_POST['drzava'];
    $rezultat = $conn->prepare("UPDATE proizvod SET naziv = ?, cena = ?, opis = ?,
sastojci = ?, idDrzava = ?, idKategorija = ? WHERE id = ?");
    $rezultat->bindValue(1, $naziv);
    $rezultat->bindValue(2, $cena);
    $rezultat->bindValue(3, $opis);
   $rezultat->bindValue(4, $sastojci);
   $rezultat->bindValue(5, $drzava);
   $rezultat->bindValue(6, $kategorija);
   $rezultat->bindValue(7, $id);
   try {
        $rezultat->execute();
        http_response_code(204);
    catch(PDOException $ex){
        echo json_encode(['poruka'=> 'Problem sa bazom: ' . $ex->getMessage()]);
        http_response_code(500);
} else {
    http_response_code(400);
```

# **Models/USER**

### **Update.php**

```
<?php
header('Content-Type: application/json');
if(isset($_POST['id']) && isset($_POST['ime'])){
    require_once '../../config/connection.php';
    $id = $_POST['id'];
    $korisnicko = $ POST['korisnicko'];
    $ime = $ POST['ime'];
    $prezime = $_POST['prezime'];
    $grad = $_POST['grad'];
   $ulica = $_POST['ulica'];
   $uloga = $_POST['uloga'];
    $rezultat = $conn->prepare("UPDATE korisnik SET korisnickoIme = ?, ime = ?,
prezime = ?, idGrad = ?, ulica = ?, idUloga = ? WHERE id = ?");
    $rezultat->bindValue(1, $korisnicko);
    $rezultat->bindValue(2, $ime);
    $rezultat->bindValue(3, $prezime);
    $rezultat->bindValue(4, $grad);
    $rezultat->bindValue(5, $ulica);
   $rezultat->bindValue(6, $uloga);
    $rezultat->bindValue(7, $id);
    try {
        $rezultat->execute();
        http_response_code(204);
    catch(PDOException $ex){
        echo json_encode(['poruka'=> 'Problem sa bazom: ' . $ex->getMessage()]);
        http_response_code(500);
} else {
   http_response_code(400);
```

### Registration.php

```
<?php
    header('Content-Type: application/json');
if(isset($_POST['korIme']) && isset($_POST['sifra'])){
        include "../../config/connection.php";
        include "functions.php";
         reKorIme = '/^[\w]{3,19}$/';
         reSifra = '/^[\w]{3,19}$/';
         reIme = '/^[A-Z]{1}[a-z]{3,12}$/';
         $rePrezime = '/^[A-Z]{1}[a-z]{3,15}$/';
         reEmail = '/^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/';
         reUlica = '/^[\w\s]{4,25}$/';
        $korIme = $_POST['korIme'];
        $sifra = md5(trim($_POST['sifra']));
        $email = $_POST['email'];
        $ime = $_POST['ime'];
        $prezime = $_POST['prezime'];
        $grad = $_POST['gradVrednost'];
        $ulica = $_POST['ulica'];
        $nizGreske = [];
        if(userExists($korIme) == 1){
            $nizGreske[] = "Uneli ste postojece korisnicko ime.";
        if(emailExists($email)==1){
            $nizGreske[] = "Uneli ste postojeci email.";
        if(!preg_match($reKorIme, $korIme)){
            $nizGreske[] = "Korisnicko ime je u losem formatu!";
        if(!preg_match($reIme, $ime)){
            $nizGreske[] = "Ime je u losem formatu!";
        if(!preg_match($rePrezime, $prezime)){
            $nizGreske[] = "Prezime je u losem formatu!";
        if(!preg_match($reEmail, $email)){
            $nizGreske[] = "Email je u losem formatu!";
        if($grad < 1){
            $nizGreske[] = "Morate izabrati grad!";
        if(!preg_match($reUlica, $ulica)){
           $nizGreske[] = "Ulica je u losem formatu!";
```

```
if(count($nizGreske) > 0){
            echo json_encode($nizGreske);
            http_response_code(500);
        else{
            $rezultat = $conn->prepare("INSERT INTO korisnik VALUES (NULL, ?, ? , ?
, ? , ?, ?, ?, ?)");
            try{
                $rezultat->execute( [ $korIme, $email, $sifra, $ime, $prezime,
$ulica, $grad, 456] );
                http response code(201);
                echo json_encode(["uspeh"=> "Uspesna registracija!"]);
            catch(PDOException $ex){
                echo json_encode(['poruka'=> 'Problem sa bazom: ' . $ex-
>getMessage()]);
                http response code(500);
        }
```

### Logout.php

```
session_start();
if(isset($_SESSION['korisnik'])){
    unset($_SESSION['korisnik']);
    header("location: ../../index.php");
    $fajl = fopen("../../data/userCount.txt", "r");
        $vrednost = fread($fajl, filesize("../../data/userCount.txt"));
        $upise = $vrednost - 1;
        $fajl2 = fopen("../../data/userCount.txt", "r");
        fwrite($fajl2, $upise);
        fclose($fajl);
        fclose($fajl2);
}
```

### Loginuser.php

```
<?php
session_start();
header('Content-Type: application/json');
if(isset($_GET['korIme']) && isset($_GET['sifra'])){
   include "../../config/connection.php";
   include "functions.php";</pre>
```

```
$korIme = $ GET['korIme'];
        $sifra = md5(trim($_GET['sifra']));
        if(userExists($korIme) == 0){
            echo json_encode(['message'=> "Uneli ste nepostojece korisnicko ime.",
'num' => 0]);
            http response code(500);
            $korisnik = specificUserName($korIme);
            $msg = "Postovani ".$korisnik->ime." Da li ste vi pokusali da se
ulogujete na vas email? Molimo kontaktirajte naseg administratora ako imate
problema sa logovanjem";
                $msg = wordwrap($msg,70);
                mail($korisnik->email,"Pokusaj pristupa nalogu",$msg);
        else{
            $res = $conn->prepare("SELECT * FROM korisnik WHERE korisnickoIme =
:korIme AND sifra = :sifra");
            $res->bindParam(":korIme", $korIme);
            $res->bindParam(":sifra", $sifra);
            $res->execute();
            $brojRedova = $res->rowCount();
            if($brojRedova == 0){
                echo json_encode(['message'=> "Uneli ste pogresnu sifru.", 'num' =>
1]);
                http response code(500);
            else if($brojRedova == 1){
                echo json_encode(['message'=> "Uspesno logovanje!"]);
                http response code(200);
                $_SESSION['korisnik'] = $res->fetch();
                $fajl = fopen("../../data/userCount.txt", "r");
                $vrednost = fread($fajl, filesize("../../data/userCount.txt"));
                $upise = $vrednost + 1;
                $fajl2 = fopen("../../data/userCount.txt", "r");
                fwrite($fajl2, $upise);
                fclose($fajl);
                fclose($faj12);
        }
   else{
        header("location: ../../index.php");
    }
```

### Gradovi.php

```
<?php
   if(isset($_GET['marker'])){
       include "../../config/connection.php";
       $rezultat = executeQuery("SELECT * FROM grad");
       echo json_encode($rezultat);
       http_response_code(200);
   }</pre>
```

### Functions.php

```
<?php
   function getAllUsers(){
        return executeQuery("SELECT k.*, u.id AS ulogaId, uloga from korisnik k
INNER JOIN uloga u ON k.idUloga = u.id");
    function userExists($user){
        global $conn;
        $res = $conn->prepare("SELECT * FROM korisnik WHERE korisnickoIme =
:korIme");
        $res->bindParam(":korIme", $user);
        $res->execute();
       return $res->rowCount();
   function emailExists($email){
       global $conn;
        $res = $conn->prepare("SELECT * FROM korisnik WHERE email = :email");
        $res->bindParam(":email", $email);
        $res->execute();
        return $res->rowCount();
   function userValid($korIme, $sifra){
        global $conn;
        $res = $conn->prepare("SELECT * FROM korisnik WHERE korisnickoIme = :korIme
AND sifra = :sifra");
        $res->bindParam(":korIme", $korIme);
        $res->bindParam(":sifra", $sifra);
        $res->execute();
        $brojRedova = $res->rowCount();
        return $res->fetch();
   function specificUser($id){
        global $conn;
        $res = $conn->prepare("SELECT * FROM korisnik WHERE id = :id");
        $res->bindParam(":id", $id);
        $res->execute();
        return $res->fetch();
```

```
}
function specificUserName($user){
    global $conn;
    $res = $conn->prepare("SELECT * FROM korisnik WHERE korisnickoIme =
:user");
    $res->bindParam(":user", $user);
    $res->execute();
    return $res->fetch();
}
```

### exportExcel.php

```
<?php
   $excelApp = new COM("Excel.Application");
   $excelApp->Visible = true;
   $excelFile = $excelApp->WorkBooks->Add();
    $workSheet = $excelFile->WorkSheets("Sheet1");
    include "../../config/connection.php";
    include "functions.php";
   $users = getAllUsers();
   br = 0;
   $count = count($users);
    for($i = 1; $i < $count+1; $i++){
        if($br == $count) break;
        $polje = $workSheet->Range("A".$i);
        $polje->activate;
        $polje->Value = $users[$br]->korisnickoIme;
        $polje = $workSheet->Range("B".$i);
        $polje->activate;
        $polje->Value = $users[$br]->ime;
        $polje = $workSheet->Range("C".$i);
        $polje->activate;
        $polje->Value = $users[$br]->prezime;
```

```
$polje = $workSheet->Range("D".$i);
$polje->activate;

$polje->Value = $users[$br]->uloga;

$polje = $workSheet->Range("E".$i);
$polje->activate;

$polje->value = $users[$br]->email;
$br++;
}

$excelFile->_SaveAs("Proizvodi". time() . ".xlsx");

$excelFile->Save();

header("location:../../index.php?page=adminKorisnici");
```

### DeleteUser.php

```
<?php
header('Content-Type: application/json');
if(isset($_GET['id'])){
    include "functions.php";
    require_once '../../config/connection.php';
    $id = $ GET['id'];
    $rezultat = $conn->prepare("DELETE FROM korisnik WHERE id = ?");
   $rezultat->bindValue(1, $id);
    try {
        $rezultat->execute();
        http_response_code(200);
        $users = getAllUsers();
        echo json_encode($users);
    catch(PDOException $ex){
        echo json_encode(['poruka'=> 'Problem sa bazom: ' . $ex->getMessage()]);
        http response code(500);
} else {
    http response code(400);
```

## VIEWS/FIXED

### Footer.php

### Head.php

#### **HEADER.php**

```
<body>
   <div id="container">
   <?php
       if(isset($_SESSION['korisnik']) && $_SESSION['korisnik']->idUloga == 234):
   <div id="adminPanel">
       <a href="index.php?page=adminProizvod">Upravljanje Proizvodima</a>
       <a href="index.php?page=adminVesti">Upravljanje Vestima</a>
       <a href="index.php?page=adminKorisnici">Upravljanje Korisnicima</a>
       <a href="index.php?page=statistika">Statistika Pristupa</a>
   </div>
       <?php endif; ?>
<header id="header">
                <img src="assets/img/logo.png" alt="logo" class="logo">
                <?php
                    if(isset($_SESSION['korisnik']))
                   echo "<h3>Pozdrav ".$ SESSION['korisnik']->ime."!</h3>";
```

### Nav.php

```
<div id="content">
<nav id="menu">
   <?php
   $meni = executeQuery("SELECT * FROM meni");
   foreach($meni as $deoMenija):
   <a href="<?php echo "index.php?page=".$deoMenija->link ?>" class="side-
nav link" id="<?php echo $deoMenija->naziv ?>">
          <svg class="side-nav__icon">
              <use xlink:href="./assets/img/sprite.svg#icon-<?php echo</pre>
$deoMenija->ikona ?>"></use>
          </svg>
          <span><?php echo $deoMenija->naziv ?></span>
   <?php endforeach; ?>
   <a href="dokumentacija.pdf" class="side-nav__link-doc">DOKUMENTACIJA</a>
```

# **VIEWS/PAGES**

### adminKorisnici.php

```
<main class="mainSingle">
   <div class="main-contentSingle">
       <div class="glavniProzivod" id="adminProizvod">
       <a href='index.php?page=korisnikUnos' class="dodajProizvod">Dodaj
Korsnika</a>
       <?php
          $korisnici = executeQuery("SELECT k.*, u.id AS ulogaId, uloga from
korisnik k INNER JOIN uloga u ON k.idUloga = u.id");
          foreach($korisnici as $korisnik):
       Ime i Prezime: <?=$korisnik->ime?>, <?=$korisnik-</pre>
href="index.php?page=izmeniKorisnika&id=<?=$korisnik->id?>">Izmeni</a> <a</pre>
class="obrisi" data-id="<?=$korisnik->id?>">Obrisi</a> </span>
          <?php endforeach; ?>
          <a href="models/user/exportEXCEL.php" class="dodajProizvod">Export u
excel</a>
       </div>
   </div>
   <script src="assets/js/adminUser.js"></script>
```

### AdminProizvod.php

### AdminVesti.php

# izmeniKorisnika.php

```
<h3>Ime</h3>
                <input type="text" class="forma__item reg" name="ime"</pre>
value="<?=$korisnik->ime ?>">
                <h3>Prezime</h3>
                <input type="text" class="forma__item reg" name="prezime"</pre>
value="<?=$korisnik->prezime ?>">
                <h3>Email</h3>
                <input type="text" class="forma__item reg" name="email"</pre>
value="<?=$korisnik->email ?>">
                <h3>Sifra</h3>
                <input type="text" class="forma__item reg" name="sifra"</pre>
value="<?=$korisnik->sifra ?>">
                <h3>Grad</h3>
                <select class="forma item reg" name="grad">
                     <option value="0">Izaberite grad...</option>
                    <?php $gradovi = executeQuery("SELECT * FROM grad");</pre>
                             foreach($gradovi as $grad):
                     <?php
                         if($grad->id == $korisnik->idGrad):
                    <option value="<?=$grad->id?>" selected><?= $grad->naziv
?></option>
                    <?php
                         else:
                    <option value="<?=$grad->id?>" ><?= $grad->naziv ?></option>
                         <?php endif; ?>
                             <?php endforeach; ?>
                </select>
                <h3>Ulica</h3>
                <input name="ulica" type="text" class="forma__item reg"</pre>
value="<?=$korisnik->ulica ?>">
                <h3>Uloga</h3>
                <select class="forma__item reg" name="uloga">
                     <option value="0">Izaberite ulogu...</option>
                     <?php $uloge = executeQuery("SELECT * FROM uloga");</pre>
                             foreach($uloge as $uloga):
                    <?php
                         if($uloga->id == $korisnik->idUloga):
                    <option value="<?=$uloga->id?>" selected><?= $uloga->uloga
?></option>
                    <?php
                         else:
                    <option value="<?=$uloga->id?>" ><?= $uloga->uloga ?></option>
                         <?php endif; ?>
```

### Kolica.php

```
<main class="mainSingle">
    <div class="main-contentSingle main-proizvodi">
        <div class="glavniProzivod">
            <div class="cart-products">
            <?php
                if(!isset($_SESSION['korisnik'])):
            <h2>Morate se ulogovati da bi ste koristili korpu!</h2>
                <?php else:</pre>
                    $id = $ SESSION['korisnik']->id;
                    $rezultat = $conn->prepare("SELECT * FROM korpa artikal k INNER
JOIN proizvod p on p.id = k.idProizvod INNER JOIN slika s on s.id = p.idSlika WHERE
k.idKorisnik = :idKorisnik");
                    $rezultat->bindParam(":idKorisnik", $id);
                    $rezultat->execute();
                    $korpa = $rezultat->fetchAll();
                    foreach($korpa as $deoKorpe):
                `<div class="product-cart">
                        <div class="product-image">
                            <img src="<?=$deoKorpe->mala ?>">
                        </div>
                        <div class="product-info-cart">
                        <h5><?=$deoKorpe->naziv ?></h5><h6><?=$deoKorpe->cena ?>,00
rsd</h6><h6>Kolicina: <?=$deoKorpe->kolicina ?></h6>
                        </div>
                </div>
                    <?php endforeach; ?>
                <?php endif; ?>
                </div>
        </div>
```

```
</div></main>
```

## Kontakt.php

# korisnikUnos.php

```
<main class="mainSingle">
<?php
   include "models/products/functions.php";
   <div class="main-contentSingle">
        <div class="glavniProzivod">
        <form class="forma" enctype="multipart/form-data" method="post"</pre>
action="models/products/insertProduct.php">
                <h3>Korisnicko Ime</h3>
                <input type="text" class="forma__item reg" name="naziv">
                <h3>Ime</h3>
                <input type="text" class="forma_item reg" name="naziv">
                <h3>Prezime</h3>
                <input type="text" class="forma_item reg" name="cena">
                <h3>Email</h3>
                <input type="text" class="forma_item reg" name="opis">
                <h3>Sifra</h3>
                <input type="password" class="forma_item reg" name="sastojci">
                <h3>Grad</h3>
                <select class="forma item reg">
                    <option value="0">Izaberite grad...</option>
                    <?php $gradovi = executeQuery("SELECT * FROM grad");</pre>
                            foreach($gradovi as $grad):
                    <option value="<?=$grad->id?>"><?= $grad->naziv ?></option>
                            <?php endforeach; ?>
                </select>
```

```
<h3>Ulica</h3>
            <input type="text" class="forma__item reg">
            <h3>Uloga</h3>
            <select class="forma__item reg">
                <option value="0">Izaberite ulogu...</option>
                <?php $uloge = executeQuery("SELECT * FROM uloga");</pre>
                        foreach($uloge as $uloga):
                <option value="<?=$uloga->id?>"><?= $uloga->uloga ?></option>
                        <?php endforeach; ?>
            </select>
            <a id="btnReg" class="forma__item">Dodaj</a>
    </form>
    <div id="rezultat"></div>
    </div>
</div>
<script type="module" src="assets/js/reg.js" type="text/javascript"></script>
```

# Login.php

```
<main class="main">
    <img src="assets/img/saatki.png" class="product__img">
    <div id="container-login">
            <form class="forma">
                <input type="text" placeholder="Korisnicko Ime" class="forma__item"</pre>
id="imePrez" name="korIme">
                <input id="sifra"type="password" placeholder="Sifra"</pre>
class="forma__item" id="sifra" name="sifra">
                <a id="btnLogin" class="forma__item">Prijava</a>
            </form>
            <div id="rezultat"></div>
            <div class="login-registration" >
            Nemate nalog?<a href="index.php?page=registracija">registrujte
se</a>
            </div>
        </div>
        <script type="module" src="assets/js/main.js"</pre>
type="text/javascript"></script>
</main>
```

# Onama.php

## Pocetna.php

```
<main class="main">
   <img src="assets/img/saatki.png" class="product_img">
   <div class="main-content">
   <div class="news">
   <h2>Vesti</h2>
   <div id="vijesti">
       <?php
            include "models/news/functions.php";
           $limit = isset($_GET['limit'])? $_GET['limit'] : 0;
           $vesti = getNews($limit);
            foreach($vesti as $vest):
       <div class="paragraph">
       <h3><?=$vest->naslov?></h3>
       <?=$vest->sadrzaj?>
       </div>
       <?php endforeach; ?>
   <div class="pagination" id="paginacija">
   <?php
                        $num_of_news = paginationNum();
                        for($i = 0; $i < $num_of_news; $i++):</pre>
                          <a class="strance" data-limit="<?= $i ?>"><?= $i+1 ?></a>
                      <?php endfor; ?>
   </div>
   </div>
   <div class="popular" id="popular">
   </div>
   </div>
   <script src="assets/js/vesti.js"></script>
```

### Proizvodi.php

```
<main class="main">
                   <div class="main-content main-proizvodi">
                       <div class="glavniProzivodi">
                           <div id="proizvodi">
                           </div>
                           <div class="pagination" id="paginacija">
                             <a class="strance">1</a>
                             <a class="strance">2</a>
                           </div>
                       </div>
                       <div class="categories">
                           <select id="categories">
                             <option class="categories_option" value="0"</pre>
hidden="true">Izaberite</option>
                             <option class="categories_option" value="1" data-</pre>
tip="cenaRastuce">Ceni Rastuće</option>
                             <option class="categories option" value="2" data-</pre>
tip="cenaOpadajuce">Ceni Opadajuce</option>
                             <option class="categories option" value="3" data-</pre>
tip="nazivRastuce">Nazivu Rastuce</option>
                             <option class="categories option" value="4" data-</pre>
tip="nazivOpadajuce">Nazivu Opadajuce</option>
                           </select>
                           <div>
                             <h2 class="categories title">Kategorije:</h2>
                                 <?php
                                   $kategorije = executeQuery("SELECT * FROM
kategorija");
                                   foreach($kategorije as $kategorija):
                                 id ?>" data-
broj="1" class="categories__item" ><?=$kategorija->naziv ?>
                                  <?php endforeach; ?>
                             </div>
                       </div>
                   </div>
                   <script type="module" src="assets/js/products.js"</pre>
type="text/javascript"></script>
</main>
```

# proizvodUnos.php

```
<main class="mainSingle">
<?php
    include "models/products/functions.php";
    <div class="main-contentSingle">
        <div class="glavniProzivod">
        <form class="forma" enctype="multipart/form-data" method="post"</pre>
action="models/products/insertProduct.php">
                <h3>Naziv</h3>
                <input type="text" class="forma__item reg" name="naziv">
                <h3>Cena</h3>
                <input type="text" class="forma__item reg" name="cena">
                <h3>0pis</h3>
                <input type="text" class="forma__item reg" name="opis">
                <h3>Sastojci</h3>
                <input type="text" class="forma__item reg" name="sastojci">
                <h3>Slika</h3>
                <input type="file" name="slika" class="forma__item reg"</pre>
name="slika">
                <h3>Drzava</h3>
                <select class="forma item reg" name="drzava">
                    <option>izaberite</option>
                    <?php
                        $drzave = getAllCountries();
                        foreach($drzave as $drzava):
                    <option value="<?=$drzava->id?>"><?=$drzava->naziv?></option>
                    <?php
                        endforeach;
                    </select>
                <h3>Kategorija</h3>
                <select class="forma__item reg" name="kategorija">
                    <option>izaberite</option>
                    <?php
                        $kategorije = getAllCategories();
                        foreach($kategorije as $kategorija):
                    <option value="<?=$kategorija->id?>"><?=$kategorija-</pre>
>naziv?></option>
                    <?php
                        endforeach;
                </select>
```

# Registracija.php

```
<main class="main">
    <img src="assets/img/saatki.png" class="product__img">
    <div id="container-login">
            <form class="forma">
                <h3>Korisnicko Ime</h3>
                <input type="text" class="forma__item reg">
                <h3>Ime</h3>
                <input type="text" class="forma__item reg">
                <h3>Prezime</h3>
                <input type="text" class="forma__item reg">
                <h3>Email</h3>
                <input type="text" class="forma item reg">
                <h3>Sifra</h3>
                <input id="sifra"type="password" class="forma__item reg" id="sifra"</pre>
name="sifra">
                <h3>Grad</h3>
                <select class="forma item reg">
                    <option value="0">Izaberite grad...</option>
                    <?php $gradovi = executeQuery("SELECT * FROM grad");</pre>
                            foreach($gradovi as $grad):
                    <option value="<?=$grad->id?>"><?= $grad->naziv ?></option>
                            <?php endforeach; ?>
                </select>
                <h3>Ulica</h3>
                <input type="text" class="forma__item reg">
                <a id="btnReg" class="forma__item">Registracija</a>
            </form>
            <div id="rezultat"></div>
        <script type="module" src="assets/js/reg.js"</pre>
type="text/javascript"></script>
</main>
```

# singleProduct.php

```
<?php
   if(!isset($_GET['id'])){
       header("Location: index.php");
   include "models/products/functions.php";
   $proizvod = getOneProduct($_GET['id']);
<main class="mainSingle">
   <div class="main-contentSingle main-proizvodi">
       <div class="glavniProzivod">
           <h1><?=$proizvod->naziv?></h1><h1 class="cena"><?=$proizvod->cena?><h1>
           <div class="slikaOmot">
           <img src="<?=$proizvod->velika ?>"class="slicka">
           </div>
           <div class="infoProizvod">
           Zemlja porekla:<?=$proizvod->drzava?>
               Opis: <?=$proizvod->opis?>
               Sastojci: <?=$proizvod->sastojci ?>
               <?php
                  if(isset($_SESSION['korisnik'])):
               <a id="Korpa" class="korpaBtn" data-id="<?=$proizvod->proizvodId?>"
data-naziv="<?=$proizvod->naziv?>" data-korisnik="<?=$ SESSION['korisnik']->id
?>">Dodajte u korpu</a>
               <?php
                  else:
               <a class="korpaBtn" href="index.php?page=login">Morate biti
Ulogovani!</a>
                  <?php endif; ?>
           </div>
      </div>
      <div>
   </div>
   <script type="module" src="assets/js/singleProduct.js"</pre>
type="text/javascript"></script>
</main>
```

#### STATISTIKA.php

```
<main class="mainSingle">
   <div class="main-contentSingle">
       <div class="glavniProzivod">
        <?php
           $fajl = fopen("data/userCount.txt", "r");
           $vrednost = fread($fajl, filesize("data/userCount.txt"));
           echo "<h2>Broj trenutno ulogovanih korisnika je : ".$vrednost."</h2>";
           fclose($fajl);
           $file = fopen("data/log.txt","r");
           $niz = file("data/log.txt");
           $str = '';
           $brojUkupnih = 0;
           foreach($niz as $deoNiza){
                $vrednost = explode("&",$deoNiza);
                $brojUkupnih = $brojUkupnih + (int)$vrednost[1];
                $str = "<h3> Naziv stranice: ". $vrednost[0]. " broj poseta:
.$vrednost[1]."</h3><br>";
                echo $str;
          // echo $str;
           fclose($file);
       </div>
   </div>
/main>
```

#### updateProduct.php

```
<input type="text" class="forma__item reg" name="cena"</pre>
value="<?=$proizvod->cena ?>">
                <h3>0pis</h3>
                <input type="text" class="forma item reg" name="opis"</pre>
value="<?=$proizvod->opis ?>">
                <h3>Sastojci</h3>
                <input type="text" class="forma item reg" name="sastojci"</pre>
value="<?=$proizvod->naziv ?>">
                <h3>Drzava</h3>
                <select class="forma__item reg" name="drzava">
                     <option>izaberite</option>
                    <?php
                         $drzave = getAllCountries();
                         foreach($drzave as $drzava):
                    <?php
                         if($drzava->id == $proizvod->drzava):
                     <option selected value="<?=$drzava->id?>"><?=$drzava-</pre>
>naziv?></option>
                         <?php else: ?>
                         <option selected value="<?=$drzava->id?>"><?=$drzava-</pre>
>naziv?></option>
                         <?php endif; ?>
                     <?php
                         endforeach;
                     </select>
                <h3>Kategorija</h3>
                <select class="forma__item reg" name="kategorija">
                     <option>izaberite</option>
                    <?php
                         $kategorije = getAllCategories();
                         foreach($kategorije as $kategorija):
                      <?php
                         if($kategorija->id == $proizvod->kategorija):
                     <?php else: ?>
                     <option selected value="<?=$kategorija->id?>"><?=$kategorija-</pre>
>naziv?></option>
                         <?php endif; ?>
                     <?php
                         endforeach;
                </select>
```

#### VestUnos.php

```
<main class="mainSingle">
<?php
    include "models/products/functions.php";
    <div class="main-contentSingle">
        <div class="glavniProzivod">
        <form class="forma" method="post" action="models/news/insertNews.php">
                <h3>Naslov</h3>
                <input type="text" class="forma_item reg" name="naslov">
                <h3>Sadrzaj</h3>
                <textarea class="forma__item reg" name="sadrzaj" ></textarea>
                <input type="submit" id="btnReg" class="forma__item" value="Dodaj"</pre>
name="btnSubmit">
        </form>
        </div>
    </div>
 /main>
```