

Bug Reports Overview

QM2643-36
Pop-ups display incorrectly on mobile
QM2643-35
No spacing between controls and table on mobile
QM2643-34
Automatic roll after new game
QM2643-33
Name validation allows 1 character
QM2643-32
Point round ends with incorrect win
QM2643-31
Sum = 8 triggers extra try instead of lose
QM2643-30
Sum = 2 is processed as point instead of lose
QM2643-29
Sum = 6 incorrectly triggers lose state

Total Bugs Found: 8

Functional: 5
Validation: 1
UI/UX & Responsive: 2

Functional, Game logic - QM2643-29

QA Manual (10.04.2026) Дневник / QM2643-29

Sum = 6 incorrectly triggers lose state

✎ Edit

🔍 Add comment

Assign

More

progress

<

🔒

📄 Export

Details

Type: Bug

Priority: High

Affects Version(s): None

Component(s): None

Labels: None

Status: Unresolved

Resolution: None

Fix Version(s): None

Description

According to the game requirements, if the rolled sum is not 7, 11, 2, 8, or 12, the game should start a special round named "point". Sum = 6 belongs to the "point" group. However, the application sometimes processes sum = 6 as a lost round.

Steps to reproduce:

1. Start the game with valid player names.
2. Roll the dice until the sum = 6 appears during the first roll of a player's round.
3. Check the result in the game history table.

Expected result:

The game should display that the player rolled point, for example:
Player rolled point

Actual result:

The game displays:
Player lose the round

Type: Functional / Game logic

Attachments

Drop files to attach, or browse.

Sum=6_is_incorrectly.png
14/May/26 5:39 PM 253 kB

Release management

No release boards for this issue

Activity

All

Comments

Work Log

History

Activity

Git Roll Up

Git Commits

Estimate (async mode)

Jigt

There are no comments yet on this issue.

🔍 Add comment

Functional, Game logic - QM2643-30

QA Manual (10.04.2026) Дневник / QM2643-30

Sum = 2 is processed as point instead of lose

✎ Edit

🔍 Add comment

Assign

More

progress

<

🔒

📄 Export

Details

Type: Bug

Priority: High

Affects Version(s): None

Component(s): None

Labels: None

Status: Unresolved

Resolution: None

Fix Version(s): None

Description

According to the requirements, sum = 2 should immediately end the round with a loss. However, the application may incorrectly process sum = 2 as a point value or as an additional attempt.

Steps to reproduce:

1. Start the game with valid player names.
2. Roll the dice until the sum = 2 appears.
3. Check the displayed result in the game history table.

Expected result:

The player should lose the round:
Player lose the round

Actual result:

The game may display:

- Player rolled point
- Player got one more try

Type: Functional / Game logic

Attachments

Drop files to attach, or browse.

Sum=2_is_incorrectly.png
14/May/26 5:43 PM 212 kB

Sum=2_is_incorrectly.png
14/May/26 5:43 PM 167 kB

Sum=2_is_incorrectly.png
14/May/26 5:43 PM 211 kB

Release management

No release boards for this issue

Activity

All

Comments

Work Log

History

Activity

Git Roll Up

Git Commits

Estimate (async mode)

Jigt

There are no comments yet on this issue.

🔍 Add comment

Functional, Game logic - QM2643-31

QA Manual (10.04.2026) Дневник / QM2643-31

Sum = 8 triggers extra try instead of lose

✎ Edit

🔍 Add comment

Assign

More

progress

<

🔒

📄 Export

Details

Type: Bug

Priority: Medium

Affects Version(s): None

Component(s): None

Labels: None

Status: Unresolved

Resolution: None

Fix Version(s): None

Description

According to the requirements, sum = 8 should result in an immediate loss during the regular round. However, in some cases, the game displays got one more try, which creates inconsistent behavior.

Steps to reproduce:

1. Start the game with valid player names.
2. Roll the dice until the sum = 8 appears.
3. Check the result displayed in the game history table.

Expected result:

If sum = 8 is rolled in a regular round, the player should lose:
Player lose the round

Actual result:

The game may display:
Player got one more try

Type: Functional / Game logic

Attachments

Drop files to attach, or browse.

Sum=8_is_inconsistent.png
14/May/26 5:49 PM 163 kB

Release management

No release boards for this issue

Activity

All

Comments

Work Log

History

Activity

Git Roll Up

Git Commits

Estimate (async mode)

Jigt

There are no comments yet on this issue.

🔍 Add comment

Functional, Game logic - QM2643-32

QA Manual (10.04.2026) Дневник / QM2643-32

Automatic roll after new game

✎ Edit

🔍 Add comment

Assign

More

QA

<

🔒

📄 Export

Details

Type: Bug

Priority: Highest

Affects Version(s): None

Component(s): None

Labels: None

Status: In Progress

Resolution: Unresolved

Fix Version(s): None

Description

Point round incorrectly ends with win when rolled sum is different from the established point.

Description:

In point round, the player should win only if the rolled sum is equal to the established point. If the rolled sum is 7, the player loses. Any other value should continue the point round. However, the game sometimes marks the player as won in point even when the rolled sum is different from the point.

Examples:

- Point = 4, rolled sum = 9 → game displays won in point
- Point = 9, rolled sum = 10 → game displays won in point
- Point = 4, rolled sum = 5 → game displays won in point

Expected result:

If sum ≠ point and sum ≠ 7, the point round should continue.

Actual result:

The game displays:
Player won in point

Type: Functional / Game logic

Attachments

Drop files to attach, or browse.

Point_round_1.png
14/May/26 6:01 PM 209 kB

Point_round_2.png
14/May/26 6:01 PM 29 kB

Point_round_3.png
14/May/26 6:01 PM 34 kB

Release management

No release boards for this issue

Activity

All

Comments

Work Log

History

Activity

Git Roll Up

Git Commits

Estimate (async mode)

Jigt

There are no comments yet on this issue.

🔍 Add comment

Functional, Validation - QM2643-33

QA Manual (10.04.2026) Дневник / QM2643-33

Name validation allows 1 character

✎ Edit

🔍 Add comment

Assign

More

progress

<

🔒

📄 Export

Details

Type: Bug

Priority: Medium

Affects Version(s): None

Component(s): None

Labels: None

Status: Unresolved

Resolution: None

Fix Version(s): None

Description

According to the requirements, player names should contain only English characters and have a length from 2 to 20 characters. However, the application allows starting the game with one-character names.

Steps to reproduce:

1. Open the game.
2. Enter K in the Player 1 field.
3. Enter P in the Player 2 field.
4. Check the Start game button.
5. Click Start game.

Expected result:

The application should show validation errors and keep the Start game button disabled until both names contain at least 2 characters.

Actual result:

The Start game button becomes active, and the user can start the game with one-character names.

Type: Validation / Functional

Attachments

Drop files to attach, or browse.

one_character_names.png
14/May/26 6:03 PM 224 kB

Release management

No release boards for this issue

Activity

All

Comments

Work Log

History

Activity

Git Roll Up

Git Commits

Estimate (async mode)

Jigt

There are no comments yet on this issue.

🔍 Add comment

Functional, Game logic, Data display - QM2643-34

QA Manual (10.04.2026) Дневник / QM2643-34

Automatic roll after new game

✎ Edit

🔍 Add comment

Assign

More

QA

<

🔒

📄 Export

Details

Type: Bug

Priority: High

Affects Version(s): None

Component(s): None

Labels: None

Status: In Progress

Resolution: Unresolved

Fix Version(s): None

Description

After entering valid player names and starting a new game, the application may automatically add the first result row to the game history table, even though the user has not clicked the Roll button yet.

This issue appears after playing several rounds/games and starting new games repeatedly. The automatically created row may contain a rolled sum and result message, but the player name is missing because the roll was not actually made by any player action.

Steps to reproduce:

1. Start the game with valid player names.
2. Play several rounds.
3. End the game.
4. Start a new game with valid player names.
5. Repeat the process several times if needed.
6. Observe the game history table immediately after starting a new game, before clicking Roll.

Expected result:

After starting a new game, the history table should be empty until the user clicks the Roll button.

Actual result:

The game automatically adds a result row to the history table before the user clicks Roll. The row may contain a rolled sum and result message, but the player name may be missing.

Type: Functional / Game state / Data display

Attachments

Drop files to attach, or browse.

Bug_1.png
14/May/26 6:10 PM 113 kB

Bug_2.png
14/May/26 6:10 PM 142 kB

Bug_3.png
14/May/26 6:10 PM 130 kB

Release management

No release boards for this issue

Activity

All

Comments

Work Log

History

Activity

Git Roll Up

Git Commits

Estimate (async mode)

Jigt

There are no comments yet on this issue.

🔍 Add comment

UI, Responsive layout - QM2643-35

QA Manual (10.04.2026) Дневник / QM2643-35

No spacing between controls and table on mobile

✎ Edit

🔍 Add comment

Assign

More

progress

<

🔒

📄 Export

Details

Type: Bug

Priority: Low

Affects Version(s): None

Component(s): None

Labels: None

Status: Unresolved

Resolution: None

Fix Version(s): None

Description

On mobile resolutions, the game layout is displayed incorrectly before the first dice roll. The block with game controls (Roll, End game) and the score/history table are placed too close to each other. There is no safe vertical spacing between them.

This issue was checked in browser DevTools on mobile/responsive resolutions, including approximately:

- 768 px width
- iPhone SE size, 375 × 667

During inspection, the layout appears to use a flex structure. The related blocks have margin values for top/left/right, but no stable bottom spacing. As a result, before the first roll the lower table block visually sticks too close to the controls block. After the first roll, the table height changes and the spacing becomes more noticeable, but the initial state layout is still incorrect.

Steps to reproduce:

1. Open the game in browser DevTools.
2. Switch to a mobile/responsive viewport, for example:

- 768 px width
- iPhone SE 375 × 667

1. Start the game with valid player names.
2. Check the distance between the game controls block and the score/history table before the first roll.

Expected result:

There should be a stable vertical spacing between the game controls and the score/history table on mobile resolutions.

Actual result:

The game controls and the score/history table are displayed too close to each other before the first roll.

Possible technical note:

The issue may be related to missing margin-bottom or insufficient spacing between flex items in the mobile layout.

Type: UI / Responsive layout

Attachments

Drop files to attach, or browse.

768px_1.png
14/May/26 6:12 PM 246 kB

768px_2.png
14/May/26 6:12 PM 238 kB

768px_3.png
14/May/26 6:12 PM 111 kB

iPhone_SE_1.png
14/May/26 6:12 PM 95 kB

iPhone_SE_2.png
14/May/26 6:12 PM 109 kB

iPhone_SE_3.png
14/May/26 6:12 PM 143 kB

Release management

No release boards for this issue

Activity

All

Comments

Work Log

History

Activity

Git Roll Up

Git Commits

Estimate (async mode)

Jigt

There are no comments yet on this issue.

🔍 Add comment

UI, Responsive layout, Modal display - QM2643-36

QA Manual (10.04.2026) Дневник / QM2643-36

Pop-ups display incorrectly on mobile

✎ Edit

🔍 Add comment

Assign

More

progress

<

🔒

📄 Export

Details

Type: Bug

Priority: Medium

Affects Version(s): None

Component(s): None

Labels: None

Status: Unresolved

Resolution: None

Fix Version(s): None

Description

On mobile resolutions, pop-up windows are not displayed correctly. The win pop-up and end game/reset pop-up may overlap with the score/history table or appear partially broken. In some cases, the table visually appears above or too close to the modal content, making the pop-up look incorrectly layered.

The issue was reproduced on mobile/responsive resolutions in browser DevTools, including iPhone SE size and 768 px responsive width.

During HTML/CSS inspection, the issue may be connected with the table container and modal layout behavior. The results table has its own overflow behavior, and the modal window does not appear to be isolated properly above the rest of the UI. This may indicate a problem with z-index, positioning, overflow, or stacking context.

Steps to reproduce:

1. Open the game in browser DevTools.
2. Switch to a mobile viewport, for example iPhone SE 375 × 667.
3. Start the game with valid player names.
4. Play until the win pop-up appears or click End game to open the reset confirmation pop-up.
5. Scroll the page if needed.
6. Observe the pop-up position and interaction with the score/history table.

Expected result:

The pop-up should:

- be displayed above all page content,
- stay visually separated from the score/history table,
- fit correctly within the mobile viewport,
- remain readable and usable.

Actual result:

The pop-up is displayed incorrectly:

- it overlaps with the score/history table,
- some content may be visually covered,
- layout looks broken on mobile resolution,
- scrolling affects the modal/table positioning.

Possible technical note:

The issue may be related to modal positioning, table container overflow/scroll, missing or incorrect z-index, or stacking context problems in the responsive layout.

Type: UI / Responsive layout / Modal display

Attachments

Drop files to attach, or browse.

768px_1.png
14/May/26 6:18 PM 169 kB

768px_2.png
14/May/26 6:18 PM 174 kB

Release management

No release boards for this issue

Activity

All

Comments

Work Log

History

Activity

Git Roll Up

Git Commits

Estimate (async mode)

Jigt

There are no comments yet on this issue.

🔍 Add comment