

Sri Lanka Institute of Information Technology



IT2130 – Operating Systems and System Administration
Year 2, Semester 2- 2026

Practical Answer Submission

Practical Sheet No: 01

Student ID	IT24100763
Student Name	K. Gayathri Priya
Campus/ Center name	Malabe
Specialization	IT
Batch No	02.01

Activity 1

```
GNU nano 7.2                                first.c *
#include <stdio.h>
int main()
{
    printf("Gayathri Priya\n");
    printf("Sri Lanka\n");
    printf("SLIIT\n");
    return 0;
}
```

```
$ nano first.c
$ gcc -o first first.c
$ ./first
*****
        Gayathri Priya
        Sri Lanka
        SLIIT
*****
$
```

Activity 2

```
GNU nano 7.2                                first.c
#include <stdio.h>
int main()
{
    int exam_marks = 70;
    int homework_marks = 90;
    float overall_score;
    float score1;
    float score2;

    score1 = exam_marks*(50/100.0);
    score2 = homework_marks*(50/100.0);
    overall_score=score1+score2;

    printf("overall score = %f\n",overall_score);
    return 0;
}
```

```
$ gcc -o first first.c
$ ./first
overall score = 80.000000
$
```

Activity 3

```
GNU nano 7.2 first.c
#include <stdio.h>
int main()
{
    int exam_marks = 70;
    int homework_marks = 90;
    float overall_score;
    float score1;
    float score2;

    score1 = exam_marks*(50/100);
    score2 = homework_marks*(50/100);
    overall_score=score1+score2;

    printf("overall score = %f\n",overall_score);
    return 0;
}
```

```
$ gcc -o first first.c
$ ./first
overall score = 0.000000
$
```

Reason : We are doing integer division here in the code

Activity 4

```
GNU nano 7.2                                first.c *
#include <stdio.h>
int main()
{
    printf("Enter exam markks:");
    int exam_marks;
    scanf("%d", &exam_marks);

    printf("Enter homework marks:");
    int homework_marks;
    scanf("%d", &homework_marks);

    float overall_score;
    float score1;
    float score2;

    score1 = exam_marks*(50/100.0);
    score2 = homework_marks*(50/100.0);
    overall_score=score1+score2;

    printf("overall score = %f\n",overall_score);
```

```
$ gcc -o first first.c
$ ./first
Enter exam markks:90
Enter homework marks:87
overall score = 88.500000
$
```