

Bitnami WAMP / MAMP Installation Instructions. Version 8.0.7

For Windows, run bitnami-wampstack-8.0.7-0-windows-x64-installer.exe

For Mac OS, run bitnami-mampstack-8.0.7-1-osx-x86_64-installer.dmg

User Account Control Application: Wampstack Verified publisher: VMware, Inc. File origin: Hard drive on this computer

Do you want to allow this app to make changes to your device? Click Yes.

It may take less than a minute then the Bitnami logo appears.




It automatically disappears and the Setup dialog box appears.



Click Next


Setup Select Components dialog box appears.



Optional you can leave all these checked yes. Must have PhpMyAdmin checked yes.

Recommended to de-check these components except for PhpMyAdmin. Click Next.


Setup Installation folder appears. By default, C:\Bitnami\wampstack-8.0.7-0 is the destination folder.



Click icon to select a destination folder. Also, your choice however I name the directory wampstack because future version numbers will be different and I want to keep production in one place.


Click Next.

Setup Create MySQL 'root' Account dialog box appears.




Suggestion: make the password rootdb. This is for the database username root. Click Next.


Setup Deploy wampstack to the Cloud in One Click




Remove the checkmark. Click Next.




Click Next.



This screen pauses for a moment and then begins unpacking for installation. Green progress bar. Wait.




In the background (you do not see it) MySQL starts, and then shuts down. Apache too. Next screen.



Leave the checkmark yes for Launch Bitnami WAMP Stack. Click Finish.

Run manager-windows.exe When prompted with User Account Control **Application:** VMware Installbuilder for Windows **Verified publisher:** VMware, Inc. **File origin:** Hard drive on this computer


Do you want to allow this app to make changes to your device? Click Yes.



Congratulations!!!


Click Open Application Folder. Should see a file manager window of wampstack (where you installed the software.) Close the file manager window.


IMPORTANT: Go into directory apache2 Go to directory htdocs Rename index.html to index(original).html Then copy the index.html file provided to this htdocs directory location.




Click Manage Servers. See two green dots, and two Status Running. Click Welcome tab.

Click Open phpMyAdmin. Username = root Password = rootdb Click Go






Click icon to logout.



Need an Internet connection. Click Visit Bitnami. Should see a browser open with bitnami.com homepage. Close the browser window.

Get Support. <https://bitnami.com/support> close browser.


Click Go to Application. Should see the screen below.



Click Check our documentation. See below.



Close browser tab. Click Start the Servers. See below. Note your Operating System.



ApplicationsKubernetesDevelopersCompany

[Bitnami Documentation](#) > [Windows / Linux / macOS](#) > [Bitnami Stacks for Windows / Linux / macOS / OS X VM](#) > [Bitnami WordPress Stack for Windows / Linux / macOS / OS X VM](#) > [Administration](#)

Bitnami WordPress Stack For
Windows / Linux / MacOS / OS X
VM

Getting Started

Administration

- Start or stop services on Windows
- Start or stop services on OS X
- Start or stop services on Linux

Close browser tab. Click Deploy your own project. See example below.

Publish Web Pages

If you already have a Web page and you want to serve its content with Apache, copy your file to the default document root directory at `/opt/bitnami/apache2/htdocs/`.

Close browser tab.

<END>