


deeplearning.ai

One hidden layer Neural Network

Backpropagation intuition (Optional)

Computing gradients

Logistic regression



Neural network gradients $z^{[2]} = W^{[2]}x + b^{[2]}$ duri = de a Tos Tests = Wolk & $\begin{pmatrix} n^{\tau \iota_3} & \iota_{\iota_3} \end{pmatrix}$

Summary of gradient descent

$$dz^{[2]} = a^{[2]} - y$$
 $dW^{[2]} = dz^{[2]}a^{[1]^T}$
 $db^{[2]} = dz^{[2]}$
 $dz^{[1]} = W^{[2]T}dz^{[2]} * g^{[1]'}(z^{[1]})$
 $dW^{[1]} = dz^{[1]}x^T$
 $db^{[1]} = dz^{[1]}$

Vectorized Implementation:

$$z^{Tij} = (\omega^{Tij} \times + b^{Tij})$$

$$Z^{Tij} = g^{Tij}(z^{Tij})$$

$$Z^{Tij} = \left[z^{Tij}(z^{Tij}) + z^{Tij}(z^{Tij})\right]$$

$$Z^{Tij} = \left[z^{Tij}(z^{Tij}) + z^{Tij}(z^{Tij})\right]$$

$$Z^{Tij} = g^{Tij}(z^{Tij})$$

Summary of gradient descent

$$dz^{[2]} = a^{[2]} - y$$

$$dW^{[2]} = dz^{[2]}a^{[1]^T}$$

$$db^{[2]} = dz^{[2]}$$

$$dz^{[1]} = W^{[2]T}dz^{[2]} * g^{[1]'}(z^{[1]})$$

$$dW^{[1]} = dz^{[1]}x^T$$

$$db^{[1]} = dz^{[1]}$$

$$dz^{[2]} = a^{[2]} - y$$

$$dW^{[2]} = dz^{[2]}a^{[1]^T}$$

$$db^{[2]} = dz^{[2]}$$

$$dz^{[1]} = W^{[2]T}dz^{[2]} * g^{[1]'}(z^{[1]})$$

$$dW^{[1]} = dz^{[1]}x^T$$

$$db^{[1]} = dz^{[1]}$$

$$dD^{[1]} = dz^{[1]}$$

$$dz^{[1]} = dz^{[1]}x^T$$

$$dz^{[1]} = dz^{[1]}x^T$$