

Start-up management system

Gayathri 185001050

Team No: 9

Problem Statement

1. Describe how things should work.

To customise and bypass the technical features of establishing a start-up. Any person with a start-up idea need not worry about the execution part if he has a standard idea in mind. The start-up has to register with the software and create an account. The start-up can publish their products along with rate and availability(stock).Likewise the consumers can create separate accounts to buy products from the registered start-up's.

2. Explain the problem and state why it matters.

When a start-up(e-commerce) is established, the consumers have to interact with the start-up agency only through their social media accounts which streamlines or narrows down the reach. Since reaching out to customers is the most important thing, the software can handle it with ease.

3. Financial costs

If an e-commerce start-up opt to create a website or automated e-commerce method, they would have to pay more than 50k-1L for the software to be done. Or they can use Instagram or Facebook to sell products but there would be lots of manpower needed to interact with customers and place the order and get the order shipped to the correct address. Here the efficiency reduces which in turn affects the total income or products sold in a day or a period of time. Ultimately the profit will reduce. In either method they should spend a lot initially or their profit will be affected

4. Back up claims

If the transportation and advertising and selling/buying platform is taken care of by the software, the only concern of the start-up will be the manufacturing process which in turn will increase the quality of the product

5. Propose solution

Instead of streamlining the technical aspect of the process which holds a major role in the feasibility of the start-up, we propose to establish a software which acts as an intermediate between the start-up executives and the consumers and takes care of all the intermediate processes. He/she has to establish their idea and products in the software which can take care of reaching out to people(advertising) as well as transportation.

6. Explain benefits of proposed solution

The benefits of the proposed solution are making the start Up establishing process easy and efficient and encouraging a lot of youngsters to put their ideas into action without a lot of effort in the technical front. The proposed model is also efficient in the financial aspect since the software system is governing a number of start-ups and the transportation can be synced up to decrease cost compared to separate transportation for each start-up.

7. Conclude by summarizing problem and solution

The goal is to make the establishment of start-up's easier and efficient with little effort by registering with the software system. The software system will take care of the advertising and delivery which are the major pillars of start-up which in turn promotes entrepreneurship.

Software Requirements Specification Document

Table of Contents

1. Introduction

- 1.1 Purpose
- 1.2 Scope
- 1.3 Definitions, Acronyms and Abbreviations
- 1.4 References
- 1.5 Overview

2. Overall Description

2.1 Product Perspective

- 2.2 Product Functions
- 2.3 User Characteristics
- 2.4 Constraints
- 2.5 Assumptions and Dependencies

3. Specific Requirements

3.1 Functionality

- 3.1.1 Login Capabilities
- 3.1.2 Mobile Devices
- 3.1.3 Alerts

3.2 Usability

3.3 Reliability

- 3.3.1 Availability
- 3.3.2 Mean Time Between Failures (MTBF)
- 3.3.3 Mean Time to Repair (MTTR)
- 3.3.4 Accuracy
- 3.3.5 Maximum Bugs or Defect Rate
- 3.3.6 Access Reliability
- 3.3.7 Mean Time To Failure(MTTF)

3.4 Performance

- 3.4.1 Response Time
- 3.4.2 Throughput
- 3.4.3 Capacity

3.4.4 Resource Utilization

3.5 Supportability

3.5.1 Internet Protocols

3.5.2 Information Security Requirement

3.5.3 Billing Management System Data Compatibility

3.5.4 Maintenance

3.5.5 Standards

3.6 Design Constraints

3.6.1 Software Language Used

3.6.2 Development Tools

3.7 Purchased Components

3.8 Interfaces

3.8.1 User Interfaces

3.8.2 Hardware Interfaces

3.8.3 Software Interfaces

3.8.4 Communications Interfaces

3.9 Licensing Requirements

4. Supporting Information

SOFTWARE REQUIREMENT SPECIFICATION

1. Introduction

“Start-up Management System” is the best software for managing highly customizable Start-up ideas and bypassing the technical aspect of establishing a start-up. In today’s generation people prefer getting products delivered to their homes and are hence dependent on startup’s to cater their varied product needs which in turn causes a lot of people to ponder into this field but step back due to the huge amount of work required in addition to the development of the product. Till date many of the transactions, log maintenance, complaint records, Human resource management are being done manually. Maintaining huge records and paper copies for each of these Start-up’s and users is cumbersome and thus we require an integrated and hassle free system that can replace all this and work effortlessly and effectively and help manage startup communities.

This system would be used by the entrepreneurs around the world and the users. The purpose of this document is to analyze and elaborate on the high-level needs and features of the Start-up Management System.

1.1 Purpose

The purpose of Software Requirements Specification (SRS) document is to describe the external behavior of the Start-up Management System . Requirements Specification defines and describes the operations, interfaces, performance, and quality assurance requirements of the Start-up Management System. This describes the constraints, requirements and all the things necessary for the development of an Start-up Management System. The intended audience could be software developers and other professionals who would like to further improve the scope of this system.

1.2 Scope

This single document encompasses all the features of the proposed system:

- The system displays and maintains the Start-up's that have registered for their service.
- The system provides logon facility to the users
- The product integrates the bill/invoice management with regard to the products ordered by the user.
- The system provides the user's with an easy interface for booking their products.

- The system notifies the start-up's in case of high demand for any particular product from their company
- The system also facilitates complaint booking in order to help.
- The product allows start up's to concentrate on their manufacturing and development process rather than on the technical aspect.
- The product maintains a log of the temperature readings of visitors in view of the current pandemic situation.
- The system keeps track of transportation and delivery of goods within the mentioned time duration
- The system allows transparency in accounts and expenditure

1.3 Definitions, Acronyms, and Abbreviations.

Provide the definitions of all terms, acronyms, and abbreviations required to properly interpret the SRS. This information may be provided by reference to one or more appendices in the SRS or by reference to documents. This information may be provided by reference to an Appendix.

1.4 References

This SRS document uses the following as references:

1.4.1 PROOF-HUB-The best project management tool available for a start up.

1.5 Overview

The SRS will provide a detailed description of the Start-up Management System. This document will provide the outline of the requirements, overview of the characteristics and constraints of the system.

1.5.1 Section 2 of the SRS will provide the general factors that affect the system and its requirements. It provides the background for those requirements. The items such as product perspective, product function, user characteristics, constraints, assumptions and dependencies and requirements subsets are described in this section.

1.5.2 Section 3 of SRS contains all the software requirements mentioned in section 2 in detail sufficient enough to enable developers to design the system to satisfy the requirements and testers to test if the system satisfies those requirements.

2. Overall Description

2.1 Product Perspective

This system provides an automated and clutter-free package for automating all the necessary needs to start an ecommerce business or startup. Initial setup for a startup is the crucial step which includes the following,

- Setting up a website for their marketing and managing.
- An ecommerce backend to manage their commodities with payment gateway and shipping gateway.
- Personal user suggestion feature based on their search results.

These are the initial steps for a startup which may cost a lot to set up. Our product provides a basic template with all features where they can customise based on their needs. They could scale our product on the go making the initial step easy and cost effective.

2.2 Product Functions

The following functionalities will be provided to the users of the proposed system:

- The startup can have their own customized website over our basic template.
- We could also provide features to customize our basic template to set up a quick minimalistic website.
- The startup can set up the predefined payment method within minutes.
- They can also add the shipping feature based on the products or location type.
- The user will get a total analytics of the whole transaction, products sale etc.
- Extra features such as product return management, product enquiry management, wishlist, comments, feedback, rating, similar products suggestions etc will be available.

These are the key functions of the proposed product.

2.3 User Characteristics

The system will be used by two major groups of people, one who buys the product (buyer), another who sells the product (seller). The sellers are those who have an idea to bring out innovative products into the market. They mainly focus on the management of the products which scales up in production over time. The seller also leverages the payment, shipping and other customization features to get the management process easy and accurate. The buyer gets to compare multiple products from different startups and buy the best one in a single pool of the

startup community. The buyer gets all the advantages of a fully developed ecommerce company in a startup based company which inturn creates trust among the buyers.

2.4 Constraints

- The system should be compatible with all Internet based applications and all popular browsers.
- The system would require connectivity to the internet and the database store for smooth functioning of the product as a whole.
- The system needs legitimate usernames and passwords for authentication of the residents.
- The database should be accessible by the system to access the relevant information.
- The payment gateway must be secured with maximum security.
- The shipping and return option must be reliable and efficient.

2.5 Assumptions and Dependencies

- The users of the system should have adequate computer knowledge.
- The system should have continuous Internet connection and database access.
- The users should be able to understand English language, as the user interface is provided in English.
- The user can have the 24/7 support.

3. Specific Requirements

This section describes in detail all the functional requirements.

3.1 Functionality

3.1.1 Login Capabilities

The system shall provide the users with login capabilities.

3.1.2 Mobile Devices

The startup Management System notifies the users through messages in mobile devices.

3.1.3 Alerts

The system can alert the user in case of any events/announcements and also when there is any customers approaching to their product

3.2 Usability

- The system shall allow the users to access the system from the Internet using HTML or its derivative technologies. The system uses a web browser as an interface.
- Since all users are familiar with the general usage of browsers, no specific training is required.
- The system is user friendly and self-explanatory.

3.3 Reliability

The system has to be very reliable due to the importance of data and the damages incorrect or incomplete data can do.

3.3.1 Availability

The system is available 100% for the user and is used 24 hrs a day and 365 days a year. The system shall be operational 24 hours a day and 7 days a week.

3.3.2 Mean Time Between Failures (MTBF)

The system will be developed in such a way that it may fail once in a year for database maintenance.

3.3.3 Mean Time to Repair (MTTR)

Even if the system fails, the system will be recovered back up within an hour or less.

3.3.4 Accuracy

The accuracy of the system is limited by the accuracy of the speed at which the product reaches to the customers view and sellers details.

3.3.5 Maximum Bugs or Defect Rate

Not specified.

3.3.6 Access Reliability

The system shall provide 100% access reliability.

3.4 Performance

3.4.1 Response Time

The Splash Page or Information page should be able to be downloaded within a minute using a 56K modem. The information is refreshed every two minutes. The access time for a mobile device should be less than a minute. The system shall respond to the member in not less than two seconds from the time of the request submittal.

3.4.2 Administrator Response

The system shall take as less time as possible to provide access to the product for sale

3.4.3 Throughput

The number of transactions is directly dependent on the number of users, the users may be the product seller and the customer who enquires about the product and makes deals for the product .

3.4.4 Capacity

The system is capable of handling 250 users at a time and could be scaled up on the go.

3.4.5 Resource Utilization

The resources are modified according the startup persons and the customers requirements

3.5 Supportability

The system designers shall take into considerations the following supportability and technical limitations.

3.5.1 Internet Protocols

The system shall comply with the TCP/IP protocol standards and shall be designed accordingly.

3.5.2 Billing System Data Compatibility

The member balance amount that will be calculated and sent to the billing system shall be compatible with the data types and design constraints of the billing system.

3.5.3 Maintenance

The maintenance of the system shall be done as per the maintenance contract.

3.5.4 Standards

The coding standards and naming conventions will be as per the American standards.

3.6 Design Constraints

3.6.1 Software Language Used

The languages that shall be used for coding the startup management System are Active Server Pages (ASP), Java Servlets, Java Server Pages (JSP), Django, HTML, JavaScript, and VBScript. For working on the coding phase of the startup management System, the Internet Information Services (IIS) Server needs to be installed.

3.6.2 Development Tools

Will make use of the available Java Development Tool kits for working with JavaBeans ,Java Server Pages and Django. Also will make use of the online references available for developing programs in ASP, HTML and the two scripting languages, JavaScript and VBScript.

3.6.3 Class Libraries

Will make use of the existing Java and Python libraries available for JSP and Servlets and Django. Also we need to develop some new libraries for the web-based application. Also will develop new programs using ASP and scripting languages.

3.7 On-line User Documentation and Help System Requirements

Online help is provided for each of the features available with the Startup Management System. All the applications provide an on-line help system to assist the user. The nature of these systems is unique to application development as they combine aspects of programming (hyperlinks, etc) with aspects of technical writing (organization, presentation). Online help is provided for each and every feature provided by the system. The User Manual describes the use of the system to seller and buyer. It describes the use of the system on mobile systems. The user manual should be available as a hard copy and also as online help. An installation document will be provided that includes the installation instructions and configuration guidelines, which is important to a full solution offering. Also, a Read Me file is typically included as a standard component. The Read Me includes a “What’s New With This Release” section, and a discussion of compatibility issues with earlier releases. Most users also appreciate documentation defining any known bugs and workarounds in the Read Me file. Since the installation of the Startup Management System is a complex process, our experts will do it. So an installation Guide will not be provided to the user.

3.8 Purchased Components

The System Administrator will need to purchase the license for IIS Server. Mostly it is available with Windows/Linux Environment. So the system need not purchase any licensing products.

3.9 Interfaces

3.9.1 User Interfaces

Will make use of the existing Web Browsers such as Microsoft Internet Explorer or Chrome. The user interface of the system shall be designed as shown in the user-interface prototypes.

3.9.2 Hardware Interfaces

The existing Local Area Network (LAN) will be used for collecting data from the startup persons and also for updating the new upcoming products from the startup persons, 3.9.3 Software Interfaces A firewall will be used with the server to prevent unauthorized access to the system.

3.9.4 Communications Interfaces

The startup management system will be connected to the World Wide Web.

3.10 Licensing Requirements

The usage is restricted to only SSN who is purchasing the Startup Management and signs the maintenance contract.

3.11 Legal, Copyright, and Other Notices

Startup Management System is a trademark of SSN and cannot be used without its consent.

3.12 Applicable Standards

The ISO/IEC 6592 guidelines for the documentation of computer based application systems will be followed.

4. Supporting Information

The use-case storyboards or the user-interface prototypes are not available. The appendices are not to be considered as part of the requirements.

Ex.No.3


Identify Use Cases and develop the Use Case model Start-up Management System

Aim:

Creation of an UML Use case model for Start-Up Management System.

Notations:

- **Use cases:** Horizontally shaped ovals that represent the different uses that a user might have.
- **Actors:** Stick figures that represent the people actually employing the use cases.
- **Associations:** A line between actors and use cases. In complex diagrams, it is important to know which actors are associated with which use cases.
- **System boundary boxes:** A box that sets a system scope to use cases. All use cases outside the box would be considered outside the scope of that system. For example, Psycho Killer is outside the scope of occupations in the chainsaw example found below.



Identification of Actors:

1. Super admin
2. Customer
3. Admin (Start-up Owner)
4. Delivery people
5. Advertising people

Identification of Scenarios:

Main Success Scenario:

1. Signup
2. Login(Authentication)
3. Logout
4. Advertise start-up for availability of product
5. View products for rent/buy
6. Place order
7. Calculate bill
8. Check payment status
9. Return order
10. View customer record
11. Announcement of offers and giveaway
12. Raise complaint
13. Resolve complaint
14. Request speed Delivery
15. Track Delivery Information
16. Notify Customer
17. View Cart
18. View wishlist

Failure Scenario/Alternate Flow:


1. Invalid Details
2. Invalid User credentials
3. Unavailability of product
4. System Failure
5. Advertising invalid product Information

Subfunction(Delivery):


1. Order Confirmation
2. Payment Confirmation
3. Location Details
4. Authorize Delivery
5. Generate OTP
6. Delivery Tracking
7. Delivery

Use Case Diagram:

Main Success Scenario:



Subfunction-Delivery system



Fully dressed Usecase Description :

Scope: Start-up Management System

Level: User goal

Primary Actor: Customers and Start-up owners

Stakeholders and Interests:

- Customer: Wants to make an easy and hassle free purchase from the portal. Wants proof of purchase for return purposes ·
- Start-up owner: Wants to keep an accurate track of the products sold, handles all the issues of the customers and make sure the payment is verified

a. Main success scenario:

1. The new start-up executive/owner needs to Register with start-up details and products available
2. The customers need to register with the system with credentials and a safe password.
3. The start-up owner and the customers need to login into the system with a username and valid password.
4. The customer or start-up owner can Logout once the work is finished.
5. The owner can advertise his products for Rent or Selling purposes with the help of the portal with an extended pay according to the Ad reach expected.
6. The customer can calculate and view all the bill amount details for his wishlist and cart at any point of time.
7. The customer can check the availability of the products and the perks available with the product.
8. The Start-up can make announcements regarding any high-end sale for all products sold by the company.
9. In the portal the customers get to view all the events(sales scheduled) of that month.
10. The customers get to post various complaints and issues in this complaints forum that can be brought to the notice of the start-up company.
11. The company and the super-admin gets to view and resolve these complaints posted.
12. The residents can request for speed delivery options after specifying the location anytime and will be notified if available.
13. The delivery agency accepts any request for different delivery options from customers and notifies availability depending on location demand.
14. Admins(Start-up owners) can view the product availability and sale status at any time to satisfy upcoming needs.
15. Delivery is successfully done by the delivery management authorities.

b. Frequent Alternate scenario

***a. At any time, System fails:**

To support recovery and correct accounting, ensure all transaction sensitive state and events can be recovered from any step of the scenario.

1. New user signs in using login details
 - 1.a Invalid details:
 1. System notifies the user, records the error and enters a clean state
 2. User can register again
2. Customer/Start-up owner restarts System, logs in, and requests recovery of prior state.
 - 2a. Invalid User:
 1. System notifies the user, records the error and enters a clean state

2. User can login again
 - 2b. Invalid Password:
 1. System notifies user, records the error and enters a clean state
 2. User can login again.
 4. Owner advertises product information
 - 4a. Status of the sale for the product:
 1. The portal can display whether the product is available or not at that instant of time and the sale corresponding to that particular product at that instant.
 - 4b. Invalid Information:
 1. Owner can retrieve back and repost correct information.
14. Delivery department:
- 14a. Delivery men Not available in that particular area:
1. If delivery staff not available-notify user to try again later.

c. One important subfunction

- Delivery system sub-function
1. Customer searches for products available under a particular start-up and book the product.
 2. Customer chooses the delivery option(i.e. speed delivery,etc).
 3. Delivery option is accepted and user details and location is prompted.
 4. Checks for availability of delivery men in specified location.
 5. If delivery men available booking is authorised by verifying the generated OTP.
 6. If booking verified Bill is calculated.
 7. Delivery is successful.

Documentation

This use case is illustrative and exhaustive and provides a very good visual description and detail of the system. The use case brings forward the various functionalities of the system along with the alternative flows and stresses upon the important sub function of the system also. Summarising this use case diagram gives a lucid and vivid description of the system and its functionalities.

DOMAIN MODEL AND CLASS DIAGRAM


AIM

To design a domain model and class diagram for start-up management systems.

UML Notations for Domain model diagram



UML Notations for Class diagram



Identification of Classes

1. Conceptual Class Category List

Conceptual class category	Examples
Physical or tangible objects	products,register
Specifications ,designs or description of things	Item description
transactions	Payment gateway
Roles of people	Member,Start-up manager, delivery agent, advertising agent, super-admin
Containers of other things	Product Inventory
Things in a container	Products
Other computer or electro -mechanical systems external to the system	PaymentValidationSystem
Abstract noun concepts	User(start-up owner),Customer
events	Order, return, pay, reserve, login, Register,lodge complaint
processes	Add products, delete products,edit products, assign delivery agents, assign advertising agents, manage complaints, authenticate users, cart process, wishlist management, payment process, return

	policy process, review process, shipment process.
Rules and policies	Return and complaint policies
catalogs	ProductCatalog
Records of finance,work,contracts, legal matters	PaymentDetails, Product availability, Customer Details, FinancialTurnover
Financial instruments and services	Product stock

2.Identification of Noun Phrases

- Login
- Register
- Products
- Startup owner
- Super Admin
- Payment
- Validate Payment
- Cash Payment
- Notify sale
- Finance

Identification of Associations

1. Association Category list

Category	Example
A is logically contained in B	ProductDescription-ProductCatalog customer-productManagement Start-up owner-startupManagement
A is a description for B	productDescription-product
A is known/logged/recorded in B	Payment-PaymentDetails ProductTransaction-Start-up Database
A is a member of B	Start-up owner-Management System
A uses or manages B	Start-up owner-ProductCatalog Start-up owner-MemberDatabase customer-Login customer-Register customer-Order customer-Reserve customer-Return customer-Pay
A communicates with B	customer-ProductSystem Start-up owner-StartupSystem
A is related to a transaction B	customer-returnPayment customer-complaint Payment-ValidatePayment
A is a transaction related to another transaction B	Order-Return CheckAvailability-Issue CheckAvailability-push to cart

Definition of Associations and their notations (Generalization, Aggregation and Composition)

- **Association**

Association relationship is a structural relationship in which different objects are linked within the system. It exhibits a binary relationship between the objects representing an activity



- **Aggregation**

Aggregation is a subset of association, is a collection of different things. It represents a relationship. It is more specific than an association. It describes a part-whole or part-of relationship. It is a binary association, i.e., it only involves two classes. It is a kind of relationship in which the child is independent of its parent.



- **Composition**


The composition is a part of aggregation, and it portrays the whole-part relationship. It depicts dependency between a composite (parent) and its parts (children), which means that if the composite is discarded, so will its parts get deleted. It exists between similar objects.




2. Multiplicity based associations (list all possible multiplicity)

1. Customer and Complaint are connected in a 1:(0...*) relation.
2. Customers and bookings are connected in a 1:1 relation.
3. Advertising agents and customers are connected in a (0..*):1 relation.
4. customer and cart are connected in a 1:1 relation.
5. Payment and customer are connected in a 1:1 relation.
6. sale and customers are connected in a (0..*):1 relation.
7. Portal manager and customer are connected in a (0..*):(0..1) relation.
8. Startup owner and portal manager are connected in a (0..1):(0..*) relation.
9. Delivery agent and customer are connected in a (0..*):1 relation.
10. Startup owner and delivery agent are connected in a 1:(0..*).

Domain Model Diagram



Class Diagram



Documentation

The domain model and the class diagram shows the conceptual modeling of the start-up management system and the flow of the scenario is shown in detail. The model helps in implementation of the entire start-up management system. All the functions and roles of people is mentioned and the entire working of the system is represented in these diagrams.

EX.5


UML Interaction Diagrams

AIM


To design an interaction diagram for start-up management systems.


UML Notations for Sequence diagram

1. Class




2. Illustrating Message passing






3.Singleton




Notation for Singleton

4. Mutually exclusive interactions



Alt frame show mutually exclusive interactions


5. Nested frame




A loop frame nested within an optional frame

UML Notations for Communication diagram


1. Links




2. Messages




3. Message to this:




4. Creation of instances:




5. Message number sequencing:




6. Conditional messages:




7: Mutually exclusive messages:




8. Iteration or looping:




9. Iteration over a collection :




10. Messages to a class to invoke a static (class) methods:




11. Polymorphic messages and cases:





12. Asynchronous and synchronous calls:




Sequence Diagram-Main success









Sequence Diagram – Alternate Scenario 1 – Payment Failure




Sequence Diagram – Alternate Scenario 2 – Product Availability



Sequence Diagram - Sub Function



Communication Diagram



Documentation:


The UML interaction diagrams of the Start-up management System illustrate how objects interact via messages. The diagrams show the flow of the model with respect to time. The model helps in understanding the entire Start-up management system flow with respect to time. The various scenarios and sub functions are also shown .


STATE MACHINE AND ACTIVITY DIAGRAM

AIM

To design a state machine and activity diagram for Start-up management systems.


UML notations of the activity diagram:





6.

Synchronization




7.



8.


UML notations for state diagram:





Identification of states

- Waiting
- User
- Product Catalog
- Return
- Availability
- Payment
- Cash
- Calculate Bill
- Admin
- Modify_Cart
- Delivery
- Logout

State Machine Diagram



ACTIVITY Diagram:



Documentation:

The state machine diagram defines the dynamic behaviour of an individual object and the activity diagram describes the workflow behaviour and process flows in the Start-up Management System. The model helps in implementation of the entire Start-up management system.

Package Diagram:

Aim:


To design a package diagram for a Start-up management system.

UML Notations for package diagram:

1.Package




2.Model



3.Dependency




4.Access



5.Import



Diagram:



Documentation:


The package diagram depicts the dependencies between the packages of the Start-up Management system. It also shows both structure and dependencies between sub-systems or modules. The model helps in implementation of the entire Start-up management system.

COMPONENT AND DEPLOYMENT DIAGRAM

Aim:

To design component and deployment diagram for Start-Up management system.

UML notations for component diagram:




List of components identified from class and use case diagram:


1. Products
2. Customer
3. Payment
4. Start-up admin
5. Product database
6. Customer database

7. Customer account
8. Register
9. Login
10. View products
11. Deliver product
12. Return product

Component diagram:



UML notations for deployment diagram:




1. Node



2. Artifact


3. Communication association



List of nodes from component diagram:

1. Products
2. Customer
3. Payment
4. Start-up company
5. Transport agency
6. Product database
7. Customer database
8. Customer address database

Deployment Diagram:



Documentation:

Component diagram shows how the physical components of a system are organised , it allows you to combine deployment nodes with components to show which components run on each node. The deployment diagram shows the structure of the nodes on which the components are deployed. These help to visualize the organization and relationships among components of the Start-up Management System.

Start-up Management System

AIM:

To implement the Start Up Management System proposed in the object oriented model using django and postgres(DB), with the proposed features.

Hardware and Software requirements:

Hardware requirements:

1. Processor : Minimum 1 GHz or higher
2. Hardware : 100 MB or more
3. RAM : 128 MB or more

Software requirements:

- OS : **Windows:** 7 or newer
MAC: OS X v10.7 or higher
Linux: Ubuntu
- Chrome: version 80 or higher

Database:

1. The tables present in the database

The screenshot shows the pgAdmin interface with the 'Tables (16)' node expanded. The list includes: auth_group, auth_group_permissions, auth_permission (which is selected), auth_user, auth_user_groups, auth_user_user_permissions, django_admin_log, django_content_type, django_migrations, django_session, easy-thumbnails_source, easy-thumbnails_thumbnail, easy-thumbnails_thumbnaildimensions, shop_advertisement, shop_product, and shop_shop.

2. Column description of shop_shop table

The screenshot shows the pgAdmin interface with the 'Columns' tab selected for the 'shop_shop' table. The columns and their properties are as follows:

Name	Data type	Length/Precision	Scale	Not NULL?	Primary key?
id	integer			Yes	Yes
name	character varying		200	Yes	No
slug	character varying		200	Yes	No
shop_type	character varying		200	Yes	No
is_published	boolean			Yes	No
profile_photo	character varying		100	Yes	No
profile_photo_crop	character varying		255	Yes	No
feature_photo	character varying		100	Yes	No
feature_photo_crop	character varying		255	Yes	No
slide_photo	character varying		100	Yes	No
slide_photos_crop	character varying		255	Yes	No
photo_1	character varying		100	No	No
photo_1_crop	character varying		255	Yes	No
photo_2	character varying		100	No	No
photo_2_crop	character varying		255	Yes	No
photo_3	character varying		100	No	No
photo_3_crop	character varying		255	Yes	No
description_1	text			No	No
tag	character varying		200	Yes	No
facebook	character varying		200	Yes	No
twitter	character varying		200	Yes	No
instagram	character varying		200	Yes	No
youtube	character varying		200	Yes	No
owner_name	character varying		200	Yes	No
owner_view	text			No	No
list_date	timestamp with time zone			Yes	No
description_2	text			No	No

3.Column description of shop_product table

The screenshot shows the pgAdmin 4 interface with the 'shop_product' table selected. The 'Columns' tab is active, displaying 27 columns with their respective data types, lengths, and constraints. The columns include: id (integer), name (character varying), slug (character varying), product_type (character varying), is_published (boolean), is_mip (boolean), profile_photo (character varying), profile_photo_crop (character varying), original_url (integer), discounted_url (integer), description_1 (text), is_size (boolean), category (character varying), tag (character varying), photo_1 (character varying), photo_1_crop (character varying), photo_2 (character varying), photo_2_crop (character varying), photo_3 (character varying), photo_3_crop (character varying), description_main (text), description_image (character varying), description_image_crop (character varying), stock_available (character varying), weight (character varying), size (character varying), color (character varying), list_date (timestamp with time zone), and shop_id (integer). The 'Not NULL?' column shows green checkmarks for most columns except 'original_url', 'photo_1', 'photo_2', 'photo_3', 'description_main', 'description_image', 'description_image_crop', 'weight', 'size', 'color', 'list_date', and 'shop_id'. The 'Primary key?' column shows green checkmarks for 'id', 'name', 'slug', 'product_type', 'is_published', 'is_mip', 'profile_photo', 'profile_photo_crop', 'original_url', 'discounted_url', 'description_1', 'is_size', 'category', 'tag', 'photo_1', 'photo_1_crop', 'photo_2', 'photo_2_crop', 'photo_3', 'photo_3_crop', 'description_main', 'description_image', and 'description_image_crop'. A sidebar on the right lists 'photo_2' (character varying), 'photo_2021/04' (character varying), and 'photos' (character varying).

4.Column description of shop_advertisement table

The screenshot shows the pgAdmin 4 interface with the 'shop_advertisement' table selected. The 'Columns' tab is active, displaying 7 columns with their respective data types, lengths, and constraints. The columns include: id (integer), ad_name (character varying), slug (character varying), approved_by (character varying), list_date (timestamp with time zone), shop_id (integer), and is_published (boolean). The 'Not NULL?' column shows green checkmarks for all columns except 'list_date'. The 'Primary key?' column shows green checkmarks for 'id', 'ad_name', 'slug', 'approved_by', 'shop_id', and 'is_published'. A sidebar on the right lists 'photo_crop' (character varying (255)), 'feature_photo' (character varying (100)), 'feature_photo_crop' (character varying (255)), and 'alider' (character varying). Below these, there are four rows of data: '43,592' (photo), '124,833' (photo), '435,0,805,66' (photo), and '435,0,1068,833' (photo) under 'photo'; and '037,867' (photo), 'photos/2021/04/21/tshirt_bu...' (photo), '321,0,978,867' (photo), and 'photos/2021/04/21/toy_mB0...' (photo) under 'photo'. The bottom status bar shows '632 PM 4/21/2021'.

Output:

Home page of the website.

The screenshot displays the homepage of the Startup-Hub website. At the top, there is a header bar with links for email (startuphub@gmail.com), phone (+91 1234567899), social media (Facebook, Twitter, LinkedIn, Pinterest), and a login button. The main navigation menu includes HOME, ALL SHOPS, ALL PRODUCTS, CONTACT US, FAQ, and ACCOUNT. A search bar is located above the main content area, which features a large banner for "Black Friday" with a "SALE 50%" offer. To the right of the banner is a woman wearing a blue sweater and a green floral headband. Below the banner, there is a section for "Startup Toy shop" showing a toy store interior with shelves full of toys. Three images of wooden toy trains are displayed, each labeled "TOY Car" and "₹ 5000 ₹-4000". To the right of these images is another "Toy Store" section. In the bottom left, three men's shirts are shown, each labeled "CLOTHES Shirt" and "₹ 3000 ₹-1500". On the far right, there is a "Clothing store" section featuring a store interior with racks of clothes and shoes. Below these sections is a row of five fashion models wearing various styles of clothing and accessories. The footer contains the "STARTUP-HUB" logo, contact information (Address: SSN Chennai, Phone: +91 1234567899, Email: startuphub@gmail.com), social media links, and links for Information (About Us, Checkout, Contact, Services) and My Account (My Account, Contact, Shopping Cart, Shop). The footer also includes a copyright notice: "Copyright 2021 All rights reserved | StartUp-Hub".

Login page.


The screenshot shows the StartUp-Hub website's login page. At the top, there is a header bar with links for email (startuphub@gmail.com), phone number (+91 1234567899), social media icons (Facebook, Twitter, LinkedIn, Pinterest), and a 'Login' button. Below the header is the website's logo ('STARTUP-HUB') and a search bar with the placeholder 'What do you need?'. To the right of the search bar are icons for a shopping cart (containing 1 item) and a price of ₹150. A navigation menu bar below the header includes links for HOME, ALL SHOPS, ALL PRODUCTS, CONTACT US, FAQ, and ACCOUNT. The main content area has a dark background and displays the word 'Login' in large white letters. Below it is a form field labeled 'Username or email address *' containing 'SSN'. Another form field below it is labeled 'Password *' containing 'ssn'. To the left of the password field is a checkbox for 'Save Password' and to the right is a link for 'Forget your Password'. A large yellow 'SIGN IN' button is centered at the bottom of the form. Below the button is a link for 'OR CREATE AN ACCOUNT'.

The screenshot shows the StartUp-Hub website's footer. It features the 'STARTUP-HUB' logo at the top. Below the logo, there is contact information: Address: SSN Chennai, Phone: +91 1234567899, and Email: startuphub@gmail.com. There are also links for 'Information' (About Us, Checkout, Contact, Services) and 'My Account' (My Account, Contact, Shopping Cart, Shop). At the bottom of the footer, there are social media icons for Facebook, Instagram, Twitter, and YouTube. A copyright notice at the very bottom reads 'Copyright 2021 All rights reserved | StartUp-Hub'.

User registration page.

The screenshot shows the homepage of the Startup-Hub website. At the top, there is a header bar with links for email (startuphub@gmail.com), phone (+91 1234567899), social media (Facebook, Twitter, LinkedIn, Pinterest), and login. Below the header is a search bar with placeholder text "What do you need?". A yellow search button is to the right of the search bar. To the right of the search bar are icons for a shopping cart containing 1 item and a price of ₹ 150. The main navigation menu includes links for HOME, ALL SHOPS, ALL PRODUCTS, CONTACT US, FAQ, and ACCOUNT. The ACCOUNT link is highlighted with a yellow background. Below the menu, a breadcrumb trail shows "Home > Register". The main content area is titled "Register". It contains fields for "Username or email address *", "Password *", and "Confirm Password *". A yellow "REGISTER" button is at the bottom of the form. Below the register button is a link "OR LOGIN". At the bottom of the page is a footer with the Startup-Hub logo, address (SSN Chennai, Phone: +91 1234567899, Email: startuphub@gmail.com), social media links (Facebook, Instagram, Twitter, YouTube), and links for Information (About Us, Checkout, Contact, Services) and My Account (My Account, Contact, Shopping Cart, Shop). The footer also includes a copyright notice: "Copyright 2021 All rights reserved | StartUp-Hub".

If the login credentials are incorrect, a pop-up is shown to signify the same.



Login

After successful login, the user is redirected to the home page.

The screenshot shows the homepage of the Startup-Hub website. At the top, there is a header bar with links for email (startuphub@gmail.com), phone (+91 1234567899), and social media (Facebook, Twitter, LinkedIn, Pinterest). A search bar is also present. The main navigation menu includes HOME, ALL SHOPS, ALL PRODUCTS, CONTACT US, FAQ, and ACCOUNT. A banner at the top features a woman with a flower crown and a 'SALE 50%' badge. Below the banner, there is a section for 'BAG, KIDS' with a 'Black Friday' offer. A text placeholder says: 'Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore'. A 'SHOP NOW' button is visible. To the right, there is a large image of a woman from behind, wearing a blue sweater and a flower crown. Below this, there is a 'Toy Store' section featuring a wooden train set on a track with a rainbow background. The train is labeled 'TOY Car ₹ 5000 ₹ 4000'. There is also a 'Clothing store' section showing three shirts, each labeled 'SALE' and 'SHIRT Shirt2 ₹ 3000 ₹ 1500'. To the right of the clothing section is a photo of a clothing store interior with a sign that says 'Test2 Discover More'. At the bottom, there is a row of four fashion models. The footer contains the 'STARTUP-HUB' logo, address (Address: SSN Chennai, Phone: +91 1234567899, Email: startuphub@gmail.com), and links for Information (About Us, Checkout, Contact, Services) and My Account (My Account, Contact, Shopping Cart, Shop). Social media icons for Facebook, Instagram, Twitter, and YouTube are also present. The footer also includes a copyright notice: 'Copyright 2021 All rights reserved | StartUp-Hub'.

The django administration page is used to add store name, store credentials and products available into the website using the database admin.

The screenshot shows the Django Admin interface for a 'Shop' model. The left sidebar lists 'Groups' and 'Users' under 'AUTHENTICATION AND AUTHORIZATION', and 'Advertisements', 'Products', and 'Shops' under 'SHOP'. The 'Shops' item is highlighted with a yellow background. The main content area is titled 'Change shop' and contains the following fields:

- Name:** interplay-toy-shop (input field)
- Slug:** interplay-toy-shop (input field)
- Shop type:** Toy Store (radio button selected)
- Profile photo:** (input field) Currently: photos/2021/04/21/1624573166.jpg Change [Choose File] No file chosen (with a preview image of a toy store aisle)
- Feature photo:** (input field) Currently: photos/2021/04/21/1624573166.jpg Change [Choose File] No file chosen (with a preview image of a toy store aisle)
- Feature photo crop:** (input field) Currently: photos/2021/04/21/1624573166.jpg Change [Choose File] No file chosen (with a preview image of a toy store aisle)
- Slider photo:** (input field) Currently: photos/2021/04/21/1624573166.jpg Change [Choose File] No file chosen (with a preview image of a toy store aisle)
- Slider photo crop:** (input field) Currently: photos/2021/04/21/1624573166.jpg Change [Choose File] No file chosen (with a preview image of a toy store aisle)
- Description 1:** (Rich Text Editor) **Lorem Ipsum** is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum.
- Photo 1:** (input field) Currently: photos/2021/04/21/1624573166.jpg Change [Choose File] No file chosen (with a preview image of a toy store aisle)
- Photo 1 crop:** (input field) Currently: photos/2021/04/21/1624573166.jpg Change [Choose File] No file chosen (with a preview image of a toy store aisle)
- Photo 2:** (input field) Currently: photos/2021/04/21/1624573166.jpg Change [Choose File] No file chosen (with a preview image of a toy store aisle)
- Photo 2 crop:** (input field) Currently: photos/2021/04/21/1624573166.jpg Change [Choose File] No file chosen (with a preview image of a toy store aisle)
- Photo 3:** (input field) Choose [File] No file chosen (with a preview image of a toy store aisle)
- Description 2:** (Rich Text Editor) **Lorem Ipsum** is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum.
- Tags:** Toy, car, blue (input field)
- Facebook:** (input field)
- Twitter:** (input field)
- Instagram:** (input field)
- Youtube:** (input field)
- Owner name:** Owner1 (input field)
- Owner view:** (Rich Text Editor) **Lorem Ipsum** is simply dummy text of the printing and typesetting industry.

At the bottom of the form, there are buttons for 'Delete', 'Save and add another', 'Save and continue editing', and 'Save'.

New shop added at django admin reflected in database.

Data Output																						
	id	[PK] integer	name	character varying (200)	slug	character varying (200)	shop_type	character varying (200)	is_published	boolean	profile_photo	character varying (100)	profile_photo_crop	character varying (255)	feature_photo	character varying (100)	feature_photo_crop	character varying (255)	slider_photo	character varying (100)	slider_photo_crop	character varying (255)
1	1	Startup Clothing Store	startup-clothing-store	Clothing	true	photos/2021/04/21/500048..._41,28,543,592	photos/2021/04/21/tshirt-bu...	345,0,805,606	0,15,1500,814													
2	2	Test2	test2	Clothing store	true	photos/2021/04/21/small-clo..._380,0,1124,833	photos/2021/04/21/small-clo...	435,0,1068,833	0,15,1500,814													
3	3	Startup Toy shop	startup-toy-shop	Toy Store	true	photos/2021/04/21/toy.jpg_264,0,1037,867	photos/2021/04/21/toy_m80...	321,0,978,867	0,87,1300,781													

List of all start-up's available on the website is displayed in this screen.

The newly added store info page is available on the website and can be accessed by clicking on the store name on the start-up names page.

✉ startuphub@gmail.com ☎ +91 1234567899

[f](#) [t](#) [in](#) [p](#) [Login](#)

STARTUP-HUB
What do you need?

 150

[HOME](#) | [ALL SHOPS](#) | [ALL PRODUCTS](#) | [CONTACT US](#) | [FAQ](#) | [ACCOUNT](#)

Startup Toy shop

GAYATHRI



LOREM IPSUM is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum.




Share: [f](#) [t](#) [G+](#) [o](#) [y](#)


Gayathri

LOREM IPSUM is simply dummy text of the printing and typesetting industry.

Our Products



TOY
Car
 ₹ 5000 ₹ 4000
[VIEW ALL PRODUCTS](#)

STARTUP-HUB

Address: SSN Chennai
Phone: +91 1234567899
Email: startuphub@gmail.com

[f](#) [i](#) [t](#) [G+](#) [o](#)

Information

[About Us](#)
[Checkout](#)
[Contact](#)
[Services](#)

My Account

[My Account](#)
[Contact](#)
[Shopping Cart](#)
[Shop](#)

Copyright 2021 All rights reserved | StartUp-Hub

The django admin page is used to add/modify products to the respective stores.

Django administration

Home · Shop · Products · [Create](#)

AUTHENTICATION AND AUTHORIZATION

- Groups
- [Add](#)
- Users
- [Add](#)

SHOP

- Advertisements
- [Add](#)
- Products
- [Add](#)
- Shops
- [Add](#)

Change product

Shop: Startup Toy shop

Name: car

Slug: car

Product type: Toy

Is published

Is new

Profile photo:

Currently: phone/2021/04/21/retail-toy-manufacturing-hubs-to-come-in-greater-mumba_1270x620.jpg
Change: [Choose File](#) | No file chosen

Profile photo crop:

Original rate: 5000

Discounted rate: 4000

Description 1:

Lorum ipsum is simply dummy text of the printing and typesetting industry. Lorum ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularized in the 1960s with the release of Letraset sheets containing Lorum ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorum ipsum.

Is size

Category: toy, car

Tag: toy, car

Photo 1:

Currently: phone/2021/04/21/retail-toy-manufacturing-hubs-to-come-in-greater-mumba_1270x620.jpg
Change: [Choose File](#) | No file chosen

Photo 1 crop:

Photo 2:

Currently: phone/2021/04/21/retail-toy-manufacturing-hubs-to-come-in-greater-mumba_1270x620.jpg
Change: [Choose File](#) | No file chosen

Photo 2 crop:

Photo 3:

Currently: phone/2021/04/21/retail-toy-manufacturing-hubs-to-come-in-greater-mumba_1270x620.jpg
Change: [Choose File](#) | No file chosen

Photo 3 crop:

Description main:

Lorum ipsum is simply dummy text of the printing and typesetting industry. Lorum ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularized in the 1960s with the release of Letraset sheets containing Lorum ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorum ipsum.

Description image:

Currently: phone/2021/04/21/toys.jpg
Change: [Choose File](#) | No file chosen

Description image crop:

Stock available: 50

Weight: 2kg

Size:

Color: colorful

List date: Date: 2021-04-21 | Today
Time: 16:11:44 | Now

Note: You are 5.5 hours ahead of server time

[Delete](#)

[Save and add another](#) | [Save and continue editing](#) | [RAVE](#)

Adding the new product to the start-up using the django admin is reflected in the database.

Data Output																										
	id	[PK] integer	name	character varying (200)	slug	character varying (200)	product_type	character varying (200)	is_published	boolean	is_mvp	boolean	profile_photo	character varying (100)	profile_photo_crop	character varying (255)	original_rate	integer	discounted_rate	integer	description_1	text	is_size	boolean	category	character varying (200)
1	1	1	White Dotted Shirt	white-dotted-shirt	Shirt	Shirt	true	true	photos/2021/04/21/1388544...	0,38,502,601	2000	1500	<p>Lorem...	true	shirt cotton cloth											
2	2	2	Shirt2	shirt2	Shirt	Shirt	true	true	photos/2021/04/21/1388544...	0,38,502,601	3000	1500	<p>Lorem...	true	shirt cotton cloth											
3	3	3	Blue shirt	blue-shirt	Shirt	Shirt	true	true	photos/2021/04/21/mens-de...	27,0,473,500	2500	1000	<p>Lorem...	true	shirt cotton cloth											
4	4	4	Car	car	Toy	Toy	true	true	photos/2021/04/21/indias-bl...	169,0,848,761	5000	4000	<p>Lorem...	false	toy car											

A page displaying all the products available in the website corresponding to all the start-up's are displayed in this page. The user can search for a particular product using the search bar.

The screenshot shows the 'All Products' page of the Startup-Hub website. At the top, there is a header with a search bar containing 'What do you need?' and a magnifying glass icon. Below the header is a navigation bar with links for HOME, ALL SHOPS, ALL PRODUCTS (which is highlighted in orange), CONTACT US, FAQ, and ACCOUNT. Underneath the navigation bar, a breadcrumb trail shows 'Home > All Products'. The main content area displays four product cards:

- TOY**: Car (Sale) - ₹ 5000 (₹ 4000)
- SHIRT**: Blue shirt (Sale) - ₹ 2500 (₹ 1000)
- SHIRT**: Shirt2 (Sale) - ₹ 3000 (₹ 1500)
- SHIRT**: White Dotted Shirt (Sale) - ₹ 2000 (₹ 1500)

The screenshot shows the footer of the Startup-Hub website. The footer is dark with white text and includes the following sections:

- STARTUP-HUB** (Logo)
- Address: SSN Chennai
Phone: +91 1234567899
Email: startuphub@gmail.com
- Social media icons for Facebook, Instagram, Twitter, and YouTube.
- Links to 'Information' (About Us, Checkout, Contact, Services) and 'My Account' (My Account, Contact, Shopping Cart, Shop).
- Copyright notice: Copyright 2021 All rights reserved | StartUp-Hub

The product details can be viewed by clicking on the corresponding products to display info and price of the product.

✉ startuphub@gmail.com ☎ +91 1234567899

f t in p Login

STARTUP-HUB What do you need? ₹ 150

HOME ALL SHOPS ALL PRODUCTS CONTACT US FAQ ACCOUNT

Home > Shop > Detail

TOY Car

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum.

₹ 5000 ₹ 4000

- 1 + ADD TO CART

CATEGORIES: toy, car
TAGS: Toy, car

DESCRIPTION **SPECIFICATIONS**

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum.



STARTUP-HUB

Address: SSN Chennai
Phone: +91 1234567899
Email: startuphub@gmail.com

f i t o

Information My Account

About Us My Account
Checkout Contact
Contact Shopping Cart
Services Shop

Copyright 2021. All rights reserved | StartUp-Hub

The Shopping cart into which the products are added are displayed on this page.

✉ startuphub@gmail.com ☎ +91 1234567899

f t in p user Login

STARTUP-HUB What do you need?  ₹ 150

HOME ALL SHOPS ALL PRODUCTS CONTACT US FAQ ACCOUNT

Home > Shop > Shopping Cart

IMAGE	PRODUCT NAME	PRICE	QUANTITY	TOTAL	X
	Pure Pineapple	₹ 60.00	- 1 +	₹ 60.00	X
	American lobster	₹ 60.00	- 1 +	₹ 60.00	X
	Guangzhou sweater	₹ 60.00	- 1 +	₹ 60.00	X

CONTINUE SHOPPING UPDATE CART


DISCOUNT CODES Enter your codes

Subtotal	240.00₹
TOTAL	240.00₹
PROCEED TO CHECK OUT	

STARTUP-HUB


Address: SSN Chennai
Phone: +91 1234567899
Email: startuphub@gmail.com

[About Us](#) [Information](#) [My Account](#)
[Checkout](#) [Contact](#)
[Contact](#) [Shopping Cart](#)
[Services](#) [Shop](#)




Copyright 2021 All rights reserved | StartUp-Hub

The Main Admin login is done using the Django Admin server.



The advertisement that has to be changed can be selected by the main admin from the list of start-up's.



Select advertisement to change					
<input type="text"/> Search					
Action:	Go	0 of 3 selected			
ID	AD NAME	SHOP	APPROVED BY	IS PUBLISHED	LIST DATE
3	toy ad	Startup Toy shop	gokhul	<input checked="" type="checkbox"/>	April 21, 2021, 6:13 p.m.
2	Test Ad 2	Test2	gokhul	<input checked="" type="checkbox"/>	April 21, 2021, 5:20 p.m.
1	Test Ad	Startup Clothing Store	Gokhul	<input checked="" type="checkbox"/>	April 21, 2021, 5:05 p.m.

3 advertisements

Django administration

Home · Shop · Advertisements · toy ad

WELCOME, ADMIN · VIEW SITE / CHANGE PASSWORD / LOG OUT · HISTORY

AUTHENTICATION AND AUTHORIZATION

Groups + Add

Users + Add

SHOP

Advertisements + Add

Products + Add

Shops + Add

Change advertisement

Shop: Startup Toy shop

Ad name: toy ad

Slug: toy-ad

Is published

Approved by: gokhul

List date: Date: 2021-04-21 Today Time: 18:13:26 Now

Note: You are 5.5 hours ahead of server time.

Save and add another · Save and continue editing · **SAVE**

The main admin can use the django administration to change the advertisement displayed on the website according to the needs of the start-up.

The contacts page of the main admin is displayed in this page.

Screenshot of the Startup-Hub website's contact page:

Header: startuphub@gmail.com, +91 1234567899, [Login](#). Social media icons: Facebook, Twitter, LinkedIn, Pinterest.

Search bar: **STARTUP-HUB** What do you need?

Navigation menu: HOME, ALL SHOPS, ALL PRODUCTS, **CONTACT US** (highlighted), FAQ, ACCOUNT.

Breadcrumbs: [Home](#) > Contact

Main Content:

- Map:** A map of Saddle River, New Jersey, showing various locations like FLWandell Estate and Ward Factory Site, Bindiaub Park, Joe Jefferson C., and River Vale Country Club.
- Contacts Us:** Form fields for Address (60-49 Road 11378 New York), Phone (+65 11.188.888), and Email (hello@colorlib@gmail.com).
- Leave A Comment:** Form fields for Your name, Your email, Your message, and a **SEND MESSAGE** button.

Footer:

STARTUP-HUB

Address: SSN Chennai
Phone: +91 1234567899
Email: startuphub@gmail.com

Social media icons: Facebook, Instagram, Twitter, YouTube.

Copyright 2021 All rights reserved | StartUp-Hub

Footer.html

```
1  {% load static %}  
2  <!-- Footer Section Begin -->  
3  <footer class="footer-section">  
4      <div class="container">  
5          <div class="row justify-content-center">  
6              <div class="col-lg-3">  
7                  <div class="footer-left">  
8                      <div class="footer-logo">  
9                          <a href="{% url 'index' %}"></a>  
10                     </div>  
11                     <ul>  
12                         <li>Address: SSN Chennai</li>  
13                         <li>Phone: +91 1234567899</li>  
14                         <li>Email: startuphub@gmail.com</li>  
15                     </ul>  
16                     <div class="footer-social">  
17                         <a href="#"><i class="fa fa-facebook"></i></a>  
18                         <a href="#"><i class="fa fa-instagram"></i></a>  
19                         <a href="#"><i class="fa fa-twitter"></i></a>  
20                         <a href="#"><i class="fa fa-pinterest"></i></a>  
21                     </div>  
22                 </div>  
23             </div>  
24             <div class="col-lg-2 offset-lg-1">  
25                 <div class="footer-widget">  
26                     <h5>Information</h5>  
27                     <ul>  
28                         <li><a href="{% url 'index' %}">About Us</a></li>  
29                         <li><a href="{% url 'checkout' %}">Checkout</a></li>  
0                         <li><a href="{% url 'contact' %}">Contact</a></li>  
1                         <li><a href="{% url 'index' %}">Services</a></li>  
2                     </ul>  
3                 </div>  
4             </div>  
5             <div class="col-lg-2">  
6                 <div class="footer-widget">  
7                     <h5>My Account</h5>  
8                     <ul>  
9                         <li><a href="{% url 'index' %}">My Account</a></li>  
10                        <li><a href="{% url 'contact' %}">Contact</a></li>  
11                        <li><a href="{% url 'cart' %}">Shopping Cart</a></li>  
12                        <li><a href="{% url 'shoplist' %}">Shop</a></li>  
13                     </ul>  
14                 </div>  
15             </div>  
16             <!-- <div class="col-lg-4">  
17                 <div class="newslatter-item">  
18                     <h5>Join Our Newsletter Now</h5>  
19                     <p>Get E-mail updates about our latest shop and special offers.</p>  
20                     <form action="#" class="subscribe-form">  
21                         <input type="text" placeholder="Enter Your Mail">  
22                         <button type="button">Subscribe</button>  
23                     </form>  
24                 </div>  
25             </div> -->  
26         </div>  
27     </div>  
28     <div class="copyright-reserved">  
29         <div class="container">  
30             <div class="row justify-content-center">
```

```
61 <div class="col-auto">
62     <div class="copyright-text">
63         Copyright 2021 All rights reserved | StartUp-Hub
64     </div>
65     </div>
66     </div>
67     </div>
68 </div>
69 </footer>
70 <!-- Footer Section End -->
```

```
1  {% load static %}                                     Header.html
2 <!-- Header Section Begin -->
3 <header class="header-section">
4   <div class="header-top">
5     <div class="container">
6       <div class="ht-left">
7         <div class="mail-service">
8           <i class="fa fa-envelope"></i>
9           startuphub@gmail.com
10        </div>
11        <div class="phone-service">
12          <i class="fa fa-phone"></i>
13          +91 1234567899
14        </div>
15      </div>
16      <div class="ht-right">
17        <a href="{% url 'login' %}" class="login-panel"><i class="fa fa-user">
18          </i>Login</a>
19        <div class="top-social">
20          <a href="#"><i class="ti-facebook"></i></a>
21          <a href="#"><i class="ti-twitter-alt"></i></a>
22          <a href="#"><i class="ti-linkedin"></i></a>
23          <a href="#"><i class="ti-pinterest"></i></a>
24        </div>
25      </div>
26    </div>
27    <div class="container">
28      <div class="inner-header">
29        <div class="row">
30          <div class="col-lg-2 col-md-2">
31            <div class="logo">
32              <a href="{% url 'index' %}">
33                
34              </a>
35            </div>
36          </div>
37          <div class="col-lg-7 col-md-7">
38            <div class="advanced-search">
39              <div class="input-group">
40                <input type="text" placeholder="What do you need?">
41                <button type="button"><i class="ti-search"></i></button>
42              </div>
43            </div>
44          </div>
45          <div class="col-lg-3 text-right col-md-3">
46            <ul class="nav-right">
47              <li class="heart-icon">
48                <a href="#">
49                  <i class="icon_heart_alt"></i>
50                  <span>1</span>
51                </a>
52              </li>
53              <li class="cart-icon">
54                <a href="{% url 'cart' %}">
55                  <i class="icon_bag_alt"></i>
56                  <span>3</span>
57                </a>
58                <div class="cart-hover">
59                  <div class="select-items">
60                    <table>
```

```

61             <tbody>
62                 <tr>
63                     <td class="si-pic"></td>
64                     <td class="si-text">
65                         <div class="product-selected">
66                             <p><span></span> 60.00 x 1</p>
67                             <h6>Kabino Bedside Table</h6>
68                         </div>
69                     </td>
70                     <td class="si-close">
71                         <i class="ti-close"></i>
72                     </td>
73                 </tr>
74                 <tr>
75                     <td class="si-pic"></td>
76                     <td class="si-text">
77                         <div class="product-selected">
78                             <p><span></span> 60.00 x 1</p>
79                             <h6>Kabino Bedside Table</h6>
80                         </div>
81                     </td>
82                     <td class="si-close">
83                         <i class="ti-close"></i>
84                     </td>
85                 </tr>
86             </tbody>
87         </table>
88     </div>
89     <div class="select-total">
90         <span>total:</span>
91         <h5><span></span> 120.00</h5>
92     </div>
93     <div class="select-button">
94         <a href="#" class="primary-btn view-card">VIEW CARD</a>
95         <a href="{% url 'checkout' %}" class="primary-btn checkout-btn">CHECK OUT</a>
96             </div>
97         </div>
98     </li>
99     <li class="cart-price"><span></span> 150</li>
100    </ul>
101    </div>
102    </div>
103 </div>
104 </div>
105 <div class="nav-item">
106     <div class="container">
107         <nav class="nav-menu mobile-menu">
108             <ul>
109                 <li {% if '/' == request.path or 'index' in request.path %}>
110                     class="active"
111                     {% endif %}><a href="{% url 'index' %}">Home</a></li>
112                 <li {% if 'shoplist' in request.path %}>
113                     class="active"
114                     {% endif %}><a href="{% url 'shoplist' %}">All Shops</a></li>
115                 <li {% if 'shopProducts' in request.path %}>
116                     class="active"
117                     {% endif %}><a href="{% url 'shopProducts' %}">All Products</a></li>
118             <!-- <li {% if 'blog' in request.path %}>
```

```
119         class="active"
120         {% endif %}><a href="{% url 'blog' %}">Blog</a></li> -->
121     <li {% if 'contact' in request.path %}
122         class="active"
123         {% endif %}><a href="{% url 'contact' %}">Contact Us</a></li>
124     <li {% if 'faq' in request.path %}
125         class="active"
126         {% endif %}><a href="{% url 'faq' %}">Faq</a></li>
127     <li {% if 'register' in request.path %}
128         class="active"
129         {% endif %}><a href="{% url 'register' %}">Account</a></li>
130     </ul>
131     </nav>
132     <div id="mobile-menu-wrap"></div>
133   </div>
134 </div>
135 </header>
136 <!-- Header End -->
```

```

1  {% load static %} {% load humanize %}
2  <!DOCTYPE html>
3  <html lang="zxx">                                         base.html
4
5  <head>
6      <meta charset="UTF-8">
7      <meta name="description" content="StartUp-Hub Template">
8      <meta name="keywords" content="StartUp-Hub, unica, creative, html">
9      <meta name="viewport" content="width=device-width, initial-scale=1.0">
10     <meta http-equiv="X-UA-Compatible" content="ie=edge">
11     <title>StartUp-Hub | Template</title>
12
13     <!-- Google Font -->
14     <link href="https://fonts.googleapis.com/css?
family=Muli:300,400,500,600,700,800,900&display=swap" rel="stylesheet">
15
16     <!-- Css Styles -->
17     <link rel="stylesheet" href="{% static 'css/bootstrap.min.css'%}"
type="text/css">
18     <link rel="stylesheet" href="{% static 'css/font-awesome.min.css'%}"
type="text/css">
19     <link rel="stylesheet" href="{% static 'css/themify-icons.css'%}"
type="text/css">
20     <link rel="stylesheet" href="{% static 'css/elegant-icons.css'%}"
type="text/css">
21     <link rel="stylesheet" href="{% static 'css/owl.carousel.min.css'%}"
type="text/css">
22     <link rel="stylesheet" href="{% static 'css/nice-select.css'%}" type="text/css">
23     <link rel="stylesheet" href="{% static 'css/jquery-ui.min.css'%}"
type="text/css">
24     <link rel="stylesheet" href="{% static 'css/slicknav.min.css'%}" type="text/css">
25     <link rel="stylesheet" href="{% static 'css/style.css'%}" type="text/css">
26 </head>
27
28 <body>
29     <!-- Page Preloder -->
30     <div id="preloder">
31         <div class="loader"></div>
32     </div>
33     {% include 'partials/_header.html' %} {% block content %} {% endblock %} {% 
include 'partials/_footer.html' %}
34     <!-- Js Plugins -->
35     <script src="{% static 'js/jquery-3.3.1.min.js' %}"></script>
36     <script src="{% static 'js/bootstrap.min.js' %}"></script>
37     <script src="{% static 'js/jquery-ui.min.js' %}"></script>
38     <script src="{% static 'js/jquery.countdown.min.js' %}"></script>
39     <script src="{% static 'js/jquery.nice-select.min.js' %}"></script>
40     <script src="{% static 'js/jquery.zoom.min.js' %}"></script>
41     <script src="{% static 'js/jquery.dd.min.js' %}"></script>
42     <script src="{% static 'js/jquery.slicknav.js' %}"></script>
43     <script src="{% static 'js/owl.carousel.min.js' %}"></script>
44     <script src="{% static 'js/main.js' %}"></script>
45 </body>
46
47 </html>

```

```
1  {% extends 'base.html' %} {% load static %} {% load humanize %} {% load cropping
2  thumbnail %}
3
4  {% block content %}                               index.html
5  <!-- Hero Section Begin -->
6  <section class="hero-section">
7      <div class="hero-items owl-carousel">
8          <div class="single-hero-items set-bg" data-setbg="{% static 'img/hero-
9  1.jpg'%}">
10         <div class="container">
11             <div class="row">
12                 <div class="col-lg-5">
13                     <span>Bag,kids</span>
14                     <h1>Black friday</h1>
15                     <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit,
16 sed do eiusmod tempor
17                         incidunt ut labore et dolore</p>
18                         <a href="#" class="primary-btn">Shop Now</a>
19                 </div>
20             <div class="off-card">
21                 <h2>Sale <span>50%</span></h2>
22             </div>
23         </div>
24         <div class="single-hero-items set-bg" data-setbg="{% static 'img/hero-
25  2.jpg'%}">
26             <div class="container">
27                 <div class="row">
28                     <div class="col-lg-5">
29                         <span>Bag,kids</span>
30                         <h1>Black friday</h1>
31                         <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit,
32 sed do eiusmod tempor
33                         incidunt ut labore et dolore</p>
34                         <a href="#" class="primary-btn">Shop Now</a>
35                 </div>
36             <div class="off-card">
37                 <h2>Sale <span>50%</span></h2>
38             </div>
39         </div>
40     </div>
41 </section>
42 <!-- Hero Section End -->
43
44 <!-- Women Banner Section Begin -->
45 {% if ad_shop_1 and ad_shop_2 %}
46 <section class="women-banner spad">
47     <div class="container-fluid">
48         <div class="row">
49             <div class="col-lg-3">
50                 <div class="product-large set-bg" data-setbg="{% cropped_thumbnail
51 ad_shop_1 'feature_photo_crop' %}">
52                     <h2>{{ ad_shop_1.name }}</h2>
53                     <a href="{% url 'shop' shop=ad_shop_1.slug %}">Discover More</a>
54                 </div>
55             </div>
56             <div class="col-lg-8 offset-lg-1">
```

```

56         <div class="filter-control">
57             <ul>
58                 <li class="active">{{ ad_shop_1.shop_type }}</li>
59             </ul>
60         </div>
61         <div class="product-slider owl-carousel">
62             {% for product in ad_products_1%}
63                 <div class="product-item">
64                     <div class="pi-pic">
65                         
67                         <div class="sale">Sale</div>
68                         <div class="icon">
69                             <i class="icon_heart_alt"></i>
70                         </div>
71                         <ul>
72                             <li class="w-icon active"><a href="#"><i
73 class="icon_bag_alt"></i></a></li>
74                             <li class="quick-view"><a href="{% url 'product'
75 product=product.slug shop=product.shop.slug %}">+ Quick View</a></li>
76                             <li class="w-icon"><a href="#"><i class="fa fa-
77 random"></i></a></li>
78                         </ul>
79                     </div>
80                     <div class="pi-text">
81                         <div class="catagory-name">{{ product.product_type }}</div>
82                         <a href="#">
83                             <h5>{{ product.name }}</h5>
84                         </a>
85                         <div class="product-price">
86                             <span>₹{{ product.original_rate }}</span>
87                             {% if product.discounted_rate %}
88                                 <span>₹{{ product.discounted_rate }}</span>
89                             {% endif %}
90                         </div>
91                     </div>
92                 </div>
93             </div>
94         </section>
95
96     <section class="women-banner spad">
97         <div class="container-fluid">
98             <div class="row">
99                 <div class="col-lg-8 offset-lg-1">
100                     <div class="filter-control">
101                         <ul>
102                             <li class="active">{{ ad_shop_2.shop_type }}</li>
103                         </ul>
104                     </div>
105                     <div class="product-slider owl-carousel">
106                         {% for product in ad_products_2%}
107                             <div class="product-item">
108                                 <div class="pi-pic">
109                                     Sale</div>
111             <div class="icon">
112                 <i class="icon_heart_alt"></i>
113             </div>
114             <ul>
115                 <li class="w-icon active"><a href="#"><i
116 class="icon_bag_alt"></i></a></li>
117                     <li class="quick-view"><a href="{% url 'product'
118 product=product.slug shop=product.shop.slug %}">+ Quick View</a></li>
119                     <li class="w-icon"><a href="#"><i class="fa fa-
120 random"></i></a></li>
121             </ul>
122         </div>
123         <div class="pi-text">
124             <div class="catagory-name">{{ product.product_type }}</div>
125             <a href="#">
126                 <h5>{{ product.name }}</h5>
127             </a>
128             <div class="product-price">
129                 <span>฿{{ product.original_rate }}</span>
130                 {% if product.discounted_rate %}
131                     <span>฿{{ product.discounted_rate }}</span>
132                 {% endif %}
133             </div>
134             <% endfor %>
135         </div>
136         <div class="col-lg-3">
137             <div class="product-large set-bg" data-setbg="{% cropped_thumbnail
138 ad_shop_2 'feature_photo_crop' %}">
139                 <h2>{{ ad_shop_2.name }}</h2>
140                 <a href="{% url 'shop' shop=ad_shop_2.slug %}">Discover More</a>
141             </div>
142         </div>
143     </div>
144 </section>
145
146 {% endif %}
147
148 <!-- Instagram Section Begin -->
149 <div class="instagram-photo">
150     <div class="insta-item set-bg" data-setbg="{% static 'img/insta-1.jpg' %}">
151         <div class="inside-text">
152             <i class="ti-instagram"></i>
153             <h5><a href="#">colorlib_Collection</a></h5>
154         </div>
155     </div>
156     <div class="insta-item set-bg" data-setbg="{% static 'img/insta-2.jpg' %}">
157         <div class="inside-text">
158             <i class="ti-instagram"></i>
159             <h5><a href="#">colorlib_Collection</a></h5>
160         </div>
161     </div>
162     <div class="insta-item set-bg" data-setbg="{% static 'img/insta-3.jpg' %}">
163         <div class="inside-text">
164             <i class="ti-instagram"></i>
```

```
165         <h5><a href="#">colorlib_Collection</a></h5>
166     </div>
167 </div>
168 <div class="insta-item set-bg" data-setbg="{% static 'img/insta-4.jpg'%}">
169     <div class="inside-text">
170         <i class="ti-instagram"></i>
171         <h5><a href="#">colorlib_Collection</a></h5>
172     </div>
173 </div>
174 <div class="insta-item set-bg" data-setbg="{% static 'img/insta-5.jpg'%}">
175     <div class="inside-text">
176         <i class="ti-instagram"></i>
177         <h5><a href="#">colorlib_Collection</a></h5>
178     </div>
179 </div>
180 <div class="insta-item set-bg" data-setbg="{% static 'img/insta-6.jpg'%}">
181     <div class="inside-text">
182         <i class="ti-instagram"></i>
183         <h5><a href="#">colorlib_Collection</a></h5>
184     </div>
185 </div>
186 </div>
187
188 {% endblock %}
```

```

1  {% extends 'base.html' %} {% load static %} {% load humanize %} {% load cropping
2    thumbnail %}
3
4  {% block content %}                               login.html
5
6  <!-- Breadcrumb Section Begin -->
7  <div class="breadcrumb-section">
8      <div class="container">
9          <div class="row">
10         <div class="col-lg-12">
11             <div class="breadcrumb-text">
12                 <a href="#"><i class="fa fa-home"></i> Home</a>
13                 <span>Login</span>
14             </div>
15         </div>
16     </div>
17 </div>
18 <!-- Breadcrumb Form Section Begin -->
19
20 <!-- Register Section Begin -->
21 <div class="register-login-section spad">
22     <div class="container">
23         <div class="row">
24             <div class="col-lg-6 offset-lg-3">
25                 <div class="login-form">
26                     <h2>Login</h2>
27                     <form action="#">
28                         <div class="group-input">
29                             <label for="username">Username or email address *</label>
30                             <input type="text" id="username">
31                         </div>
32                         <div class="group-input">
33                             <label for="pass">Password *</label>
34                             <input type="text" id="pass">
35                         </div>
36                         <div class="group-input gi-check">
37                             <div class="gi-more">
38                                 <label for="save-pass">
39                                     Save Password
40                                     <input type="checkbox" id="save-pass">
41                                     <span class="checkmark"></span>
42                                 </label>
43                                 <a href="#" class="forget-pass">Forget your
44                                     Password</a>
45                         </div>
46                     </div>
47                     <button type="submit" class="site-btn login-btn">Sign
48                         In</button>
49                     </form>
50                     <div class="switch-login">
51                         <a href=".register.html" class="or-login">Or Create An
52                             Account</a>
53                     </div>
54                 </div>
55             </div>
56 <!-- Register Form Section End -->
57

```

58
59
60 {%

 endblock %}

```

1  {% extends 'base.html' %} {% load static %} {% load humanize %} {% load cropping
2  thumbnail %}
3  {% block content %}                                         Register.html
4
5  <!-- Breadcrumb Section Begin -->
6  <div class="breadcrumb-section">
7      <div class="container">
8          <div class="row">
9              <div class="col-lg-12">
10                 <div class="breadcrumb-text">
11                     <a href="#"><i class="fa fa-home"></i> Home</a>
12                     <span>Register</span>
13                 </div>
14             </div>
15         </div>
16     </div>
17 </div>
18 <!-- Breadcrumb Form Section Begin -->
19
20 <!-- Register Section Begin -->
21 <div class="register-login-section spad">
22     <div class="container">
23         <div class="row">
24             <div class="col-lg-6 offset-lg-3">
25                 <div class="register-form">
26                     <h2>Register</h2>
27                     <form action="#">
28                         <div class="group-input">
29                             <label for="username">Username or email address *</label>
30                             <input type="text" id="username">
31                         </div>
32                         <div class="group-input">
33                             <label for="pass">Password *</label>
34                             <input type="text" id="pass">
35                         </div>
36                         <div class="group-input">
37                             <label for="con-pass">Confirm Password *</label>
38                             <input type="text" id="con-pass">
39                         </div>
40                         <button type="submit" class="site-btn register-
41 btn">REGISTER</button>
42                     </form>
43                     <div class="switch-login">
44                         <a href=".//login.html" class="or-login">Or Login</a>
45                     </div>
46                 </div>
47             </div>
48         </div>
49 </div>
50 <!-- Register Form Section End -->
51
52
53
54 {% endblock %}

```

```

1  {% extends 'base.html' %} {% load static %} {% load humanize %} {% load cropping
2  thumbnail %}
3
4
5  
6  <div class="breacrumb-section">
7      <div class="container">
8          <div class="row">
9              <div class="col-lg-12">
10                 <div class="breadcrumb-text">
11                     <a href="#"><i class="fa fa-home"></i> Home</a>
12                     <span>All Shop</span>
13                 </div>
14             </div>
15         </div>
16     </div>
17 </div>
18 
19
20 
21 <section class="product-shop spad">
22     <div class="container">
23         <div class="row ">
24             <div class="col-lg-12 order-1 order-lg-2">
25                 <div class="product-list">
26                     <div class="row justify-content-center">
27                         {% if shopList %}{% for shop in shopList %}<br>
28                             <div class="col-lg-4 col-sm-6">
29                                 <div class="product-item">
30                                     <div class="pi-pic">
31                                         
33                                         <!-- <div class="sale pp-sale">Trending</div> -->
34                                         <div class="icon">
35                                             <i class="icon_heart_alt"></i>
36                                         </div>
37                                         <ul>
38                                             <!-- <li class="w-icon active"><a href="#"><i class="icon_bag_alt"></i></a></li> -->
39                                             <li class="w-icon active"><a href="{{ url }}<br>
39 'shop' shop=shop.slug %}">Explore</a></li>
40                                         <!-- <li class="w-icon"><a href="#"><i class="fa fa-random"></i></a></li> -->
41                                         </ul>
42                                         </div>
43                                         <div class="pi-text">
44                                             <div class="catagory-name">{{ shop.shop_type }}<br>
45                                             <a href="#">
46                                                 <h5>{{ shop.name }}</h5>
47                                             </a>
48                                         </div>
49                                         </div>
50                                         {% endfor %}
51                                         {% else %}
52                                             No Shop Found!
53                                         {% endif %}
54                                         </div>
55                                     </div>

```

```

56         </div>
57     </div>
58     <div class="row justify-content-center">
59         <div class="col-auto">
60             <nav aria-label="Page navigation ">
61                 {% if shopList.has_other_pages %}
62                     <ul class="pagination">
63                         {% if shopList.has_previous %}
64                             <li class="page-item">
65                                 <a class="page-link" href="?page=
{{shopList.previous_page_number}}" aria-label="Previous">
66                                     <span aria-hidden="true">&laquo;</span>
67                                     <span class="sr-only">Previous</span>
68                                 </a>
69                             </li>
70                         {% else %}
71                             <li class="page-item disabled">
72                                 <a class="page-link" aria-label="Previous">
73                                     <span aria-hidden="true">&laquo;</span>
74                                     <span class="sr-only">Previous</span>
75                                 </a>
76                             </li>
77                         {% endif %} {% for i in shopList.paginator.page_range %} {%
if shopList.number == i %}
78                             <li class="page-item active">
79                                 <a class="page-link">{{i}}</a>
80                             </li>
81                         {% else %}
82                             <li class="page-item">
83                                 <a class="page-link" href="?page={{i}}">{{i}}</a>
84                             </li>
85                         {% endif %} {% endfor %} {% if shopList.has_next %}
86                             <li class="page-item">
87                                 <a class="page-link" href="?page=
{{shopList.next_page_number}}" aria-label="Next">
88                                     <span aria-hidden="true">&raquo;</span>
89                                     <span class="sr-only">Next</span>
90                                 </a>
91                             </li>
92                         {% else %}
93                             <li class="page-item disabled">
94                                 <a class="page-link" aria-label="Next">
95                                     <span aria-hidden="true">&raquo;</span>
96                                     <span class="sr-only">Next</span>
97                                 </a>
98                             </li>
99                         {% endif %}
100                     </ul>
101                 {% endif %}
102             </nav>
103         </div>
104     </div>
105   </div>
106 </section>
107 <!-- Product Shop Section End -->
108
109 {% endblock %}

```

```

1  {% extends 'base.html' %} {% load static %} {% load humanize %} {% load cropping
2   thumbnail %}
3
4  {% block content %}                               shopDetail.html
5  <!-- Breadcrumb Section Begin -->
6  <!-- <div class="breacrumb-section">
7    <div class="container">
8      <div class="row">
9        <div class="col-lg-12">
10           <div class="breadcrumb-text product-more">
11             <a href=".home.html"><i class="fa fa-home"></i> Home</a>
12             <a href=".shop.html">Shop</a>
13             <span>Detail</span>
14         </div>
15       </div>
16     </div>
17 </div> -->
18 <!-- Breadcrumb Section Begin -->
19
20 <section class="blog-details spad">
21   <div class="container">
22     <div class="row">
23       <div class="col-lg-12">
24         <div class="blog-details-inner">
25           <div class="blog-detail-title">
26             <h2>{{shop.name}}</h2>
27             <p>{{shop.owner_name}}</p>
28           </div>
29           <div class="blog-large-pic">
30             
32           </div>
33           <div class="blog-detail-desc">
34             <p>{{shop.description_1|safe}}</p>
35           </div>
36           <div class="blog-more">
37             <div class="row justify-content-center">
38               {% if shop.photo_1%}
39                 <div class="col-sm-4">
40                   
42                 </div>
43               {% endif %}
44               {% if shop.photo_2 %}
45                 <div class="col-sm-4">
46                   
48                 </div>
49               {% endif %}
50               {% if shop.photo_3 %}
51                 <div class="col-sm-4">
52                   
54                 </div>
55               {% endif %}
56             </div>
57             <p>{{description_2|safe}}</p>
58             <div class="tag-share">
```

```

57         <div class="details-tag">
58             <ul>
59                 <li><i class="fa fa-tags"></i></li>
60                 <li>{{ shop.tag }}</li>
61
62         </ul>
63     </div>
64     <div class="blog-share">
65         <span>Share:</span>
66         <div class="social-links">
67             <a href="#"><i class="fa fa-facebook"></i></a>
68             <a href="#"><i class="fa fa-twitter"></i></a>
69             <a href="#"><i class="fa fa-google-plus"></i></a>
70             <a href="#"><i class="fa fa-instagram"></i></a>
71             <a href="#"><i class="fa fa-youtube-play"></i></a>
72         </div>
73     </div>
74 </div>
75     <div class="posted-by">
76         <div class="pb-pic">
77             
78         </div>
79         <div class="pb-text">
80             <a href="#">
81                 <h5>{{ shop.owner_name }}</h5>
82             </a>
83             <p>{{ shop.owner_view | safe }}</p>
84         </div>
85     </div>
86 </div>
87     </div>
88 </div>
89 </section>
90
91 <!-- Related Products Section End -->
92 {% if productDetails %}
93 <div class="related-products spad">
94     <div class="container">
95         <div class="row">
96             <div class="col-lg-12">
97                 <div class="section-title">
98                     <h2>Our Products</h2>
99                 </div>
100            </div>
101        </div>
102    </div>
103    <div class="row justify-content-center">
104        {% for product in productDetails %}
105        <div class="col-lg-3 col-sm-6">
106            <div class="product-item">
107                <div class="pi-pic">
108                    
109                    <div class="icon">
110                        <i class="icon_heart_alt"></i>
111                    </div>
112                    <ul>
113                        <li class="w-icon active"><a href="#"><i class="icon_bag_alt"></i></a></li>
114                        <li class="quick-view"><a href="{% url 'product' product=product.slug shop=product.shop.slug %}">+ Quick View</a></li>

```

```
115                         <li class="w-icon"><a href="#"><i class="fa fa-random">
116                             </i></a></li>
117                     </ul>
118                 <div class="pi-text">
119                     <div class="catagory-name">{{ product.product_type }}</div>
120                     <a href="#">
121                         <h5>{{ product.name }}</h5>
122                     </a>
123                     <div class="product-price">
124                         <span>{{ product.original_rate }}</span>
125                         {% if product.discounted_rate %}
126                             <span><span>{{ product.discounted_rate }}</span>
127                         {% endif %}
128                     </div>
129                 </div>
130             </div>
131         </div>
132     {% endfor %}
133 </div>
134 <div class="row">
135     <div class="col-lg-12">
136         <div class="section-title">
137             <a href="{% url 'shopProductsList' shop=shop.slug %}">
138                 View All products</a>
139             </div>
140         </div>
141     </div>
142 </div>
143 {% endif %}
144 <!-- Related Products Section End -->
145
146
147 {% endblock %}
```

```
1  {% extends 'base.html' %} {% load static %} {% load humanize %} {% load cropping %} thumbnail %}
2
3  {% block content %}
4
5  <!-- Breadcrumb Section Begin -->
6  <div class="breacrumb-section">
7      <div class="container">
8          <div class="row">
9              <div class="col-lg-12">
10                 <div class="breadcrumb-text">
11                     <a href="#"><i class="fa fa-home"></i> Home</a>
12                     <span>All Products</span>
13                 </div>
14             </div>
15         </div>
16     </div>
17 </div>
18 <!-- Breadcrumb Section Begin -->
19
20 <!-- Product Shop Section Begin -->
21 <section class="product-shop spad">
22     <div class="container">
23         <div class="row justify-content-center">
24             <div class="col-auto">
25                 <H1>{{ title }}</H1>
26                 <br><br>
27             </div>
28         </div>
29         <div class="row">
30             <div class="col-lg-12 order-1 order-lg-2">
31                 <div class="product-list">
32                     <div class="row justify-content-center">
33                         {% if productList %}{% for product in productList %}
34                             <div class="col-lg-4 col-sm-6">
35                                 <div class="product-item">
36                                     <div class="pi-pic">
37                                         
38                                         <div class="sale pp-sale">Sale</div>
39                                         <div class="icon">
40                                             <i class="icon_heart_alt"></i>
41                                         </div>
42                                         <ul>
43                                             <li class="w-icon active"><a href="#"><i class="icon_bag_alt"></i></a></li>
44                                             <li class="quick-view"><a href="{% url 'product' product.slug shop=product.shop.slug %}">+ Quick View</a></li>
45                                             <li class="w-icon"><a href="#"><i class="fa fa-random"></i></a></li>
46                                         </ul>
47                                     </div>
48                                     <div class="pi-text">
49                                         <div class="catagory-name">{{ product.product_type }}</div>
50                                         <a href="#">
51                                             <h5>{{ product.name }}</h5>
52                                         </a>
53                                         <div class="product-price">
54                                             <span>฿{{ product.original_rate }}</span>
55                                         </div>
56                                     </div>
57                                 </div>
58                             </div>
59                         {% endfor %}
60                     </div>
61                 </div>
62             </div>
63         </div>
64     </div>
65 </section>
```

```
55                                     {% if product.discounted_rate %}  
56                                         <span><span>=₹</span> {{  
57                                         product.discounted_rate }}</span>  
58                                         {% endif %}  
59                                         </div>  
60                                         </div>  
61                                         </div>  
62                                         {% endfor %}  
63                                         {% else %}  
64                                         No Products Found  
65                                         {% endif %}  
66                                         </div>  
67                                         </div>  
68                                     </div>  
69                                     </div>  
70                                     <div class="row justify-content-center">  
71                                         <div class="col-auto">  
72                                         <nav aria-label="Page navigation ">  
73                                         {% if productList.has_other_pages %}  
74                                             <ul class="pagination">  
75                                                 {% if productList.has_previous %}  
76                                                     <li class="page-item">  
77                                                         <a class="page-link" href="?page={{productList.previous_page_number}}" aria-label="Previous">  
78                                                             <span aria-hidden="true">&laquo;</span>  
79                                                             <span class="sr-only">Previous</span>  
80                                                         </a>  
81                                                     </li>  
82                                                 {% else %}  
83                                                     <li class="page-item disabled">  
84                                                         <a class="page-link" aria-label="Previous">  
85                                                             <span aria-hidden="true">&laquo;</span>  
86                                                             <span class="sr-only">Previous</span>  
87                                                         </a>  
88                                                     </li>  
89                                                 {% endif %} {% for i in productList.paginator.page_range %}  
90                                         {% if productList.number == i %}  
91                                             <li class="page-item active">  
92                                                 <a class="page-link">{{i}}</a>  
93                                             </li>  
94                                         {% else %}  
95                                             <li class="page-item">  
96                                                 <a class="page-link" href="?page={{i}}">{{i}}</a>  
97                                             </li>  
98                                         {% endif %} {% endfor %} {% if productList.has_next %}  
99                                             <li class="page-item">  
100                                                 <a class="page-link" href="?page={{productList.next_page_number}}" aria-label="Next">  
101                                                     <span aria-hidden="true">&raquo;</span>  
102                                                     <span class="sr-only">Next</span>  
103                                                 </a>  
104                                             </li>  
105                                         {% else %}  
106                                             <li class="page-item disabled">  
107                                                 <a class="page-link" aria-label="Next">  
108                                                     <span aria-hidden="true">&raquo;</span>  
109                                                     <span class="sr-only">Next</span>  
110                                                 </a>  
111                                             </li>  
112                                         {% endif %}
```

```
112         </ul>
113         {% endif %}
114     </nav>
115     </div>
116   </div>
117 </section>
118 <!-- Product Shop Section End -->
120
121 {% endblock %}
```

```

1  {% extends 'base.html' %} {% load static %} {% load humanize %} {% load cropping
2  thumbnail %}
3
4  {% block content %}                                     productDetail.html
5  <!-- Breadcrumb Section Begin -->
6  <div class="breadcrumb-section">
7      <div class="container">
8          <div class="row">
9              <div class="col-lg-12">
10                 <div class="breadcrumb-text product-more">
11                     <a href=".home.html"><i class="fa fa-home"></i> Home</a>
12                     <a href=".shop.html">Shop</a>
13                     <span>Detail</span>
14                 </div>
15             </div>
16         </div>
17     </div>
18 <!-- Breadcrumb Section Begin -->
19
20 <!-- Product Shop Section Begin -->
21 <section class="product-shop spad page-details">
22     <div class="container">
23         <div class="row">
24             <div class="col-lg-12">
25                 <div class="row">
26                     <div class="col-lg-6">
27                         <div class="product-pic-zoom">
28                             
29                         </div>
30                         <div class="product-thumbs">
31                             <div class="product-thumbs-track ps-slider owl-carousel">
32                                 <div class="pt active" data-imgbigurl="{%
cropped_thumbnail product 'photo_1_crop' %}"></div>
34                                 <div class="pt" data-imgbigurl="{% cropped_thumbnail
product 'photo_2_crop' %}"></div>
36                                 <div class="pt" data-imgbigurl="{% cropped_thumbnail
product 'photo_3_crop' %}"></div>
38                         </div>
39                     </div>
40                 </div>
41                 <div class="col-lg-6">
42                     <div class="product-details">
43                         <div class="pd-title">
44                             <span>{{ product.product_type }}</span>
45                             <h3>{{ product.name }}</h3>
46                             <a href="#" class="heart-icon"><i
class="icon_heart_alt"></i></a>
47                         </div>
48                         <div class="pd-desc">
49                             <p>{{ product.description_1 | safe }}</p>
50                             <h4><span>฿</span> {{ product.original_rate }}</h4>
51                         <span>
52                             {% if product.discounted_rate %}<br>
53                             {{ product.discounted_rate }}<br>
54                             <span>节约 {{ product.discounted_rate - product.original_rate }}</span>
55                         {% else %}<br>
56                         {{ product.original_rate }}<br>
57                         <span>无优惠</span>
58                         {% endif %}</span>
59                     </div>
60                 </div>
61             </div>
62         </div>
63     </div>
64 </section>

```

```

52                                     <span>=&#8377;</span> {{product.discounted_rate}}
53
54                                         {% endif %}
55                                         </h4>
56                                         </div>
57                                         {% if product.is_size %}
58                                         <div class="pd-size-choose">
59                                         <div class="sc-item">
60                                         <input type="radio" id="sm-size">
61                                         <label for="sm-size">s</label>
62                                         </div>
63                                         <div class="sc-item">
64                                         <input type="radio" id="md-size">
65                                         <label for="md-size">m</label>
66                                         </div>
67                                         <div class="sc-item">
68                                         <input type="radio" id="lg-size">
69                                         <label for="lg-size">l</label>
70                                         </div>
71                                         <div class="sc-item">
72                                         <input type="radio" id="xl-size">
73                                         <label for="xl-size">xl</label>
74                                         </div>
75                                         {% endif %}
76                                         <div class="quantity">
77                                         <div class="pro-qty">
78                                         <input type="text" value="1">
79                                         </div>
80                                         <a href="#" class="primary-btn pd-cart">Add To
Cart</a>
81                                         </div>
82                                         <ul class="pd-tags">
83                                         <li><span>CATEGORIES</span>: {{ product.category }}</li>
84                                         <li><span>TAGS</span>: {{ product.tag }}</li>
85                                         </ul>
86                                         </div>
87                                         </div>
88                                         <div class="product-tab">
89                                         <div class="tab-item">
90                                         <ul class="nav" role="tablist">
91                                         <li>
92                                         <a class="active" data-toggle="tab" href="#tab-1"
role="tab">DESCRIPTION</a>
93                                         </li>
94                                         <li>
95                                         <a data-toggle="tab" href="#tab-2"
role="tab">SPECIFICATIONS</a>
96                                         </li>
97                                         </ul>
98                                         </div>
99                                         <div class="tab-item-content">
100                                         <div class="tab-content">
101                                         <div class="tab-pane fade-in active" id="tab-1"
role="tabpanel">
102                                         <div class="product-content">
103                                         <div class="row">
104                                         <div class="col-lg-7">
105                                         {{ product.description_main | safe }}</div>

```

```
107                                     </div>
108                                     <div class="col-lg-5">
109                                         
111                                         </div>
112                                         </div>
113                                     </div>
114                                     <div class="tab-pane fade" id="tab-2" role="tabpanel">
115                                         <div class="specification-table">
116                                             <table>
117
118                                             <tr>
119                                                 <td class="p-catagory">Price</td>
120                                                 <td>
121                                     <div class="p-price"><span>฿{{ product.original_rate }}</span>
122                                     </div>
123                                         </td>
124                                         </tr>
125                                         <tr>
126                                             <td class="p-catagory">Add To Cart</td>
127                                             <td>
128                                                 <div class="cart-add">+ add to
129                                         cart</div>
130                                         </td>
131                                         </tr>
132                                         <tr>
133                                             <td class="p-catagory">Availability</td>
134                                             <td>
135                                                 <div class="p-stock">{{
136                                         product.stock_available }} in stock</div>
137                                                 </td>
138                                         </tr>
139                                         <tr>
140                                             <td class="p-catagory">Weight</td>
141                                             <td>
142                                                 <div class="p-weight">{{
143                                         product.weight }}</div>
144                                                 </td>
145                                         </tr>
146                                         <div>
147                                             <% if product.is_size %>
148                                             <tr>
149                                                 <td class="p-catagory">Size</td>
150                                                 <td>
151                                                     <div class="p-size">{{ product.size
152 }}</div>
153                                                 </td>
154                                         </tr>
155                                         <% endif %>
156                                         <tr>
157                                             <td class="p-catagory">Color</td>
158                                             <td>
159                                                 <div class="p-size">{{ product.color
160 }}</div>
161                                         </td>
162                                         </tr>
163                                         </table>
164                                     </div>
165                                     </div>
166                                 </div>
```

```
161         </div>
162     </div>
163   </div>
164 </div>
165 </section>
166
167
168
169 {% endblock %}
```

```

1  {% extends 'base.html' %} {% load static %} {% load humanize %} {% load cropping
2  thumbnail %}
3  {% block content %}                                     shopping-cart.html
4
5  <!-- Breadcrumb Section Begin -->
6  <div class="breacrumb-section">
7      <div class="container">
8          <div class="row">
9              <div class="col-lg-12">
10                 <div class="breadcrumb-text product-more">
11                     <a href=".//home.html"><i class="fa fa-home"></i> Home</a>
12                     <a href=".//shop.html">Shop</a>
13                     <span>Shopping Cart</span>
14                 </div>
15             </div>
16         </div>
17     </div>
18 </div>
19 <!-- Breadcrumb Section Begin -->
20
21 <!-- Shopping Cart Section Begin -->
22 <section class="shopping-cart spad">
23     <div class="container">
24         <div class="row">
25             <div class="col-lg-12">
26                 <div class="cart-table">
27                     <table>
28                         <thead>
29                             <tr>
30                                 <th>Image</th>
31                                 <th class="p-name">Product Name</th>
32                                 <th>Price</th>
33                                 <th>Quantity</th>
34                                 <th>Total</th>
35                                 <th><i class="ti-close"></i></th>
36                             </tr>
37                         </thead>
38                         <tbody>
39                             <tr>
40                                 <td class="cart-pic first-row"></td>
42                                 <td class="cart-title first-row">
43                                     <h5>Pure Pineapple</h5>
44                                 </td>
45                                 <td class="p-price first-row"><span>₹8377;</span>
46                                 60.00</td>
47                                 <td class="qua-col first-row">
48                                     <div class="quantity">
49                                         <div class="pro-qty">
50                                             <input type="text" value="1">
51                                         </div>
52                                     </div>
53                                     <td class="total-price first-row"><span>₹8377;
54                                     </span> 60.00</td>
55                                 <td class="close-td first-row"><i class="ti-close">

```

```
56             <td class="cart-pic"></td>  
57             <td class="cart-title">  
58                 <h5>American lobster</h5>  
59             </td>  
60             <td class="p-price"><span>฿ 60.00</span></td>  
61             <td class="qua-col">  
62                 <div class="quantity">  
63                     <div class="pro-qty">  
64                         <input type="text" value="1">  
65                     </div>  
66                 </div>  
67             </td>  
68             <td class="total-price"><span>฿ 60.00</span>  
69             <td class="close-td"><i class="ti-close"></i></td>  
70         </tr>  
71         <tr>  
72             <td class="cart-pic"></td>  
73             <td class="cart-title">  
74                 <h5>Guangzhou sweater</h5>  
75             </td>  
76             <td class="p-price"><span>฿ 60.00</span></td>  
77             <td class="qua-col">  
78                 <div class="quantity">  
79                     <div class="pro-qty">  
80                         <input type="text" value="1">  
81                     </div>  
82                 </div>  
83             </td>  
84             <td class="total-price"><span>฿ 60.00</span>  
85             <td class="close-td"><i class="ti-close"></i></td>  
86         </tr>  
87     </tbody>  
88 </table>  
89 </div>  
90 <div class="row">  
91     <div class="col-lg-4">  
92         <div class="cart-buttons">  
93             <a href="#" class="primary-btn continue-shop">Continue  
shopping</a>  
94             <a href="#" class="primary-btn up-cart">Update cart</a>  
95         </div>  
96         <div class="discount-coupon">  
97             <h6>Discount Codes</h6>  
98             <form action="#" class="coupon-form">  
99                 <input type="text" placeholder="Enter your codes">  
100                <button type="submit" class="site-btn coupon-  
btn">Apply</button>  
101            </form>  
102        </div>  
103    </div>  
104    <div class="col-lg-4 offset-lg-4">  
105        <div class="proceed-checkout">  
106            <ul>  
107                <li class="subtotal">Subtotal <span>฿ 240.00</span></li>  
108                <li class="cart-total">Total <span>฿ 240.00</span></li>  
109            </ul>  
110        </div>  
111    </div>
```

```
109          </ul>
110          <a href="#" class="proceed-btn">PROCEED TO CHECK OUT</a>
111      </div>
112      </div>
113      </div>
114      </div>
115  </div>
116 </div>
117 </section>
118 <!-- Shopping Cart Section End -->
119
120
121
122 {% endblock %}
```

```
1  {% extends 'base.html' %} {% load static %} {% load humanize %} {% load cropping
2  thumbnail %}
3
4
5  <!-- Breadcrumb Section Begin -->                                         check-out.html
6  <div class="breacrumb-section">
7      <div class="container">
8          <div class="row">
9              <div class="col-lg-12">
10                 <div class="breadcrumb-text product-more">
11                     <a href=".index.html"><i class="fa fa-home"></i> Home</a>
12                     <a href=".shop.html">Shop</a>
13                     <span>Check Out</span>
14                 </div>
15             </div>
16         </div>
17     </div>
18 </div>
19 <!-- Breadcrumb Section Begin -->
20
21 <!-- Shopping Cart Section Begin -->
22 <section class="checkout-section spad">
23     <div class="container">
24         <form action="#" class="checkout-form">
25             <div class="row">
26                 <div class="col-lg-6">
27                     <div class="checkout-content">
28                         <a href="#" class="content-btn">Click Here To Login</a>
29                     </div>
30                     <h4>Biiling Details</h4>
31                     <div class="row">
32                         <div class="col-lg-6">
33                             <label for="fir">First Name<span>*</span></label>
34                             <input type="text" id="fir">
35                         </div>
36                         <div class="col-lg-6">
37                             <label for="last">Last Name<span>*</span></label>
38                             <input type="text" id="last">
39                         </div>
40                         <div class="col-lg-12">
41                             <label for="cun-name">Company Name</label>
42                             <input type="text" id="cun-name">
43                         </div>
44                         <div class="col-lg-12">
45                             <label for="cun">Country<span>*</span></label>
46                             <input type="text" id="cun">
47                         </div>
48                         <div class="col-lg-12">
49                             <label for="street">Street Address<span>*</span></label>
50                             <input type="text" id="street" class="street-first">
51                             <input type="text">
52                         </div>
53                         <div class="col-lg-12">
54                             <label for="zip">Postcode / ZIP (optional)</label>
55                             <input type="text" id="zip">
56                         </div>
57                         <div class="col-lg-12">
58                             <label for="town">Town / City<span>*</span></label>
59                             <input type="text" id="town">
60                         </div>
```

```
61      <div class="col-lg-6">
62          <label for="email">Email Address<span>*</span></label>
63          <input type="text" id="email">
64      </div>
65      <div class="col-lg-6">
66          <label for="phone">Phone<span>*</span></label>
67          <input type="text" id="phone">
68      </div>
69      <div class="col-lg-12">
70          <div class="create-item">
71              <label for="acc-create">
72                  Create an account?
73                  <input type="checkbox" id="acc-create">
74                  <span class="checkmark"></span>
75              </label>
76          </div>
77      </div>
78  </div>
79  <div class="col-lg-6">
80      <div class="checkout-content">
81          <input type="text" placeholder="Enter Your Coupon Code">
82      </div>
83      <div class="place-order">
84          <h4>Your Order</h4>
85          <div class="order-total">
86              <ul class="order-table">
87                  <li>Product <span>Total</span></li>
88                  <li class="fw-normal">Combination x 1 <span>
89 <span>#8377;</span> 60.00</span></li>
90                  <li class="fw-normal">Combination x 1 <span>
91 <span>#8377;</span> 60.00</span></li>
92                  <li class="fw-normal">Combination x 1 <span>
93 <span>#8377;</span> 120.00</span></li>
94                  <li class="fw-normal">Subtotal <span><span>#8377;
95 </span> 240.00</span></li>
96                  <li class="total-price">Total <span><span>#8377;
97 </span> 240.00</span></li>
98          </ul>
99          <div class="payment-check">
100              <div class="pc-item">
101                  <label for="pc-check">
102                      Cheque Payment
103                      <input type="checkbox" id="pc-check">
104                      <span class="checkmark"></span>
105                  </label>
106              </div>
107              <div class="pc-item">
108                  <label for="pc-paypal">
109                      Paypal
110                      <input type="checkbox" id="pc-paypal">
111                      <span class="checkmark"></span>
112                  </label>
113          </div>
114          <div class="order-btn">
115              <button type="submit" class="site-btn place-
btn">Place Order</button>
116          </div>
117      </div>
118  </div>
```

```
116         </div>
117     </div>
118   </form>
119 </div>
120 </section>
121 <!-- Shopping Cart Section End -->
122
123
124 {% endblock %}
```

```

1  {% extends 'base.html' %} {% load static %} {% load humanize %} {% load cropping
2    thumbnail %}
3
4  {% block content %}                               contact.html
5
6  <!-- Breadcrumb Section Begin -->
7  <div class="breacrumb-section">
8      <div class="container">
9          <div class="row">
10         <div class="col-lg-12">
11             <div class="breadcrumb-text">
12                 <a href="#"><i class="fa fa-home"></i> Home</a>
13                 <span>Contact</span>
14             </div>
15         </div>
16     </div>
17 </div>
18 <!-- Breadcrumb Section Begin -->
19
20 <!-- Map Section Begin -->
21 <div class="map spad">
22     <div class="container">
23         <div class="map-inner">
24             <iframe
25                 src="https://www.google.com/maps/embed?
pb=!1m18!1m12!1m3!1d48158.305462977965!2d-
74.13283844036356!3d41.02757295168286!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2
!1s0x89c2e440473470d7%3A0xcaf503ca2ee57958!2sSaddle%20River%2C%20NJ%2007458%2C%20USA!
5e0!3m2!1sen!2sbd!4v1575917275626!5m2!1sen!2sbd"
26                 height="610" style="border:0" allowfullscreen="">
27             </iframe>
28             <div class="icon">
29                 <i class="fa fa-map-marker"></i>
30             </div>
31         </div>
32     </div>
33 </div>
34 <!-- Map Section Begin -->
35
36 <!-- Contact Section Begin -->
37 <section class="contact-section spad">
38     <div class="container">
39         <div class="row">
40             <div class="col-lg-5">
41                 <div class="contact-title">
42                     <h4>Contacts Us</h4>
43                     <p>Contrary to popular belief, Lorem Ipsum is simply random text.
It has roots in a piece of
44                         classical Latin literature from 45 BC, maki years old.</p>
45                     </div>
46                     <div class="contact-widget">
47                         <div class="cw-item">
48                             <div class="ci-icon">
49                                 <i class="ti-location-pin"></i>
50                             </div>
51                             <div class="ci-text">
52                                 <span>Address:</span>
53                                 <p>60-49 Road 11378 New York</p>
54                             </div>
55                         </div>

```

```

56      <div class="cw-item">
57          <div class="ci-icon">
58              <i class="ti-mobile"></i>
59          </div>
60          <div class="ci-text">
61              <span>Phone:</span>
62              <p>+65 11.188.888</p>
63          </div>
64      </div>
65      <div class="cw-item">
66          <div class="ci-icon">
67              <i class="ti-email"></i>
68          </div>
69          <div class="ci-text">
70              <span>Email:</span>
71              <p>hellocolorlib@gmail.com</p>
72          </div>
73      </div>
74  </div>
75  <div class="col-lg-6 offset-lg-1">
76      <div class="contact-form">
77          <div class="leave-comment">
78              <h4>Leave A Comment</h4>
79              <p>Our staff will call back later and answer your questions.</p>
80      </div>
81  </div>
82      <form action="#" class="comment-form">
83          <div class="row">
84              <div class="col-lg-6">
85                  <input type="text" placeholder="Your name">
86              </div>
87              <div class="col-lg-6">
88                  <input type="text" placeholder="Your email">
89              </div>
90              <div class="col-lg-12">
91                  <textarea placeholder="Your message"></textarea>
92                  <button type="submit" class="site-btn">Send
93                      <br/>
94                      <br/>
95                  </button>
96              </div>
97          </div>
98      </div>
99  </div>
100 </section>
101 <!-- Contact Section End -->
102
103
104 {% endblock %}

```

```
1 asgiref==3.3.1
2 astroid==2.4.2
3 autopep8==1.5.4
4 boto3==1.16.61
5 botocore==1.19.61
6 colorama==0.4.4
7 dj-database-url==0.5.0
8 Django==3.1.4
9 django-appconf==1.0.4
10 django-ckeditor==6.0.0
11 django-filter==2.4.0
12 django-heroku==0.3.1
13 django-image-cropping==1.5.0
14 django-jquery==3.1.0
15 django-js-asset==1.2.2
16 django-simple-metatags==2.0.1
17 django-sitemap-generate==0.2.1
18 django-storages==1.11.1
19 easy-thumbnails==2.7.1
20 gunicorn==20.0.4
21 isort==5.6.4
22 jmespath==0.10.0
23 lazy-object-proxy==1.4.3
24 mccabe==0.6.1
25 Pillow==8.1.0
26 psycopg2==2.8.6
27 psycopg2-binary==2.8.6
28 pycodestyle==2.6.0
29 pylint==2.6.0
30 pylint-django==2.4.2
31 pylint-plugin-utils==0.6
32 python-dateutil==2.8.1
33 pytz==2020.4
34 s3transfer==0.3.4
35 six==1.15.0
36 sqlparse==0.4.1
37 toml==0.10.2
38 urllib3==1.26.3
39 whitenoise==5.2.0
40 wrapt==1.12.1
41
```

```
1 #!/usr/bin/env python
2 """Django's command-line utility for administrative tasks."""
3 import os
4 import sys
5
6
7 def main():
8     """Run administrative tasks."""
9     os.environ.setdefault('DJANGO_SETTINGS_MODULE', 'startup.settings')
10    try:
11        from django.core.management import execute_from_command_line
12    except ImportError as exc:
13        raise ImportError(
14            "Couldn't import Django. Are you sure it's installed and "
15            "available on your PYTHONPATH environment variable? Did you "
16            "forget to activate a virtual environment?"
17        ) from exc
18    execute_from_command_line(sys.argv)
19
20
21 if __name__ == '__main__':
22     main()
23
```

```
1 """
2
3 settings.py
4
5 Django settings for startup project.
6
7 Generated by 'django-admin startproject' using Django 3.2.
8
9 For more information on this file, see
10 https://docs.djangoproject.com/en/3.2/topics/settings/
11
12 For the full list of settings and their values, see
13 https://docs.djangoproject.com/en/3.2/ref/settings/
14 """
15
16 from pathlib import Path
17 import os
18
19 # Build paths inside the project like this: BASE_DIR / 'subdir'.
20 BASE_DIR = Path(__file__).resolve().parent.parent
21
22
23 # Quick-start development settings - unsuitable for production
24 # See https://docs.djangoproject.com/en/3.2/howto/deployment/checklist/
25
26 # SECURITY WARNING: keep the secret key used in production secret!
27 SECRET_KEY = 'django-insecure-_hq_m--3w^v7@vcb9(&)kwai7gy6bq^mf34sr9+lse_oxw%$es'
28
29 # SECURITY WARNING: don't run with debug turned on in production!
30 DEBUG = True
31
32 ALLOWED_HOSTS = ['127.0.0.1']
33
34
35 # Application definition
36
37 INSTALLED_APPS = [
38     'websites.apps.WebsitesConfig',
39     'shop.apps.ShopConfig',
40     'django.contrib.admin',
41     'django.contrib.auth',
42     'django.contrib.contenttypes',
43     'django.contrib.sessions',
44     'django.contrib.messages',
45     'django.contrib.staticfiles',
46     'easy-thumbnails',
47     'image_cropping',
48     'django.contrib.humanize',
49     'ckeditor',
50
51 ]
52
53 MIDDLEWARE = [
54     'django.middleware.security.SecurityMiddleware',
55     'whitenoise.middleware.WhiteNoiseMiddleware',
56     'django.contrib.sessions.middleware.SessionMiddleware',
57     'django.middleware.common.CommonMiddleware',
58     'django.middleware.csrf.CsrfViewMiddleware',
59     'django.contrib.auth.middleware.AuthenticationMiddleware',
60     'django.contrib.messages.middleware.MessageMiddleware',
61     'django.middleware.clickjacking.XFrameOptionsMiddleware',
```

```
62 ]
63
64 ROOT_URLCONF = 'startup.urls'
65
66 TEMPLATES = [
67     {
68         'BACKEND': 'django.template.backends.django.DjangoTemplates',
69         'DIRS': [os.path.join(BASE_DIR, 'templates')],  

70         'APP_DIRS': True,  

71         'OPTIONS': {
72             'context_processors': [
73                 'django.template.context_processors.debug',
74                 'django.template.context_processors.request',
75                 'django.contrib.auth.context_processors.auth',
76                 'django.contrib.messages.context_processors.messages',
77             ],
78         },
79     },
80 ]
81
82 WSGI_APPLICATION = 'startup.wsgi.application'
83
84
85 # Database
86 # https://docs.djangoproject.com/en/3.2/ref/settings/#databases
87
88 DATABASES = {
89     'default': {
90         'ENGINE': 'django.db.backends.postgresql',
91         'NAME': 'startup',
92         'USER': 'postgres',
93         'PASSWORD': 'gokhul',
94         'HOST': 'localhost'
95     }
96 }
97
98
99 # Password validation
100 # https://docs.djangoproject.com/en/3.2/ref/settings/#auth-password-validators
101
102 AUTH_PASSWORD_VALIDATORS = [
103     {
104         'NAME':
105         'django.contrib.auth.password_validation.UserAttributeSimilarityValidator',
106     },
107     {
108         'NAME': 'django.contrib.auth.password_validation.MinimumLengthValidator',
109     },
110     {
111         'NAME': 'django.contrib.auth.password_validation.CommonPasswordValidator',
112     },
113     {
114         'NAME': 'django.contrib.auth.password_validation.NumericPasswordValidator',
115     },
116 ]
117
118 # Internationalization
119 # https://docs.djangoproject.com/en/3.2/topics/i18n/
120
121 LANGUAGE_CODE = 'en-us'
```

```
122
123 TIME_ZONE = 'UTC'
124
125 USE_I18N = True
126
127 USE_L10N = True
128
129 USE_TZ = True
130
131
132 # Static files (CSS, JavaScript, Images)
133 # https://docs.djangoproject.com/en/3.2/howto/static-files/
134
135
136 # Default primary key field type
137 # https://docs.djangoproject.com/en/3.2/ref/settings/#default-auto-field
138
139 DEFAULT_AUTO_FIELD = 'django.db.models.BigAutoField'
140
141 PROJECT_ROOT = os.path.join(os.path.abspath(__file__))
142
143 STATIC_URL = '/static/'
144 STATICFILES_DIRS = [
145     os.path.join(BASE_DIR, 'static')
146 ]
147 STATIC_ROOT = os.path.join(BASE_DIR, 'staticfiles')
148
149 MEDIA_ROOT = os.path.join(BASE_DIR, 'media')
150 MEDIA_URL = '/media/'
151
152 from easy-thumbnails.conf import Settings as thumbnail_settings
153
154 THUMBNAIL_PROCESSORS = (
155     'image_cropping.thumbnail_processors.crop_corners',
156 ) + thumbnail_settings.THUMBNAIL_PROCESSORS
157
158 IMAGE_CROPPING_BACKEND = 'image_cropping.backends.easy_thumbs.EasyThumbnailsBackend'
159 IMAGE_CROPPING_BACKEND_PARAMS = {}
160
161 IMAGE_CROPPING_SIZE_WARNING = True
162
163 # Messages
164
165 from django.contrib.messages import constants as messages
166 MESSAGE_TAGS = {
167     messages.ERROR: 'danger',
168 }
169
170 CKEDITOR_CONFIGS = {
171     'awesome_ckeditor': {
172         'toolbar': 'Basic',
173     },
174     'default': {
175         'toolbar': 'full',
176     },
177 }
```

```
1 from django.db import models
2 from datetime import datetime
3 from image_cropping import ImageRatioField
4 from PIL import Image
5 from ckeditor.fields import RichTextField
6 from django.urls import reverse
7
8 # Create your models here.
9 class Shop(models.Model):
10     name = models.CharField(max_length=200)
11     slug = models.SlugField(null=False, unique=True, max_length=200)
12     shop_type = models.CharField(max_length=200)
13     is_published = models.BooleanField(default=True)
14     profile_photo = models.ImageField(upload_to='photos/%Y/%m/%d')
15     profile_photo_crop = ImageRatioField('profile_photo', '270x303')
16     feature_photo = models.ImageField(upload_to='photos/%Y/%m/%d')
17     feature_photo_crop = ImageRatioField('feature_photo', '470x620')
18     slider_photo = models.ImageField(upload_to='photos/%Y/%m/%d')
19     slider_photo_crop = ImageRatioField('slider_photo', '1030x550')
20     description_1 = RichTextField()
21     photo_1 = models.ImageField(upload_to='photos/%Y/%m/%d', blank=True, null=True)
22     photo_1_crop = ImageRatioField('photo_1', '330x250')
23     photo_2 = models.ImageField(upload_to='photos/%Y/%m/%d', blank=True, null=True)
24     photo_2_crop = ImageRatioField('photo_2', '330x250')
25     photo_3 = models.ImageField(upload_to='photos/%Y/%m/%d', blank=True, null=True)
26     photo_3_crop = ImageRatioField('photo_3', '330x250')
27     description_2 = RichTextField(blank=True, null=True)
28     tag = models.CharField(max_length=200)
29     facebook = models.CharField(max_length=200, blank=True)
30     twitter = models.CharField(max_length=200, blank=True)
31     instagram = models.CharField(max_length=200, blank=True)
32     youtube = models.CharField(max_length=200, blank=True)
33     owner_name = models.CharField(max_length=200)
34     owner_view = RichTextField(blank=True, null=True)
35     list_date = models.DateTimeField(default=datetime.now, blank=True)
36
37     def __str__(self):
38         return self.name
39
40     def get_absolute_url(self):
41         return reverse('shop', args=[self.slug])
42
43
44 class Product(models.Model):
45     shop = models.ForeignKey(Shop, default = 1, on_delete=models.CASCADE)
46     name = models.CharField(max_length=200)
47     slug = models.SlugField(null=False, unique=True, max_length=200)
48     product_type = models.CharField(max_length=200)
49     is_published = models.BooleanField(default=True)
50     is_mvp = models.BooleanField(default=True)
51     profile_photo = models.ImageField(upload_to='photos/%Y/%m/%d')
52     profile_photo_crop = ImageRatioField('profile_photo', '270x303')
53     original_rate = models.IntegerField(blank=0)
54     discounted_rate = models.IntegerField(blank=True, null=True)
55     description_1 = RichTextField()
56     is_size = models.BooleanField(default=True)
57     category= models.CharField(max_length=200)
58     tag = models.CharField(max_length=200)
59     photo_1 = models.ImageField(upload_to='photos/%Y/%m/%d')
60     photo_1_crop = ImageRatioField('photo_1', '440x520')
61     photo_2 = models.ImageField(upload_to='photos/%Y/%m/%d')
```

```
62 photo_2_crop = ImageRatioField('photo_2', '440x520')
63 photo_3 = models.ImageField(upload_to='photos/%Y/%m/%d')
64 photo_3_crop = ImageRatioField('photo_3', '440x520')
65 description_main = RichTextField()
66 description_image = models.ImageField(upload_to='photos/%Y/%m/%d')
67 description_image_crop = ImageRatioField('description_image', '369x460')
68 stock_available = models.CharField(max_length=200)
69 weight = models.CharField(max_length=200)
70 size = models.CharField(max_length=200, blank=True)
71 color = models.CharField(max_length=200, blank=True)
72 list_date = models.DateTimeField(default=datetime.now, blank=True)
73
74 def __str__(self):
75     return self.name
76
77 def get_absolute_url(self):
78     return reverse('product', args=[self.shop.slug, self.slug])
79
80 class Advertisement(models.Model):
81     shop = models.ForeignKey(Shop, default = 1, on_delete=models.CASCADE)
82     ad_name = models.CharField(max_length=200)
83     slug = models.SlugField(null=False, unique=True, max_length=200)
84     is_published = models.BooleanField(default=True)
85     approved_by = models.CharField(max_length=200)
86     list_date = models.DateTimeField(default=datetime.now, blank=True)
87
88 def __str__(self):
89     return self.ad_name
```

```
1 '''url.py'''
2 from django.contrib import admin
3 from django.urls import path, include, re_path
4 from django.conf import settings
5 from django.conf.urls.static import static
6 from django.views.static import serve
7
8 urlpatterns = [
9     path('', include('websites.urls')),
10    path('shop/', include('shop.urls')),
11    path('admin/', admin.site.urls),
12    re_path(r'^media/(?P<path>.*)$', serve, {'document_root': settings.MEDIA_ROOT}),
13    re_path(r'^static/(?P<path>.*)$', serve, {'document_root': settings.STATIC_ROOT}),
14 ]
15
16
```

```
1 from django.urls import path, include, re_path
2 from django.conf import settings
3 from django.conf.urls.static import static
4 from django.views.static import serve
5 from . import views
6 urlpatterns = [
7     path('<slug:shop>',views.shop, name='shop'),
8     path('shoplist/',views.shoplist, name='shoplist'),
9     path('shopProducts/',views.shopProducts, name='shopProducts'),
10    path('shopProducts/<slug:shop>',views.shopProductsList, name='shopProductsList'),
11    path('<slug:shop>/<slug:product>',views.product, name='product'),
12    re_path(r'^media/(?P<path>.*)$', serve,{ 'document_root': settings.MEDIA_ROOT}),
13    re_path(r'^static/(?P<path>.*)$', serve,{ 'document_root': settings.STATIC_ROOT}),
14 ]
15
16 if settings.DEBUG:
17     urlpatterns += static(settings.MEDIA_URL, document_root=settings.MEDIA_ROOT)
18
```

```
1 from django.shortcuts import render
2 from .models import Shop, Product
3 from django.core.paginator import Paginator, EmptyPage, PageNotAnInteger
4
5
6 def shop(request, shop):
7     shop_detail = Shop.objects.get(slug=shop)
8     product_details =
9     Product.objects.filter(shop=shop_detail.id).filter(is_mvp=True).order_by('-
10 list_date')[4]
11     context = {'shop':shop_detail, 'productDetails':product_details}
12     return render(request,"pages/shopDetail.html", context)
13
14 def shoplist(request):
15     shopList = Shop.objects.filter(is_published=True).order_by('-list_date')
16     paginator = Paginator(shopList, 9)
17     page = request.GET.get('page')
18     paged_listings = paginator.get_page(page)
19     context={'shopList':paged_listings}
20     return render(request,"pages/shopList.html", context)
21
22 def shopProducts(request):
23     productList = Product.objects.filter(is_published=True).order_by('-list_date')
24     paginator = Paginator(productList, 9)
25     page = request.GET.get('page')
26     paged_listings = paginator.get_page(page)
27     context={'productList':paged_listings, 'title': "All Products"}
28     return render(request,"pages/shopProducts.html", context)
29
30 def product(request, product, shop):
31     product_detail = Product.objects.get(slug=product)
32     context = {'product': product_detail}
33     return render(request,"pages/productDetail.html", context)
34
35 def shopProductsList(request, shop):
36     shop_detail = Shop.objects.get(slug=shop)
37     productList =
38     Product.objects.filter(shop=shop_detail.id).filter(is_published=True).order_by('-
39 list_date')
40     paginator = Paginator(productList, 9)
41     page = request.GET.get('page')
42     paged_listings = paginator.get_page(page)
43     context={'productList':paged_listings, 'title': shop_detail.name + " Products"}
44     return render(request,"pages/shopProducts.html", context)
```

```
1 # url.py website
2
3 from django.urls import path, include, re_path
4 from django.conf import settings
5 from django.conf.urls.static import static
6 from django.views.static import serve
7 from . import views
8 urlpatterns = [
9     path('',views.index, name='index'),
10    path('index/',views.index, name='index'),
11    path('product/',views.product, name='product'),
12    path('shop//',views.shop, name='shop'),
13    path('shoplist//',views.shoplist, name='shoplist'),
14    path('cart//',views.cart, name='cart'),
15    path('shopProducts//',views.shopProducts, name='shopProducts'),
16    path('faq//',views.faq, name='faq'),
17    path('contact//',views.contact, name='contact'),
18    path('checkout//',views.checkout, name='checkout'),
19    path('blog//',views.blog, name='blog'),
20    path('post//',views.post, name='post'),
21    path('login//',views.login, name='login'),
22    path('register//',views.register, name='register'),
23    re_path(r'^media/(?P<path>>.*)$', serve,{ 'document_root': settings.MEDIA_ROOT}),
24    re_path(r'^static/(?P<path>>.*)$', serve,{ 'document_root': settings.STATIC_ROOT}),
25 ]
26
27 if settings.DEBUG:
28     urlpatterns += static(settings.MEDIA_URL, document_root=settings.MEDIA_ROOT)
29
30
31
32
33
34
```

```
1 #website views.py
2 from django.shortcuts import render
3 from shop.models import Advertisement, Shop, Product
4
5 # Create your views here.
6 def index(request):
7     ads = Advertisement.objects.filter(is_published=True).order_by('-list_date')[::2]
8     if len(ads)==2:
9         ad_shop_1 = Shop.objects.get(id=ads[0].shop.id)
10        ad_products_1 =
11            Product.objects.filter(shop=ads[0].shop.id).filter(is_published=True).order_by(
12                '-list_date')
13            ad_shop_2 = Shop.objects.get(id=ads[1].shop.id)
14            ad_products_2 =
15            Product.objects.filter(shop=ads[1].shop.id).filter(is_published=True).order_by(
16                '-list_date')
17            context ={ 'ad_shop_1':ad_shop_1, 'ad_products_1':ad_products_1,
18            'ad_shop_2':ad_shop_2, 'ad_products_2':ad_products_2}
19            return render(request,"pages/index.html", context)
20        else:
21            return render(request,"pages/index.html")
22
23 def product(request):
24     return render(request,"pages/productDetail.html")
25
26 def shop(request):
27     return render(request,"pages/shopDetail.html")
28
29 def shoplist(request):
30     return render(request,"pages/shopList.html")
31
32 def cart(request):
33     return render(request,"pages/shopping-cart.html")
34
35 def shopProducts(request):
36     return render(request,"pages/shopProducts.html")
37
38 def faq(request):
39     return render(request,"pages/faq.html")
40
41 def contact(request):
42     return render(request,"pages/contact.html")
43
44 def checkout(request):
45     return render(request,"pages/check-out.html")
46
47 def blog(request):
48     return render(request,"pages/blog.html")
49
50 def post(request):
51     return render(request,"pages/blog-details.html")
52
53 def login(request):
54     return render(request,"accounts/login.html")
55
56 def register(request):
57     return render(request,"accounts/register.html")
```

Documentation:

The Start Up system consists of 3 main sides, the student side and the Start-Up Administrator side and Main Admin. We realised that the user would feel more comfortable to access a site that is similar to an e-commerce website. So, the Student side of the website is made to have the look and feel of online shopping websites. The start-up admin side is designed to provide the basic administrator functionalities to work with. The main admin side is designed to provide the basic administrator functionalities to manage all major activities of the website.

Technically, the project consists of Django, Postgres and HTML, CSS.

The project helped us realize the difficulties faced when building a website which could not have known otherwise. It was challenging yet not too harsh. The developing experience was worth the time put into it.

Future expansions:

Renewing product features is a primary goal. Can also reduce Postgres database overhead. Page concept to display multiple books instead of everything in one page. And also enhancing Search engine results. Many UI features and redirects for easier flow. A dynamic system to store shopping cart values.