```
//M.GAYATHRI-185001050
//TUTORIAL 8
```

```
TASK-1->
Write sed command to include duplicate lines between the contents of the file.
cs1050@spl1:~/Desktop$ cat>append
hello
it was nice meeting you
it is nice to be here
i want to go to college
^{^{\sim}}C
cs1050@spl1:~/Desktop$ cat>script
a∖
^{^{\sim}C}
cs1050@spl1:~/Desktop$
cs1050@spl1:~/Desktop$ cat>script
a∖
^{\land}C
cs1050@spl1:~/Desktop$ sed -f script append
hello
it was nice meeting you
it is nice to be here
i want to go to college
TASK-2->
Generate the sequence of numbers from 1 to 100. Write the sed command to reverse these numbers
cs1050@spl1:~/Desktop$ seq 1 100 1>sequence
cs1050@spl1:~/Desktop$ cat sequence
2
3
4
5
8
10
```

22 23

25 26

```
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
cs1050@spl1:~/Desktop$ sed -n '1!G;h;$p' sequence
100
99
98
97
96
95
94
93
92
91
90
89
88
87
86
85
84
83
82
81
80
79
78
77
76
```

74

65 64

60 59

52

44

41 40

37

34 33

30 29

27

```
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
4
3
2
```

\_\_\_\_\_\_

## TASK-3->

1

Create a file named email.txt with the following contents. In this file long lines are split and marked with a soft line break consisting of a single '=' character at the end of the line. Write sed command to join the lines by removing the soft line breaks

```
Contents of message.txt
All the wor=
ld's a stag=
e,
And all the=
men and wo=
men merely =
players:
They have t=
heir exits =
and their e=
ntrances;
And one man=
in his tim=
e plays man=
y parts.
cs1050@spl1:~/Desktop$ cat>message.txt
All the wor=
ld's a stag=
e,
And all the=
men and wo=
men merely=
players:
```

```
They have t=
heir exits=
and their e=
ntrances;
And one man=
in his tim=
e plays man=
y parts.
^C
cs1050@spl1:~/Desktop$ sed ':x ; /=$/ { N ; s/=\n// ; bx }' message.txt
All the world's a stage,
And all the men and women merelyplayers:
They have their exitsand their entrances;
And one man in his time plays many parts.
```