

Cucumber Report

17-Apr-2025, 3:03:20 pm

Start : Apr 17, 2:57:22.390 pm

End : Apr 17, 3:03:17.725 pm

Duration : 5 m 55.335 s

Features



Scenarios

Steps

PASSED - 3
FAILED - 7
SKIPPED - 0


PASSED - 22
FAILED - 28
SKIPPED - 0

PASSED - 174
FAILED - 28
SKIPPED - 112




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Manage Appointments in Smart Hospital</u>	2 m 5.832 s	6	0	6	0	47	0	6	41
<u>Accountant Income Functionalities</u>	2 m 0.419 s	2	2	0	0	16	16	0	0
<u>Accountant Dashboard Functionalities</u>	2 m 0.116 s	3	0	3	0	30	19	3	8
<u>Login functionality for the Smart Hospital website</u>	1 m 4.131 s	15	10	5	0	69	61	5	3
<u>Booking appointment using patient Login</u>	1 m 34.085 s	3	3	0	0	23	23	0	0
<u>Discharging the patient</u>	46.879 s	3	0	3	0	19	0	3	16
<u>Login with the Patient Login Credentials</u>	22.499 s	3	3	0	0	14	14	0	0
<u>Payment features</u>	2 m 54.048 s	5	4	1	0	42	41	1	0
<u>Doctor add Prescription for the Feature in Smart Hospital</u>	1 m 36.640 s	7	0	7	0	41	0	7	34
<u>Search Patient by Name In Smart Hospital</u>	46.345 s	3	0	3	0	13	0	3	10


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@InvalidInput	3	1	2	0	2	1	1	0
@ValidInput	2	1	1	0	2	1	1	0
@ValidLoginCredentials	8	2	6	0	2	0	2	0
@InvalidUserName	4	4	0	0	1	0	1	0
@InvalidPassword	4	3	1	0	2	0	2	0
@InvalidUsername_And_Password	3	2	1	0	1	0	1	0
@BookingAppointment	1	1	0	0	1	1	0	0
@BookingWithEmptyField	1	1	0	0	1	1	0	0
@DischargingPatient	1	0	1	0	1	0	1	0
@LoginIntoPatient	1	1	0	0	1	1	0	0
@LoginWithInvalidUsername	2	2	0	0	1	1	0	0
@PatientPayment	1	1	0	0	1	0	1	0
@Negative_Prescription_Validation	4	0	4	0	1	0	1	0
@Positive_Prescription_Validation	1	0	1	0	1	0	1	0
@Validate_Prescription_View	1	0	1	0	1	0	1	0
@Verify_Delete_Patient_Option	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Manage Appointments in Smart Hospital</u>	6	0	6	0	2 m 5.832 s
2	<u>Accountant Income Functionalities</u>	2	2	0	0	2 m 0.419 s
3	<u>Accountant Dashboard Functionalities</u>	3	0	3	0	2 m 0.116 s
4	<u>Login functionality for the Smart Hospital website</u>	15	10	5	0	1 m 4.131 s
5	<u>Booking appointment using patient Login</u>	3	3	0	0	1 m 34.085 s
6	<u>Discharging the patient</u>	3	0	3	0	46.879 s
7	<u>Login with the Patient Login Credentials</u>	3	3	0	0	22.499 s
8	<u>Payment features</u>	5	4	1	0	2 m 54.048 s
9	<u>Doctor add Prescription for the Feature in Smart Hospital</u>	7	0	7	0	1 m 36.640 s
10	<u>Search Patient by Name In Smart Hospital</u>	3	0	3	0	46.345 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Manage Appointments in Smart Hospital</u>	<u>Doctor tries to add a new patient without entering the Month</u>	7	0	1	6	1 m 57.132 s
2	<u>Manage Appointments in Smart Hospital</u>	<u>Doctor tries to add a new patient without entering the year</u>	7	0	1	6	1 m 57.307 s
3	<u>Manage Appointments in Smart Hospital</u>	<u>Doctor tries to add a new patient without entering the name</u>	7	0	1	6	1 m 58.488 s
4	<u>Manage Appointments in Smart Hospital</u>	<u>Doctor creates a new appointment for a new patient</u>	10	0	1	9	2 m 1.163 s
5	<u>Manage Appointments in Smart Hospital</u>	<u>Doctor tries to create an appointment with an expired time slot</u>	9	0	1	8	1 m 57.339 s
6	<u>Manage Appointments in Smart Hospital</u>	<u>Doctor tries to add a new patient without entering the day</u>	7	0	1	6	28.972 s
7	<u>Accountant Income Functionalities</u>	<u>Add New Income with Invalid Data</u>	8	8	0	0	2 m 0.419 s
8	<u>Accountant Income Functionalities</u>	<u>Add New Income and Verify</u>	8	8	0	0	1 m 59.009 s
9	<u>Accountant Dashboard Functionalities</u>	<u>Add New Expense with Invalid Data</u>	9	6	1	2	1 m 36.414 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Accountant Dashboard Functionalities</u>	<u>Add New Expense with Invalid Data</u>	9	6	1	2	1 m 58.425 s
11	<u>Accountant Dashboard Functionalities</u>	<u>Add New Expense and Verify</u>	12	7	1	4	2 m 0.100 s
12	<u>Login functionality for the Smart Hospital website</u>	<u>Verify the Login with roles</u>	4	3	1	0	32.609 s
13	<u>Login functionality for the Smart Hospital website</u>	<u>Verify the Login with roles</u>	4	3	1	0	32.478 s
14	<u>Login functionality for the Smart Hospital website</u>	<u>Verify the Login with roles</u>	4	3	1	0	34.406 s
15	<u>Login functionality for the Smart Hospital website</u>	<u>Verify the Login with roles</u>	4	4	0	0	28.476 s
16	<u>Login functionality for the Smart Hospital website</u>	<u>Verify the Login with roles</u>	4	3	1	0	39.230 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
17	<u>Login functionality for the Smart Hospital website</u>	<u>Verify the Login with roles</u>	4	4	0	0	36.199 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>Login functionality for the Smart Hospital website</u>	<u>Attempt to login with missing username</u>	5	5	0	0	25.392 s
19	<u>Login functionality for the Smart Hospital website</u>	<u>Attempt to login with missing username</u>	5	5	0	0	26.779 s
20	<u>Login functionality for the Smart Hospital website</u>	<u>Attempt to login with missing username</u>	5	5	0	0	22.471 s
21	<u>Login functionality for the Smart Hospital website</u>	<u>Attempt to login with missing password</u>	5	5	0	0	29.593 s
22	<u>Login functionality for the Smart Hospital website</u>	<u>Attempt to login with missing password</u>	5	5	0	0	23.071 s
23	<u>Login functionality for the Smart Hospital website</u>	<u>Attempt to login with missing password</u>	5	5	0	0	21.428 s
24	<u>Login functionality for the Smart Hospital website</u>	<u>Attempt to login with missing username and password</u>	5	5	0	0	21.587 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>Login functionality for the Smart Hospital website</u>	<u>Attempt to login with missing username and password</u>	5	5	0	0	22.203 s
26	<u>Login functionality for the Smart Hospital website</u>	<u>Attempt to login with missing username and password</u>	5	1	1	3	31.513 s
27	<u>Booking appointment using patient Login</u>	<u>Appointment booking for patient</u>	7	7	0	0	1 m 34.085 s
28	<u>Booking appointment using patient Login</u>	<u>Patient booking with date as empty field</u>	8	8	0	0	39.489 s
29	<u>Booking appointment using patient Login</u>	<u>Patient booking with specialist as empty field</u>	8	8	0	0	32.129 s
30	<u>Discharging the patient</u>	<u>Doctor discharging without providing discharging date</u>	7	0	1	6	46.142 s
31	<u>Discharging the patient</u>	<u>Doctor discharging without providing discharging status</u>	7	0	1	6	44.462 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
32	<u>Discharging the patient</u>	<u>Doctor discharging the patient by case ID</u>	5	0	1	4	35.396 s
33	<u>Login with the Patient Login Credentials</u>	<u>To check Login as patient</u>	4	4	0	0	20.884 s
34	<u>Login with the Patient Login Credentials</u>	<u>To check with Invalid username for patient</u>	5	5	0	0	21.080 s
35	<u>Login with the Patient Login Credentials</u>	<u>To check with Invalid password for patient</u>	5	5	0	0	18.901 s
36	<u>Payment features</u>	<u>Payment by invalid card number</u>	8	8	0	0	1 m 10.118 s
37	<u>Payment features</u>	<u>Payment by invalid card number</u>	8	8	0	0	2 m 42.213 s
38	<u>Payment features</u>	<u>Payment by invalid card expiry date</u>	8	8	0	0	1 m 11.490 s
39	<u>Payment features</u>	<u>Payment by invalid card cvv number</u>	9	9	0	0	1 m 29.369 s
40	<u>Payment features</u>	<u>Payment by Valid card details</u>	9	8	1	0	2 m 45.715 s
41	<u>Doctor add Prescription for the Feature in Smart Hospital</u>	<u>Doctor tries to submit prescription with missing fields</u>	6	0	1	5	51.608 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
42	<u>Doctor add Prescription for the Feature in Smart Hospital</u>	<u>Doctor tries to submit prescription with missing fields</u>	6	0	1	5	49.040 s
43	<u>Doctor add Prescription for the Feature in Smart Hospital</u>	<u>Doctor tries to submit prescription with missing fields</u>	6	0	1	5	54.293 s
44	<u>Doctor add Prescription for the Feature in Smart Hospital</u>	<u>Doctor tries to submit prescription with missing fields</u>	6	0	1	5	45.798 s
45	<u>Doctor add Prescription for the Feature in Smart Hospital</u>	<u>verify the prescription feature by providing valid informations</u>	7	0	1	6	45.001 s
46	<u>Doctor add Prescription for the Feature in Smart Hospital</u>	<u>Verify the added prescription is visible in the OPD section</u>	4	0	1	3	38.621 s
47	<u>Doctor add Prescription for the Feature in Smart Hospital</u>	<u>Verify the added patient can be deleted in OPD section</u>	6	0	1	5	39.768 s
48	<u>Search Patient by Name In Smart Hospital</u>	<u>Verify the Search of patient</u>	4	0	1	3	35.838 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
49	<u>Search Patient by Name In Smart Hospital</u>	<u>Verify the Search of patient</u>	4	0	1	3	38.794 s
50	<u>Search Patient by Name In Smart Hospital</u>	<u>Verify that a searched patient can be deleted</u>	5	0	1	4	40.513 s

Manage Appointments in Smart Hospital

FAILED	DURATION - 2 m 5.832 s	Scenarios		Steps	
/ 2:57:22.390 pm // 2:59:28.222 pm /		Total - 6		Total - 47	
		Pass - 0		Pass - 0	
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 41	



Doctor tries to add a new patient without entering the Month

<div>FAILED</div> <div>DURATION - 1 m 57.132 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 2:57:22.393 pm // 2:59:19.525 pm /				
Manage Appointments in Smart Hospital				

#	Step / Hook Details	Status	Duration
1	<p>Given Doctor is logged in to the Smart Hospital system</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //div[@class="btn-group bootstrap-select language"]' (tried for 10 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)</p> <p>at com.actions.DoctorActions.english(DoctorActions.java:35)</p> <p>at com.definitions.DoctorDefinition.doctor_is_logged_in_to_the_smart_hospital_system(DoctorDefinition.java:21)</p> <p>at ?.Doctor is logged in to the Smart Hospital system(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/DoctorFeature.feature:3)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class="btn-group bootstrap-select language"]} (Session info: chrome=135.0.7049.85) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6207f7c3091563c4f3c85f489972d173, findElement {value=//div[@class="btn-group bootstrap-select language"], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\Local\Temp\chrome-remote-debugging\135.0.7049.85, goog:chromeOptions: {debuggerAddress: localhost:57296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:57296/devtoo..., se.cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,</p>	FAILED	27.904 s

#	Step / Hook Details	Status	Duration
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6207f7c3091563c4f3c85f489972d173 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) * Not displayable characters are replaced by '?'.		
2	Given the User navigate to the appointment section	SKIPPED	0.001 s
3	When Doctor clicks the Add Appointment button	SKIPPED	0.000 s
4	And Doctor clicks on New Patient button	SKIPPED	0.000 s
5	And Doctor leaves the Month field empty in patient details	SKIPPED	0.000 s
6	And Doctor clicks the save button	SKIPPED	0.000 s
7	Then Patient creation should fail and shows "Month field is required" message	SKIPPED	0.000 s



Doctor tries to add a new patient without entering the year

<div><div>FAILED</div><div>DURATION - 1 m 57.307 s</div></div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 2:57:22.394 pm // 2:59:19.701 pm /				
Manage Appointments in Smart Hospital				

#	Step / Hook Details	Status	Duration
1	<p>Given Doctor is logged in to the Smart Hospital system</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //div[@class="btn-group bootstrap-select language"]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.actions.DoctorActions.english(DoctorActions.java:35) at com.definitions.DoctorDefinition.doctor_is_logged_in_to_the_smart_hospital_system(DoctorDefinition.java:21) at ?.Doctor is logged in to the Smart Hospital system(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/DoctorFeature.feature:3)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class="btn-group bootstrap-select language"]} (Session info: chrome=135.0.7049.85) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e1a0a01e439df781341134ecb70b48b6, findElement {value="//div[@class="btn-group bootstrap-select language"]", using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57399}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57399/devtoo..., se:cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e1a0a01e439df781341134ecb70b48b6 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</p>	FAILED	34.373 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	Given the User navigate to the appointment section	SKIPPED	0.000 s
3	When Doctor clicks the Add Appointment button	SKIPPED	0.000 s
4	And Doctor clicks on New Patient button	SKIPPED	0.000 s
5	And Doctor leaves the Year field empty in patient details	SKIPPED	0.000 s
6	And Doctor clicks the save button	SKIPPED	0.000 s
7	Then Patient creation should fail and show "Year field is required" message	SKIPPED	0.000 s

Doctor tries to add a new patient without entering the name



<div>FAILED</div> <div>DURATION - 1 m 58.488 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
<div>/ 2:57:22.400 pm // 2:59:20.888 pm /</div>				
<div>Manage Appointments in Smart Hospital</div>				

#	Step / Hook Details	Status	Duration
1	Given Doctor is logged in to the Smart Hospital system	FAILED	31.432 s
	<pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //div[@class="btn-group bootstrap-select language"]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) </pre>		

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.actions.DoctorActions.english(DoctorActions.java:35) at com.definitions.DoctorDefinition.doctor_is_logged_in_to_the_smart_hospital_system(DoctorDefinition.java:21) at ?.Doctor is logged in to the Smart Hospital system(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/DoctorFeature.feature:3)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class="btn-group bootstrap-select language"]"} (Session info: chrome=135.0.7049.85) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b954f49bfe478bacba14d50549181c16, findElement {value="//div[@class="btn-group bootstrap-select language"]", using="xpath"}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\Local\Temp\scoped_cdp_chrome\chrome\chromedriver.exe}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57432}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57432/devtools/page/1/b954f49bfe478bacba14d50549181c16, se:cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b954f49bfe478bacba14d50549181c16</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)</p> <p>* Not displayable characters are replaced by "?".</p>		
2	Given the User navigate to the appointment section	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	When Doctor clicks the Add Appointment button	SKIPPED	0.000 s
4	And Doctor clicks on New Patient button	SKIPPED	0.000 s
5	And Doctor leaves the Name field empty in patient details	SKIPPED	0.000 s
6	And Doctor clicks the save button	SKIPPED	0.000 s
7	Then Patient creation should fail with "Name field is required" message	SKIPPED	0.000 s



Doctor creates a new appointment for a new patient

FAILED	DURATION - 2 m 1.163 s		Steps Total - 10 Pass - 0 Fail - 1 Skip - 9	
/ 2:57:22.421 pm // 2:59:23.584 pm /				
Manage Appointments in Smart Hospital				

#	Step / Hook Details	Status	Duration
1	<p>Given Doctor is logged in to the Smart Hospital system</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //div[@class="btn-group bootstrap-select language"]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.actions.DoctorActions.english(DoctorActions.java:35) at com.definitions.DoctorDefinition.doctor_is_logged_in_to_the_smart_hospital_system(DoctorDefinition.java:21) at ?.Doctor is logged in to the Smart Hospital system(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/DoctorFeature.feature:3)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class="btn-group bootstrap-select language"]} (Session info: chrome=135.0.7049.85) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [456e9eb0ca7cd75911f21e17159bd380, findElement {value=//div[@class="btn-group bootstrap-select language"], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57415}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57415/devtoo..., se:cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 456e9eb0ca7cd75911f21e17159bd380</p>	FAILED	1 m 6.310 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	Given the User navigate to the appointment section	SKIPPED	0.000 s
3	When Doctor clicks the Add Appointment button	SKIPPED	0.000 s
4	And Doctor clicks on New Patient button	SKIPPED	0.000 s
5	And Doctor fills in patient details	SKIPPED	0.001 s
6	And Doctor clicks the save button	SKIPPED	0.000 s
7	Then Patient should be added successfully	SKIPPED	0.000 s
8	When Doctor fills in appointment details	SKIPPED	0.000 s
9	And Doctor clicks on save button	SKIPPED	0.000 s
10	Then Appointment should be created successfully	SKIPPED	0.000 s



Doctor tries to create an appointment with an expired time slot

<div>FAILED</div> <div>DURATION - 1 m 57.339 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 8</div>	<div></div>
/ 2:57:22.423 pm // 2:59:19.762 pm /				
Manage Appointments in Smart Hospital				

#	Step / Hook Details	Status	Duration
1	<p>Given Doctor is logged in to the Smart Hospital system</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //div[@class="btn-group bootstrap-select language"]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.actions.DoctorActions.english(DoctorActions.java:35) at com.definitions.DoctorDefinition.doctor_is_logged_in_to_the_smart_hospital_system(DoctorDefinition.java:21) at ?.Doctor is logged in to the Smart Hospital system(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/DoctorFeature.feature:3)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class="btn-group bootstrap-select language"]"} (Session info: chrome=135.0.7049.85) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7dcb4062760df1bd9399d613d136a1a3, findElement {value="//div[@class="btn-group bootstrap-select language"]", using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57224}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57224/devtoo..., se:cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7dcb4062760df1bd9399d613d136a1a3 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</p>	FAILED	29.435 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	Given the User navigate to the appointment section	SKIPPED	0.000 s
3	When Doctor clicks the Add Appointment button	SKIPPED	0.001 s
4	And Doctor clicks on New Patient button	SKIPPED	0.000 s
5	And Doctor fills in patient details	SKIPPED	0.001 s
6	And Doctor clicks the save button	SKIPPED	0.000 s
7	Then Patient should be added successfully	SKIPPED	0.001 s
8	When Doctor fills Expired time for appointment	SKIPPED	0.000 s
9	Then Appointment creation should fail with "Appointment Time Is Expired" message	SKIPPED	0.000 s

Doctor tries to add a new patient without entering the day



<div>FAILED</div> <div>DURATION - 28.972 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
<div>/ 2:58:59.250 pm // 2:59:28.222 pm /</div>				
<div>Manage Appointments in Smart Hospital</div>				

#	Step / Hook Details	Status	Duration
1	Given Doctor is logged in to the Smart Hospital system	FAILED	21.288 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for:		



#	Step / Hook Details	Status	Duration
	<p>DefaultElementLocator 'By.xpath: //i[@class="fa fa-user-md ispace"]' (tried for 10 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)</p> <p>at com.actions.DoctorActions.login(DoctorActions.java:29)</p> <p>at com.definitions.DoctorDefinition.doctor_is_logged_in_to_the_smart_hospital_system(DoctorDefinition.java:19)</p> <p>at ?.Doctor is logged in to the Smart Hospital system(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/DoctorFeature.feature:3)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//i[@class="fa fa-user-md ispace"]} (Session info: chrome=135.0.7049.85) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [66e7252ce7db7b1946406fcb28e415d, findElement {value=//i[@class="fa fa-user-md ispace"], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57205}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57205/devtools, se:cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 66e7252ce7db7b1946406fcb28e415d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</p> <p>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy41.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)</p>		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. Given the User navigate to the appointment section		
2	When Doctor clicks the Add Appointment button	SKIPPED	0.000 s
3	And Doctor clicks on New Patient button	SKIPPED	0.000 s
4	And Doctor leaves the Day field empty in patient details	SKIPPED	0.000 s
5	And Doctor clicks the save button	SKIPPED	0.000 s
6	Then Patient creation should fails and shows "Day field is required" message	SKIPPED	0.000 s

Accountant Income Functionalities

PASSED	DURATION - 2 m 0.419 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 16 Pass - 16 Fail - 0 Skip - 0	
/ 2:57:22.398 pm // 2:59:22.817 pm /					



Add New Income with Invalid Data

PASSED	DURATION - 2 m 0.419 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 2:57:22.398 pm // 2:59:22.817 pm /				
Accountant Income Functionalities				
@InvalidInput				

#	Step / Hook Details	Status	Duration
1	Given User launches Smart Hospital website	PASSED	1.850 s
2	When the user selects "Accountant" role	PASSED	1.429 s
3	And the user clicks the Sign In	PASSED	0.923 s
4	Then the user navigates to the finance section and clicks on income	PASSED	46.218 s
5	And the user clicks on Add Income	PASSED	0.126 s
6	When the user enters the following income details:	PASSED	15.111 s



#	Step / Hook Details			Status	Duration
	header	name	amount		
	Telephone Bill		100.00		
	Telephone Bill	hi	-52		
7	And the user clicks the save button			PASSED	0.047 s
8	Then the user should see an error notification			PASSED	1.125 s

Add New Income and Verify



PASSED	DURATION - 1 m 59.009 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 2:57:22.401 pm // 2:59:21.410 pm /				
Accountant Income Functionalities				
@ValidInput				

#	Step / Hook Details	Status	Duration
1	Given User launches Smart Hospital website	PASSED	2.909 s
2	When the user selects "Accountant" role	PASSED	1.434 s
3	And the user clicks the Sign In	PASSED	0.921 s
4	Then the user navigates to the finance section and clicks on income	PASSED	46.516 s
5	And the user clicks on Add Income	PASSED	0.141 s
6	And the user enters the Header as "Hospital charge", name as "Dr.S.Ramkumar", and amount as "1500.00"	PASSED	14.610 s
7	And the user clicks the save button	PASSED	0.106 s
8	Then the user verifies that the new income is added to the table	PASSED	0.029 s

Accountant Dashboard Functionalities

FAILED	DURATION - 2 m 0.116 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 30 Pass - 19 Fail - 3 Skip - 8	
/ 2:57:22.404 pm // 2:59:22.520 pm /					



Add New Expense with Invalid Data

<div>FAILED</div> <div>DURATION - 1 m 36.414 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 2:57:22.414 pm // 2:58:58.828 pm /				
Accountant Dashboard Functionalities				
@InvalidInput				

#	Step / Hook Details	Status	Duration
1	Given User launches the Smart Hospital application	PASSED	1.925 s
2	When the user selects role "Accountant"	PASSED	0.631 s
3	And the user clicks the Sign In buttons	PASSED	10.110 s
4	Then User should see the dashboard summary table	PASSED	7.114 s
5	And then need enter to the Expenses	PASSED	2.690 s
6	Then need click Add Expenses	PASSED	0.437 s
7	Then need to give the Header as "Telephone Bill", name "Office Telephone Charges" and amount "-100.00"	FAILED	1.131 s
	<p>org.openqa.selenium.ElementNotInteractableException: element not interactable: Element is not currently visible and may not be manipulated (Session info: chrome=135.0.7049.85) Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [66e7252ce7db7b1946406fcb28e415d, clickElement {id=f.295D3D195E55E0DF0BACEAC86B5786ED.d. C307F2EFA4B8EA03D91F63EF4284A6E8.e.262}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\Local\Temp\chrome-wk\135.0.7049.95\userDataDir}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57205}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57205/devtools, se:cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[[[ChromeDriver: chrome on windows (66e7252ce7db7b1946406fcb28e415d)] -> xpath: //*[@id="exp_head_id"]]] -> xpath: //option[normalize-space(.) = "Telephone Bill"] Session ID: 66e7252ce7db7b1946406fcb28e415d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at org.openqa.selenium.support.ui.Select.setSelected(Select.java:419) at org.openqa.selenium.support.ui.Select.selectByVisibleText(Select.java:133) at com.actions.AccountantActions.selectExpenseHeader(AccountantActions.java:69) at com.definitions.AccountantDefinition.addNewExpense(AccountantDefinition.java:53) at ?.need to give the Header as "Telephone Bill", name "Office Telephone Charges" and amount "-100.00"(file:///D:/eclipse/Smart_Hospital_Cucumber/SmarrHospitals_Cucumber/src/test/resources/Features/AccountantFeatureExpenses.feature:24) * Not displayable characters are replaced by '?'. </pre>		
8	And the user click the save	SKIPPED	0.000 s
9	Then need to see the asseart the error notifications	SKIPPED	0.126 s
	<p>AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre> java.nio.file.FileSystemException: screenshots\Add New Expense with Invalid Data.png: The process cannot access the file because it is being used by another process at java.base/sun.nio.fs.WindowsException.translateToIOException(WindowsException.java:92) at java.base/sun.nio.fs.WindowsException.rethrowAsIOException(WindowsException.java:103) at java.base/sun.nio.fs.WindowsException.rethrowAsIOException(WindowsException.java:108) at java.base/sun.nio.fs.WindowsFileCopy.copy(WindowsFileCopy.java:180) at java.base/sun.nio.fs.WindowsFileSystemProvider.copy(WindowsFileSystemProvider.java:282) at java.base/java.nio.file.Files.copy(Files.java:1304) at org.apache.commons.io.FileUtils.copyFile(FileUtils.java:875) at org.apache.commons.io.FileUtils.copyFile(FileUtils.java:902) at org.apache.commons.io.FileUtils.copyFile(FileUtils.java:801) at com.definitions.Hooks.tearDown(Hooks.java:26) </pre>	FAILED	45.133 s

Add New Expense with Invalid Data

FAILED	DURATION - 1 m 58.425 s	 <table><caption>Step Counts</caption><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>1</td></tr><tr><td>3</td><td>10</td></tr><tr><td>4</td><td>7</td></tr><tr><td>5</td><td>3</td></tr><tr><td>6</td><td>1</td></tr><tr><td>7</td><td>1</td></tr><tr><td>8</td><td>1</td></tr><tr><td>9</td><td>1</td></tr></tbody></table>	Step	Count	1	1	2	1	3	10	4	7	5	3	6	1	7	1	8	1	9	1	<div>Steps</div> <div>Total - 9</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 2</div> 
Step	Count																						
1	1																						
2	1																						
3	10																						
4	7																						
5	3																						
6	1																						
7	1																						
8	1																						
9	1																						
/ 2:57:22.417 pm // 2:59:20.842 pm /																							
Accountant Dashboard Functionalities																							
@InvalidInput																							

#	Step / Hook Details	Status	Duration
1	Given User launches the Smart Hospital application	PASSED	1.745 s
2	When the user selects role "Accountant"	PASSED	0.684 s
3	And the user clicks the Sign In buttons	PASSED	10.056 s
4	Then User should see the dashboard summary table	PASSED	7.099 s
5	And then need enter to the Expenses	PASSED	2.687 s
6	Then need click Add Expenses	PASSED	0.442 s
7	Then need to give the Header as "Telephone Bill", name "hi" and amount "-52"	FAILED	1.116 s
	<p>org.openqa.selenium.ElementNotInteractableException: element not interactable: Element is not currently visible and may not be manipulated (Session info: chrome=135.0.7049.85) Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [13005722763e3dd1c0455414f806833b, clickElement {id=f.E6A39DCB9AE080265F53DD405D4A9CA7.d.B56596C71EA669C714C189B016732F6D.e.255}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57222}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57222/devtoo..., se:cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[[[ChromeDriver: chrome on windows (13005722763e3dd1c0455414f806833b)] -> xpath: //*[@id="exp_head_id"]] -> xpath: ./option[normalize-space(.) = "Telephone Bill"] Session ID: 13005722763e3dd1c0455414f806833b</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</p> <p>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76)</p> <p>at org.openqa.selenium.support.ui.Select.setSelected(Select.java:419)</p> <p>at org.openqa.selenium.support.ui.Select.selectByVisibleText(Select.java:133)</p> <p>at com.actions.AccountantActions.selectExpenseHeader(AccountantActions.java:69)</p> <p>at comdefinitions.AccountantDefinition.addNewExpense(AccountantDefinition.java:53)</p> <p>at ?.need to give the Header as "Telephone Bill", name "hi" and amount "-52"(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/AccountantFeatureExpenses.feature:24)</p> <p>* Not displayable characters are replaced by '?'. </p>		
8	And the user click the save	SKIPPED	0.000 s
9	Then need to see the asseart the error notifications	SKIPPED	0.000 s



Add New Expense and Verify

<div>FAILED</div> <div>DURATION - 2 m 0.100 s</div>		<div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 2:57:22.420 pm // 2:59:22.520 pm /				
Accountant Dashboard Functionalities				
@ValidInput				



#	Step / Hook Details	Status	Duration
1	Given User launches the Smart Hospital application	PASSED	0.005 s
2	When the user selects role "Accountant"	PASSED	3.490 s
3	And the user clicks the Sign In buttons	PASSED	0.369 s
4	Then User should see the dashboard summary table	PASSED	26.723 s
5	And User should capture and print the data from dashboard table section this should be stored in the excel for reference	PASSED	7.336 s
6	And then need enter to the Expenses	PASSED	25.771 s
7	Then need click Add Expenses	PASSED	0.142 s
8	Then need to give the Header as "Telephone Bill", name "Office Telephone Charges" and amount "100.00"	FAILED	0.345 s
	<p>org.openqa.selenium.ElementNotInteractableException: element not interactable: Element is not currently visible and may not be manipulated (Session info: chrome=135.0.7049.85) Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f9e95de7200ca60b3ad6145297e74a47, clickElement {id=f.6DDE66412C52B269587EBDD29BFEEFA3B.d.88FB3E304DA6A8B510A2CDB45D071C5B.e.179}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57314}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57314/devtoo..., se:cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [][ChromeDriver: chrome on windows (f9e95de7200ca60b3ad6145297e74a47)] -> xpath: //*[@id="exp_head_id"] -> xpath: ./option[normalize-space(.) = "Telephone Bill"] Session ID: f9e95de7200ca60b3ad6145297e74a47</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at org.openqa.selenium.support.ui.Select.setSelected(Select.java:419) at org.openqa.selenium.support.ui.Select.selectByVisibleText(Select.java:133) at com.actions.AccountantActions.selectExpenseHeader(AccountantActions.java:69) at com.definitions.AccountantDefinition.addNewExpense(AccountantDefinition.java:53) at ?.need to give the Header as "Telephone Bill", name "Office Telephone Charges" and amount "100.00"(file:///D:/eclipse/Smart_Hospital_Cucumber/SmarrHospitals_Cucumber/src/test/resources/Features/AccountantFeatureExpenses.feature:14) * Not displayable characters are replaced by '?'. </pre>		
9	And the user click the save	SKIPPED	0.000 s
10	Then need to see the asseart the success notifications	SKIPPED	0.000 s
11	Then User should see the dashboard summary table	SKIPPED	0.000 s
12	And User should capture and print the data from dashboard table section this should be stored in the excel for reference	SKIPPED	0.000 s

Login functionality for the Smart Hospital website



FAILED	DURATION - 1 m 4.131 s	Scenarios		Steps	
/ 2:59:19.541 pm // 3:00:23.672 pm /		Total - 15		Total - 69	
		Pass - 10		Pass - 61	
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 3	

Verify the Login with roles

FAILED	DURATION - 32.609 s		Steps	
/ 2:59:19.541 pm // 2:59:52.150 pm /			Total - 4	
Login functionality for the Smart Hospital website			Pass - 3	
@ValidLoginCredentials			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	0.118 s
2	When the user selects the role "Admin"	PASSED	1.347 s
3	And the user clicks the Sign In button	PASSED	0.288 s
4	Then the user should see the dashboard page for the "Admin" role java.lang.AssertionError: Dashboard not displayed for role: Admin at com.definitions.LoginDefinition.the_user_should_see_the_dashboard_page_for_the_role(LoginDefinition.java:41) at ?.the user should see the dashboard page for the "Admin" role(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/LoginFeature.feature:9) * Not displayable characters are replaced by '?'. AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	9.329 s
	java.nio.file.FileSystemException: screenshots\Verify the Login with roles.png: The process cannot access the file because it is being used by another process at java.base/sun.nio.fs.WindowsException.translateToIOException(WindowsException.java:92) at java.base/sun.nio.fs.WindowsException.rethrowAsIOException(WindowsException.java:103) at java.base/sun.nio.fs.WindowsException.rethrowAsIOException(WindowsException.java:108) at java.base/sun.nio.fs.WindowsFileCopy.copy(WindowsFileCopy.java:180) at java.base/sun.nio.fs.WindowsFileSystemProvider.copy(WindowsFileSystemProvider.java:282) at java.base/java.nio.file.Files.copy(Files.java:1304) at org.apache.commons.io.FileUtils.copyFile(FileUtils.java:875) at org.apache.commons.io.FileUtils.copyFile(FileUtils.java:902) at org.apache.commons.io.FileUtils.copyFile(FileUtils.java:801) at com.definitions.Hooks.tearDown(Hooks.java:26)	FAILED	2.157 s



Verify the Login with roles

FAILED DURATION - 32.478 s / 2:59:19.701 pm // 2:59:52.179 pm / Login functionality for the Smart Hospital website @ValidLoginCredentials		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
--	---	--	---

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	0.132 s
2	When the user selects the role "Receptionist"	PASSED	1.437 s

#	Step / Hook Details	Status	Duration
3	And the user clicks the Sign In button	PASSED	7.561 s
4	Then the user should see the dashboard page for the "Receptionist" role java.lang.AssertionError: Dashboard not displayed for role: Receptionist at com.definitions.LoginDefinition.the_user_should_see_the_dashboard_page_for_the_role(LoginDefinition.java:41) at ?.the user should see the dashboard page for the "Receptionist" role(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/LoginFeature.feature:9) * Not displayable characters are replaced by '?'.	FAILED	1.114 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario) java.nio.file.FileSystemException: screenshots\Verify the Login with roles.png: The process cannot access the file because it is being used by another process at java.base/sun.nio.fs.WindowsException.translateToIOException(WindowsException.java:92) at java.base/sun.nio.fs.WindowsException.rethrowAsIOException(WindowsException.java:103) at java.base/sun.nio.fs.WindowsException.rethrowAsIOException(WindowsException.java:108) at java.base/sun.nio.fs.WindowsFileCopy.copy(WindowsFileCopy.java:180) at java.base/sun.nio.fs.WindowsFileSystemProvider.copy(WindowsFileSystemProvider.java:282) at java.base/java.nio.file.Files.copy(Files.java:1304) at org.apache.commons.io.FileUtils.copyFile(FileUtils.java:875) at org.apache.commons.io.FileUtils.copyFile(FileUtils.java:902) at org.apache.commons.io.FileUtils.copyFile(FileUtils.java:801) at com.definitions.Hooks.tearDown(Hooks.java:26)	FAILED	3.167 s



Verify the Login with roles

FAILED	DURATION - 34.406 s	 <table><caption>Step Durations (Estimated)</caption><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.326</td></tr><tr><td>2</td><td>1.124</td></tr><tr><td>3</td><td>0.188</td></tr><tr><td>4</td><td>8.035</td></tr></tbody></table>	Step	Duration (s)	1	0.326	2	1.124	3	0.188	4	8.035	Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
Step	Duration (s)													
1	0.326													
2	1.124													
3	0.188													
4	8.035													
/ 2:59:19.762 pm // 2:59:54.168 pm /														
Login functionality for the Smart Hospital website														
@ValidLoginCredentials														

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	0.326 s
2	When the user selects the role "Nurse"	PASSED	1.124 s
3	And the user clicks the Sign In button	PASSED	0.188 s
4	Then the user should see the dashboard page for the "Nurse" role	FAILED	8.035 s



#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: Dashboard not displayed for role: Nurse at com.definitions.LoginDefinition.the_user_should_see_the_dashboard_page_for_the_role(LoginDefinition.java:41) at ?.the user should see the dashboard page for the "Nurse" role(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/LoginFeature.feature:9) * Not displayable characters are replaced by '?'. </pre>		

Verify the Login with roles

<div>PASSED</div> <div>DURATION - 28.476 s</div>	<div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.271</td></tr><tr><td>2</td><td>0.832</td></tr><tr><td>3</td><td>1.909</td></tr><tr><td>4</td><td>7.189</td></tr></tbody></table></div>	Step	Duration (s)	1	0.271	2	0.832	3	1.909	4	7.189	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
Step		Duration (s)											
1		0.271											
2		0.832											
3	1.909												
4	7.189												
<div>/ 2:59:20.842 pm // 2:59:49.318 pm /</div>													
<div>Login functionality for the Smart Hospital website</div>													
<div>@ValidLoginCredentials</div>													

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	0.271 s
2	When the user selects the role "Super Admin"	PASSED	0.832 s
3	And the user clicks the Sign In button	PASSED	1.909 s
4	Then the user should see the dashboard page for the "Super Admin" role	PASSED	7.189 s



Verify the Login with roles

FAILED	DURATION - 39.230 s	 <table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.271</td></tr><tr><td>2</td><td>0.832</td></tr><tr><td>3</td><td>1.909</td></tr><tr><td>4</td><td>7.189</td></tr></tbody></table>	Step	Duration (s)	1	0.271	2	0.832	3	1.909	4	7.189	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div> 
Step	Duration (s)												
1	0.271												
2	0.832												
3	1.909												
4	7.189												
/ 2:59:20.894 pm // 3:00:00.124 pm /													
Login functionality for the Smart Hospital website													
@ValidLoginCredentials													

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	1.138 s
2	When the user selects the role "Doctor"	PASSED	1.523 s



#	Step / Hook Details	Status	Duration
3	And the user clicks the Sign In button	PASSED	0.587 s
4	Then the user should see the dashboard page for the "Doctor" role java.lang.AssertionError: Dashboard not displayed for role: Doctor at com.definitions.LoginDefinition.the_user_should_see_the_dashboard_page_for_the_role(LoginDefinition.java:41) at ?.the user should see the dashboard page for the "Doctor" role(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/LoginFeature.feature:9) * Not displayable characters are replaced by '?'. 	FAILED	10.156 s

Verify the Login with roles

PASSED	DURATION - 36.199 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 2:59:21.425 pm // 2:59:57.624 pm /				
Login functionality for the Smart Hospital website				
@ValidLoginCredentials				



#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	1.457 s
2	When the user selects the role "Accountant"	PASSED	0.893 s
3	And the user clicks the Sign In button	PASSED	0.547 s
4	Then the user should see the dashboard page for the "Accountant" role	PASSED	8.244 s

Attempt to login with missing username

PASSED	DURATION - 25.392 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 2:59:22.520 pm // 2:59:47.912 pm /				
Login functionality for the Smart Hospital website				
@InvalidUserName				



#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	0.253 s
2	When the user selects the role "Admin"	PASSED	1.785 s
3	And User leaves the "username" field empty	PASSED	0.849 s
4	And the user clicks the Sign In button	PASSED	0.998 s
5	Then User should see an error message	PASSED	0.475 s

Attempt to login with missing username

PASSED	DURATION - 26.779 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 2:59:22.817 pm // 2:59:49.596 pm /				
Login functionality for the Smart Hospital website				
@InvalidUserName				



#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	1.214 s
2	When the user selects the role "Receptionist"	PASSED	0.375 s
3	And User leaves the "username" field empty	PASSED	0.103 s
4	And the user clicks the Sign In button	PASSED	0.068 s
5	Then User should see an error message	PASSED	0.948 s

Attempt to login with missing username

PASSED	DURATION - 22.471 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 2:59:23.601 pm // 2:59:46.072 pm /				
Login functionality for the Smart Hospital website				
@InvalidUserName				



#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	0.566 s
2	When the user selects the role "Nurse"	PASSED	0.512 s
3	And User leaves the "username" field empty	PASSED	1.463 s
4	And the user clicks the Sign In button	PASSED	0.455 s
5	Then User should see an error message	PASSED	0.399 s

Attempt to login with missing password

PASSED	DURATION - 29.593 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 2:59:28.225 pm // 2:59:57.818 pm /				
Login functionality for the Smart Hospital website				
@InvalidPassword				



#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	1.112 s
2	When the user selects the role "Super Admin"	PASSED	1.462 s
3	And User leaves the "password" field empty	PASSED	0.668 s
4	And the user clicks the Sign In button	PASSED	8.525 s
5	Then User should see an error message	PASSED	0.506 s

Attempt to login with missing password

PASSED	DURATION - 23.071 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 2:59:46.236 pm // 3:00:09.307 pm /				
Login functionality for the Smart Hospital website				
@InvalidPassword				



#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	0.588 s
2	When the user selects the role "Doctor"	PASSED	0.842 s
3	And User leaves the "password" field empty	PASSED	0.813 s
4	And the user clicks the Sign In button	PASSED	2.120 s
5	Then User should see an error message	PASSED	0.292 s

Attempt to login with missing password

PASSED	DURATION - 21.428 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 2:59:47.916 pm // 3:00:09.344 pm /				
Login functionality for the Smart Hospital website				
@InvalidPassword @InvalidUserName				



#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	1.287 s
2	When the user selects the role "Pharmacist"	PASSED	0.387 s
3	And User leaves the "password" field empty	PASSED	0.650 s
4	And the user clicks the Sign In button	PASSED	6.182 s
5	Then User should see an error message	PASSED	0.115 s

Attempt to login with missing username and password

PASSED	DURATION - 21.587 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 2:59:49.324 pm // 3:00:10.911 pm /				
Login functionality for the Smart Hospital website				
@InvalidUsername_And_Password				



#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	0.780 s
2	When the user selects the role "Pathologist"	PASSED	1.245 s
3	And User leaves the "both" field empty	PASSED	1.151 s
4	And the user clicks the Sign In button	PASSED	1.213 s
5	Then User should see an error message	PASSED	0.073 s

Attempt to login with missing username and password

<div>PASSED</div> <div>DURATION - 22.203 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:59:49.601 pm // 3:00:11.804 pm /</div>			
<div>Login functionality for the Smart Hospital website</div>			
<div>@InvalidUsername_And_Password</div>			

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	0.823 s
2	When the user selects the role "Radiologist"	PASSED	1.433 s
3	And User leaves the "both" field empty	PASSED	1.142 s
4	And the user clicks the Sign In button	PASSED	1.314 s
5	Then User should see an error message	PASSED	0.104 s



Attempt to login with missing username and password

<div>FAILED</div> <div>DURATION - 31.513 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 2:59:52.159 pm // 3:00:23.672 pm /</div>			
<div>Login functionality for the Smart Hospital website</div>			
<div>@InvalidUsername_And_Password</div> <div>@ValidLoginCredentials</div>			



#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	1.586 s
2	<p>When the user selects the role "Accountant"</p> <pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //button[normalize-space()='Sign In']' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.actions.LoginActions.selectRole(LoginActions.java:26) at comdefinitions.LoginDefinition.the_user_selects_the_role(LoginDefinition.java:16) at ?.the user selects the role "Accountant"(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/ Features/LoginFeature.feature:48) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[normalize-space()='Sign In']"} (Session info: chrome=135.0.7049.85) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [8cded4ff01f6faf62df6d10ee94440a1, findElement {value=//button[normalize-space()='Sign In'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\Local\Temp\135.0.7049.95\chromedriver\chromedriver.exe}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57759}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:57759/devtools, se.cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8cded4ff01f6faf62df6d10ee94440a1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) </pre>	FAILED	20.380 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) * Not displayable characters are replaced by '?'.		
3	And User leaves the "both" field empty	SKIPPED	0.000 s
4	And the user clicks the Sign In button	SKIPPED	0.001 s
5	Then User should see an error message	SKIPPED	0.000 s

Booking appointment using patient Login

PASSED	DURATION - 1 m 34.085 s	Scenarios		Steps	
/ 2:59:52.193 pm // 3:01:26.278 pm /		Total - 3		Total - 23	
		Pass - 3		Pass - 23	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	



Appointment booking for patient

PASSED	DURATION - 1 m 34.085 s		Steps	
/ 2:59:52.193 pm // 3:01:26.278 pm /				
Booking appointment using patient Login				
@BookingAppointment				

#	Step / Hook Details	Status	Duration
1	Given the User is on the Login Page	PASSED	2.629 s
2	When the User clicks the User Login	PASSED	20.140 s
3	And the User clicks the Sign In button	PASSED	20.061 s
4	Then the User is able to click the my appointment button	PASSED	2.366 s
5	And the User is able to see the add appointment option	PASSED	10.078 s
6	And the User can fill the appointment form	PASSED	22.721 s



#	Step / Hook Details	Status	Duration
7	And the User should save the form for appointment	PASSED	10.126 s

Patient booking with date as empty field

PASSED	DURATION - 39.489 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 2:59:54.179 pm // 3:00:33.668 pm /				
Booking appointment using patient Login				
@BookingWithEmptyField				

#	Step / Hook Details							Status	Duration
1	Given the User is on the Login Page							PASSED	0.003 s
2	When the User clicks the User Login							PASSED	2.149 s
3	And the User clicks the Sign In button							PASSED	3.441 s
4	Then the User is able to click the my appointment button							PASSED	6.593 s
5	And the User is able to see the add appointment option							PASSED	0.407 s
6	And the User can fill the appointment							PASSED	13.049 s
	Date	Specialist	Doctor	Shift	Timing	AvailableTiming	Message		
		Cardiologists	Sansa Gomez (9008)	Evening	04:00 PM - 07:00 PM	04:00 PM	I would like to schedule a routine heart check-u*		
	* The data cell text(s) have been cropped to fit in the available space.								
7	And the User should save the form for appointment							PASSED	0.125 s
8	And the User can able to see the error msg "Date field is required"							PASSED	1.235 s

Patient booking with specialist as empty field



PASSED	DURATION - 32.129 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 2:59:57.634 pm // 3:00:29.763 pm /				
Booking appointment using patient Login				

#	Step / Hook Details							Status	Duration
1	Given the User is on the Login Page							PASSED	0.003 s
2	When the User clicks the User Login							PASSED	1.111 s
3	And the User clicks the Sign In button							PASSED	7.241 s
4	Then the User is able to click the my appointment button							PASSED	1.259 s
5	And the User is able to see the add appointment option							PASSED	1.060 s
6	And the User can fill the appointment							PASSED	3.563 s
	Date	Specialist	Doctor	Shift	Timing	AvailableTiming	Message		
	08/18/2025	Cardiologists	Sansa Gomez (9008)	Evening	04:00 PM - 07:00 PM	04:00 PM			
7	And the User should save the form for appointment							PASSED	0.701 s
8	And the User can able to see the error msg "Message field is required"							PASSED	0.769 s

Discharging the patient

FAILED	DURATION - 46.879 s	Scenarios		Steps	
/ 2:59:57.853 pm // 3:00:44.732 pm /		Total - 3		Total - 19	
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 16	

Doctor discharging without providing discharging date



<div>FAILED</div> <div>DURATION - 46.142 s</div>			Steps	
/ 2:59:57.855 pm // 3:00:43.997 pm /			Total - 7	
Discharging the patient			Pass - 0	
@DischargingPatient			Fail - 1	
		Skip - 6		

#	Step / Hook Details	Status	Duration
1	Given Doctor is logged in to the Smart Hospital system	FAILED	22.436 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //div[@class="btn-group bootstrap-select language"]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)		

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.actions.DoctorActions.english(DoctorActions.java:35) at com.definitions.DoctorDefinition.doctor_is_logged_in_to_the_smart_hospital_system(DoctorDefinition.java:21) at ?.Doctor is logged in to the Smart Hospital system(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/PatientDischarge.feature:4)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class="btn-group bootstrap-select language"]"} (Session info: chrome=135.0.7049.85) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5eca7084abbb6db2e28589f977c63c0f, findElement {value="//div[@class="btn-group bootstrap-select language"]", using="xpath"}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\Local\Temp\chrome-remote-debugging\135.0.7049.85, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58299}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58299/devtools, se:cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5eca7084abbb6db2e28589f977c63c0f</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	And the Doctor Navigates to the IPD section	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	When the Doctor clicks the ipdNo	SKIPPED	0.001 s
4	And the Doctor clicks the discharge button	SKIPPED	0.000 s
5	Then the Doctor provides only discharge status "Normal"	SKIPPED	0.000 s
6	And the Doctor should save the Discharge status	SKIPPED	0.000 s
7	And the Doctor able to see the error "Discharge Date field is required"	SKIPPED	0.000 s



Doctor discharging without providing discharging status

FAILED	DURATION - 44.462 s		Steps Total - 7 Pass - 0 Fail - 1 Skip - 6	
/ 3:00:00.130 pm // 3:00:44.592 pm /				
Discharging the patient				

#	Step / Hook Details	Status	Duration
1	<p>Given Doctor is logged in to the Smart Hospital system</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //div[@class="btn-group bootstrap-select language"]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.actions.DoctorActions.english(DoctorActions.java:35) at com.definitions.DoctorDefinition.doctor_is_logged_in_to_the_smart_hospital_system(DoctorDefinition.java:21) at ?.Doctor is logged in to the Smart Hospital system(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/PatientDischarge.feature:4)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class="btn-group bootstrap-select language"]} (Session info: chrome=135.0.7049.85) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7494a13c90f23f7b4f09cb7dec66bc98, findElement {value="//div[@class="btn-group bootstrap-select language"]", using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7494a13c90f23f7b4f09cb7dec66bc98</p>	FAILED	22.029 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	And the Doctor Navigates to the IPD section	SKIPPED	0.000 s
3	When the Doctor clicks the ipdNo	SKIPPED	0.000 s
4	And the Doctor clicks the discharge button	SKIPPED	0.000 s
5	Then the Doctor provides only discharge date	SKIPPED	0.000 s
6	And the Doctor should save the Discharge status	SKIPPED	0.000 s
7	And the Doctor able to see the error "Discharge Status field is required"	SKIPPED	0.001 s



Doctor discharging the patient by case ID

<div>FAILED</div>	<div>DURATION - 35.396 s</div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 3:00:09.336 pm // 3:00:44.732 pm /				
Discharging the patient				


#	Step / Hook Details	Status	Duration
1	<p>Given Doctor is logged in to the Smart Hospital system</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //div[@class="btn-group bootstrap-select language"]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.actions.DoctorActions.english(DoctorActions.java:35) at com.definitions.DoctorDefinition.doctor_is_logged_in_to_the_smart_hospital_system(DoctorDefinition.java:21) at ?.Doctor is logged in to the Smart Hospital system(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/PatientDischarge.feature:4) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class="btn-group bootstrap-select language"]"} (Session info: chrome=135.0.7049.85) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bdf4f6e2fa4ca21de702ccdfa08ed22, findElement {value=//div[@class="btn-group bootstrap-select language"], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58431}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58431/devtoo..., se:cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bdf4f6e2fa4ca21de702ccdfa08ed22 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</p>	FAILED	22.905 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	And the Doctor Navigates to the IPD section	SKIPPED	0.002 s
3	When the Doctor provides the case Id in search field	SKIPPED	0.001 s
	<div>caseId</div> <div>6914</div>		
4	Then the Doctor provides the discharge details	SKIPPED	0.000 s
	<div>DischargeStatus</div> <div>Normal</div>		
5	And the Doctor should save the Discharge status	SKIPPED	0.000 s

Login with the Patient Login Credentials


PASSED	DURATION - 22.499 s	Scenarios		Steps	
/ 3:00:09.507 pm // 3:00:32.006 pm /		Total - 3		Total - 14	
		Pass - 3		Pass - 14	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

To check Login as patient





#	Step / Hook Details	Status	Duration
1	Given the User is on the Login Page	PASSED	0.001 s
2	When the User clicks the User Login	PASSED	1.353 s
3	And the User clicks the Sign In button	PASSED	6.245 s
4	Then the User is directed to the patient dashboard	PASSED	0.838 s

To check with Invalid username for patient





#	Step / Hook Details	Status	Duration
1	Given the User is on the Login Page	PASSED	0.002 s
2	When the User clicks the User Login	PASSED	1.113 s
3	When the User Provides invalid Username	PASSED	4.340 s
4	And the User clicks the Sign In button	PASSED	0.582 s
5	Then the User able to see the errorMessage as "<errmsg>"	PASSED	0.001 s
	<div>errmsg</div> <div>Username field is required</div>		

To check with Invalid password for patient



<div>PASSED</div> <div>DURATION - 18.901 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:00:11.889 pm // 3:00:30.790 pm /</div>			
<div>Login with the Patient Login Credentials</div>			
<div>@LoginWithInvalidUsername</div>			

#	Step / Hook Details	Status	Duration
1	Given the User is on the Login Page	PASSED	0.004 s
2	When the User clicks the User Login	PASSED	0.942 s
3	When the User Provides invalid Password	PASSED	2.718 s
4	And the User clicks the Sign In button	PASSED	1.154 s
5	Then the User able to see the errorMessage as "<errmsg>"	PASSED	0.001 s
	errmsg		
	Password field is required		

Payment features



<div>FAILED</div> <div>DURATION - 2 m 54.048 s</div>		<div>Scenarios</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 42</div> <div>Pass - 41</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 3:00:23.677 pm // 3:03:17.725 pm /					

Payment by invalid card number

<div>PASSED</div> <div>DURATION - 1 m 10.118 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:00:23.677 pm // 3:01:33.795 pm /</div>			
<div>Payment features</div>			
<div>@PatientPayment</div>			


#	Step / Hook Details	Status	Duration
1	Given the User is on the Login Page	PASSED	0.001 s
2	And the User clicks the User Login	PASSED	1.180 s
3	And the User clicks the Sign In button	PASSED	8.594 s
4	When the User is directed to the patient dashboard	PASSED	0.546 s
5	Then the User clicks Ipd button	PASSED	10.797 s
6	And the User clicks payment option	PASSED	1.835 s
7	And the User doesnt provide the any card details	PASSED	28.849 s
8	And the User can able to see the error message "Your card number is incomplete."	PASSED	0.001 s

Payment by invalid card number

PASSED		DURATION - 2 m 42.213 s			Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 3:00:29.770 pm // 3:03:11.983 pm /						
Payment features						


#	Step / Hook Details	Status	Duration								
1	Given the User is on the Login Page	PASSED	0.003 s								
2	And the User clicks the User Login	PASSED	2.111 s								
3	And the User clicks the Sign In button	PASSED	20.775 s								
4	When the User is directed to the patient dashboard	PASSED	0.738 s								
5	Then the User clicks Ipd button	PASSED	8.830 s								
6	And the User clicks payment option	PASSED	3.063 s								
7	And the User provide the card details	PASSED	1 m 37.805 s								
	<table border="1"> <tr> <td>Country</td><td>CardNumber</td><td>ExpiryDate</td><td>CVV</td></tr> <tr> <td>Iceland</td><td>42424242424240</td><td>5/31</td><td>123</td></tr> </table>	Country	CardNumber	ExpiryDate	CVV	Iceland	42424242424240	5/31	123		
Country	CardNumber	ExpiryDate	CVV								
Iceland	42424242424240	5/31	123								
8	And the User can able to see the error message "Your card number is invalid."	PASSED	20.051 s								

Payment by invalid card expiry date



#	Step / Hook Details	Status	Duration								
1	Given the User is on the Login Page	PASSED	0.004 s								
2	And the User clicks the User Login	PASSED	3.563 s								
3	And the User clicks the Sign In button	PASSED	3.976 s								
4	When the User is directed to the patient dashboard	PASSED	25.140 s								
5	Then the User clicks Ipd button	PASSED	11.353 s								
6	And the User clicks payment option	PASSED	1.724 s								
7	And the User provide the card details	PASSED	12.369 s								
	<table border="1"> <tr> <td>Country</td><td>CardNumber</td><td>ExpiryDate</td><td>CVV</td></tr> <tr> <td>Iceland</td><td>4242424242424242</td><td>5/13</td><td>123</td></tr> </table>	Country	CardNumber	ExpiryDate	CVV	Iceland	4242424242424242	5/13	123		
Country	CardNumber	ExpiryDate	CVV								
Iceland	4242424242424242	5/13	123								
8	And the User can able to see the error message "Your card's expiration year is in the past."	PASSED	1.342 s								

Payment by invalid card cvv number



#	Step / Hook Details	Status	Duration
1	Given the User is on the Login Page	PASSED	0.004 s
2	And the User clicks the User Login	PASSED	1.141 s
3	And the User clicks the Sign In button	PASSED	30.090 s

#	Step / Hook Details	Status	Duration								
4	When the User is directed to the patient dashboard	PASSED	1.977 s								
5	Then the User clicks Ipd button	PASSED	8.649 s								
6	And the User clicks payment option	PASSED	1.505 s								
7	And the User provide the card details	PASSED	12.574 s								
	<table border="1"> <tr> <td>Country</td><td>CardNumber</td><td>ExpiryDate</td><td>CVV</td></tr> <tr> <td>Iceland</td><td>4242424242424242</td><td>5/31</td><td>12</td></tr> </table>	Country	CardNumber	ExpiryDate	CVV	Iceland	4242424242424242	5/31	12		
Country	CardNumber	ExpiryDate	CVV								
Iceland	4242424242424242	5/31	12								
8	And the User clicks pay now button	PASSED	0.522 s								
9	And the User can able to see the error message "Your card's security code is incomplete."	PASSED	20.103 s								

Payment by Valid card details



FAILED DURATION - 2 m 45.715 s / 3:00:32.010 pm // 3:03:17.725 pm / Payment features		Steps Total - 9 Pass - 8 Fail - 1 Skip - 0	
--	--	--	--

#	Step / Hook Details	Status	Duration								
1	Given the User is on the Login Page	PASSED	0.001 s								
2	And the User clicks the User Login	PASSED	1.382 s								
3	And the User clicks the Sign In button	PASSED	8.165 s								
4	When the User is directed to the patient dashboard	PASSED	23.805 s								
5	Then the User clicks Ipd button	PASSED	7.997 s								
6	And the User clicks payment option	PASSED	1.189 s								
7	And the User provide the card details	PASSED	1 m 31.156 s								
	<table border="1"> <tr> <td>Country</td><td>CardNumber</td><td>ExpiryDate</td><td>CVV</td></tr> <tr> <td>Iceland</td><td>4242424242424242</td><td>5/31</td><td>123</td></tr> </table>	Country	CardNumber	ExpiryDate	CVV	Iceland	4242424242424242	5/31	123		
Country	CardNumber	ExpiryDate	CVV								
Iceland	4242424242424242	5/31	123								
8	And the User clicks pay now button	PASSED	0.052 s								
9	And the User can able to see the success message "Thank you for your payment"	FAILED	20.083 s								
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: /html/body/div[1]/div[1]/section[2]/div/div' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)										



#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.actions.PatientPaymentPageActions.getPaymentSuccessText(PatientPaymentPageActions.java:201) at com.definitions.PatientPaymentDefinitions.the_user_can_able_to_see_the_success_message(PatientPaymentDefinitions.java:92) at ?.the User can able to see the success message "Thank you for your payment"(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/PatientPayment.feature:46)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/div[1]/div[1]/section[2]/div/div"} (Session info: chrome=135.0.7049.85) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [021f2cbb36bc15f3762bc1ab5030c353, findElement {value=/html/body/div[1]/div[1]/section[2]/div/div, using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58685}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58685/devtools..., se:cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 021f2cbb36bc15f3762bc1ab5030c353</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)</p>		

* Not displayable characters are replaced by '?'.

Doctor add Prescription for the Feature in Smart Hospital

FAILED	DURATION - 1 m 36.640 s	Scenarios Total - 7 Pass - 0 Fail - 7 Skip - 0		Steps Total - 41 Pass - 0 Fail - 7 Skip - 34	
/ 3:00:33.678 pm // 3:02:10.318 pm /					



Doctor tries to submit prescription with missing fields

FAILED	DURATION - 51.608 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 3:00:33.678 pm // 3:01:25.286 pm /				
Doctor add Prescription for the Feature in Smart Hospital				
@Negative_Prescription_Validation				

#	Step / Hook Details	Status	Duration
1	<p>Given Doctor is logged in to the Smart Hospital system</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //div[@class="btn-group bootstrap-select language"]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.actions.DoctorActions.english(DoctorActions.java:35) at com.definitions.DoctorDefinition.doctor_is_logged_in_to_the_smart_hospital_system(DoctorDefinition.java:21) at ?.Doctor is logged in to the Smart Hospital system(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/PrescriptionFeature.feature:3) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class="btn-group bootstrap-select language"]} (Session info: chrome=135.0.7049.85) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a4c4cb701de0d34ed7c60859ba71bd21, findElement {value="//div[@class="btn-group bootstrap-select language"]", using="xpath"}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58769}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:58769/devtoo..., se.cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a4c4cb701de0d34ed7c60859ba71bd21</p>	FAILED	22.843 s

#	Step / Hook Details	Status	Duration										
	<div>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)</div> <div>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)</div> <div>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</div> <div>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</div> <div>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</div> <div>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</div> <div>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)</div> <div>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</div> <div>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</div> <div>at jdk.proxy2/jdk.proxy2.\$Proxy41.isDisplayed(Unknown Source)</div> <div>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)</div> <div>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</div> <div>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)</div> <div>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)</div> <div>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652)</div> <div>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)</div> <div>* Not displayable characters are replaced by '?'. </div>												
2	When the Doctor Navigates to the OPD section	SKIPPED	0.000 s										
3	And Clicks the Add Prescription	SKIPPED	0.000 s										
4	When the doctor fills the prescription form with:	SKIPPED	0.000 s										
	<table><tr><td>Medicine Category</td><td>Medicine</td><td>Dose</td><td>Dose Interval</td><td>Dose Duration</td></tr><tr><td>Select</td><td>Select</td><td>Select</td><td>Select</td><td>Select</td></tr></table>	Medicine Category	Medicine	Dose	Dose Interval	Dose Duration	Select	Select	Select	Select	Select		
Medicine Category	Medicine	Dose	Dose Interval	Dose Duration									
Select	Select	Select	Select	Select									
5	And Clicks Save button	SKIPPED	0.000 s										
6	Then the system should show an error "Please select any one pathology, radiology or medicine details"	SKIPPED	0.001 s										



Doctor tries to submit prescription with missing fields

<div>FAILED</div> <div>DURATION - 49.040 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 3:00:44.023 pm // 3:01:33.063 pm /				
Doctor add Prescription for the Feature in Smart Hospital				
@Negative_Prescription_Validation @InvalidPassword				

#	Step / Hook Details	Status	Duration
1	<p>Given Doctor is logged in to the Smart Hospital system</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //div[@class="btn-group bootstrap-select language"]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.actions.DoctorActions.english(DoctorActions.java:35) at com.definitions.DoctorDefinition.doctor_is_logged_in_to_the_smart_hospital_system(DoctorDefinition.java:21) at ?.Doctor is logged in to the Smart Hospital system(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/PrescriptionFeature.feature:3)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class="btn-group bootstrap-select language"]} (Session info: chrome=135.0.7049.85) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2523d19aab25e572ddb800108deca963, findElement {value="//div[@class="btn-group bootstrap-select language"]", using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58836}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58836/devtoo..., se:cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2523d19aab25e572ddb800108deca963 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</p>	FAILED	24.217 s

#	Step / Hook Details	Status	Duration										
	<div>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) * Not displayable characters are replaced by '?'. </div>												
2	When the Doctor Navigates to the OPD section	SKIPPED	0.001 s										
3	And Clicks the Add Prescription	SKIPPED	0.000 s										
4	When the doctor fills the prescription form with: <div><table><tr><td>Medicine Category</td><td>Medicine</td><td>Dose</td><td>Dose Interval</td><td>Dose Duration</td></tr><tr><td>Syrup</td><td>AI</td><td>1</td><td>Select</td><td>Morning</td></tr></table></div>	Medicine Category	Medicine	Dose	Dose Interval	Dose Duration	Syrup	AI	1	Select	Morning	SKIPPED	0.000 s
Medicine Category	Medicine	Dose	Dose Interval	Dose Duration									
Syrup	AI	1	Select	Morning									
5	And Clicks Save button	SKIPPED	0.000 s										
6	Then the system should show an error "Dose Interval field is required"	SKIPPED	0.000 s										

Doctor tries to submit prescription with missing fields



FAILED	DURATION - 54.293 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 3:00:44.601 pm // 3:01:38.894 pm /				
Doctor add Prescription for the Feature in Smart Hospital				
@Negative_Prescription_Validation				

#	Step / Hook Details	Status	Duration
1	Given Doctor is logged in to the Smart Hospital system	FAILED	26.696 s
	<pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //div[@class="btn-group bootstrap-select language"]' (tried for 10 second(s) with 500 milliseconds interval) </pre>		

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.actions.DoctorActions.english(DoctorActions.java:35) at com.definitions.DoctorDefinition.doctor_is_logged_in_to_the_smart_hospital_system(DoctorDefinition.java:21) at ?.Doctor is logged in to the Smart Hospital system(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/PrescriptionFeature.feature:3)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='btn-group bootstrap-select language']"} (Session info: chrome=135.0.7049.85) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [91c983e250f8d33265bdaeaf3010db95, findElement {value="//div[@class='btn-group bootstrap-select language']", using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\Local\Temp\scoped_dir1012_1350704985}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58843}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:58843/devtools, se.cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 91c983e250f8d33265bdaeaf3010db95</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)</p> <p>* Not displayable characters are replaced by '?'. </p>		

#	Step / Hook Details					Status	Duration
2	When the Doctor Navigates to the OPD section					SKIPPED	0.000 s
3	And Clicks the Add Prescription					SKIPPED	0.000 s
4	When the doctor fills the prescription form with:					SKIPPED	0.000 s
	Medicine Category	Medicine	Dose	Dose Interval	Dose Duration		
	Syrup	Alprovit	Select	Only one a day	Morning		
5	And Clicks Save button					SKIPPED	0.000 s
6	Then the system should show an error "Dosage field is required"					SKIPPED	0.000 s



Doctor tries to submit prescription with missing fields

<div>FAILED</div> <div>DURATION - 45.798 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 3:00:44.737 pm // 3:01:30.535 pm /				
Doctor add Prescription for the Feature in Smart Hospital				
@Negative_Prescription_Validation				

#	Step / Hook Details	Status	Duration
1	Given Doctor is logged in to the Smart Hospital system org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //div[@class="btn-group bootstrap-select language"]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.actions.DoctorActions.english(DoctorActions.java:35) at com.definitions.DoctorDefinition.doctor_is_logged_in_to_the_smart_hospital_system(DoctorDefinition.java:21) at ?.Doctor is logged in to the Smart Hospital system(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/PrescriptionFeature.feature:3) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class="btn-group bootstrap-select language"]} (Session info: chrome=135.0.7049.85) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bcfc93ee83102cc1b9c954ccc9a2b3c8, findElement {value=//div[@class="btn-group bootstrap-select language"], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58830}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58830/devtoo..., se:cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,	FAILED	23.611 s

#	Step / Hook Details	Status	Duration										
	<div>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bcf93ee83102cc1b9c954ccc9a2b3c8</div> <div>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)</div> <div>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)</div> <div>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</div> <div>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</div> <div>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</div> <div>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</div> <div>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)</div> <div>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</div> <div>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</div> <div>at jdk.proxy2/jdk.proxy2.\$Proxy41.isDisplayed(Unknown Source)</div> <div>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)</div> <div>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</div> <div>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)</div> <div>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)</div> <div>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652)</div> <div>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)</div> <div>* Not displayable characters are replaced by '?'. </div>												
2	When the Doctor Navigates to the OPD section	SKIPPED	0.000 s										
3	And Clicks the Add Prescription	SKIPPED	0.000 s										
4	When the doctor fills the prescription form with: <table><tr><td>Medicine Category</td><td>Medicine</td><td>Dose</td><td>Dose Interval</td><td>Dose Duration</td></tr><tr><td>Syrup</td><td>Select</td><td>1 (CT)</td><td>Only one a day</td><td>Morning</td></tr></table>	Medicine Category	Medicine	Dose	Dose Interval	Dose Duration	Syrup	Select	1 (CT)	Only one a day	Morning	SKIPPED	0.001 s
Medicine Category	Medicine	Dose	Dose Interval	Dose Duration									
Syrup	Select	1 (CT)	Only one a day	Morning									
5	And Clicks Save button	SKIPPED	0.000 s										
6	Then the system should show an error "Medicine field is required"	SKIPPED	0.000 s										

verify the prescription feature by providing valid informations

<div>FAILED</div> <div>DURATION - 45.001 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 3:01:25.317 pm // 3:02:10.318 pm /				
Doctor add Prescription for the Feature in Smart Hospital				
@Positive_Prescription_Validation				

#	Step / Hook Details	Status	Duration
1	<p>Given Doctor is logged in to the Smart Hospital system</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //div[@class="btn-group bootstrap-select language"]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.actions.DoctorActions.english(DoctorActions.java:35) at com.definitions.DoctorDefinition.doctor_is_logged_in_to_the_smart_hospital_system(DoctorDefinition.java:21) at ?.Doctor is logged in to the Smart Hospital system(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/PrescriptionFeature.feature:3)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class="btn-group bootstrap-select language"]} (Session info: chrome=135.0.7049.85) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bf4f833aed61c9f6cea53277ac9d7ff6, findElement {value=//div[@class="btn-group bootstrap-select language"], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59323/devtoo..., se:cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bf4f833aed61c9f6cea53277ac9d7ff6 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</p>	FAILED	24.864 s

#	Step / Hook Details	Status	Duration										
	<div>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</div> <div>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)</div> <div>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</div> <div>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</div> <div>at jdk.proxy2/jdk.proxy2.\$Proxy41.isDisplayed(Unknown Source)</div> <div>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)</div> <div>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</div> <div>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)</div> <div>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)</div> <div>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652)</div> <div>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)</div> <div>* Not displayable characters are replaced by '?'. </div>												
2	When the Doctor Navigates to the OPD section	SKIPPED	0.000 s										
3	And Clicks the Add Prescription	SKIPPED	0.000 s										
4	Then the doctor should navigate to the Prescription Page	SKIPPED	0.000 s										
5	When the doctor Fill the valid Details: <table><tr><td>Finding Category</td><td>Medicine Category</td><td>Medicine</td><td>Dose Interval</td><td>Dose Duration</td></tr><tr><td>Syrup</td><td>Alprovit</td><td>1 (CT)</td><td>Only one a day</td><td>Morning</td></tr></table>	Finding Category	Medicine Category	Medicine	Dose Interval	Dose Duration	Syrup	Alprovit	1 (CT)	Only one a day	Morning	SKIPPED	0.001 s
Finding Category	Medicine Category	Medicine	Dose Interval	Dose Duration									
Syrup	Alprovit	1 (CT)	Only one a day	Morning									
6	And Clicks Save button	SKIPPED	0.000 s										
7	Then the Prescription should be added in OPD Section	SKIPPED	0.000 s										

Verify the added prescription is visible in the OPD section



FAILED	DURATION - 38.621 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 3:01:26.307 pm // 3:02:04.928 pm /				
Doctor add Prescription for the Feature in Smart Hospital				
@Validate_Prescription_View				

#	Step / Hook Details	Status	Duration
1	Given Doctor is logged in to the Smart Hospital system	FAILED	22.496 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for:		

#	Step / Hook Details	Status	Duration
	<p>DefaultElementLocator 'By.xpath: //div[@class="btn-group bootstrap-select language"]' (tried for 10 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)</p> <p>at com.actions.DoctorActions.english(DoctorActions.java:35)</p> <p>at com.definitions.DoctorDefinition.doctor_is_logged_in_to_the_smart_hospital_system(DoctorDefinition.java:21)</p> <p>at ?.Doctor is logged in to the Smart Hospital system(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/PrescriptionFeature.feature:3)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class="btn-group bootstrap-select language"]} (Session info: chrome=135.0.7049.85) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [35af36f4f59cc20ddc97cbbca0f2977a, findElement {value="//div[@class="btn-group bootstrap-select language"]", using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\Local\Temp\scoped_dir1012_1350704985}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59324}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:59324/devtools, se.cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 35af36f4f59cc20ddc97cbbca0f2977a</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</p> <p>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy41.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)</p>		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. When the Doctor Navigates to the OPD section		
2	When the Doctor Navigates to the OPD section	SKIPPED	0.001 s
3	When the doctor Clicks the View Prescription	SKIPPED	0.000 s
4	Then the previously added prescription should be visible	SKIPPED	0.000 s



Verify the added patient can be deleted in OPD section

FAILED DURATION - 39.768 s / 3:01:30.550 pm // 3:02:10.318 pm / Doctor add Prescription for the Feature in Smart Hospital @Verify_Delete_Patient_Option		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
--	--	--	---



#	Step / Hook Details	Status	Duration
1	Given Doctor is logged in to the Smart Hospital system org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //div[@class="btn-group bootstrap-select language"]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.actions.DoctorActions.english(DoctorActions.java:35) at com.definitions.DoctorDefinition.doctor_is_logged_in_to_the_smart_hospital_system(DoctorDefinition.java:21) at ?.Doctor is logged in to the Smart Hospital system(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/PrescriptionFeature.feature:3) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class="btn-group bootstrap-select language"]} (Session info: chrome=135.0.7049.85) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d726513d4fc357bf8714c4a2878cfb7, findElement {value="//div[@class="btn-group bootstrap-select language"]", using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59353}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59353/devtoo..., se:cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d726513d4fc357bf8714c4a2878cfb7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)	FAILED	24.747 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) * Not displayable characters are replaced by '?'.		
2	When the Doctor Navigates to the OPD section	SKIPPED	0.000 s
3	When the doctor Clicks the Show option in OPD section	SKIPPED	0.000 s
4	Then the doctor should see the <"Visit Details">	SKIPPED	0.000 s
5	When the doctor clicks delete option in visit details	SKIPPED	0.000 s
6	Then the patient should be deleted in OPD section	SKIPPED	0.000 s

Search Patient by Name In Smart Hospital

FAILED DURATION - 46.345 s / 3:01:33.068 pm // 3:02:19.413 pm /	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 13 Pass - 0 Fail - 3 Skip - 10	
--	--	---	--	---



Verify the Search of patient

<div><div>FAILED</div><div>DURATION - 35.838 s</div></div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 3:01:33.068 pm // 3:02:08.906 pm /				
Search Patient by Name In Smart Hospital				

#	Step / Hook Details	Status	Duration
1	<p>Given Doctor is logged in to the Smart Hospital system</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //div[@class="btn-group bootstrap-select language"]' (tried for 10 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)</p> <p>at com.actions.DoctorActions.english(DoctorActions.java:35)</p> <p>at com.definitions.DoctorDefinition.doctor_is_logged_in_to_the_smart_hospital_system(DoctorDefinition.java:21)</p> <p>at ?.Doctor is logged in to the Smart Hospital system(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/SearchFeature.feature:3)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:</p> <p>{"method":"xpath","selector":"//div[@class="btn-group bootstrap-select language"]"} (Session info: chrome=135.0.7049.85) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b6f5aa4b0c782edfd23c6be337a02007, findElement {value="//div[@class="btn-group bootstrap-select language"]", using="xpath"}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59378}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59378/devtools, se:cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b6f5aa4b0c782edfd23c6be337a02007</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</p> <p>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p>	FAILED	22.314 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	When the Doctor enters "Dharani" in the search bar	SKIPPED	0.000 s
3	And clicks the search button	SKIPPED	0.000 s
4	Then the system should Show the "Dharani"	SKIPPED	0.000 s



Verify the Search of patient

<div>FAILED</div> <div>DURATION - 38.794 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 3:01:33.805 pm // 3:02:12.599 pm /</div>				
<div>Search Patient by Name In Smart Hospital</div>				
<div>@ValidLoginCredentials</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given Doctor is logged in to the Smart Hospital system</p> <pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //div[@class="btn-group bootstrap-select language"]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.actions.DoctorActions.english(DoctorActions.java:35) at comdefinitions.DoctorDefinition.doctor_is_logged_in_to_the_smart_hospital_system(DoctorDefinition.java:21) </pre>	FAILED	22.753 s

#	Step / Hook Details	Status	Duration
	<p>at ?.Doctor is logged in to the Smart Hospital system(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/SearchFeature.feature:3)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class="btn-group bootstrap-select language"]"} (Session info: chrome=135.0.7049.85) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [155be1d40bbeaec33779cd7b2be48d28, findElement {value="//div[@class="btn-group bootstrap-select language"]", using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\Local\Temp\scoped_dir1012_1350704985}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:59392/devtools, se.cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 155be1d40bbeaec33779cd7b2be48d28</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When the Doctor enters "TestXYZ123" in the search bar	SKIPPED	0.000 s
3	And clicks the search button	SKIPPED	0.000 s
4	Then the system should Show the "No data available in table"	SKIPPED	0.000 s

Verify that a searched patient can be deleted

<div><div>FAILED</div><div>DURATION - 40.513 s</div></div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 3:01:38.900 pm // 3:02:19.413 pm /				
Search Patient by Name In Smart Hospital				

#	Step / Hook Details	Status	Duration
1	<p>Given Doctor is logged in to the Smart Hospital system</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //div[@class="btn-group bootstrap-select language"]' (tried for 10 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)</p> <p>at com.actions.DoctorActions.english(DoctorActions.java:35)</p> <p>at com.definitions.DoctorDefinition.doctor_is_logged_in_to_the_smart_hospital_system(DoctorDefinition.java:21)</p> <p>at ?.Doctor is logged in to the Smart Hospital system(file:///D:/eclipse/Smart_Hospital_Cucumber/SmartHospitals_Cucumber/src/test/resources/Features/SearchFeature.feature:3)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:</p> <p>{"method":"xpath","selector":"//div[@class="btn-group bootstrap-select language"]"} (Session info: chrome=135.0.7049.85) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c68d02d656ecdc8a27d8aa59361bdc44, findElement {value="//div[@class="btn-group bootstrap-select language"]", using="xpath"}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.85, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\GOWRIS~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59491}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59491/devtoo..., se:cdpVersion: 135.0.7049.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c68d02d656ecdc8a27d8aa59361bdc44</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</p> <p>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p>	FAILED	21.692 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	When the Doctor enters "Dharani" in the search bar	SKIPPED	0.000 s
3	And clicks the search button	SKIPPED	0.001 s
4	And selects the patient and clicks "Delete Selected"	SKIPPED	0.000 s
5	Then the patient should no longer appear in the searched list	SKIPPED	0.000 s