EX:05 Experiments on Packet Capture
DATE: 10/8/26 tool: Wireshark.

AIM:

Experiments on packet capture tool: Wireshark.

Wireshark:

Wireshark, a network analysis tool formally known as Ethereal, capture packets in realtime and display them in human-readable format.

PROCEDURE:

Capturing packets:-

After downloading and installing wireshark, launch it and double click the name of a network interface under capture to start capturing packets on that interfaces. As soon as you click the interface's name, you see the packets start to appear in real time. Wireshark captures each packet sent to or from your system. If you have promiscuous mode enabled - its enabled by default you also see all the other packets on the network instead of only packets addressed to your network.

To check if promiscous mode is enabled, click capture > options and verify the "Enable promiscous mode on all interfaces" checkbox is activa at the bottom of this window.
Create a filter to display only TCP packet, inspect the packets and provide the flow graph


PROCEDURE


* Select local area connection in wireshark.
* Go to capture option.
* Select stop capture automatically after 100 packets.
* Then click start capture.
* Search TCP packets in search bo
* To see flow graph, click Statistics flow graph.
* Save the packets.

Create a filter to display only ARP packets and inspect the packets.

PROCEDURE:

* Go to Capture option.
* Select stop capture automatically after 100 packets.
* Then click start capture
* Search ARP packets in search bo
* Save the Packets





RESULT:

Thus the packets are captured and ~~verified~~ filtered using wireshark.