


JavaScript Exercises


Project Theme: "Local Community Event Portal"

Users can view upcoming events, register, filter events by category or location, and interact dynamically with the portal.


CODES:




```
1 // Task 1
2 console.log("Welcome to the Community Portal");
3
4 window.onload = function () {
5   alert("Page Loaded Successfully");
6 };
7
8 // Task 2
9 const eventName = "Music Festival";
10 const eventDate = "2026-07-10";
11 let seats = 20;
12
13 console.log(
14   `${eventName} on ${eventDate} Seats:${seats}`
15 );
16
17 // Task 3 - Class
18 class Event {
19   constructor(name, category, date, seats) {
20     this.name = name;
21     this.category = category;
22     this.date = date;
23     this.seats = seats;
24   }
25 }
26
27 Event.prototype.checkAvailability = function () {
28   return this.seats > 0;
29 };
30
31 // Events Array
32 let events = [
33   new Event(
34     "Music Festival",
35     "Music",
36     "2026-07-10",
37     20
```




```
38   );
39   new Event(
40     "Sports Meet",
41     "Sports",
42     "2026-08-15",
43     15
44   ),
45   new Event(
46     "Baking Workshop",
47     "Workshop",
48     "2026-09-20",
49     10
50   )
51 ];
52
53 // Task 4 - push
54 events.push(
55   new Event(
56     "Dance Show",
57     "Music",
58     "2026-10-01",
59     30
60   )
61 );
62
63 // filter
64 let musicEvents =
65   events.filter(
66     e => e.category === "Music"
67   );
68
69 // map
70 let cards =
71   events.map(
72     e => `Workshop on ${e.name}`
73   );
74
75 }
```



```
LocalCommunityEventPortal > JS main.js > sendRegistration > catch() callback
77 console.log(cards);
78
79 // Task 4 - Functions
80 function addEvent(event){
81     events.push(event);
82 }
83
84 function registerUser(event){
85     try{
86         if(event.seats <= 0){
87             throw "No Seats Available";
88         }
89
90         event.seats--;
91
92         renderEvents();
93
94     }catch(error){
95         alert(error);
96     }
97 }
98
99 function filterEventsByCategory(
100     category,
101     callback
102 ){
103     let result =
104     events.filter(
105         e =>
106         category === "All" ||
107         e.category === category
108     );
109
110     callback(result);
111 }
112
113 // Closure
```



```
LocalCommunityEventPortal > JS main.js > sendRegistration > catch() callback
114 function registrationCounter(){
115     let total = 0;
116
117     return function(){
118         total++;
119         return total;
120     }
121 }
122
123 let countRegistration =
124 registrationCounter();
125
126 // Task 7 - DOM
127 const container =
128 document.querySelector("#eventcontainer");
129
130 function renderEvents(list = events){
131
132     container.innerHTML = "";
133
134     list.forEach(event => {
135
136         if(
137             event.seats <= 0
138         ){
139             return;
140         }
141
142         let card =
143         document.createElement("div");
144
145         card.className = "card";
146
147         card.innerHTML =
148
149         <h3>${event.name}</h3>
150         <p>${event.category}</p>
```



This screenshot shows the VS Code editor with the file explorer on the left displaying the project structure: `MODULE 1-JAVASCRIPT`, `LocalCommunityEventPor...`, `events.json`, `index.html`, `main.js`, and `style.css`. The main editor window shows the `main.js` file with the `renderEvents` function. The function iterates over an array of events and creates HTML cards for each. Each card displays the event name, category, and number of seats, along with a 'Register' button. The button's click event calls `registerUser` with the event's index. The function also includes an `onChange` event listener for a category filter and a `keydown` event listener for a search box. The status bar at the bottom indicates 'Ln 360, Col 22', 'Spaces: 4', 'UTF-8', 'CRLF', and 'JavaScript'.


```
function renderEvents(list = events){
  list.forEach(event => {
    card.innerHTML = `
    <h3>${event.name}</h3>
    <p>${event.category}</p>
    <p>Seats: ${event.seats}</p>
    <button onclick="registerUser(events[${events.indexOf(event)}])">
      Register
    </button>
    `;
    container.appendChild(card);
  });
}

renderEvents();

// Task 8 - onchange
document
  .getElementById("categoryFilter")
  .onchange =
  function(){
    filterEventsByCategory(
      this.value,
      renderEvents
    );
  };

// keydown search
document
  .getElementById("searchBox")
  .addEventListener(
    "keydown",
    function(){

```



This screenshot shows the VS Code editor with the file explorer on the left displaying the project structure: `MODULE 1-JAVASCRIPT`, `LocalCommunityEventPor...`, `events.json`, `index.html`, `main.js`, and `style.css`. The main editor window shows the `main.js` file with the `sendRegistration` function. The function catches errors and logs them to the console. It also includes a jQuery click event listener for the `#registerBtn` button, which fades out the card and fades it back in. The status bar at the bottom indicates 'Ln 360, Col 22', 'Spaces: 4', 'UTF-8', 'CRLF', and 'JavaScript'.

```
function sendRegistration() {
  .catch(error => {
    .innerHTML =
      "Registration Failed";
    console.log(error);
  });
}

// Task 14 - jQuery
$("#registerBtn").click(
  function(){
    $(".card").fadeOut(500);
    .fadeIn(500);
  });

// Benefit of React/Vue
console.log(
  "React and Vue make large applications easier to manage using reusable components."
);

```

OUTPUTS:

Local Community Event Portal

All Search Event
All
Music
Sports
Workshop
Festival
Music
Seats: 19
Register

Sports Meet
Sports
Seats: 15
Register

Baking Workshop
Workshop
Seats: 10
Register

Dance Show
Music
Seats: 30
Register

Register

VANGA GAYATHRIgayathrivanga@gmail.comMusic FestivalSubmit