


Git

Exercise 1



```
MINGW64/C:/Users/Gayathri Thoravi
Gayathri Thoravi@Gayathri MINGW64 ~
$ git --version
git version 2.54.0.windows.1
Gayathri Thoravi@Gayathri MINGW64 ~
$ git config --global user.name Gayathri Thoravi
Gayathri Thoravi@Gayathri MINGW64 ~
$ git config --global user.email gayathritoravi@gmail.com
Gayathri Thoravi@Gayathri MINGW64 ~
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.required=true
filter.lfs.process=git-lfs filter-process
http.sslBackend=schannel
core.autocrlf=true
core.fscache=true
core.sylinks=false
pull.rebase=false
credential.helper=manager
credential.helper=manager
init.defaultBranch=master
user.name=Gayathri Thoravi
user.email=gayathritoravi@gmail.com
```

Notepad++ v8.9.6.2 vulnerability fixes:

1. Fix a bypass scenario in the

Notepad++ v8.9.6.1 vulnerability fixes:


1. Fix bad formed COPYDATASTRUCT
2. Fix arbitrary code execution
3. Fix arbitrary code execution

Notepad++ v8.9.6 vulnerability fixes:

1. Fix vulnerability (CVE-2024-0000)
2. Fix x86 installer regression
3. Fix x86 installer regression
4. Fix UAC prompt display regression
5. Fix incorrect behaviour when
6. Fix regression where saving

Notepad++ v8.9.5 regression fixes:

1. Fix updating issue where using v8.9.4 32-bits installer creates duplicate "Uninstall a



```
MINGW64/C:/Users/Gayathri Thoravi
Gayathri Thoravi@Gayathri MINGW64 ~
$ notepad++
Gayathri Thoravi@Gayathri MINGW64 ~
$ notepad++
alias np='notepad++'
alias np='notepad++'
source ~/.bashrc
$ np
```

C:\Users\Gayathri Thoravi\.bashrc - Notepad++

```
1
```

```
Gayathri Thoravi@Gayathri MINGW64 ~
$ np
Gayathri Thoravi@Gayathri MINGW64 ~
$ git config --global core.editor "notepad++"
Gayathri Thoravi@Gayathri MINGW64 ~
$ git var GIT_EDITOR
notepad++
Gayathri Thoravi@Gayathri MINGW64 ~
$
```

```
Gayathri Thoravi@Gayathri MINGW64 ~/Documents
$ mkdir GitDemo
Gayathri Thoravi@Gayathri MINGW64 ~/Documents
$ cd GitDemo
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo
$ git init
Initialized empty Git repository in C:/Users/Gayathri Thoravi/Documents/GitDemo/.git/
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$
```

```
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ ls -la
total 8
drwxr-xr-x 1 Gayathri Thoravi 197612 0 Jul 14 12:00 ./
drwxr-xr-x 1 Gayathri Thoravi 197612 0 Jul 14 12:00 ../
drwxr-xr-x 1 Gayathri Thoravi 197612 0 Jul 14 12:00 .git/
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ |
```

```

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ touch welcome.txt

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ cat welcome.txt
welcome to git
This is my first Git Hands-on.
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git status
On branch master
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    welcome.txt
nothing added to commit but untracked files present (use "git add" to track)
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git commit
Aborting commit due to empty commit message.

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git commit
[master (root-commit) b12a321] Added welcome.txt file
1 file changed, 2 insertions(+)
create mode 100644 welcome.txt

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git status
On branch master
nothing to commit, working tree clean

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git remote add origin https://github.com/<your-username>/GitDemo.git
bash: your-username: No such file or directory

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git remote add origin https://github.com/Gayathrithoravi/GitDemo
$ git remote -v
origin https://github.com/Gayathrithoravi/GitDemo (fetch)
origin https://github.com/Gayathrithoravi/GitDemo (push)

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$

```

```

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git push -u origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 296 bytes | 296.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Gayathrithoravi/GitDemo
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.

```

Exercise 2

```

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ cd ~/Documents/GitDemo

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ pwd
/c/Users/Gayathri Thoravi/Documents/GitDemo

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ touch error.log

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ ls
error.log  welcome.txt

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ mkdir log

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ touch log/test.txt

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ touch .gitignore

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ notepad++ .gitignore

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .gitignore

nothing added to commit but untracked files present (use "git add" to track)

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git add .gitignore

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git commit -m "Added .gitignore to ignore log files and log folder"
[master 4ba4d2c] Added .gitignore to ignore log files and log folder
1 file changed, 2 insertions(+)
create mode 100644 .gitignore

```

```
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 317 bytes | 317.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/GayathriThoravi/GitDemo
   b12a321..4ba4d2c  master -> master

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean
```

Exercise 3

```
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ cd ~/Documents/GitDemo

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git branch
* master

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git branch GitNewBranch

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git branch
  GitNewBranch
* master
```

```
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ cd ~/Documents/GitDemo

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git branch
* master

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git branch GitNewBranch

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git branch
  GitNewBranch
* master

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git checkout GitNewBranch
Switched to branch 'GitNewBranch'

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (GitNewBranch)
$ git branch
  GitNewBranch
* master
```

```
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (GitNewBranch)
$ touch branchfile.txt

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (GitNewBranch)
$ notepad++ branchfile.txt

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (GitNewBranch)
$ git add branchfile.txt

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (GitNewBranch)
$ git commit -m "Added branchfile.txt in GitNewBranch"
[GitNewBranch 2645ee4] Added branchfile.txt in GitNewBranch
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 branchfile.txt

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (GitNewBranch)
$ git satatus
git: 'satatus' is not a git command. See 'git --help'.

The most similar command is
  status

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (GitNewBranch)
$ git status
On branch GitNewBranch
nothing to commit, working tree clean
```

```
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (GitNewBranch)
$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git diff main GitNewBranch
fatal: ambiguous argument 'main': unknown revision or path not in the working tree.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git diff master GitNewBranch
diff --git a/branchfile.txt b/branchfile.txt
new file mode 100644
index 0000000..e69de29
```

```
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git config --global merge.tool

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git merge GitNewBranch
Updating 4ba4d2c..2645ee4
Fast-forward
 branchfile.txt | 0
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 branchfile.txt


Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git log --oneline --graph --decorate
* 2645ee4 (HEAD -> master, GitNewBranch) Added branchfile.txt in GitNewBranch
* 4ba4d2c (origin/master) Added .gitignore to ignore log files and log folder
* b12a321 Added welcome.txt file

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git branch -d GitNewBranch
Deleted branch GitNewBranch (was 2645ee4).

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git branch
* master

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 1 commit.
  (use "git push" to publish your local commits)


nothing to commit, working tree clean
```


[illegible]

```
MINGW64/c/Users/Gayathri Thoravi/Documents/GitDemo
$ git checkout -b GitNewBranch
fatal: a branch named 'GitNewBranch' already exists
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (GitNewBranch)
$ echo "This is a P4Merge test" > p4merge.txt
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (GitNewBranch)
$ git add p4merge.txt
warning: in the working copy of 'p4merge.txt', LF will be replaced by CRLF the next time Git touches it
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (GitNewBranch)
$ git commit -m "Added p4merge test file"
[GitNewBranch 5e1c57a] Added p4merge test file
1 file changed, 1 insertion(+), 1 deletion(-)
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (GitNewBranch)
$ git checkout master
Switched to branch 'master'
Your branch is ahead of 'origin/master' by 1 commit.
(use "git push" to publish your local commits)
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git diff master GitNewBranch
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git checkout master
Already on 'master'
Your branch is ahead of 'origin/master' by 1 commit.
(use "git push" to publish your local commits)
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git merge GitNewBranch
Updating 2645ee4..5e1c57a
Fast-forward
 p4merge.txt | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 p4merge.txt
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git log --oneline --graph --decorate
* 5e1c57a (HEAD -> master, GitNewBranch) Added p4merge test file
* 6182cbf Added p4merge test file
* 2645ee4 Added branchfile.txt in GitNewBranch
* 4b64d2c (origin/master) Added .gitignore to ignore log files and log folder
* b12a321 Added welcome.txt file
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git branch -d GitNewBranch
Deleted branch GitNewBranch (was 5e1c57a).
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 3 commits.
(use "git push" to publish your local commits)
nothing to commit, working tree clean
```

Exercise 4

```
MINGW64/c/Users/Gayathri Thoravi/Documents/GitDemo
(use "git push" to publish your local commits)
nothing to commit, working tree clean
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git checkout master
Already on 'master'
Your branch is ahead of 'origin/master' by 3 commits.
(use "git push" to publish your local commits)
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git checkout -b GitWork
Switched to a new branch 'GitWork'
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (GitWork)
$ notepad++ hello.xml
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (GitWork)
$ git add hello.xml
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (GitWork)
$ git commit -m "Added hello.xml in GitWork"
GitWork 205cdf1 Added hello.xml in GitWork
1 file changed, 1 insertion(+)
 create mode 100644 hello.xml
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (GitWork)
$ git checkout master
Switched to branch 'master'
Your branch is ahead of 'origin/master' by 3 commits.
(use "git push" to publish your local commits)
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ notepad++ hello.xml
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git add hello.xml
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git commit -m "Added hello.xml in master"
master ee22195f Added hello.xml in master
1 file changed, 1 insertion(+)
 create mode 100644 hello.xml
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git log --oneline --graph --decorate --all
* ee22195 (HEAD -> master) Added hello.xml in master
* 205cdf1 (GitWork) Added hello.xml in GitWork
* 5e1c57a Added p4merge test file
* 6182cbf Added p4merge test file
* 2645ee4 Added branchfile.txt in GitNewBranch
* 4b64d2c (origin/master) Added .gitignore to ignore log files and log folder
* b12a321 Added welcome.txt file
```





```

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git diff master Gitwork
diff --git a/hello.xml b/hello.xml
index 8c1e115..573844c 100644
--- a/hello.xml
+++ b/hello.xml
@@ -1,1 @@
- <message>Hello from Master Branch</message>
\ No newline at end of file
+ <message>Hello from Gitwork Branch</message>
\ No newline at end of file

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git difftool master Gitwork

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git merge Gitwork
Auto-merging hello.xml
CONFLICT (add/add): Merge conflict in hello.xml
Automatic merge failed; fix conflicts and then commit the result.

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master|MERGING)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 4 commits.
(use "git push" to publish your local commits)

You have unmerged paths.
(fix conflicts and run "git commit")
(use "git merge --abort" to abort the merge)

Unmerged paths:
(use "git add <file>..." to mark resolution)
   both added:      hello.xml

no changes added to commit (use "git add" and/or "git commit -a")

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master|MERGING)
$ git mergetool
Merging:
hello.xml

Normal merge conflict for 'hello.xml':
  (local): created file
  (remote): created file
error: invalid path './hello_BASE_768.xml'

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master|MERGING)
$ git add hello.xml

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master|MERGING)
$ git commit -m "Resolved merge conflict"
[master 0f8efb6] Resolved merge conflict

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)

```

```

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master|MERGING)
$ git add hello.xml

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master|MERGING)
$ git commit -m "Resolved merge conflict"
[master 0f8efb6] Resolved merge conflict

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ notepad++ .gitignore
$ git add .gitignore

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git commit -m "Ignored backup files"
[master 808470d] Ignored backup files
1 file changed, 1 insertion(+), 1 deletion(-)

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git branch
  Gitwork
* master

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git branch -d Gitwork
Deleted branch Gitwork (was 205cdf1).

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git log --online --graph --decorate
* 808470d (HEAD -> master) Ignored backup files
  0f8efb6 Resolved merge conflict
  * 205cdf1 Added hello.xml in Gitwork
  * ee23195 Added hello.xml in master
  * 5e1c57a Added p4merge test file
  * 6182c6f Added p4merge test file
  * 2645ee4 Added branchfile.txt in GitNewBranch
  * 4ba4d2c (origin/master) Added .gitignore to ignore log files and log folder
  * 612a321 Added welcome.txt file

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git log --online --graph --decorate
* 808470d (HEAD -> master) Ignored backup files
  0f8efb6 Resolved merge conflict
  * 205cdf1 Added hello.xml in Gitwork
  * ee23195 Added hello.xml in master
  * 5e1c57a Added p4merge test file
  * 6182c6f Added p4merge test file
  * 2645ee4 Added branchfile.txt in GitNewBranch
  * 4ba4d2c (origin/master) Added .gitignore to ignore log files and log folder
  * 612a321 Added welcome.txt file

```

```

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ cat .gitignore
*.log
log/*.orig
Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ notepad++ .gitignore

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git add .gitignore

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git commit -m "Updated .gitignore to ignore log folder"
[master 7f5589f] Updated .gitignore to ignore log folder
1 file changed, 2 insertions(+), 1 deletion(-)

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 8 commits.
(use "git push" to publish your local commits)

nothing to commit, working tree clean

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git pull origin master
From https://github.com/GayathriThoravi/GitDemo
* branch      master       -> FETCH_HEAD
Already up to date.

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git push origin master
Enumerating objects: 24, done.
Counting objects: 100% (24/24), done.
Delta compression using up to 12 threads
Compressing objects: 100% (15/15), done.
Writing objects: 100% (22/22), 1.90 KiB | 486.00 KiB/s, done.
Total 22 (delta 8), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (8/8), done.
To https://github.com/GayathriThoravi/GitDemo
4ba4d2c..7f5589f  master -> master

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ cat .gitignore
*.log
log/
*.orig

```

```

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)
$ git log --oneline --graph --decorate --all
* 7f5589f (HEAD -> master, origin/master) Updated .gitignore to ignore log folder
* 808470d Ignored backup files
* 0f8efb6 Resolved merge conflict
* 205cdf1 Added hello.xml in GitWork
| ee23195 Added hello.xml in master
* 5e1c57a Added p4merge test file
* 6182cbf Added p4merge test file
* 2645ee4 Added branchfile.txt in GitNewBranch
* 4ba4d2c Added .gitignore to ignore log files and log folder
* b12a321 Added welcome.txt file

Gayathri Thoravi@Gayathri MINGW64 ~/Documents/GitDemo (master)

```