

**MINI PROJECT REPORT
ON**

**“Online Ticket Concession for College
Students”**

Submitted by

1. Gayatri Asodekar(5)
2. Vijay Chaudhari(15)



Under the guidance of

Prof. Deepali Chavhan

DATTA MEGHE COLLEGE OF ENGINEERING, AIROLI.

MUMBAI UNIVERSITY

Year 2017-2018

Date: -----

CERTIFICATE

This is to certify that the project report entitled Online Ticket Concession for College Students being submitted by Gayatri Asodekar and Vijay Chaudhari in partial fulfillment for the award of the Degree of Bachelor of Technology in Computer engineering to the Mumbai University is a record of bonafied work carried out by him under my guidance and supervision.

The results embodied in this project report have not been submitted to any other University or Institute for the award of any Degree or Diploma.

Guide
Prof. Deepali Chavhan

HoD. Computer Engineering Department
Prof A.P.Pande

ACKNOWLEDGEMENT

Those who walk the difficult path to success never rest at this destiny they walk ahead towards greater success. I consider myself lucky to work under guidance of such talented and experienced people during the preparation my mini project who guided me all through it.

I am indebted to **HOD Prof. A.P.Pande** for his support at various stages during the formation of this piece of work.

A special mention must go to my guide **Prof. Deepali Chavhan** who supported me with her vast knowledge, experience and suggestion. Only their inspiration has made this mini project easy and interesting.

I would also like to thank our principle **Dr. Dr. S.D.Sawarkar** for his warm support and providing all necessary facilities to us, the student.

Last but not the least I am thankful to all the **Teachers and Staff** members of Computer Engineering Department for their expert guidance and continuous encouragement throughout to see that the maximum benefit is taken out of his experience.

Gayatri Asodekar
Vijay Chaudhary

INDEX

Topics	Page No
1. Abstract	5
2. Software Requirement	6
3. Page layout	7
4. Source Code	10
a. Profile.php	10
b. Insert.php	11
c. Connection.php	12
d. New.html	13
e. Home1.html	15
f. Sam.php	16
g. 1111.php	16
h. Verification.php	19
i. Index.php	21
j. Log.php	24
k. Login.php	25
l. Test.php	25
m. About.html	26
5. Screen Shots	39
6. Conculsion	40
7. Future Work	40

ABSTRACT

The purpose of this document is to give a detailed description of the requirements for the “**Online Ticket Concession**” for college students of DMCE. It will illustrate the purpose and complete declaration for the development of system. It will also explain system constraints, interface and interactions with other external applications.

The “**Online Ticket Concession**” is a college website in which students can apply for ticket concession form .Due to this website the students can get concession form easily and in less span of time.

As in college,the process of getting ticket concession form is manually and time consuming. As it takes at least two days to get the form after submitting their documents. So for ease of students a website is been developed which provide them concession form online.

By creating this website, every student will be given a password and a login id by office member on confirming the admission. By using that password and id student should create their profile which will be valid for a year.

After creating their profile the can access the ticket concession form.

In that form the students only have to write their previous concession number if there. And other information will be automatically added. This will also not create any duplication of form. And at the end of the form the digital sign will be added. And after which they can take printout of the form and can submit to railway ticket counter.

SOFTWARE REQUIREMENT

Front End:-

1. HTML
2. CSS

Back End:-


1. MYSQL
2. PHP

PAGE LAYOUT

FRONT PAGE OF SITE



LOGIN PAGE



ABOUT US PAGE

localhost/New folder/pr... x localhost / 127.0.0.1 | ph... x

localhost/New%20folder/project/sam.php

Online Railway Concession System

Home New Profile About

ABOUT US

Local train is the lifeline of people in Mumbai, and students are no exceptions. Education without train travelling is a rarely seen case. Students (below the age of 25) are given a facility by Central and Western Railway, Mumbai, giving them concession in train pass if they use the local train services for going to their educational institutes. Colleges in Mumbai, provide students the railway train concession forms, issued by the Central and Western Railway, Mumbai, to avail the concession facility. Students have to wait for hours in a queue to get this form. The concerned college authority has a cumbersome task of filling the student details manually on the form.


After analyzing all the problems and requirements of the hour, the need for automation was strongly felt. E- Railway Concession Form System is an application that has automated the manual process which has many flaws. The perfection of data that this system provides to the institute and the government cannot be achieved with the manual proceedings. It aims at making the process efficient, quick and easy-going.

Progress in web technologies has led to rapid growth of online systems for day-to-day tasks such as shopping, paying bills, reservation etc. E-Railway Concession Form System is a similar innovation where a tiresome manual process is automated. To avail the concession facility students have to get the concession form that the college issues with their respective details filled on it. This includes their personal details as well as their preferences for the railway pass for which they need concession.

These preferences include:

1. Class: Mumbai locals have two types of compartments, first and second class.
2. Duration: The time period for which they need the railway pass- monthly and quarterly.
3. Via: If travelling to the institution needs a change-over of train, then via field decides the route of travelling.

Filing a request online for concession makes it convenient for the students. They simply have to fill a web form to send their request of a railway concession form. Every request that a student puts up is received by the concerned college authority who prints it on the railway-issued concession form. The authentication and authorization is done for every student by the proposed web application which makes sure that the facility of the concession provided by the Indian Railways is not misused. Looking beyond ease and convenience, this web application will also stop the misuse of the government given facilities.



localhost/New folder/project/about.html

Type here to search

ENG US 12:54 PM 22-Oct-17

PHP 5 Forms Required F... x HTML input required At... x Tryit Editor v3.5 x localhost/New folder/22... x localhost / 127.0.0.1 / tr... x

localhost/New%20folder/22/sam.php

Online Railway Concession System

Home New Profile About log out

from

to

class


duration

last concession number

Date

Type here to search

ENG US 12:51 AM 24-Oct-17



Online Railway Concession System

[Home](#) [New](#) [Profile](#) [About](#) [log out](#)

FROM CLASS DURATIO LAST CONCESSION No ISSUING DATE
domb second monthly 425712df 2017-10-24



SOURCE CODE

Profile .php

```
<!DOCTYPE html>
<html>
<head>
    <title>
        profile

    </title>
    <style>

        .box {
        width:300px;
        height:300px;
        background-color:#d9d9d9;
        position:fixed;
        margin-left:-150px; /* half of width */
        margin-top:-150px; /* half of height */
        top:50%;
        left:50%;
        }

    </style>
</head>
<body style="background: linear-gradient(45deg, #49D49D 10%, #A2C7E5 90%)">

<?php
include('connection.php');
include('login.php');

$id=$_SESSION['id'];
echo $id;

$result3 = mysqli_query($conn,"SELECT * FROM profile where grno='$id'");
while($row = mysqli_fetch_array($result3))
{
    $fname=$row['fname'];
    $lname=$row['lname'];
    $address=$row['address'];
    $contact=$row['contact'];
    $dateofbirth=$row['dob'];
    $cate=$row['category'];
    $gender=$row['gender'];
    $department=$row['department'];
    $year=$row['year'];
}
?>
<table class="box" width="398" border="0" align="center" cellpadding="0">
<tr>
    <td height="26" colspan="2">Your Profile Information </td>
```

```

        <td><div align="right"><a href="index.php">logout</a></div></td>
</tr>
<tr>
    <td width="129" rowspan="9"></td>
    <td width="82" valign="top"><div align="left"><b>FirstName:</b></div></td>
    <td width="165" valign="top"><?php echo $fname ?></td>
</tr>
<tr>
    <td valign="top"><div align="left">LastName:</div></td>
    <td valign="top"><?php echo $lname ?></td>
</tr>
<tr>
    <td valign="top"><div align="left">Gender:</div></td>
    <td valign="top"><?php echo $gender ?></td>
</tr>
<tr>
    <td valign="top"><div align="left">Address:</div></td>
    <td valign="top"><?php echo $address ?></td>
</tr>
<tr>
    <td valign="top"><div align="left">Date of birth:</div></td>
    <td valign="top"><?php echo $dateofbirth ?></td>
</tr>
<tr>
    <td valign="top"><div align="left">Category:</div></td>
    <td valign="top"><?php echo $cate ?></td>
</tr>
<tr>
    <td valign="top"><div align="left">Department:</div></td>
    <td valign="top"><?php echo $department ?></td>
</tr>
<tr>
    <td valign="top"><div align="left">Year:</div></td>
    <td valign="top"><?php echo $year ?></td>
</tr>
<tr>
    <td valign="top"><div align="left">Contact No.: </div></td>
    <td valign="top"><?php echo $contact ?></td>
</tr>
</table>
<p align="center"><a href="index.php"></a></p>
</body>
</html>

```

insert.php

```
<?php
```

```
/* Attempt MySQL server connection. Assuming you are running MySQL
server with default setting (user 'root' with no password) */
```

```

$link = mysqli_connect("localhost", "root", "", "train");
include('connection.php');
include('login.php');

// Check connection
if($link === false){
    die("ERROR: Could not connect. " . mysqli_connect_error());
}

// Escape user inputs for security
$from = mysqli_real_escape_string($link, $_REQUEST['source']);
$duration = mysqli_real_escape_string($link, $_REQUEST['duration']);
$class = mysqli_real_escape_string($link, $_REQUEST['class']);
$lcnno = mysqli_real_escape_string($link, $_REQUEST['concession_no']);
$Date = mysqli_real_escape_string($link, $_REQUEST['Date']);
$id=$_SESSION['id'];

// attempt insert query execution
$sql = "INSERT INTO concession (grno1,source,duration,class,concession_no,Date) VALUES
('$id', '$from', '$duration', '$class', '$lcnno', '$Date')";
if(mysqli_query($link, $sql)){
    echo "";
    header("Location: pdf.php");
} else{
    echo "ERROR: Could not able to execute $sql. " . mysqli_error($link);
}

function add()
{

}

// close connection
mysqli_close($link);
?>

```

connection.php

```

<?php
$servername = "localhost";
$username = "root";
$password = "";
$databasename="train";

// Create connection
$conn = new mysqli($servername, $username, $password,$databasename);

// Check connection

```

```

if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}

```

new.html

```

echo "";
?>

```

```

<!DOCTYPE html>
<html>
<head>
    <style>
        .from{
            display:block;
            margin:30px,0;
            padding:10px,50px,10px,10px;
            background-color:grey;
            color:#fff;
            border:2px solid #fff;
            border-radius:4px;
            width:280px;
            height:35px;
        }
        .box {
            width:300px;
            height:300px;
            background-color:#d9d9d9;
            position:fixed;
            margin-left:-150px; /* half of width */
            margin-top:-150px; /* half of height */
            top:50%;
            left:50%;
        }
        .comp,.duration{
            height:35px;
            width:100px;
            margin:30px,0;
            padding:10px,50px,10px,10px;
            background-color:grey;
            color:#fff;
            border:2px solid #fff;
            border-radius:4px;
        }
        .lcno{
            margin:30px,0;
            padding:10px,50px,10px,10px;
            background-color:grey;
            color:#fff;
            border:2px solid #fff;

```

```

border-radius:4px;

}

</style>

</head>
<body style="background: linear-gradient(45deg, #49D49D 10%, #A2C7E5 90%)">
<div>
<center>

<form action="insert.php" method="post">

<table class="box">

    <tr>

        <th>from</th>
        <th>
            <div class="input-field col s12">
                <select name="source" class="from">
                    <option value="thane" selected>Thane</option>
                    <option value="anbernath">ambernath</option>
                    <option value="kalyan">kalyan</option>
                    <option value="domb">dombivili</option>
                    <option value="kalwa" selected>kalwa</option>
                    <option value="bhandup">bhandup</option>
                    <option value="mulund">mulund</option>
                    <option value="khargahar">khargahar</option>
                </select>
            </div>
        </th>
    </tr>

    <tr>

        <th>to</th>
        <th>airoli</th>
    </tr>

<tr>

        <th>class</th>
        <th>
            <select name="class" class="comp">
                <option value="first" selected>I</option>
                <option value="second">II</option>
            </select>
        </th>
    </tr>

```

```

</th>
</tr>
<tr>
    <th>duration</th>
    <th>
        <select name="duration" class="duration">
            <option value="monthly" selected>Monthly</option>
            <option value="quarterly">Quarterly</option>
        </select>
    </th>
</tr>

<tr>
    <th>last concession number</th>
    <th><form action="/action_page.php">
        <input type="text" name="concession_no" required>

</th>
</tr>
<tr>
<th>Date</th>
<th><form action="/action_page.php">
<input type="Date" name="Date" required>
</form>

</th>
</tr>
<tr>
    <th></th>
    <th><input type="submit" name="submit" value="Add Records" onclick="pdf.php"></th>

</th>
</tr>

</table>

</form>
</center></div>
</body>
</html>

```

home1.html

```

<!DOCTYPE html>
<html>
<head>
    <title> home
    </title>

```

```

</head>
<body>
    <?php
        include('connection.php');
        include('login.php');

        $id=$_SESSION['id'];
        $sql = "SELECT * FROM concession where grno1='$id'";
        $result = $conn->query($sql);

        if ($result->num_rows > 0) {
            echo "<table><tr><th>FROM</th><th>CLASS</th><th>DURATIO</th><th>LAST
CONCESSION No</th><th>ISSUNING DATE</th></tr>";
            // output data of each row
            while($row = $result->fetch_assoc()) {
                echo "<tr><td>" . $row["source"]. "</td><td>" . $row["class"]. "</td><td>" . $row["duration"].
"</td><td>" . $row["concession_no"]. "</td><td>" . $row["Date"]. "</td></tr>";
            }
            echo "</table>";
        } else {
            echo "No Entry Yet";
        }

        $conn->close();
    ?>
</body>
</html>

```

sam.php

```

<html>

<frameset rows="19%,*">
    <frame src="test.php">
    <frame src="home1.php" name="12345" scrolling="yes">
    <a href="index.php">logout</a>
</font>

</html>

```

1111.php

```

<!DOCTYPE html>
<html>
<head>
    <style>
        .from{
            display:block;
            margin:30px,0;
            padding:10px,50px,10px,10px;
            background-color:grey;

```



```

        color:#fff;
        border:2px solid #fff;
        border-radius:4px;
        width:280px;
        height:35px;
    }
    .box {
width:300px;
height:300px;
background-color:#d9d9d9;
position:fixed;
margin-left:-150px; /* half of width */
margin-top:-150px; /* half of height */
top:50%;
left:50%;
}
.comp,.duration{
height:35px;
width:100px;
margin:30px,0;
padding:10px,50px,10px,10px;
background-color:grey;
color:#fff;
border:2px solid #fff;
border-radius:4px;

.lcno{
margin:30px,0;
padding:10px,50px,10px,10px;
background-color:grey;
color:#fff;
border:2px solid #fff;
border-radius:4px;

}

```

</style>

</head>

<body style="background: linear-gradient(45deg, #49D49D 10%, #A2C7E5 90%)">

<div>

<center>

<form action="insert.php" action="pdf.php" method="post">

<table class="box">

<tr>

```

        <th>from</th>
        <th>
            <div class="input-field col s12">
                <select name="source" class="from">
                    <option value="thane" selected>Thane</option>
                    <option value="anbernath">ambernath</option>
                    <option value="kalyan">kalyan</option>
                    <option value="domb">dombivili</option>
                    <option value="kalwa" selected>kalwa</option>
                    <option value="bhandup">bhandup</option>
                    <option value="mulund">mulund</option>
                    <option value="khargahar">khargahar</option>
                </select>
            </div>
        </th>
    </tr>

    <tr>
        <th>to</th>
        <th>airoli</th>
    </tr>
</tr>

        <th>class</th>
        <th>
            <select name="class" class="comp">
                <option value="first" selected>I</option>
                <option value="second">II</option>
            </select>
        </th>
    </tr>
    <tr>
        <th>duration</th>
        <th>
            <select name="duration" class="duration">
                <option value="monthly" selected>Monthly</option>
                <option value="quarterly">Quarterly</option>
            </select>
        </th>
    </tr>

    <tr>
        <th>last concession number</th>
        <th>
            <input type="text" class="lcno" name="concession_no">
        </th>
    </tr>

```

```

<tr>
    <th></th>
    <th><a href="pdf.php"><input type="submit" name="submit" value="Add
Records"></a></th>

</th>
</tr>

</table>

</form>
</center></div>
</body>
</html>

```

verification.php

```

<?php
$servername = "localhost";
$username = "root";
$password = "";
$db = "login";
// Create connection
$conn = mysqli_connect($servername, $username, $password,$db);

// Check connection
if (!$conn) {
    die("Connection failed: " . mysqli_connect_error());
}
$sql = "SELECT id,pass,ocp FROM details";
$result = mysqli_query($conn, $sql);

if (mysqli_num_rows($result) > 0)
{
    // output data of each row
    while($row = mysqli_fetch_assoc($result))
    {
        if ($_POST["idh"]== $row["id"])
        {
            if ($_POST["passh"]== $row["pass"])
            {
                if ($row["ocp"] == 's')
                {
                    echo file_get_contents("StudentPage.html");
                }

                else if ($row["ocp"] == 't')
                {
                    header("Location: TeacherPage.html");
                }
            }
        }
    }
}

```

```

    }
    }
}

?>

```

about.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <title>
```

```
        About us
```


```
    </title>
```

```
</head>
```

```
<body>
```

```
    <h1>ABOUT US</h1>
```

```
<p align="justify">
```

Local train is the lifeline of people in Mumbai, and students are no exceptions. Education  without train travelling is a rarely seen case. Students (below the age of 25) are given a facility by Central and Western Railway, Mumbai, giving them concession in train pass if they use the local train services for going to their educational institutes. Colleges in Mumbai, provide students the railway train concession forms, issued by the Central and Western Railway, Mumbai, to avail the concession facility. Students have to wait for hours in a queue to get this form. The concerned college authority has a cumbersome task of filling the student details manually on the form.

After analyzing all the problems and requirements of the hour, the need for automation was strongly felt. E-Railway Concession Form System is an application that has automated the manual process which has many flaws. The perfection of data that this system provides to the institute and the government cannot be achieved with the manual proceedings. It aims at making the process efficient, quick and easy-going.

Progress in web technologies has led to rapid growth of online systems for day-to-day tasks such as shopping, paying bills, reservation etc. E-Railway Concession Form System is a similar innovation where a tiresome manual process is automated. To avail the concession facility students have to get the concession form that the college issues with their respective details filled on it. This includes their personal details as well as their preferences for the railway pass for which they need concession.
 These preferences include:

<ol type="1">
 Class: Mumbai locals have two types of compartments, first and second class.
 Duration: The time period for which they need the railway pass- monthly and quarterly.
 Via: If travelling to the institution needs a change-over of train, then via field decides the route of travelling.

Progress in web technologies has led to rapid growth of online systems for day-to-day tasks such as shopping, paying bills, reservation etc. E-Railway Concession Form System is a similar innovation where a tiresome manual process is automated. To avail the concession facility students have to get the concession form that the college issues with their respective details filled on it. This includes their personal details as well as their preferences for the railway pass for which they need concession.
 These preferences include:


```
<ol type="1">
```

```
<li> Class: Mumbai locals have two types of compartments, first and second class.</li>
```

```
<li> Duration: The time period for which they need the railway pass- monthly and quarterly.</li>
```

```
<li> Via: If travelling to the institution needs a change-over of train, then via field decides the route of travelling.</li></ol><br><br>
```

Filing a request online for concession makes it convenient for the students. They simply have to fill a web form to send their request of a railway concession form. Every request that a student puts up is received by the concerned college authority who prints it on the railway-issued concession form. The authentication and authorization is done for every student by the proposed web application which makes sure that the facility of the concession provided by the Indian Railways isn't misused. Looking beyond ease and convenience, this web application will also stop the misuse of the government given facilities.
 The various concessions given are:


```
<ol type="1">
<li> Girls' second class pass for monthly duration is free of cost.</li>
<li>Students' issuing first class pass for quarterly duration are given 35-45% concession.</li>
<li> Students' belonging to Scheduled Caste (SC)/Scheduled Tribe (ST) are given 55-65%
concession.</li></ol><br>
```

Considering, the importance of this facility, any exploitation of it has to be stopped first-hand.

```
</p>
</body>
</html>
```

index.php

```
<html>
<head>
<style>
    .da
    {
        position: absolute;
        top: 20px;
        left: 240px;
        z-index: 2;
    }
    div.tagu{
position: absolute;
top: 145px;
left: 252px;
font-size= 16px;
color: black;
font-family:Georgia;
}
    div.block{
position: absolute;
top: 5px;
left: 5px;
}

    .btn-group .button {
background-color: lightblue;
border: 1px solid white;
color: white;
```

```

padding: 15px 32px;
text-align: center;
text-decoration: none;
display: inline-block;
font-size: 16px;
cursor: pointer;
width: 220px;
display: block;
}
div.noti{
position: absolute;
top: 257px;
left: 5px;
width: 214px;
height: 476px;
border: 3px solid lightblue;
color: black;
text-align: center;
font-size: 25px;
font-family:Georgia;
}
div.achiev{
position: absolute;
top: 290px;
left: 5px;
width: 214px;
height: 445px;
color: black;
text-align: left;
font-size: 17px;
}
div.but{
position: absolute;
top: 35px;
right: 5px;
width: 220px;
height: 150px;
color:black;
text-align: center;
font-size: 16px;
}
div.adm{
position: absolute;
top: 5px;
right: 5px;
width: 220px;
height: 30px;
color: Black;
text-align: center;
font-size: 25px;
}

```

```

    font-family:Georgia;
}
.button1 {
    background-color: lightblue;
    border: none;
    color: white;
    padding: 15px 11px;
    text-align: center;
    text-decoration: none;
    display: inline-block;
    font-size: 16px;
    margin: 4px 2px;
    cursor: pointer;
    -webkit-transition-duration: 0.4s; /* Safari */
    transition-duration: 0.4s;
    box-shadow: 0 8px 16px 0 rgba(0,0,0,0.2), 0 6px 20px 0 rgba(0,0,0,0.19);
}
div.photo{
    position: absolute;
    top: 225px;
    right: 0px;
    width: 220px;
    height: 30px;
    color: Black;
    text-align: center;
    font-size: 25px;
    font-family:Georgia;
}
div.gallery{
    position: absolute;
    top: 260px;
    right: 0px;
    width: 210px;
    height: 320px;
    border: 4px solid lightblue;
}
</style>
<meta content="text/html; charset=ISO-8859-1"
http-equiv="content-type">
<title>datta meghe college of engineering</title>
</head>
<body>
 <br>
<br>

<div class="tagu">The Official Website</div>
<div class="block">
<div class="btn-group">

```

```

<button class="button"><a
href="http://www.dmce.ac.in/newdmcewebsite/aboutinstitution/aboutdmce.php">About
Us</a></button>
<button class="button"><a
href="http://www.dmce.ac.in/newdmcewebsite/others/contact.php">Contact Us</a></button>
<button class="button"><a
href="http://www.dmce.ac.in/newdmcewebsite/others/campus2.php">Visit Our
Campus</a></button>
<a href="log.php"><input type="button" class="button1" name="login" value="Login"></a>
<div class="photo">Photo Gallery</div>
<div class="gallery">
<marquee behavior="alternate" direction="down" height="320px">






</marquee>
</div>
</div>
</div>
</div>
</body>
</html>

```

log.php

```

<!DOCTYPE html>
<html >
<head>
<meta charset="UTF-8">
<title>Material design sign up form</title>
<link rel="stylesheet" href="css/style.css">

</head>
<body>
<div class="lower_part back">
<div id="upper_part">
<div class="upper_left">
<a class="logo" href="log.php">Online Railway Concession System</a>
</div>

<div id="login-box">
<div class="left">
<h1>Sign in</h1>
<form action="login.php" method="post">
<input type="text" name="grno" placeholder="GR No" />
<input type="password" name="password" placeholder="Password" />
<input type="submit" name="signin_submit" value="Sign In" />
</form>

```



```

</div>
<div class="right">

</div>
</div>
</body>
</html>

```

login.php

```

<?php
include("connection.php");
session_start();

if(isset($_POST['grno']) && isset($_POST['password'])) {
    // username and password sent from form

        $grno = $_POST['grno'];
        $password = $_POST['password'];

        $sql = "SELECT * FROM profile WHERE grno='$grno' AND
password='$password'";
        $result = mysqli_query($conn,$sql);

        if(!$row = mysqli_fetch_row($result))
        {

            echo "<center ><p style='font-size:30px;margin-top:50px;'>Either the
username or the password is incorrect.</p><center>";

        }
        else{

            $_SESSION['id'] = $grno;

            header('Location:sam.php');

        }

    }
    else{

    }
}

```

test.php

```

<html>
<head>

```

```

<link href="css/elements.css" rel="stylesheet">
<link rel="stylesheet" href="css/style.css">
<link rel="stylesheet" href="css/Stylesheet.css">

```

```

<script src="js/validate.js"></script>
<meta charset="UTF-8">
<title>online reservation</title>

```

```

</head>
<body style="overflow:hidden;" >

```

```

<div class="lower_part">

```

```

<div id="upper_part">
<div class="upper_left">

```

```

<a class="logo" href="index.html">Online Railway Concession <span
class="dotcom">System</span></a>
</div>

```

```

</div>
</div>

```

```

<div class="main">
    <nav id="navigation">
        <ul id="nav">
            <li><a href="home1.php" target="12345"><button >Home</button></a></li>
            <li><a href="new.html" target="12345"><button href="#">New</button></a></li>
            <li><a href="profile.php" target="12345"><button href="#">Profile</button></a></li>
            <li><a href="about.html" target="12345"><button href="#">About</button></a></li>
            <li><a href="index.php" target="_top"><button href="#">log
out</button></a></li>
        </ul>
    </nav>

</div>

```

try.html

```

<html>
<head>
<style>
    .da
    {
        position:absolute;
        top: 20px;
        left: 240px;
        z-index: 2;
    }

```

```

    div.tagu{
position: absolute;
top: 145px;
left: 252px;
font-size= 16px;
color: black;
font-family:Georgia;
}
    div.block{
position: absolute;
top: 5px;
left: 5px;
}

.btn-group .button {
background-color: lightblue;
border: 1px solid white;
color: white;
padding: 15px 32px;
text-align: center;
text-decoration: none;
display: inline-block;
font-size: 16px;
cursor: pointer;
width: 220px;
display: block;
}
    div.noti{
position: absolute;
top: 257px;
left: 5px;
width: 214px;
height: 476px;
border: 3px solid lightblue;
color: black;
text-align: center;
font-size: 25px;
font-family:Georgia;
}
div.achiev{
position: absolute;
top: 290px;
left: 5px;
width: 214px;
height: 445px;
color: black;
text-align: left;
font-size: 17px;
}
    div.but{

```

```

position: absolute;
top: 35px;
right: 5px;
width: 220px;
height: 150px;
color:black;
text-align: center;
font-size: 16px;
}
div.adm{
position: absolute;
top: 5px;
right: 5px;
width: 220px;
height: 30px;
color: Black;
text-align: center;
font-size: 25px;
font-family:Georgia;
}
.button1 {
background-color: lightblue;
border: none;
color: white;
padding: 15px 11px;
text-align: center;
text-decoration: none;
display: inline-block;
font-size: 16px;
margin: 4px 2px;
cursor: pointer;
-webkit-transition-duration: 0.4s; /* Safari */
transition-duration: 0.4s;
box-shadow: 0 8px 16px 0 rgba(0,0,0,0.2), 0 6px 20px 0 rgba(0,0,0,0.19);
}
div.photo{
position: absolute;
top: 225px;
right: 0px;
width: 220px;
height: 30px;
color: Black;
text-align: center;
font-size: 25px;
font-family:Georgia;
}
div.gallery{
position: absolute;
top: 260px;
right: 0px;

```

```

width: 210px;
height: 320px;
border: 4px solid lightblue;
}
</style>
<meta content="text/html; charset=ISO-8859-1"
http-equiv="content-type">
<title>datta meghe college of engineering</title>
</head>
<body>
 <br>
<br>

<div class="tagu">The Official Website</div>
<div class="block">
<div class="btn-group">
<button class="button"><a href="about us_page.html">About Us</a></button>
<button class="button"><a href="contactus_page.html">Contact Us</a></button>
<button class="button"><a href="visitus_page.html">Visit Us</a></button>
<a href="log.php"><input type="buttun" class="button1" name="login" value="Login"></a>
<div class="photo">Photo Gallery</div>
<div class="gallery">
<marquee behavior="alternate" direction="down" height="320px">






</marquee>
</div>
</div>
</div>
</div>
</body>
</html>

```

wrap.php

```

<?php
require('fpdf.php');

class PDF extends FPDF
{
function WordWrap(&$text, $maxwidth)
{
    $text = trim($text);
    if ($text==='')

```

```

    return 0;
$space = $this->GetStringWidth(' ');
$lines = explode("\n", $text);
$text = "";
$count = 0;

foreach ($lines as $line)
{
    $words = preg_split('/ +/', $line);
    $width = 0;

    foreach ($words as $word)
    {
        $wordwidth = $this->GetStringWidth($word);
        if ($wordwidth > $maxwidth)
        {
            // Word is too long, we cut it
            for($i=0; $i<strlen($word); $i++)
            {
                $wordwidth = $this->GetStringWidth(substr($word, $i, 1));
                if($width + $wordwidth <= $maxwidth)
                {
                    $width += $wordwidth;
                    $text .= substr($word, $i, 1);
                }
                else
                {
                    $width = $wordwidth;
                    $text = rtrim($text)."\n".substr($word, $i, 1);
                    $count++;
                }
            }
        }
        elseif($width + $wordwidth <= $maxwidth)
        {
            $width += $wordwidth + $space;
            $text .= $word.' ';
        }
        else
        {
            $width = $wordwidth + $space;
            $text = rtrim($text)."\n".$word.' ';
            $count++;
        }
    }
    $text = rtrim($text)."\n";
    $count++;
}
$text = rtrim($text);
return $count;

```

```
}  
}  
?>
```

validate.js

```
function check_empty() {  
if (document.getElementById('name').value == "" || document.getElementById('email').value == "" ||  
document.getElementById('msg').value == "") {  
alert("Fill All Fields !");  
} else {  
document.getElementById('form').submit();  
alert("Form Submitted Successfully...");  
}  
}  
//Function To Display Popup  
function div_show() {  
document.getElementById('abc').style.display = "block";  
}  
//Function to Hide Popup  
function div_hide(){  
document.getElementById('abc').style.display = "none";  
}
```

style.css

```
body {  
margin: 0;  
padding: 0;  
background: #DDD;  
font-size: 16px;  
color: #222;  
font-family: 'Roboto', sans-serif;  
font-weight: 300;  
}  
  
#login-box {  
position: relative;  
margin: 5% auto;  
width: 600px;  
height: 400px;  
background: #FFF;  
border-radius: 2px;  
box-shadow: 0 2px 4px rgba(0, 0, 0, 0.4);  
}  
  
.left {
```

```
position: absolute;
top: 0;
left: 0;
box-sizing: border-box;
padding: 40px;
width: 300px;
height: 400px;
}
```

```
h1 {
margin: 0 0 20px 0;
font-weight: 300;
font-size: 28px;
}
```

```
input[type="text"],
input[type="password"] {
display: block;
box-sizing: border-box;
margin-bottom: 20px;
padding: 4px;
width: 220px;
height: 32px;
border: none;
border-bottom: 1px solid #AAA;
font-family: 'Roboto', sans-serif;
font-weight: 400;
font-size: 15px;
transition: 0.2s ease;
}
```

```
input[type="text"]:focus,
input[type="password"]:focus {
border-bottom: 2px solid #16a085;
color: #16a085;
transition: 0.2s ease;
}
```

```
input[type="submit"] {
margin-top: 28px;
width: 120px;
height: 32px;
background: #16a085;
border: none;
border-radius: 2px;
color: #FFF;
font-family: 'Roboto', sans-serif;
font-weight: 500;
text-transform: uppercase;
transition: 0.1s ease;
```



```

    cursor: pointer;
}

input[type="submit"]:hover,
input[type="submit"]:focus {
    opacity: 0.8;
    box-shadow: 0 2px 4px rgba(0, 0, 0, 0.4);
    transition: 0.1s ease;
}

input[type="submit"]:active {
    opacity: 1;
    box-shadow: 0 1px 2px rgba(0, 0, 0, 0.4);
    transition: 0.1s ease;
}

.right {
    position: absolute;
    top: 0;
    right: 0;
    box-sizing: border-box;
    padding: 40px;
    width: 300px;
    height: 400px;
    background: url('http://static.dnaindia.com/sites/default/files/2016/02/12/425130-western.jpg');
    background-size: cover;
    background-position: center;
    border-radius: 0 2px 2px 0;
}

.upper_right {
    position: absolute;
    top: 0;
    right: 0;
    box-sizing: border-box;
    padding: 40px;
    width: 50%;
    background-size: cover;
    background-position: center;
    border-radius: 0 2px 2px 0;
}

.upper_left {
    position: absolute;
    top: 0;
    left: 0;
    box-sizing: border-box;
    padding: 20px;
    width: 50%;
    background-size: cover;
    background-position: center;
    border-radius: 0 2px 2px 0;
}

```

```

}

.right .loginwith {
  display: block;
  margin-bottom: 40px;
  font-size: 28px;
  color: #FFF;
  text-align: center;
}
.logo {
  font-family: fontawesome;
  text-decoration: none;
  line-height: 1;
  -webkit-font-smoothing: antialiased;
  -moz-osx-font-smoothing: grayscale;
  font-size: 30px;
  letter-spacing: 3px;
  color: #000000;
  display: block;
  position: absolute;
  top: 17px;
}
.logo:hover{
  color:#bc4788
}
.dotcom
{
  color: #bc4788;
}
#upper_part
{
  background-color:white;
  position: absolute;
  top: 0;
  left: 0;
  box-sizing: border-box;
  padding: 20px;
  width: 100%;
  height:9%;
  background-size: cover;
  background-position: center;
  border-radius: 0 2px 2px 0;
}
.lower_part{
  width: 100%;
  height:100%;
  position: absolute;
  left: 0;
  background-size: cover;

```

```

    background-position: center;
    border-radius: 0 2px 2px 0;
background:white;
}
.main
{
    width: 100%;
    position: absolute;
    top: 50px;
    bottom: 0;

}
.back{
    background: linear-gradient(45deg, #49D49D 10%, #A2C7E5 90%);
}
p
{
    background-size: cover;
    background-position: center;
    text-align: center;
    font-weight: 300;
    font-style: "arial";
    font-size: 13px;
    text-align:
}
.profile

```

stylesheet.css

```

body
{
    font-family: lucida grande ,tahoma,verdana,arial,sans-serif;
    background-color: #e9e9e9;
}

body p
{
    font-size: 0.8em;
    line-height: 1.28;
}

#wrapper
{
    width: 1080px;
    background-color: white;
    margin: 0 auto;
    padding: 10px;
    border: 5px solid #dedede;
}
#banners
{

```

```

width: 1080px;
background-color: white;
margin: 0 auto;
padding: 10px;
border: 5px solid #dedede;
}

#content_area
{
    float: left;
    width: 750px;
    margin: 20px 0 20px 0;
    padding: 10px;
}

#sidebar
{
    float: right;
    width: 250px;
    height: 400px;
    margin: 20px 10px;
    padding: 10px;
    border: 2px solid #E3E3E3;
}

footer
{
    clear: both;
    width: auto;
    height: 40px;
    padding: 10px;
    border: 3px solid #E3E3E3;
    text-align: center;
    color: #fff;
    text-shadow: 0.1em 0.1em #333;
    background-image: url(../Images/bar_background.png);
}

#navigation
{
    height: 60px;
    width: 100%;
    padding-right: 0px;
    padding-left: 0px;

    text-shadow: 0.1em 0.1em #333;
    background-color: black;
}

#nav

```

```

{
    list-style: none;
}

#nav ul
{
    margin: 0;
    padding: 0;
    width: auto;
    display: none;
}

#nav li,button
{
    font-size: 24px;
    text-align: center;
    float: left;
    position: relative;
    width: 150px;
    height: 60px;
    color: white;
    border: 0px;
    padding-top: -10px;
    background-color: black;
}

#nav a:link, nav a:active, nav a:visited
{
    display: block;
    color: #fff;
    text-decoration: none;
}

#nav button:hover
{
    color: lightblue;
    background-color: grey;
    width: 150px;
    height: 60px;
    padding-top: 10px;
}

.imgLeft
{
    float: left;
    width: 240px;
    height: 150px;
    margin: 0px 10px 10px 0;
    padding: 10px;
}

```

```
}  
  
.imgRight  
{  
  float: right;  
  width: 200px;  
  height: 250px;  
  margin: 0px 0 10px 10px;  
  padding: 10px;  
}
```

SCREEN SHOTS

The first screenshot shows the phpMyAdmin interface for a database named 'train'. The 'Structure' tab is selected, displaying the table 'profile' with 11 columns: gmo, password, fname, lname, address, contact, dob, category, gender, department, and year. Each column has a 'Change' and 'Drop' button. Below the table structure, the 'Indexes' section shows 'Space usage' (Data: 16 KIB, Index: 0 B, Total: 16 KIB) and 'Row Statistics' (Format: Compact, Collation: utf8_general_ci, Creation: Sep 25, 2017 at 10:08 AM).

The second screenshot shows the same phpMyAdmin interface with the 'SQL' tab selected. A query is executed: `SELECT * FROM 'profile' LIMIT 0, 30`. The results show 6 rows of data. The columns are: gmo, password, fname, lname, address, contact, dob, category, gender, department, and year. The data rows are:

gmo	password	fname	lname	address	contact	dob	category	gender	department	year
2015MH001		Gayatri	Asodekar	al6 Ganesh Darshan dombivali east	96412368	1997-06-24	open	female	Computer	TE
2015MH002		Vijay	chaudhari	shanti nivas ambermath east	93864253	1997-12-04	open	male	Computer	TE
2015MH003		Krishna	Shah	aditya heights dombivali east	983425617	1997-10-04	open	female	Computer	TE
2015MH004		Shruti	Jadhav	shiv sagar bandhup west	987654321	1998-03-16	open	female	Computer	TE
2015MH005		Sarvan	Purohit	Shanti nivas ghatkopar east	2147483647	1997-04-13	open	male	Computer	TE
2015MH006		Saurabh	Shingte	laxmi nivas thane west	2147483647	1997-12-27	open	male	computer	TE

PHP 5 Forms Required F... HTML input required Att... Tryit Editor v3.5 localhost/New folder/22 localhost / 127.0.0.1 / tra

localhost/phpmyadmin/index.php?db=train&token=d20545b7cc78df59a0bf2c8a162782ae

phpMyAdmin

(Recent tables) ...
train
concession
profile
Create table

127.0.0.1 » train » concession

Browse Structure SQL Search Insert Export Import Operations Tracking Triggers

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0005 sec)

```
SELECT *
FROM `concession`
LIMIT 0, 30
```

Profiling [Inline] [Edit] [Explain SQL] [Create PHP Code] [Refresh]

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	gmo1	varchar(10)	utf8_general_ci		No	None		Change Drop Browse distinct values Primary Unique Index Spatial More
2	source	varchar(20)	utf8_general_ci		No	None		Change Drop Browse distinct values Primary Unique Index Spatial More
3	duration	varchar(15)	utf8_general_ci		No	None		Change Drop Browse distinct values Primary Unique Index Spatial More
4	class	varchar(15)	utf8_general_ci		No	None		Change Drop Browse distinct values Primary Unique Index Spatial More
5	concession_no	varchar(15)	utf8_general_ci		No	None		Change Drop Browse distinct values Primary Unique Index Spatial More
6	Date	date			No	None		Change Drop Browse distinct values Primary Unique Index Spatial More

Check All / Uncheck All With selected: Browse Change Drop Primary Unique Index

Print view Relation view Propose table structure Track table

Add 1 column(s) At End of Table At Beginning of Table After gmo1 Go

+ Indexes

Information

Space usage Row Statistics

localhost/phpmyadmin/tbl_tracking.php?db=train&table=concession&token=d20545b7cc78df59a0bf2c8a162782ae&goto=tbl_structure.php&back=tbl_structure.php

Type here to search

PHP 5 Forms Required F... HTML input required Att... Tryit Editor v3.5 localhost/New folder/22 localhost / 127.0.0.1 / tra

localhost/phpmyadmin/index.php?db=train&token=d20545b7cc78df59a0bf2c8a162782ae

phpMyAdmin

(Recent tables) ...
train
concession
profile
Create table

127.0.0.1 » train » concession

Browse Structure SQL Search Insert Export Import Operations Tracking Triggers

Showing rows 0 - 0 (~1 total) , Query took 0.0005 sec)

```
SELECT *
FROM `concession`
LIMIT 0, 30
```

Profiling [Inline] [Edit] [Explain SQL] [Create PHP Code] [Refresh]

Show: Start row: 0 Number of rows: 30 Headers every 100 rows

+ Options

	gmo1	source	duration	class	concession_no	Date
Edit Copy Delete	2015MH001	domb	monthly	second	425712df	2017-10-24

Check All / Uncheck All With selected: Change Delete Export

Show: Start row: 0 Number of rows: 30 Headers every 100 rows

Query results operations

Print view Print view (with full texts) Export Display chart Create view

Bookmark this SQL query

Label: Let every user access this bookmark

Type here to search

CONCLUSION

The '**ONLINE CONCESSION FORM**' for college student is must for every college to remain in the race of this growing technology. This product will not only reduce the hectic for students but also for office member of college staff. As office member would not take headache of issuing concession form to each and every students. As all details of students need for concession form will be remain safe and authentic. Student's life would also get easier as they won't need to go to office looking for concession form and they need not to wait in a queue for long time and miss their lecture. And this will not waste time of student as well as of office students.

FUTURE WORK

For now the '**ONLINE CONCESSION FORM**' for college student is only capable of issuing the concession form. But in future it can also be help full for filling

Contents:-

- Project name/project members
 - ABSTRACT(SHORT INTRODUCTION)
 - SOFTWARE REQUIREMENT(FRONT END ,BACK END)
 - SNAPSHOT OF EACH WEB PAGE . (Min. 5 pages)
 - SOURCE CODE OF EACH WEB PAGE.(mention file name.)
 - DATABASE DESIGN(SCREEN SHOTS OF PHPMYADMIN)
 - CONCLUSION AND FUTURE WORK.
-
- Note :PROJECT NAME font size (28) /STUDENT NAME font size (18)(Times new roman)
 - All Titles are in Times new roman Font size (18)
 - All Subtitles in Times new roman Font size (14)
 - All other information in Times new roman Font size (12)