


## Pantheon Report

Generated at 2025-04-17 07:30:25 (UTC). Tested in mahimahi: mm-link 12mbps.trace 12mbps.trace Repeated the test of 2 congestion control schemes once. Each test lasted for 30 seconds running 1 flow. System info: Linux 5.15.0-136-generic net.core.default\_qdisc = fq net.core.rmem\_default = 212992  $net.core.rmem_max = 212992$ net.core.wmem\_default = 212992  $net.core.wmem_max = 212992$  $net.ipv4.tcp\_rmem = 4096 131072 6291456$  $net.ipv4.tcp\_wmem = 4096 16384 4194304$ Git summary: branch: master @ 23e738ce5acae1d36e321886cd613b0b9401ac11 third\_party/fillp @ d6da1459332fcee56963885d7eba17e6a32d4519 third\_party/fillp-sheep @ 0e5bb722943babcd2b090d2c64fcd45e12e923f9 third\_party/genericCC @ d0153f8e594aa89e93b032143cedbdfe58e562f4 third\_party/indigo @ 463d89b09699a57bfdfbae351646df6a60040b90  $\verb|third_party/libutp @ b3465b942e2826f2b179eaab4a906ce6bb7cf3cf|$ third\_party/pantheon-tunnel @ f866d3f58d27afd942717625ee3a354cc2e802bd M src/packet/Makefile.am M src/util/Makefile.am third\_party/pcc @ 1afc958fa0d66d18b623c091a55fec872b4981e1 third\_party/pcc-experimental @ cd43e34e3f5f5613e8acd08fab92c4eb24f974ab third\_party/proto-quic @ 77961f1a82733a86b42f1bc8143ebc978f3cff42 third\_party/scream-reproduce @ f099118d1421aa3131bf11ff1964974e1da3bdb2 third\_party/sprout @ 366e35c6178b01e31d4a46ad18c74f9415f19a26 third\_party/verus @ d4b447ea74c6c60a261149af2629562939f9a494 third\_party/vivace @ 2baf86211435ae071a32f96b7d8c504587f5d7f4

third\_party/webrtc @ 3f0cc2a9061a41b6f9dde4735770d143a1fa2851







| scheme         # runs         flow 1         flow 1           TCP BBR         1         11.62         21.54         0.06           TCP Cubic         1         12.00         1670.88         4.67 |   |           |        | mean avg tput (Mbit/s) | mean 95th-%ile delay (ms) | mean loss rate (%) |
|---|---|-----------|--------|------------------------|---------------------------|--------------------|
|   |   | scheme    | # runs | flow 1                 | flow 1                    | flow 1             |
| TCP Cubic 1 12.00 1670.88 4.67  | - | TCP BBR   | 1      | 11.62                  | 21.54                     | 0.06               |
| 101 04510 1 12.00   |   | TCP Cubic | 1      | 12.00                  | 1670.88                   | 4.67               |

## Run 1: Statistics of TCP BBR

Start at: 2025-04-17 07:28:57 End at: 2025-04-17 07:29:27

# Below is generated by plot.py at 2025-04-17 07:30:15

# Datalink statistics
-- Total of 1 flow:

Average capacity: 12.00 Mbit/s

Average throughput: 11.62 Mbit/s (96.8% utilization) 95th percentile per-packet one-way delay: 21.535 ms

Loss rate: 0.06%


-- Flow 1:


Average throughput: 11.62 Mbit/s

95th percentile per-packet one-way delay: 21.535 ms

Loss rate: 0.06%

Run 1: Report of TCP BBR — Data Link





## Run 1: Statistics of TCP Cubic

Start at: 2025-04-17 07:29:32 End at: 2025-04-17 07:30:02

# Below is generated by plot.py at 2025-04-17 07:30:18

# Datalink statistics
-- Total of 1 flow:

Average capacity: 12.00 Mbit/s

Average throughput: 12.00 Mbit/s (100.0% utilization) 95th percentile per-packet one-way delay: 1670.878 ms

Loss rate: 4.67%

-- Flow 1:

Average throughput: 12.00 Mbit/s

95th percentile per-packet one-way delay: 1670.878 ms

Loss rate: 4.67%

Run 1: Report of TCP Cubic — Data Link

