

Pantheon Report

Generated at 2025-04-17 07:43:02 (UTC).

Tested in mahimahi: mm-delay 100 mm-link 1mbps.trace 1mbps.trace

Repeated the test of 3 congestion control schemes once.



Each test lasted for 60 seconds running 1 flow.

System info:

```
Linux 5.15.0-136-generic
net.core.default_qdisc = fq
net.core.rmem_default = 212992
net.core.rmem_max = 212992
net.core.wmem_default = 212992
net.core.wmem_max = 212992
net.ipv4.tcp_rmem = 4096 131072 6291456
net.ipv4.tcp_wmem = 4096 16384 4194304
```

Git summary:

```
branch: master @ 23e738ce5acae1d36e321886cd613b0b9401ac11
third_party/fillp @ d6da1459332fcee56963885d7eba17e6a32d4519
third_party/fillp-sheep @ 0e5bb722943babcd2b090d2c64fcd45e12e923f9
third_party/genericCC @ d0153f8e594aa89e93b032143cedbdf58e562f4
third_party/indigo @ 463d89b09699a57bfdfbae351646df6a60040b90
third_party/libutp @ b3465b942e2826f2b179eaab4a906ce6bb7cf3cf
third_party/pantheon-tunnel @ f866d3f58d27afd942717625ee3a354cc2e802bd
M src/packet/Makefile.am
M src/util/Makefile.am
third_party/pcc @ 1afc958fa0d66d18b623c091a55fec872b4981e1
third_party/pcc-experimental @ cd43e34e3f5f5613e8acd08fab92c4eb24f974ab
third_party/proto-quic @ 77961f1a82733a86b42f1bc8143ebc978f3cff42
third_party/scream-reproduce @ f099118d1421aa3131bf11ff1964974e1da3bdb2
third_party/sprout @ 366e35c6178b01e31d4a46ad18c74f9415f19a26
third_party/verus @ d4b447ea74c6c60a261149af2629562939f9a494
third_party/vivace @ 2baf86211435ae071a32f96b7d8c504587f5d7f4
third_party/webrtc @ 3f0cc2a9061a41b6f9dde4735770d143a1fa2851
```



scheme	# runs	mean avg tput (Mbit/s) flow 1	mean 95th-%ile delay (ms) flow 1	mean loss rate (%) flow 1
TCP BBR	1	11.92	426.96	3.05
TCP Cubic	1	19.19	126.11	0.30
TCP Vegas	1	6.49	168.99	0.34

Run 1: Statistics of TCP BBR

Start at: 2025-04-17 07:40:07

End at: 2025-04-17 07:41:07

Below is generated by plot.py at 2025-04-17 07:42:24

Datalink statistics

-- Total of 1 flow:

Average capacity: 720.01 Mbit/s

Average throughput: 11.92 Mbit/s (1.7% utilization)

95th percentile per-packet one-way delay: 426.958 ms

Loss rate: 3.05%



-- Flow 1:

Average throughput: 11.92 Mbit/s

95th percentile per-packet one-way delay: 426.958 ms

Loss rate: 3.05%

Run 1: Report of TCP BBR — Data Link



Run 1: Statistics of TCP Cubic

Start at: 2025-04-17 07:38:21

End at: 2025-04-17 07:39:22

Below is generated by plot.py at 2025-04-17 07:42:44

Datalink statistics

-- Total of 1 flow:

Average capacity: 720.01 Mbit/s

Average throughput: 19.19 Mbit/s (2.7% utilization)

95th percentile per-packet one-way delay: 126.115 ms

Loss rate: 0.30%



-- Flow 1:

Average throughput: 19.19 Mbit/s

95th percentile per-packet one-way delay: 126.115 ms

Loss rate: 0.30%

Run 1: Report of TCP Cubic — Data Link



Run 1: Statistics of TCP Vegas

Start at: 2025-04-17 07:36:41

End at: 2025-04-17 07:37:41

Below is generated by plot.py at 2025-04-17 07:42:58

Datalink statistics

-- Total of 1 flow:

Average capacity: 720.01 Mbit/s

Average throughput: 6.49 Mbit/s (0.9% utilization)

95th percentile per-packet one-way delay: 168.989 ms

Loss rate: 0.34%

-- Flow 1:

Average throughput: 6.49 Mbit/s

95th percentile per-packet one-way delay: 168.989 ms

Loss rate: 0.34%

Run 1: Report of TCP Vegas — Data Link

