


SHETH L.U.J AND SIR M.V COLLEGE

Subject: Ethical Hacking

Practical no:- 6

Aim: Use Wireshark sniffer to capture network traffic and analyze.



SHETH L.U.J AND SIR M.V COLLEGE

Subject: Ethical Hacking

The image displays the Wireshark Network Analyzer interface. The top window shows the 'Capture Options' dialog, which is used to configure the network interfaces and capture filters. The 'Input' tab is selected, showing a list of available interfaces. The 'Wi-Fi' interface is selected, and the 'Capture filter for selected interfaces' is set to 'Enter a capture filter...'. The 'Start' button is visible at the bottom of the dialog.

The bottom window shows the main Wireshark interface, which is currently capturing data from the 'Wi-Fi' interface. The 'Packet List' pane on the left shows a list of captured packets, including ARP requests, DNS queries, and TCP connections. The 'Packet Details' pane on the right shows the details of the selected packet (Frame 1), including the Ethernet II header, Internet Protocol Version 6 header, and Transmission Control Protocol header. The 'Packet Bytes' pane at the bottom shows the raw data of the selected packet in hexadecimal and ASCII.

No.	Time	Source	Destination	Protocol	Length	Info
167	8.756399800	CloudNetwork_53:6f...	Broadcast	ARP	42	Who has 192.168.29.1? Tell 169.254.10.233
168	8.820868100	192.168.0.127	224.0.0.251	NDIS	93	Standard query 0x0000 ANY LAPTOP-NV1506T._dosvc._tcp.local, "QM" question
169	8.960808200	CloudNetwork_53:6e...	Broadcast	ARP	42	Who has 192.168.29.1? Tell 169.254.10.239
170	9.094784500	192.168.0.127	224.0.0.251	NDIS	93	Standard query 0x0000 ANY LAPTOP-NV1506T._dosvc._tcp.local, "QM" question
171	9.165618000	Intel_56:58:42	Broadcast	ARP	60	Who has 192.168.29.210? Tell 192.168.29.11
172	9.361994200	192.168.0.127	224.0.0.251	NDIS	421	Standard query response 0x0000 PTR, cache flush LAPTOP-NV1506T._dosvc._tcp.local SRV, cache flush 0 0 7680 LAPT
173	9.361995100	192.168.0.127	224.0.0.251	NDIS	357	Standard query response 0x0000 SRV, cache flush 0 0 7680 LAPTOP-NV1506T.local TXT, cache flush A, cache flush 1
174	9.575273600	Intel_bbc:ecfc	Broadcast	ARP	42	Who has 192.168.29.6? Tell 192.168.29.63
175	9.738177700	2405:201:5:81c2:c8d...	2a03:2880:f315:120...	TCP	143	10009 -> 5222 [PSH, ACK] Seq=1 Ack=1 Win=516 Len=69
176	9.767974000	2a03:2880:f315:120...	2405:201:5:81c2:c8d...	TCP	74	5222 -> 10009 [ACK] Seq=1 Ack=70 Win=294 Len=0
177	9.780014500	CloudNetwork_53:6e...	Broadcast	ARP	42	Who has 192.168.29.1? Tell 169.254.10.239
178	9.985118500	Intel_f3:eb:7f	Broadcast	ARP	42	Who has 169.254.169.254? Tell 192.168.29.128
179	9.995724300	2a03:2880:f315:120...	2405:201:5:81c2:c8d...	TCP	145	5222 -> 10009 [PSH, ACK] Seq=1 Ack=70 Win=294 Len=71
180	10.049493500	2405:201:5:81c2:c8d...	2a03:2880:f315:120...	TCP	74	10009 -> 5222 [ACK] Seq=70 Ack=72 Win=515 Len=0
181	10.189378900	CloudNetwork_ab:53:...	Broadcast	ARP	42	Who has 192.168.29.102? Tell 192.168.29.121

Frame 1: Packet, 75 bytes on wire (600 bits), 75 bytes captured (600 bits) on interface \Device\NPF{...}

Ethernet II, Src: Intel_f4:37:f1 (48:89:e7:f4:37:f1), Dst: Sercomm_c:76:e9 (18:fd:cb:ac:76:e9)

Internet Protocol Version 6, Src: 2405:201:5:81c2:c8d1:134:d3a0:da57, Dst: 2404:6800:4013:813:



Transmission Control Protocol, Src Port: 9864, Dst Port: 5228, Seq: 1, Ack: 1, Len: 1

Data (1 byte)

0000 18 fd cb ac 76 e9 48 89 e7 f4 37 f1 86 dd 60 08 ...vH...7...
0010 5f 25 00 15 06 40 24 05 02 01 00 05 81 c2 c8 d1 ...X...@\$.
0020 01 34 d3 a0 da 57 24 04 68 00 40 13 08 13 00 00 ...4...W\$.h.....
0030 00 00 00 00 00 bc 26 88 14 6c c7 f0 a6 14 bc 00&..1.....
0040 b9 db 50 10 02 02 9a 49 00 00 00P....I...

SHETH L.U.J AND SIR M.V COLLEGE

Subject: Ethical Hacking



Subject: Ethical Hacking

