

SHETH L.U.J AND SIR M.V. COLLEGE
SUBJECT NAME: ETHICAL HACKING PRACTICAL

Practical No. 7


AIM: Perform SQL injection attack.

Step 1: Start XAMPP

Open XAMPP Control Panel.


Click Start for:

Apache, MySQL




SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: ETHICAL HACKING PRACTICAL




Step 2: Open phpMyAdmin
Create a Database
sql_db
Click Create.



GAZALA ALAM
T071

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: ETHICAL HACKING PRACTICAL



Step 3: Download & Setup DVWA


Set Up the SQL Injection Environment

Download DVWA from GitHub:

Go to: <https://github.com/digininja/DVWA>


Click Code → Download ZIP.

- Extract the downloaded ZIP file inside C:\xampp\htdocs\.
- Rename the DVWA-master folder to sql_injection.




SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: ETHICAL HACKING PRACTICAL



Now go to the sql_injection\config folder

This file should be there config.inc.php.dist copy paste and rename it to config.inc.php



Modify the Database Credentials
Inside config.inc.php, find this section:

GAZALA ALAM
T071

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: ETHICAL HACKING PRACTICAL

```
$_DVWA['db_user'] = 'dvwa';
```


```
$_DVWA['db_password'] = 'p@ssw0rd';
```

- ◆ Change it to use MySQL's default root user:

```
$_DVWA['db_user'] = 'root';
```

```
$_DVWA['db_password'] = '';
```

Since XAMPP MySQL doesn't have a password for root by default, leaving it empty will work.



```
1 <?php
2
3 # If you are having problems connecting to the MySQL database and all of the variables below are correct
4 # try changing the 'db_server' variable from localhost to 127.0.0.1. Fixes a problem due to sockets.
5 # Thanks to @giginja for the fix.
6
7 # Database management system to use
8 $DBMS = getenv('DBMS') ? 'MySQL' : 'MySQL';
9 $DBMS = 'MySQL'; // Currently disabled
10
11 # Database variables
12 # WARNING: The database specified under db_database WILL BE ENTIRELY DELETED during setup.
13 # Please use a database dedicated to DVWA.
14
15 # If you are using MariaDB then you cannot use root, you must use create a dedicated DVWA user.
16 # See README.md for more information on this.
17 $DBMS = array();
18 $_DVWA['db_server'] = getenv('DB_SERVER') ? '127.0.0.1' : 'localhost';
19 $_DVWA['db_database'] = getenv('DB_DATABASE') ? 'dvwa' : 'dvwa';
20 $_DVWA['db_user'] = getenv('DB_USER') ? 'root' : 'root';
21 $_DVWA['db_password'] = getenv('DB_PASSWORD') ? '' : '';
22 $_DVWA['db_port'] = getenv('DB_PORT') ? '3306' : '3306';
23
24 # ReCAPTCHA settings
25 # Used for the 'Insecure CAPTCHA' module
26 # You'll need to generate your own keys at: https://www.google.com/recaptcha/admin
27 $_DVWA['recaptcha_public_key'] = getenv('RECAPTCHA_PUBLIC_KEY') ? '' : '';
28 $_DVWA['recaptcha_private_key'] = getenv('RECAPTCHA_PRIVATE_KEY') ? '' : '';
29
30 # Default security level
31 # Default value for the security level with each session.
32 # The default is 'impossible'. You may wish to set this to either 'low', 'medium', 'high' or 'impossible'.
33 $_DVWA['default_security_level'] = getenv('DEFAULT_SECURITY_LEVEL') ? 'impossible' : 'impossible';
34
35 # Default locale
36 # Default locale for the help page shown with each session.
37 # The default is 'en'. You may wish to set this to either 'en' or 'zh'.
38 $_DVWA['default_locale'] = getenv('DEFAULT_LOCALE') ? 'en' : 'en';
39
40 # Disable authentication
41 # Some tools don't like working with authentication and passing cookies around
42 # so this setting lets you turn off authentication.
43 $_DVWA['disable_authentication'] = getenv('DISABLE_AUTHENTICATION') ? false;
44
45 define('MYSQL', 'mysql');
46 define('SQLITE', 'sqlite');
47
48 # SQL DB Backend
```

Step 4:

Open a web browser.

Type in the URL:

http://localhost/sql_injection/setup.php



Click on Create/Reset Database.

GAZALA ALAM

T071

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: ETHICAL HACKING PRACTICAL




Step 5: Click on login or Go to: http://localhost/sql_injection/login.php
Enter the following login details:
Username: admin
Password: password
Click Login.

GAZALA ALAM
T071

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: ETHICAL HACKING PRACTICAL




Step 6: Lower Security Level
Look at the left-side menu.
Click on DVWA Security.
Set the Security Level to Low.

GAZALA ALAM
T071

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: ETHICAL HACKING PRACTICAL



Step 7: Performing SQL Injection

Basic Injection

In the text box, type:

1

Bypassing Authentication

In the text box, type:

a' or '='

GAZALA ALAM

T071

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: ETHICAL HACKING PRACTICAL

Extracting Data


In the text box, type:

1=1

Wildcard Injection



In the text box, type:

1*



SHETH L.U.J AND SIR M.V. COLLEGE



SUBJECT NAME: ETHICAL HACKING PRACTICAL



GAZALA ALAM
T071

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: ETHICAL HACKING PRACTICAL



GAZALA ALAM
T071