

DATA INSERTION QUERIES

1. RESTAURANT TABLE

INSERT INTO RESTAURANT VALUES (1,'Food Hub',9876543210,'foodhub@gmail.com','Ahmedabad','Navrangpura','4.5',SYSDATE);

INSERT INTO RESTAURANT VALUES (2,'Spice Villa',9876543211,'spice@gmail.com','Ahmedabad','Maninagar','4.2',SYSDATE);

INSERT INTO RESTAURANT VALUES (3,'Taste Point',9876543212,'taste@gmail.com','Surat','Vesu','4.0',SYSDATE);

INSERT INTO RESTAURANT VALUES (4,'Urban Bites',9876543213,'urban@gmail.com','Vadodara','Alkapuri','4.1',SYSDATE);

INSERT INTO RESTAURANT VALUES (5,'Royal Food',9876543214,'royal@gmail.com','Rajkot','Kalawad','4.3',SYSDATE);

INSERT INTO RESTAURANT VALUES (6,'Hot Plate',9876543215,'hot@gmail.com','Mumbai','Andheri','4.0',SYSDATE);

INSERT INTO RESTAURANT VALUES (7,'Food Express',9876543216,'express@gmail.com','Delhi','CP','4.4',SYSDATE);

INSERT INTO RESTAURANT VALUES (8,'Daily Dine',9876543217,'daily@gmail.com','Pune','Baner','3.9',SYSDATE);

INSERT INTO RESTAURANT VALUES (9,'Punjabi Tadka',9876543218,'tadka@gmail.com','Chandigarh','Sector 22','4.6',SYSDATE);

INSERT INTO RESTAURANT VALUES (10,'South Treat',9876543219,'south@gmail.com','Chennai','T Nagar','4.2',SYSDATE);

2. CATEGORY TABLE

INSERT INTO CATEGORY VALUES (1,'Starter','Starters');

INSERT INTO CATEGORY VALUES (2,'Main Course','Main dishes');

INSERT INTO CATEGORY VALUES (3,'Dessert','Sweet dishes');

INSERT INTO CATEGORY VALUES (4,'Beverages','Drinks');

INSERT INTO CATEGORY VALUES (5,'Fast Food','Quick bites');

INSERT INTO CATEGORY VALUES (6,'Chinese','Chinese food');

INSERT INTO CATEGORY VALUES (7,'Italian','Italian food');

INSERT INTO CATEGORY VALUES (8,'Punjabi','Punjabi food');

INSERT INTO CATEGORY VALUES (9,'South Indian','South food');

INSERT INTO CATEGORY VALUES (10,'Snacks','Light snacks');

3. RESTAURANT_CATEGORY TABLE

```
INSERT INTO RESTAURANT_CATEGORY VALUES (1,1);
INSERT INTO RESTAURANT_CATEGORY VALUES (1,2);
INSERT INTO RESTAURANT_CATEGORY VALUES (2,5);
INSERT INTO RESTAURANT_CATEGORY VALUES (3,6);
INSERT INTO RESTAURANT_CATEGORY VALUES (4,7);
INSERT INTO RESTAURANT_CATEGORY VALUES (5,8);
INSERT INTO RESTAURANT_CATEGORY VALUES (6,4);
INSERT INTO RESTAURANT_CATEGORY VALUES (7,5);
INSERT INTO RESTAURANT_CATEGORY VALUES (8,3);
INSERT INTO RESTAURANT_CATEGORY VALUES (9,9);
```

4. MENU TABLE

```
INSERT INTO MENU VALUES (1,1,'Main Menu',SYSDATE);
INSERT INTO MENU VALUES (2,2,'Special Menu',SYSDATE);
INSERT INTO MENU VALUES (3,3,'Lunch Menu',SYSDATE);
INSERT INTO MENU VALUES (4,4,'Dinner Menu',SYSDATE);
INSERT INTO MENU VALUES (5,5,'Veg Menu',SYSDATE);
INSERT INTO MENU VALUES (6,6,'Non Veg Menu',SYSDATE);
INSERT INTO MENU VALUES (7,7,'Fast Menu',SYSDATE);
INSERT INTO MENU VALUES (8,8,'Snack Menu',SYSDATE);
INSERT INTO MENU VALUES (9,9,'Punjabi Menu',SYSDATE);
INSERT INTO MENU VALUES (10,10,'South Menu',SYSDATE);
```

5. MENU_ITEM TABLE

```
INSERT INTO MENU_ITEM VALUES (1,1,'Paneer Tikka',250,'YES');
INSERT INTO MENU_ITEM VALUES (2,2,'Burger',120,'YES');
INSERT INTO MENU_ITEM VALUES (3,3,'Noodles',180,'YES');
INSERT INTO MENU_ITEM VALUES (4,4,'Pizza',300,'YES');
INSERT INTO MENU_ITEM VALUES (5,5,'Dal Fry',200,'YES');
INSERT INTO MENU_ITEM VALUES (6,6,'Chicken Curry',350,'YES');
INSERT INTO MENU_ITEM VALUES (7,7,'Sandwich',100,'YES');
```

```
INSERT INTO MENU_ITEM VALUES (8,8,'Ice Cream',90,'YES');
```

```
INSERT INTO MENU_ITEM VALUES (9,9,'Butter Chicken',400,'YES');
```

```
INSERT INTO MENU_ITEM VALUES (10,10,'Dosa',150,'YES');
```

6. CUSTOMER TABLE

```
INSERT INTO CUSTOMER VALUES (1,'Amit Shah',9012345670,'amit@gmail.com','M',SYSDATE);
```

```
INSERT INTO CUSTOMER VALUES (2,'Ravi Patel',9012345671,'ravi@gmail.com','M',SYSDATE);
```

```
INSERT INTO CUSTOMER VALUES (3,'Neha Singh',9012345672,'neha@gmail.com','F',SYSDATE);
```

```
INSERT INTO CUSTOMER VALUES (4,'Pooja Mehta',9012345673,'pooja@gmail.com','F',SYSDATE);
```

```
INSERT INTO CUSTOMER VALUES (5,'Kunal Joshi',9012345674,'kunal@gmail.com','M',SYSDATE);
```

```
INSERT INTO CUSTOMER VALUES (6,'Anita Roy',9012345675,'anita@gmail.com','F',SYSDATE);
```

```
INSERT INTO CUSTOMER VALUES (7,'Vikas Jain',9012345676,'vikas@gmail.com','M',SYSDATE);
```

```
INSERT INTO CUSTOMER VALUES (8,'Rina Das',9012345677,'rina@gmail.com','F',SYSDATE);
```

```
INSERT INTO CUSTOMER VALUES (9,'Suresh Kumar',9012345678,'suresh@gmail.com','M',SYSDATE);
```

```
INSERT INTO CUSTOMER VALUES (10,'Meena Iyer',9012345679,'meena@gmail.com','F',SYSDATE);
```

7. ADDRESS TABLE

```
INSERT INTO ADDRESS VALUES (1, 1, 'A-101', 'MG Road', 'Ahmedabad', 380001, 'HOME');
```

```
INSERT INTO ADDRESS VALUES (2, 2, 'B-202', 'Ring Road', 'Surat', 395002, 'OFFICE');
```

```
INSERT INTO ADDRESS VALUES (3, 3, 'C-303', 'Law Garden', 'Ahmedabad', 380015, 'HOME');
```

```
INSERT INTO ADDRESS VALUES (4, 4, 'D-404', 'Alkapuri', 'Vadodara', 390007, 'HOME');
```

```
INSERT INTO ADDRESS VALUES (5, 5, 'E-505', 'Kalawad Rd', 'Rajkot', 360005, 'OFFICE');
```

```
INSERT INTO ADDRESS VALUES (6, 6, 'F-606', 'Andheri East', 'Mumbai', 400069, 'HOME');
```

```
INSERT INTO ADDRESS VALUES (7, 7, 'G-707', 'CP', 'Delhi', 110001, 'OFFICE');
```

```
INSERT INTO ADDRESS VALUES (8, 8, 'H-808', 'Baner Road', 'Pune', 411045, 'HOME');
```

```
INSERT INTO ADDRESS VALUES (9, 9, 'I-909', 'Sector 22', 'Chandigarh', 160022, 'HOME');
```

```
INSERT INTO ADDRESS VALUES (10, 10, 'J-100', 'T Nagar', 'Chennai', 600017, 'OTHER');
```

8. DELIVERY_PERSON TABLE

```
INSERT INTO DELIVERY_PERSON VALUES (1,'Rohit',9111111111,'GJ01AB1234','AVAILABLE');
```

```
INSERT INTO DELIVERY_PERSON VALUES (2,'Manoj',9222222222,'GJ01AB2234','AVAILABLE');
```

```
INSERT INTO DELIVERY_PERSON VALUES (3,'Karan',9333333333,'GJ01AB3234','AVAILABLE');
```

```
INSERT INTO DELIVERY_PERSON VALUES (4,'Deepak',9444444444,'GJ01AB4234','AVAILABLE');
INSERT INTO DELIVERY_PERSON VALUES (5,'Sahil',9555555555,'GJ01AB5234','AVAILABLE');
INSERT INTO DELIVERY_PERSON VALUES (6,'Aakash',9666666666,'GJ01AB6234','AVAILABLE');
INSERT INTO DELIVERY_PERSON VALUES (7,'Rahul',9777777777,'GJ01AB7234','AVAILABLE');
INSERT INTO DELIVERY_PERSON VALUES (8,'Nikhil',9888888888,'GJ01AB8234','AVAILABLE');
INSERT INTO DELIVERY_PERSON VALUES (9,'Arjun',9999999999,'GJ01AB9234','AVAILABLE');
INSERT INTO DELIVERY_PERSON VALUES (10,'Dev',9000000000,'GJ01AB1034','AVAILABLE');
```

9. ORDERS TABLE

```
INSERT INTO ORDERS VALUES (1,1,1,1,SYSDATE,500,'PLACED');
INSERT INTO ORDERS VALUES (2,2,2,2,SYSDATE,300,'DELIVERED');
INSERT INTO ORDERS VALUES (3,3,3,3,SYSDATE,450,'ONWAY');
INSERT INTO ORDERS VALUES (4,4,4,4,SYSDATE,600,'PLACED');
INSERT INTO ORDERS VALUES (5,5,5,5,SYSDATE,700,'DELIVERED');
INSERT INTO ORDERS VALUES (6,6,6,6,SYSDATE,350,'PLACED');
INSERT INTO ORDERS VALUES (7,7,7,7,SYSDATE,250,'ONWAY');
INSERT INTO ORDERS VALUES (8,8,8,8,SYSDATE,150,'PLACED');
INSERT INTO ORDERS VALUES (9,9,9,9,SYSDATE,800,'DELIVERED');
INSERT INTO ORDERS VALUES (10,10,10,10,SYSDATE,200,'PLACED');
```

10. ORDER_ITEM TABLE

```
INSERT INTO ORDER_ITEM VALUES (1,1,2,250);
INSERT INTO ORDER_ITEM VALUES (2,2,1,120);
INSERT INTO ORDER_ITEM VALUES (3,3,2,180);
INSERT INTO ORDER_ITEM VALUES (4,4,1,300);
INSERT INTO ORDER_ITEM VALUES (5,5,2,200);
INSERT INTO ORDER_ITEM VALUES (6,6,1,350);
INSERT INTO ORDER_ITEM VALUES (7,7,3,100);
INSERT INTO ORDER_ITEM VALUES (8,8,2,90);
INSERT INTO ORDER_ITEM VALUES (9,9,1,400);
INSERT INTO ORDER_ITEM VALUES (10,10,2,150);
```

11. PAYMENT TABLE

```
INSERT INTO PAYMENT VALUES (1,1,'UPI',SYSDATE,500,'SUCCESS');  
INSERT INTO PAYMENT VALUES (2,2,'CASH',SYSDATE,300,'SUCCESS');  
INSERT INTO PAYMENT VALUES (3,3,'CARD',SYSDATE,450,'PENDING');  
INSERT INTO PAYMENT VALUES (4,4,'UPI',SYSDATE,600,'SUCCESS');  
INSERT INTO PAYMENT VALUES (5,5,'CARD',SYSDATE,700,'SUCCESS');  
INSERT INTO PAYMENT VALUES (6,6,'UPI',SYSDATE,350,'PENDING');  
INSERT INTO PAYMENT VALUES (7,7,'CASH',SYSDATE,250,'SUCCESS');  
INSERT INTO PAYMENT VALUES (8,8,'UPI',SYSDATE,150,'SUCCESS');  
INSERT INTO PAYMENT VALUES (9,9,'CARD',SYSDATE,800,'SUCCESS');  
INSERT INTO PAYMENT VALUES (10,10,'CASH',SYSDATE,200,'PENDING');
```

12. REVIEW TABLE

```
INSERT INTO REVIEW VALUES (1,1,1,5,'Excellent',SYSDATE);  
INSERT INTO REVIEW VALUES (2,2,2,4,'Good food',SYSDATE);  
INSERT INTO REVIEW VALUES (3,3,3,4,'Nice taste',SYSDATE);  
INSERT INTO REVIEW VALUES (4,4,4,5,'Loved it',SYSDATE);  
INSERT INTO REVIEW VALUES (5,5,5,3,'Average',SYSDATE);  
INSERT INTO REVIEW VALUES (6,6,6,4,'Good service',SYSDATE);  
INSERT INTO REVIEW VALUES (7,7,7,5,'Amazing',SYSDATE);  
INSERT INTO REVIEW VALUES (8,8,8,4,'Nice',SYSDATE);  
INSERT INTO REVIEW VALUES (9,9,9,5,'Best food',SYSDATE);  
INSERT INTO REVIEW VALUES (10,10,10,4,'Good',SYSDATE);
```