```
1  use App\Models\Flight;
2
3  foreach (Flight::all() as $flight) {
4   echo $flight→name;
5  }

SQL Statement:
SELECT * FROM Customers;
```

#### Your Database:

Tablenames	Records
<u>Customers</u>	91
<u>Categories</u>	8
<u>Employees</u>	10
<u>OrderDetails</u>	518
<u>Orders</u>	196
<u>Products</u>	77
<u>Shippers</u>	3
Suppliers	29

#### Number of Records: 91 City CustomerID CustomerName ContactName **Address** PostalCode Country Alfreds Futterkiste Maria Anders Obere Str. 57 Berlin 12209 Germany Ana Trujillo Ana Trujillo Avda. de la México D.F. 05021 Mexico Constitución 2222 Emparedados y helados

```
$user = DB::select('select * from userTable where userID = ?', [1]);
```

```
use Illuminate\Support\Facades\DB;
$users = DB::table('users')->select('name', 'email as user_email')-
>get();
```

```
public function index()

{

    // $users = DB::table('users')->select('name', 'email as
user_email')->get();

    $data = DB::table('students')->select('id','name', 'mobile as
my_mobile')->get();

    dd($data);

    // dd('studentController index');
```

```
return view('student.index');
}
```

#### route

```
controller
model view
```


## 1.安裝laravel 指定版本

composer create-project "laravel/laravel:^10.0" example-app composer create-project "laravel/laravel:^10.0" laravel 03 04

cd laravel\_03\_04 php artisan

```
DocumentRoot "C:/xampp/htdocs/laravel/laravel_03_04/public"
<Directory "C:/xampp/htdocs/laravel/laravel_03_04/public">
```

restart xampp



mvc

students id / name /mobile

php artisan make:model Flight php artisan make:model Student -mcr

```
user@Teacher MINGw64 /c/xampp/htdocs/laravel/laravel_03_04
$ php artisan make:model Student -mcr

INFO Model [C:\xampp\htdocs\laravel\laravel_03_04\app\Models\Student.php] created successfully.


INFO Migration [C:\xampp\htdocs\laravel\laravel_03_04\database\migrations/2025_03_04_032127_create_students_table.php] created successfully.


INFO Controller [C:\xampp\htdocs\laravel\laravel_03_04\app\Http\Controllers\StudentController.php] created successfully.
```

### route -> controller -> view

```
use App\Http\Controllers\PhotoController;
Route::resource('photos', PhotoController::class);
use App\Http\Controllers\StudentController;
Route::resource('students', StudentController::class);
```

```
class StudentController extends Controller
{
    /**
    * Display a listing of the resource.
    */
    public function index()
    {
        dd('hello student index');
        //
}
```






```
💏 index.blade.php 🗶
                               StudentController.php
ources > views > student > 🦬 index.blade.php > 🔗 html > 🥱 body
      <!DOCTYPE html>
      <html lang="en">
  2
  4 ~ <head>
  5
           <meta charset="UTF-8">
           <meta name="viewport" content="width=de</pre>
  6
           <meta http-equiv="X-UA-Compatible" cont</pre>
           <title>Document</title>
  8
  9
     </head>
 10
 11 ~ < body >
           Hello student index view
 12
 13
      </body>
 14
     </html>
 15
 16
```

```
ndex.blade.php
                           StudentController.php X
ttp > Controllers > 🤲 StudentController.php > ધ StudentController > 😚 index
   <?php
2
   namespace App\Http\Controllers;
4
   use App\Models\Student;
5
   use Illuminate\Http\Request;
6
   class StudentController extends Controller
0
         * Display a listing of the resource.
2
        public function index()
        {
             // dd('hello student index');
5
             return view('student.index');
8.
20
         * Show the form for creating a new resource
```

```
public function index()
    // dd('hello student index');
    $data = [
        'id' => 1,
            'name' => 'amy',
            'mobile' => '0911'
            'id' => 2,
            'name' => 'bob',
            'mobile' => '0922'
        ],
            'id' => 3,
            'name' => 'cat',
            'mobile' => '0933'
    ];
    // dd($data);
    return view('student.index', ['data' => $data]);
```


```
★ index.blade.php X
★ StudentController.php
rces > views > student > 🦛 index.blade.php > 🔗 html > 🚱 body > 😭 br
    <!DOCTYPE html>
    <html lang="en">
 4 < <head>
         <meta charset="UTF-8">
         <meta name="viewport" content="width=device-wid")</pre>
 6
         <meta http-equiv="X-UA-Compatible" content="ie=</pre>
         <title>Document</title>
    </head>
10
11 ~ <body>
12
         Hello student index view
13
         <hr>>
         <br>
14
15
16 ~
         @php
              // dd($data);
17
         @endphp
18
19
         @foreach ($data as $value)
20 ~
              {{ $value['id'] }} <br>
21
              22
              {{ $value['mobile'] }} <br>
23
              <hr><br><br></r></r>
24
         @endforeach
25
    </body>
26
27
28
     </html>
29
```



# 資料庫



```
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
   return new class extends Migration
        * Run the migrations.
11
       public function up(): void
           Schema::create('students', function (Blueprint $table) {
              $table->id();
              $table->string('name');
              $table->string('mobile');
17
18
              $table->timestamps();
          });
21
```



```
□ 阅读法: 12/、U.U.1 》 食料理: laravel USU4 》 或点法: Students
□ 瀏覽 □ 結構 □ SQL □ 搜尋 臺 新增 ■ 匯出 ■ 匯入 ■ 權限 ♪ 操作 ② 追蹤 26 觸發器

▼ 新增了 3 列。
新增的資料列行 ID: 3

INSERT INTO `students` (`id`, `name`, `mobile`, `created_at`, `updated_at`) VALUES (NULL, 'amy', '0911', NULL, NULL), (NULL, 'bob', '0922', NULL, NULL), (NULL, 'cat', '0933', NULL, NULL);

[行內編輯][編輯][建立 PHP 程式碼]

在資料表 laravel_0304.students 執行 SQL 查詢: ②

INSERT INTO `students` (`id`, `name`, `mobile`, `created_at`, `updated_at`) VALUES (NULL, 'amy', '0911', NULL, NULL), (NULL, 'bob', '0922', NULL, NULL), (NULL, 'cat', '0933', NULL, NULL);

id name mobile created_at updated_at updated
```

```
Prologue
Getting Started
                                                namespace App\Http\Controllers;
Architecture Concepts
                                                use App\Http\Controllers\Controller;
The Basics
                                                 use Illuminate\Support\Facades\DB;
                                                use Illuminate\View\View;
Digging Deeper
                                                class UserController extends Controller
Security
Database
 Getting Started
                                                     public function index(): View
 Query Builder
 Pagination
                                                         $users = DB::select('select * from users where active
 Migrations
                                                         return view('user.index', ['users' ⇒ $users]);
 Seeding
```

```
public function index()
{
    // $users = DB::select('select * from users where active = ?', [1]);
    // return view('user.index', ['users' => $users]);

    // $data = DB::select('select * from students');
    $data = DB::table('students')->get();
    dd($data);
    return view('student.index', ['data' => $data]);
    //
}
```

```
public > 🛢 test.sql
      INSERT INTO
   1
           `students` (
               `id`,
               `name`,
               `mobile`,
               `created_at`,
   6
               `updated at`
      VALUES
           (NULL, 'amy', '0911', NULL, NULL),
  10
           (NULL, 'bob', '0922', NULL, NULL),
  11
           (NULL, 'cat', '0933', NULL, NULL),
  12
           (NULL, 'dog', '0944', NULL, NULL),
  13
           (NULL, 'egg', '0955', NULL, NULL);
  14
```

git clone <a href="https://github.com/chengkk0910/laravel\_20250225.git">https://github.com/chengkk0910/laravel\_20250225.git</a> laravel\_20250304

<a href="https://stackoverflow.com/questions/38602321/cloning-laravel-project-from-github">https://stackoverflow.com/questions/38602321/cloning-laravel-project-from-github</a>

git clone 'link projer github

composer install

cp .env.example .env

php artisan key:generate

```
×
env.
.env
      LOG_DEPRECATIONS_CHANNEL=null
  21
      LOG_LEVEL=debug
  22
  23
  24
      DB_CONNECTION=mysql
      DB_HOST=127.0.0.1
  25
  26
      DB_PORT=3306
  27
      DB_DATABASE=laravel_20250304
  28
      DB_USERNAME=root
      DB_PASSWORD=
  29
```

php artisan migrate