

Solution Requirements

Date	12 JULY 2026
Team ID	N/A - Individual Submission
Project Name	AI Powered Debt Relief & Financial Recovery Platform
Maximum Marks	4 Marks

Define Functional and Non-Functional Requirements:

Create a comprehensive list of requirements to define exactly what your solution will do and how well it will perform.

- **Functional Requirements (FR)** define specific behaviors, functions, or features of the system (What the system should *do*).
- **Non-Functional Requirements (NFR)** specify the criteria that judge the operation of a system, rather than specific behaviors (How the system should *be*).

Fill out the descriptions and necessary details for each category provided below.

Step 1: Functional Requirements (FR)

S.No	Requirement Category	Requirement Description	Priority (High/Medium/Low)
1	Authentication	AI Powered Debt Relief & Financial Recovery Platform	High
2	Authorization levels	A standard borrower user can access their own dashboard, loans, settlement tools and letter history.	High

3	External interfaces	Frontend communicates with backend REST APIs; no paid third-party API is required for the current version.	Medium
4	Transactions processing	Loan creation, financial analysis, settlement prediction and letter generation must complete through API requests.	High
5	Reporting	Dashboard must show health score, status, monthly surplus and debt tracked.	High
6	Business rules, etc.	Settlement suggestion must consider balance, income, expenses, overdue days, interest rate and minimum payment.	High
7	Data management	User, loan, settlement and AI history data must be persisted in SQLite	High
8	<i>Other</i>	<i>[Add any additional functional requirements here]</i>	

Step 2: Non-Functional Requirements (NR)

S.No	NFR Category	Requirement Description	Target Metric / Acceptance Criteria
1	Performance & Speed	Common API responses should return within 2 seconds in local demo usage	High
2	Scalability	The architecture can move from SQLite to PostgreSQL and add async workers without changing the user flow.	Medium
3	Security & Data Privacy	Passwords are hashed and authenticated sessions use bearer tokens.	High
4	Reliability & Availability	<i>[Specify uptime requirements and fault tolerance]</i>	<i>(e.g., 99.9% uptime per month)</i>
5	Usability & Accessibility	The user should complete analysis, loan entry and letter generation from clear tabbed screens.	High
6	Other	<i>[Add any additional non-functional requirements (e.g., Maintainability, Portability)]</i>	