

Appendix: Full $\text{cov}\{\hat{w}\}$ derivation

INFO 521 · Module 3 — supplement

Greg Chism

School of Information · University of Arizona

June 2026

Where we are

From the main deck: $\hat{\mathbf{w}}$ is unbiased ($\mathbb{E}[\hat{\mathbf{w}}] = \mathbf{w}$), and the parameter covariance is

$$\text{cov}\{\hat{\mathbf{w}}\} = \sigma^2 (\mathbf{X}^\top \mathbf{X})^{-1}.$$

This appendix derives that result in full. Only $\mathbf{y}$ is random; $\mathbf{X}$ and $\mathbf{w}$ are fixed, and $\mathbb{E}[\mathbf{y}] = \mathbf{X}\mathbf{w}$, $\text{cov}\{\mathbf{y}\} = \sigma^2 \mathbf{I}$.

Set up the second moment

Start from the covariance definition, using $\mathbb{E}[\hat{\mathbf{w}}] = \mathbf{w}$:

$$\text{cov}\{\hat{\mathbf{w}}\} = \mathbb{E}[\hat{\mathbf{w}}\hat{\mathbf{w}}^\top] - \mathbf{w}\mathbf{w}^\top$$

Substitute $\hat{\mathbf{w}} = (\mathbf{X}^\top \mathbf{X})^{-1} \mathbf{X}^\top \mathbf{y}$ and pull the constants out of the expectation:

$$\mathbb{E}[\hat{\mathbf{w}}\hat{\mathbf{w}}^\top] = (\mathbf{X}^\top \mathbf{X})^{-1} \mathbf{X}^\top \mathbb{E}[\mathbf{y}\mathbf{y}^\top] \mathbf{X} (\mathbf{X}^\top \mathbf{X})^{-1}$$

The data second moment, from $\text{cov}\{\mathbf{y}\} = \mathbb{E}[\mathbf{y}\mathbf{y}^\top] - \mathbb{E}[\mathbf{y}]\mathbb{E}[\mathbf{y}]^\top$:

$$\mathbb{E}[\mathbf{y}\mathbf{y}^\top] = \mathbf{X}\mathbf{w}\mathbf{w}^\top \mathbf{X}^\top + \sigma^2 \mathbf{I}$$

Collect the terms

Substitute and use $(\mathbf{X}^\top \mathbf{X})^{-1} \mathbf{X}^\top \mathbf{X} = \mathbf{I}$ on each piece:

$$\mathbb{E}[\hat{\mathbf{w}} \hat{\mathbf{w}}^\top] = \mathbf{w} \mathbf{w}^\top + \sigma^2 (\mathbf{X}^\top \mathbf{X})^{-1}$$

The $\mathbf{w} \mathbf{w}^\top$ cancels against the $-\mathbf{w} \mathbf{w}^\top$ from the definition:

$$\boxed{\text{cov}\{\hat{\mathbf{w}}\} = \sigma^2 (\mathbf{X}^\top \mathbf{X})^{-1}}$$

And this is exactly the inverse Fisher information: from $-\frac{\partial^2 \log \mathcal{L}}{\partial \mathbf{w} \partial \mathbf{w}^\top} = \frac{1}{\sigma^2} \mathbf{X}^\top \mathbf{X} = \mathcal{I}$, we get $\text{cov}\{\hat{\mathbf{w}}\} = \mathcal{I}^{-1}$.