

# Appendix: Matrix Calculus for the Normal Equations

INFO 521 · Module 1 · Lecture B — supplement

Greg Chism

School of Information · University of Arizona

June 2026

Adapted with permission from lecture materials by Clayton Morrison, University of Arizona.

# Where we are

---

Lecture B stated the gradient of the least-squares loss directly:

$$\nabla_{\mathbf{w}} \mathcal{L} = -\frac{2}{N} \mathbf{X}^\top (\mathbf{y} - \mathbf{X}\mathbf{w}).$$

This appendix fills in the two vector-calculus identities behind it and turns the crank to  $\hat{\mathbf{w}} = (\mathbf{X}^\top \mathbf{X})^{-1} \mathbf{X}^\top \mathbf{y}$ .

# Two identities

---

For a constant vector  $\mathbf{a}$  and constant matrix  $\mathbf{A}$ :

$$\frac{\partial (\mathbf{a}^\top \mathbf{w})}{\partial \mathbf{w}} = \mathbf{a}$$

$$\frac{\partial (\mathbf{w}^\top \mathbf{A} \mathbf{w})}{\partial \mathbf{w}} = (\mathbf{A} + \mathbf{A}^\top) \mathbf{w} = 2\mathbf{A} \mathbf{w} \quad (\mathbf{A} \text{ symmetric}).$$

# Expand the loss

---

Write the loss as a quadratic in  $\mathbf{w}$ :

$$\mathcal{L}(\mathbf{w}) = \frac{1}{N} (\mathbf{y} - \mathbf{X}\mathbf{w})^\top (\mathbf{y} - \mathbf{X}\mathbf{w})$$

Multiply out — the two cross terms are equal scalars ( $\mathbf{y}^\top \mathbf{X}\mathbf{w} = \mathbf{w}^\top \mathbf{X}^\top \mathbf{y}$ ):

$$\mathcal{L}(\mathbf{w}) = \frac{1}{N} (\mathbf{y}^\top \mathbf{y} - 2 \mathbf{w}^\top \mathbf{X}^\top \mathbf{y} + \mathbf{w}^\top \mathbf{X}^\top \mathbf{X} \mathbf{w})$$

# Differentiate & solve

---

Apply the two identities term by term ( $\mathbf{a} = \mathbf{X}^\top \mathbf{y}$ ,  $\mathbf{A} = \mathbf{X}^\top \mathbf{X}$  symmetric):

$$\nabla_{\mathbf{w}} \mathcal{L} = \frac{1}{N} (-2 \mathbf{X}^\top \mathbf{y} + 2 \mathbf{X}^\top \mathbf{X} \mathbf{w}) = -\frac{2}{N} \mathbf{X}^\top (\mathbf{y} - \mathbf{X} \mathbf{w})$$

Set it to zero — the  $-2/N$  drops out:

$$\mathbf{X}^\top \mathbf{X} \hat{\mathbf{w}} = \mathbf{X}^\top \mathbf{y} \quad \implies \quad \boxed{\hat{\mathbf{w}} = (\mathbf{X}^\top \mathbf{X})^{-1} \mathbf{X}^\top \mathbf{y}}$$