

### Al Prompt Attacks: Cloud Under Siege, Defenses Activated

The Battle for Cloud Integrity Starts Here






I am Sai, a cybersecurity professional with 16+ years of hands-on experience spanning red teaming, penetration testing, and cloud security architecture. Over the years, I have worked closely with organizations to strengthen their defenses, helped shape cybersecurity strategies for state government, and provided consulting across sectors. I regularly speak at industry forums, mentor aspiring security professionals, and teach at respected institutions, driven by a strong belief in building secure systems and empowering the next generation of talent



Sai Krishna Kumar Voootukuru Senior Cloud Security Architect, Wiz


### Agenda

- Al as a new threat surface
- Real attack: Prompt Injection → Token Theft → Privilege Escalation
- Demo walkthrough
- Mitigations
- Key takeaways




"What if your Al app exposed your Cloud secrets... live?"





# Cloud misconfiguration

is one of the top risks in the cloud






# 81%

of organizations report that human error is the cause behind most cloud security breaches






# 99%

of cloud users, roles, and service accounts are overly permissive






How many of you use AI?





#### The Al Supply Chain is the New Attack Surface


Al prompt → backend code → API call → metadata




LLMs can be manipulated; if they connect to cloud resources, you expose your identity perimeter

### Unmasking the Impersonators: Service Account Abuse

Excessive Privileges → Service Account Impersonation → Root Access



Privilege escalation thrives on unmanaged identities, exposing organizations.



#### MITRE ATT&CK Mapping

Tactic	Technique	Description
Initial Access	T1190 - Exploit Public-Facing App	Prompt injection via public Al endpoint
Execution	T1609 - Cloud Infrastructure Discovery	Al makes internal metadata API call
Credential Access	T1552.001 - Unsecured Credentials	Access token retrieved from metadata server
Privilege Escalation	T1530 - Impersonation	Used token to impersonate higher-privileged SA
Lateral Movement	T1570 - Lateral Tool Transfer	Used impersonated SA to access other services





- Sanitize All Inputs: Never trust user-supplied prompts, enforce strict validation.
  - **Isolate Prompt Context**: Keep
  - system prompts and user inputs separate.
  - Control LLM Outputs: Strip sensitive content (e.g., URLs, commands, secrets).
- wildcard roles (Editor, Owner) assign only what's necessary.
- **Lock Down Service Accounts** Enforce Least Privilege: Avoid

Limit Token Scope & Lifetime: Use

access boundaries and TTLs for

service account tokens.

- **Defend Against Prompt Injection Block Metadata Token Theft** 
  - Restrict Metadata Access: Disable 169,254,169,254 in container runtimes.
    - **Use Workload Identity Federation:** Replace metadata-based tokens with short-lived, auditable identities.

    - **Detect & Respond Early**
    - Enable Cloud Audit Logs: Track prompt usage, token issuance, and IAM escalations.

activity.

**Deploy Cloud Threat Detection**: Use

Cloud IDS/SCC to catch anomalous

#### **Key Takeaways**

- Al interfaces can lead to real cloud identity theft
- Metadata server is the Achilles' heel of cloud apps
- Over-permissive IAM = lateral movement
- Prevention needs AI + cloud security synergy




#### chennai



## Thank you GDG Chennai!!

நன்றி!



#### Sai Krishna Kumar Vootukuru

**Senior Cloud Security Architect** 



