



In [11]:

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
import tensorflow as tf
from sklearn.model_selection import train_test_split
from tensorflow.keras import layers
import keras as keras
from keras import models
from keras import layers
from keras.models import Sequential
from keras.layers import Dense, Dropout, Activation
from keras.optimizers import SGD
from keras.utils.np_utils import to_categorical
from keras.wrappers.scikit_learn import KerasClassifier
from sklearn.model_selection import cross_val_score
from sklearn.neural_network import MLPClassifier
from keras import metrics
from sklearn.metrics import mean_squared_error
from math import sqrt
from sklearn.preprocessing import LabelBinarizer
from sklearn.model_selection import StratifiedKFold
from sklearn.model_selection import cross_val_predict
from sklearn.metrics import classification_report, confusion_matrix, accuracy_score
```



In [12]:

```
red = pd.read_csv('data/winequality-red1.csv')
white = pd.read_csv('data/winequality-white1.csv')
```



In [13]:

```
red['quality'].replace(to_replace=[0,1,2,3,4,5], value=1, inplace=True)
red['quality'].replace(to_replace=[6], value=2, inplace=True)
red['quality'].replace(to_replace=[7,8,9,10], value=3, inplace=True)
X_red = red[
['fixed acidity',
 'volatile acidity',
 'citric acid',
 'residual sugar',
 'chlorides',
 'free sulfur dioxide',
 'total sulfur dioxide',
 'density',
 'pH',
 'sulphates',
 'alcohol']]
Y_red = red[['quality']]
white['quality'].replace(to_replace=[0,1,2,3,4,5], value=1, inplace=True)
white['quality'].replace(to_replace=[6], value=2, inplace=True)
white['quality'].replace(to_replace=[7,8,9,10], value=3, inplace=True)
X_white = white[
['fixed acidity',
 'volatile acidity',
 'citric acid',
 'residual sugar',
 'chlorides',
 'free sulfur dioxide',
 'total sulfur dioxide',
 'density',
 'pH',
 'sulphates',
 'alcohol']]

Y_white = white[['quality']]
X_red = X_red.values
Y_red = Y_red.values
X_white = X_white.values
Y_white = Y_white.values
number_of_features = 11
```



In [70]:

```
def rsme(targets, outputs):
    return tf.sqrt(tf.reduce_mean(tf.square(tf.subtract(targets, outputs))))

# Create function returning a compiled network
def create_network():
    network = models.Sequential()
    network.add(layers.Dense(units=64, activation='linear', input_shape=(number_of_features,)))
    network.add(layers.BatchNormalization())
    network.add(layers.Dense(3, activation='softmax'))

    #network.compile(loss='binary_crossentropy', # Cross-entropy
    #                  optimizer='rmsprop', # Root Mean Square Propagation
    #                  metrics=['accuracy']) # Accuracy performance metric
    network.compile(loss='sparse_categorical_crossentropy',
                    optimizer='adam',
                    metrics=['accuracy', rsme])

    # Return compiled network
    return network

cv = StratifiedKFold(n_splits=10, shuffle=True, random_state=42)
```



In [71]:

```
neural_network = KerasClassifier(build_fn=create_network,
                                  epochs=10,
                                  batch_size=100,
                                  verbose=0)
```



In [51]:

```
print("One layer Linear with 64 nodes and Softmax")
print("Red")
prediction_red = cross_val_predict(neural_network, X_red, Y_red, cv=cv)
print(classification_report(Y_red, prediction_red))
print("White")
prediction_white = cross_val_predict(neural_network, X_white, Y_white, cv=cv)
print(classification_report(Y_white, prediction_white))
print("RSME red")
print(sqrt(np.mean((Y_red-prediction_red)*(Y_red-prediction_red))))
print('RSME white')
print(sqrt(np.mean((Y_white-prediction_white)*(Y_white-prediction_white))))
```

One layer Sigmoid with 64 nodes and Softmax

Red

	precision	recall	f1-score	support
1	0.61	0.53	0.57	744
2	0.44	0.65	0.52	638
3	0.17	0.00	0.01	217
micro avg	0.51	0.51	0.51	1599
macro avg	0.40	0.39	0.37	1599
weighted avg	0.48	0.51	0.47	1599

White

	precision	recall	f1-score	support
1	0.45	0.47	0.46	1640
2	0.46	0.54	0.50	2198
3	0.40	0.23	0.29	1060
micro avg	0.45	0.45	0.45	4898
macro avg	0.44	0.41	0.42	4898
weighted avg	0.45	0.45	0.44	4898

RSME red

0.862720300653466

RSME white

0.987329908897161



In [54]:

```

print("One layer Sigmoid with 64 nodes and Softmax")
print("Red")
prediction_red = cross_val_predict(neural_network, X_red, Y_red, cv=cv)
print(classification_report(Y_red, prediction_red))
print("White")
prediction_white = cross_val_predict(neural_network, X_white, Y_white, cv=cv)
print(classification_report(Y_white, prediction_white))
print("RSME red")
print(sqrt(np.mean((Y_red-prediction_red)*(Y_red-prediction_red))))
print('RSME white')
print(sqrt(np.mean((Y_white-prediction_white)*(Y_white-prediction_white))))

```

One layer Sigmoid with 64 nodes and Softmax

Red

	precision	recall	f1-score	support
1	0.58	0.66	0.62	744
2	0.47	0.55	0.51	638
3	0.29	0.01	0.02	217
micro avg	0.53	0.53	0.53	1599
macro avg	0.45	0.41	0.38	1599
weighted avg	0.50	0.53	0.49	1599

White

	precision	recall	f1-score	support
1	0.54	0.45	0.49	1640
2	0.48	0.77	0.59	2198
3	0.50	0.01	0.01	1060
micro avg	0.50	0.50	0.50	4898
macro avg	0.51	0.41	0.37	4898
weighted avg	0.51	0.50	0.43	4898

RSME red

0.8868276273259265

RSME white

0.8753602350883203



In [57]:

```

print("One layer Relu with 64 nodes and Softmax")
print("Red")
prediction_red = cross_val_predict(neural_network, X_red, Y_red, cv=cv)
print(classification_report(Y_red, prediction_red))
print("White")
prediction_white = cross_val_predict(neural_network, X_white, Y_white, cv=cv)
print(classification_report(Y_white, prediction_white))
print("RSME red")
print(sqrt(np.mean((Y_red-prediction_red)*(Y_red-prediction_red))))
print('RSME white')
print(sqrt(np.mean((Y_white-prediction_white)*(Y_white-prediction_white))))

```

One layer Relu with 64 nodes and Softmax

Red

	precision	recall	f1-score	support
1	0.59	0.62	0.60	744
2	0.44	0.54	0.48	638
3	0.43	0.06	0.11	217
micro avg	0.51	0.51	0.51	1599
macro avg	0.49	0.41	0.40	1599
weighted avg	0.51	0.51	0.49	1599

White

	precision	recall	f1-score	support
1	0.46	0.63	0.54	1640
2	0.48	0.46	0.47	2198
3	0.45	0.25	0.32	1060
micro avg	0.47	0.47	0.47	4898
macro avg	0.46	0.44	0.44	4898
weighted avg	0.47	0.47	0.46	4898

RSME red

0.8949579333030129

RSME white

1.0223052148598317



In [60]:

```

print("One layer Selu with 64 nodes and Softmax")
print("Red")
prediction_red = cross_val_predict(neural_network, X_red, Y_red, cv=cv)
print(classification_report(Y_red, prediction_red))
print("White")
prediction_white = cross_val_predict(neural_network, X_white, Y_white, cv=cv)
print(classification_report(Y_white, prediction_white))
print("RSME red")
print(sqrt(np.mean((Y_red-prediction_red)*(Y_red-prediction_red))))
print('RSME white')
print(sqrt(np.mean((Y_white-prediction_white)*(Y_white-prediction_white))))

```

One layer Selu with 64 nodes and Softmax

Red

	precision	recall	f1-score	support
1	0.58	0.66	0.62	744
2	0.45	0.50	0.48	638
3	0.37	0.06	0.11	217
micro avg	0.52	0.52	0.52	1599
macro avg	0.47	0.41	0.40	1599
weighted avg	0.50	0.52	0.49	1599

White

	precision	recall	f1-score	support
1	0.50	0.55	0.52	1640
2	0.48	0.54	0.50	2198
3	0.46	0.26	0.33	1060
micro avg	0.48	0.48	0.48	4898
macro avg	0.48	0.45	0.45	4898
weighted avg	0.48	0.48	0.47	4898

RSME red

0.9073693082714352

RSME white

0.9940223760963623



In [63]:

```

print("One layer Selu with 64 nodes, BN and Softmax")
print("Red")
prediction_red = cross_val_predict(neural_network, X_red, Y_red, cv=cv)
print(classification_report(Y_red, prediction_red))
print("White")
prediction_white = cross_val_predict(neural_network, X_white, Y_white, cv=cv)
print(classification_report(Y_white, prediction_white))
print("RSME red")
print(sqrt(np.mean((Y_red-prediction_red)*(Y_red-prediction_red))))
print('RSME white')
print(sqrt(np.mean((Y_white-prediction_white)*(Y_white-prediction_white))))

```

One layer Selu with 64 nodes, BN and Softmax

Red

	precision	recall	f1-score	support
1	0.67	0.48	0.56	744
2	0.46	0.68	0.55	638
3	0.43	0.24	0.31	217
micro avg	0.53	0.53	0.53	1599
macro avg	0.52	0.47	0.47	1599
weighted avg	0.56	0.53	0.52	1599

White

	precision	recall	f1-score	support
1	0.62	0.42	0.50	1640
2	0.50	0.62	0.55	2198
3	0.45	0.45	0.45	1060
micro avg	0.51	0.51	0.51	4898
macro avg	0.52	0.50	0.50	4898
weighted avg	0.53	0.51	0.51	4898

RSME red

0.9170552669094418

RSME white

0.9977435948163329



In [66]:

```

print("One layer Relu with 64 nodes, BN and Softmax")
print("Red")
prediction_red = cross_val_predict(neural_network, X_red, Y_red, cv=cv)
print(classification_report(Y_red, prediction_red))
print("White")
prediction_white = cross_val_predict(neural_network, X_white, Y_white, cv=cv)
print(classification_report(Y_white, prediction_white))
print("RSME red")
print(sqrt(np.mean((Y_red-prediction_red)*(Y_red-prediction_red))))
print('RSME white')
print(sqrt(np.mean((Y_white-prediction_white)*(Y_white-prediction_white))))

```

One layer Relu with 64 nodes, BN and Softmax

Red

	precision	recall	f1-score	support
1	0.69	0.46	0.55	744
2	0.46	0.72	0.56	638
3	0.39	0.21	0.28	217
micro avg	0.53	0.53	0.53	1599
macro avg	0.52	0.46	0.46	1599
weighted avg	0.56	0.53	0.52	1599

White

	precision	recall	f1-score	support
1	0.59	0.49	0.54	1640
2	0.51	0.66	0.57	2198
3	0.51	0.33	0.40	1060
micro avg	0.53	0.53	0.53	4898
macro avg	0.54	0.49	0.50	4898
weighted avg	0.54	0.53	0.52	4898

RSME red

0.9094299325987

RSME white

0.9683374487678897



In [69]:

```

print("One layer Sigmoid with 64 nodes, BN and Softmax")
print("Red")
prediction_red = cross_val_predict(neural_network, X_red, Y_red, cv=cv)
print(classification_report(Y_red, prediction_red))
print("White")
prediction_white = cross_val_predict(neural_network, X_white, Y_white, cv=cv)
print(classification_report(Y_white, prediction_white))
print("RSME red")
print(sqrt(np.mean((Y_red-prediction_red)*(Y_red-prediction_red))))
print('RSME white')
print(sqrt(np.mean((Y_white-prediction_white)*(Y_white-prediction_white))))

```

One layer Sigmoid with 64 nodes, BN and Softmax

Red

	precision	recall	f1-score	support
1	0.58	0.72	0.64	744
2	0.47	0.42	0.45	638
3	0.44	0.20	0.28	217
micro avg	0.53	0.53	0.53	1599
macro avg	0.50	0.45	0.45	1599
weighted avg	0.52	0.53	0.51	1599

White

	precision	recall	f1-score	support
1	0.66	0.28	0.40	1640
2	0.49	0.72	0.58	2198
3	0.50	0.45	0.47	1060
micro avg	0.52	0.52	0.52	4898
macro avg	0.55	0.49	0.49	4898
weighted avg	0.55	0.52	0.50	4898

RSME red

0.9505990586093434

RSME white

0.9500508608608889



In [72]:

```

print("One layer Linear with 64 nodes, BN and Softmax")
print("Red")
prediction_red = cross_val_predict(neural_network, X_red, Y_red, cv=cv)
print(classification_report(Y_red, prediction_red))
print("White")
prediction_white = cross_val_predict(neural_network, X_white, Y_white, cv=cv)
print(classification_report(Y_white, prediction_white))
print("RSME red")
print(sqrt(np.mean((Y_red-prediction_red)*(Y_red-prediction_red))))
print('RSME white')
print(sqrt(np.mean((Y_white-prediction_white)*(Y_white-prediction_white))))

```

One layer Linear with 64 nodes, BN and Softmax

Red

	precision	recall	f1-score	support
1	0.70	0.46	0.56	744
2	0.46	0.71	0.55	638
3	0.45	0.25	0.32	217
micro avg	0.53	0.53	0.53	1599
macro avg	0.54	0.47	0.48	1599
weighted avg	0.57	0.53	0.52	1599

White

	precision	recall	f1-score	support
1	0.51	0.59	0.55	1640
2	0.49	0.46	0.47	2198
3	0.46	0.43	0.44	1060
micro avg	0.49	0.49	0.49	4898
macro avg	0.49	0.49	0.49	4898
weighted avg	0.49	0.49	0.49	4898

RSME red

0.9111397678503141

RSME white

1.0445276763783444



In []: