

# Horror Movie Archive — Product Requirements Document (PRD)

## 1. Product Overview

Personal private web application for cataloging a curated horror movie library. The app is designed for a single user, with fully customizable presentation, persistent cloud storage, automatic metadata enrichment, and long-term expandability without data loss.

Core vision: a personal, highly customized horror archive combining database functionality with a polished cinematic browsing experience.

---

## 2. Product Goals

### Primary Goals

- Maintain a permanent personal horror movie archive
- Add, edit, delete, organize, and browse movies easily
- Automatically enrich metadata from trusted sources
- Avoid manual data entry whenever possible
- Preserve data across devices and future redesigns
- Support importing an existing catalog (~600 movies)
- Provide personalized ratings, badges, and stats
- Offer a highly customizable UI

### Secondary Goals

- Year in Review analytics
  - Theme switching (including VHS aesthetic)
  - Manual custom lists/rankings
- 

## 3. Non-Goals

- Social features
- Public profiles
- Multi-user support
- Mobile-first experience
- Rewatch tracking/history
- Nested lists
- User-defined custom schema fields in v1
- Keyboard shortcut power-user workflows in v1

---

## 4. Core Architecture (Proposed)

- Frontend: Next.js
- Styling/UI: Tailwind + custom components
- Database: Supabase Postgres
- Storage: Supabase Storage
- Hosting: Vercel
- Authentication: PIN-based persistent session
- Metadata providers:
  - TMDB
  - OMDb
  - Wikidata
  - Manual override

---

## 5. Core Data Model (Movie)

### Identity

- id
- display\_title (international/global title)
- original\_title
- pt\_title
- release\_year

### Visual Assets

- primary\_poster
- alternate\_poster\_sources (temporary selectable source list)
- VHS mockup presentation mode

### Metadata

- director
- country
- distributor
- runtime
- synopsis
- cast
- crew
- genres / subgenres
- release\_date

### External Ratings

- imdb\_score

- rotten\_tomatoes\_score

## Personal Ratings

- review\_score (1.0–10.0, 0.5 increments)
- star\_rating (auto-derived)
- badge\_id (auto-derived with manual override support)
- badge\_override\_enabled

## Personal Tracking

- watched\_date

## Organization

- assigned\_lists

## System Metadata

- created\_at
  - updated\_at
  - metadata\_source\_snapshot
  - metadata\_last\_refreshed\_at
- 

# 6. Badge Logic

Auto mapping:

- 10 → badge1 → 5 stars
- 9.5–9 → badge2 → 5 stars
- 8.5–8 → badge3 → 4 stars
- 7.5–7 → badge4 → 4 stars
- 6.5–6 → badge5 → 3 stars
- 5.5–5 → badge6 → 3 stars
- 4.5–4 → badge7 → 2 stars
- 3.5–2.5 → badge8 → 2 stars
- 2–1.5 → badge8 → 1 star
- 1 → badge9 → 1 star

Manual only:

- badge10
- badge11
- badge12

Badge assets will be uploaded from the user's local PNG files.

---

## 7. Authentication

- Single-user private access
  - PIN authentication
  - PIN requested only once per trusted device/session
  - Persistent remembered session
  - No repeated login friction
- 

## 8. Movie Library

### Purpose

Primary application screen and default landing page.

Central archive for browsing, searching, filtering, sorting, and managing the personal horror movie collection.

### Visual Identity

Default design direction:

- dark atmospheric UI
- horror archive aesthetic
- VHS-inspired visual treatment
- premium curated archive feel
- cinematic typography
- subtle texture/noise

### Views

#### Grid View

Poster-focused browsing.

Density:

- medium (balanced)

Mandatory card content:

- poster
- display title
- year
- badge
- star rating

Optional configurable card content:

- IMDb
- Rotten Tomatoes
- director
- country
- PT title

Behavior:

- click opens movie details modal overlay
- supports VHS mockup visual mode

### **List View**

Metadata-focused browsing.

Features:

- sortable columns
- same configurable data model visibility
- row click opens movie details modal overlay

### **Layout Customization**

Single saved layout per user.

Supported customization:

- show/hide columns
- reorder columns
- resize columns
- move poster position

Preferences persist between sessions.

### **Search**

Library search supports:

- display title
- original title
- PT title
- director
- cast
- distributor
- genres

Excludes synopsis.

## Filters

Supported filters:

- decade
- country
- genre
- badge
- personal review score
- star rating
- IMDb score buckets
- Rotten Tomatoes score buckets

Search covers high-cardinality metadata such as directors and cast.

## Sorting

Sortable by:

- title
- year
- IMDb
- Rotten Tomatoes
- personal review
- watched date

Tie-break behavior:

- alphabetical

Default behavior:

- remember last used sorting

## Counter

Display total movie count only.

Example: 643 Movies

## Empty State

Display:

- "Add your first movie"
- primary call-to-action button

## Pagination

- 100 movies per page

## Actions

Library remains visually clean.

No inline quick actions.

Movie actions live inside details modal.

## 9. Add Movie Flow

### Purpose

Add movies with minimal friction and minimal manual data entry.

Target experience: search → select → rate → save.

### Entry Points

- Add Movie primary button
- empty state CTA

### Search Behavior

Real-time search while typing.

Search sources:

- TMDB
- OMDb
- alias/title normalization layer

Matching must support:

- international/global title
- original title
- PT title
- alternate titles / aliases

Examples:

- The Ring / Ringu / O Chamado
- Ju-On / The Grudge
- [REC]

## Search Results

Show only relevant matching results.

Display top 8–10 results.

Each result may show:

- poster
- title
- year
- director
- runtime

## Selection Flow

Selecting a movie opens a mini confirmation card.

Confirmation card includes:

- poster
- display title
- original title
- year
- director
- runtime
- review score selector
- optional watched date
- Best of Year checkbox
- save action

## Review Input

Review score: 1.0–10.0 in 0.5 increments.

Saving auto-calculates:

- star rating
- badge assignment

## Best of Year

Optional flag.

Rules:

- only one movie per watched year may be marked Best of Year



- selecting another replaces the existing assignment after confirmation

Visual treatment:

- subtle outlined crown icon displayed near the year
- no dedicated separate column

## **Metadata Enrichment**

On selection, system automatically merges metadata from: 1. TMDB 2. OMDb 3. Wikidata

Goal: near-zero manual editing.

## **Poster Handling**

Default poster auto-selected.

Poster replacement handled after save inside movie details.

Sources:

- TMDB alternatives
- OMDb if available
- custom upload

## **Duplicate Detection**

On save, detect duplicates using:

- TMDB ID
- IMDb ID
- normalized title + year matching

If duplicate detected: Options:

- open existing movie
- add anyway

## **Manual Fallback**

If search fails: Add manually path.

Manual add uses full form.

## **Metadata Failure Behavior**

Partial metadata failure must not block saving.

Allow saving incomplete entries.

## **Metadata Refresh**

Inside movie details: Refresh Metadata action.

Behavior:

- re-fetch sources
- preview updates
- user confirms overwrite

Metadata remains frozen after save unless manually refreshed.

## **Special Visual States**

10/10 movies:

- premium gold metallic treatment
- subtle animated shimmer effect
- stronger detail page treatment

# **10. CSV Import Flow**

## **Purpose**

Import an existing movie catalog without manual re-entry.

Primary use case: bulk import approximately 600 existing movies.

## **Entry Point**

Library / settings action: Import CSV

## **Import Philosophy**

CSV import focuses on personal data only.

Metadata should be enriched automatically via APIs instead of trusting legacy spreadsheet metadata.

## **Minimal CSV Schema**

Required:

- title

Recommended:

- year

Optional:

- review\_score
- watched\_date (future support)
- list membership (future support)

Ignored:

- Best of Year

Example: title,year,review\_score Suspiria,1977,10 Lake Mungo,2008,8.5 Martyrs,2008,9.5

## Upload Flow

1. upload CSV
2. detect columns
3. suggest minimal mapping
4. allow user adjustment
5. show import preview summary
6. start import

## Import Preview Summary

Example:

- 600 rows detected
- 548 high confidence matches
- 39 require review
- 13 failed parsing

## Import Logic

Per row: 1. read title 2. use year when available to improve matching 3. search metadata providers 4. assign confidence score 5. auto import if confidence is high 6. queue ambiguous entries for review 7. enrich metadata 8. save

## Metadata Enrichment

Sources: 1. TMDB 2. OMDb 3. Wikidata

Enriched fields include:

- poster
- metadata

- ratings
- titles
- distributor
- cast
- runtime
- synopsis

## **Ratings Import**

If review\_score exists:

- import review
- auto derive star rating
- auto derive badge

## **Ambiguity Review Queue**

Ambiguous entries must not be auto-guessed.

Queue user confirmation for problematic matches.

Example: 12 movies require confirmation.

## **Duplicate Handling**

Options:

- skip duplicates
- replace existing
- add anyway

## **Progress Tracking**

Display progress: Importing 243 / 600

Track statuses:

- imported
- enriched
- needs review
- failed

## **Failure Handling**

Failed imports must not abort the full batch.

Create retry queue for failures.

## 11. Movie Details

### Access Pattern

Opened via modal overlay from library.

Behavior:

- large near-fullscreen modal
- closing returns user exactly to prior library position/state
- ESC closes modal

### Purpose

Central management and detail view for a movie.

### Header

Primary hero section includes:

- poster
- display title
- original title
- PT title
- release year
- Best of Year crown indicator
- badge
- star rating
- review score
- IMDb score
- Rotten Tomatoes score

10/10 movies receive premium gold metallic treatment with subtle animation.

### Metadata Block

Display:

- director
- country
- distributor
- runtime
- release date
- genres

## Content Block

Display:

- synopsis
- cast
- crew

Cast and crew should support truncation with expand behavior.

## Poster Management

Action: Change Poster

Sources:

- TMDB alternatives
- OMDb if available
- custom upload

Selected poster becomes the permanent active poster.

## Actions

Available actions:

- edit movie
- delete movie
- refresh metadata
- change poster
- manage lists

## Edit Mode

Dedicated edit mode (not inline editing).

Editable fields:

- display title
- original title
- PT title
- year
- director
- country
- distributor
- runtime
- synopsis
- genres

- cast
- crew
- review score
- watched date
- badge override
- Best of Year
- poster

## **Lists**

Movie details include list membership management.

Examples:

- Best Found Footage
- Personal Top 50

## **Metadata Refresh**

Refresh Metadata action.

Behavior:

- re-fetch metadata
- compare against existing data
- preview changed fields only
- user confirms overwrite

## **Best of Year**

Checkbox available in details.

Rules:

- one movie per watched year
- replacing requires confirmation

## **Theme Adaptation**

Details modal respects active theme.

VHS mode receives atmospheric visual styling.

## 12. Lists

### Purpose

Manual personal curation and organization.

Lists are private custom collections.

Examples:

- Best Found Footage
- Italian Horror
- Disturbing
- Personal Top 100
- 2025 Favorites

### Creation

Create List flow.

Fields: Required:

- name

Optional:

- description

No custom cover images in v1.

### Membership

Movies may belong to multiple lists.

### Ordering

Manual drag-and-drop ordering supported.

Ordering is independent per list.

Example: A movie may be #1 in one list and #14 in another.

### Access

Dedicated Lists page.

Separate from the main library.



## List Display

Lists reuse the core movie browsing UI.

Supports:

- grid view
- list view
- sorting

Default ordering: manual list order

Temporary alternate sorting allowed:

- title
- year
- rating

## Movie Assignment

Movies added/removed via movie details modal.

Manage Lists action.

No bulk add in v1.

## Delete Behavior

Deleting a list does NOT delete movies.

## Empty State

Display: Create your first list

## Search

Simple list search supported.

## Scope

No nested lists. No list-level stats filtering in v1.

# 13. Stats Dashboard

## Purpose

Visual overview of the collection with curated archive presentation.

Not intended to feel like a corporate analytics dashboard.

## **Data Source**

Stats are calculated only from the application's stored movie data.

External provider changes do not affect stats unless the user manually refreshes metadata for a movie.

## **Core Metrics**

Display:

- total movies
- average personal score
- average IMDb score
- average Rotten Tomatoes score
- total countries represented

## **Distribution Visualizations**

Display:

- decade distribution
- country distribution
- genre distribution
- personal rating histogram

Genre counts should handle multi-genre membership appropriately.

## **Rankings**

Display:

- top directors by movie count
- top distributors by movie count
- highest rated movies
- lowest rated movies

## **Fun Stats**

Display:

- longest movie
- shortest movie
- oldest movie
- newest movie
- average runtime

## **Special Sections**

Display:

- Best of Year winners showcase
- 10/10 masterpieces showcase

## **Watched Activity**

Conditional section.

Only shown if watched\_date data exists.

Examples:

- watched this month
- recently watched

## **Scope**

No dashboard filtering in v1.

## **Presentation**

Dedicated Dashboard page.

Visual direction:

- editorial archive dashboard
- cinematic styling
- restrained premium chart presentation

# **14. Year in Review**

## **Purpose**

Personal editorial yearly retrospective.

Separate from general dashboard analytics.

## **Data Source**

Only movies with watched\_date.

Imported legacy movies without watched dates are excluded.

## Year Selection

Dropdown year selector.

Default: current year.

## Core Metrics

Display:

- total watched movies
- average personal score
- best movie of the year
- worst movie of the year
- most watched month
- top country
- top genre
- top director

## Best Movie Logic

If a Best of Year movie exists: use crowned movie.

Otherwise: highest rated watched movie.

## Timeline

Monthly watch activity visualization.

Simple monthly bar timeline.

## Special Sections

Display:

- Best of Year spotlight hero section
- 10/10 masterpieces watched that year

## Additional Stats

Display:

- longest watched movie
- shortest watched movie
- average runtime

## **Empty State**

If no watched movies exist for the selected year: Display: No watches recorded for this year.

## **Update Behavior**

Year in Review updates automatically when watched dates or movie data change.

## **Presentation**

Editorial retrospective styling.

Not generic dashboard UI.

## **Scope**

No export/share feature in v1.

# **15. Themes**

## **Theme System**

Curated built-in themes only.

No free-form user color customization in v1.

## **Built-in Themes**

### **Horror Archive (Default)**

- dark premium cinematic archive aesthetic
- atmospheric presentation
- curated horror archive feel

### **VHS**

- VHS poster mockup presentation
- subtle CRT / scanline inspired visual texture
- retro typography accents
- premium collector presentation

VHS poster mockup applies in:

- library grid
- movie details modal

Poster picker remains clean for clarity.

## **Minimal**

- cleaner readability-focused presentation
- stripped visual treatment

## **Persistence**

Theme selection persists between sessions.

## **Layout Customization**

One global saved layout.

Supports:

- show/hide columns
- reorder columns
- resize columns
- move poster position

## **Density**

No density controls in v1.

Grid defaults to medium density.

## **Typography**

Themes may alter typography for stronger identity.

## **Animation Philosophy**

Motion should remain subtle.

Allowed:

- smooth transitions
- hover polish
- subtle shimmer effects

Avoid excessive flashy motion.

## **Semantic Consistency**

Theme changes affect presentation only.

Movie semantics remain unchanged.

Examples:

- Best of Year crown remains meaningful
- 10/10 treatment remains meaningful

## **16. Export / Backup**

### **Purpose**

Protect against data loss and support migration/recovery.

### **Export Formats**

Support:

- CSV
- JSON

### **Export Scope**

CSV: movie-centric export

JSON: full backup export

Includes:

- movies
- ratings
- watched dates
- lists
- Best of Year assignments
- badge overrides
- settings
- theme preferences
- layout preferences

### **Restore**

Support restore/import from backup.

Options:

- merge with existing data
- replace all existing data

## **Safety**

Destructive restore actions require confirmation.

## **Access**

Dedicated Backup & Restore settings section.

## **Cloud Persistence**

Primary persistence handled via cloud database architecture.

Manual export remains mandatory.

# **17. Constraints / UX Rules**

## **Product Philosophy**

Single-user premium personal archive.

## **UX Principles**

- zero-friction core workflows
- manual entry is fallback, not primary path
- metadata enrichment first
- avoid admin panel aesthetics
- preserve browsing continuity
- prioritize visual cleanliness
- premium curated horror archive presentation

## **Metadata Rules**

- metadata freezes after save
- external providers never silently mutate existing data
- refresh is explicit user action

## **Performance Assumptions**

- default pagination: 100 movies per page
- optimize for medium-to-large personal collections

## **Safety Rules**

- destructive actions require confirmation
- restore operations require confirmation
- schema evolution must preserve existing data



## Interaction Rules

- details open in modal overlays
- closing details restores prior browsing state
- fast add flow is a core product requirement

## Scope Discipline

Do not introduce:

- social features
  - multi-user assumptions
  - corporate dashboard aesthetics
  - unnecessary friction
- 

# 18. Technical Architecture

## Core Stack

Frontend:

- Next.js (App Router)

Styling:

- Tailwind CSS

UI Components:

- shadcn/ui + custom styling

Database:

- Supabase Postgres

Storage:

- Supabase Storage

Hosting:

- Vercel

ORM:

- Prisma

Authentication:

- PIN-based persistent session auth

State Management:

- Zustand

Charts:

- Recharts

Animation:

- Framer Motion

Forms:

- React Hook Form

Validation:

- Zod

CSV Parsing:

- Papa Parse

## **Metadata Architecture**

Server-side metadata aggregation layer.

Sources: 1. TMDB 2. OMDb 3. Wikidata

Single internal aggregation endpoint.

## **Images**

Store only active selected poster or uploaded custom asset.

Do not persist all alternate posters.

## **Caching**

Simple metadata caching supported.

## Deployment Philosophy

Single codebase. Single deploy. Minimal infrastructure complexity. Desktop-first experience.

---

## 19. Edge Cases / Product Rules

### Best of Year Rules

- Best of Year requires watched\_date
- only one Best of Year per watched year
- changing watched year revalidates exclusivity
- replacing existing Best of Year requires confirmation

### Badge / Rating Rules

- changing review updates stars automatically
- automatic badges update with review changes
- manual badge overrides persist until explicitly reset
- reset to automatic badge must be supported
- changing review to 10 triggers masterpiece treatment
- lowering from 10 removes masterpiece treatment

### Delete Rules

Deleting a movie:

- removes list memberships
- removes Best of Year assignment
- removes custom uploaded poster asset when applicable

Deleting a list:

- never deletes movies

### Duplicate Rules

Duplicate detection warns on likely duplicates.

Manual override allows independent duplicate entries.

### Metadata Refresh Rules

Metadata refresh:

- previews changed fields
- user selects overwrite behavior
- manual edits are protected unless user confirms overwrite

## **Failure Rules**

- failed poster upload must not block save
- missing metadata must not block save
- missing poster uses graceful placeholder
- missing ratings display gracefully

## **Import Rules**

- CSV without year allowed with lower confidence
- CSV without review allowed
- ambiguous imports go to review queue
- duplicate import handling supports skip / replace / add anyway
- failed rows do not abort entire import

## **Backup Rules**

- replace-all restore requires explicit confirmation

## **Settings Recovery**

Support reset preferences behavior for corrupted layout/theme settings.

## **Authentication Recovery**

Provide PIN reset path suitable for single-user architecture.