


Health Care Coordination

Partnering with caregivers, caseworkers, providers, parents and youth to ensure our members get the care they need. Our team is here to help you with changes and barriers that come your way. Visit

CoordinatedCareHealth.com/benefits,

Call 1-877-644-4613 (TTY: 711), or Email

AHCCTeam@coordinatedcarehealth.com



- New or replacement ID card
- Help with a healthcare bill
- Parent support scheduling appointments
- Child/youth moving homes
- Child/youth returning from out of state
- Need medical equipment for new placement
- Help replacing lost or broken glasses



- Need a doctor, specialist, therapist or other providers
- A record of the doctors the child has seen
- Help to see a specialist



- Plan for child/youth discharging from ER or hospital
- Medication/pharmacy issues
- Support for child/youth with multiple or complex needs



- Support/education for health conditions (like asthma, anxiety, diabetes)
- School support for special needs



coordinated care™

Apple Health Core Connections™

Adverse Childhood Experiences Study

7/24/2024

Statement of Gratitude

We offer this statement of gratitude for the Indigenous lands that hold important teachings, where language and culture are interwoven to create strength and resiliency for American Indian and Alaska Native youth in care.

As we gather today, we invite in these teachings and while unlearning western ways of being that will help us better serve these youth:

- Land is sacred
- People and environment are all connected
- Time is measured in seasons
- Comfort is in the quality of our relationships



Goals for today:



- Awareness of ACEs
 - What is the ACE Study?
 - Identifying all 10 ACEs
 - Understanding ACE scores
 - Health Risks and ACEs
 - Trauma informed care and ACEs

Adverse Childhood Experiences (ACE) Study



- The largest study of its kind ever done, to examine the health and social effects of adverse childhood experiences over a lifespan (17,000 participants).
- Data resulting from the study participants continues to be analyzed; it reveals “staggering proof” of health, social, and economic risks that result from childhood trauma

Co-Principal Study Investigators



**Vincent J. Felitti, MD- Kaiser
Permanente**



**Robert F. Anda, MD, MS-
Center for Disease Control**



Adverse Childhood Experiences (ACE) Study



Summary of Findings:

- ACEs are common
- ACEs are strong predictors of future health risks and disease
- This combination makes ACEs the ***leading determinant*** of health and social well-being outcomes in the United States

Health risks associated with high ACE scores



- Alcoholism and alcohol use
- Chronic obstructive pulmonary disease
- Depression
- Fetal death
- Health-related quality of life
- Illicit drug use
- Ischemic heart disease
- Liver disease
- Intimate partner violence
- Multiple sexual partners
- Sexually transmitted infections
- Smoking
- Suicide attempts
- Unintended pregnancies
- Early initiation of smoking
- Early initiation of sexual activity
- Adolescent pregnancy

What do we mean by Adverse Childhood Experiences?



- Childhood abuse and neglect
- Growing up with domestic violence
- Substance use or mental illness in the home
- Parental loss
- Crime
- Experiences that represent medical and social problems

What's an ACE Score?



Abuse and Neglect

- Emotional
- Physical
- Sexual
- Emotional Neglect
- Physical Neglect



Household Dysfunction

- Mother treated violently
- Household substance abuse
- Household mental health issues
- Parents separate or divorce
- Incarcerated household member



ACE # 1: Recurrent Emotional Abuse

- Excessive verbal abuse such as:
 - Yelling
 - Swearing
 - Insults, put downs or humiliations
- “...rising to the level of fear of physical harm.”



ACE #2: Recurrent Physical Abuse



- Someone whose parent/caregiver pushes, grabs, slaps or throws something at him/her
- Someone who is hit hard enough for bruises to show or bones to be broken
- After abuse they have to lie about their physical marks

ACE #3: Sexual Abuse



- Children who are touched and exploited sexually

ACE #4 and #5: Emotional and Physical Neglect



- These two ACEs are similar:
 - Going hungry or having to search for food
 - Left alone for hours, days or even weeks
 - Clothing that is never cleaned, too small
 - Babies staying in soiled diapers for far too long
 - A home that is filthy, filled with trash, rodents/bugs or feces

ACE #6: Divorce and Separation

- Experience parents going through separation and divorce
- Circumstances of divorce can be devastating
- Children blame themselves or believe they are not lovable



ACE #7: Domestic Violence in the Home

- A child who witnesses a male slap, grab, push or throw something at their mother
- If they see someone being kicked, bitten, or hit with a fist
- Perhaps being threatened with a gun or knife



ACE #8: Alcohol or Drug Use in the Household

- A child living with someone who has a problem with alcohol or drugs



ACE #9: Mental Illness in the Home

- Being raised by someone who has/had an untreated mental health condition
- As a child, being pushed and pulled emotionally due to untreated mental illness
- Inconsistent and unrealistic beliefs




ACE #10: Incarceration



- Experiencing a parent or family member in jail or prison
- Feelings of abandonment, anger, loss, and embarrassment

The ACE Pyramid



ACE Scores in WA

Table 1. Crude prevalence of eight categories of ACEs and ACE score by sex, Washington BRFSS, 2009

Categories of ACEs	Men (n=2999)	Women (n=4472)	Total (n=7471)
<i>Abuse</i>			
Physical	17.3% (1.0)	16.9% (0.8)	17.1% (0.6)
Sexual	7.0 (0.6)	17.5 (0.8)	12.3 (0.5)
Verbal	32.4 (1.2)	33.8 (1.0)	33.1 (0.8)
<i>Household dysfunction</i>			
Household mental illness	19.6 (1.1)	26.7 (1.0)	23.2 (0.7)
Household substance abuse	29.9 (1.2)	32.6 (1.0)	31.2 (0.8)
Parental divorce/separation	24.0 (1.1)	26.4 (1.0)	25.2 (0.7)
Witnessed domestic violence	15.6 (1.0)	15.9 (0.8)	15.8 (0.6)
Incarcerated household member	6.8 (0.7)	6.7 (0.7)	6.7 (0.5)
ACE score*			
0	39.8 (1.2)	36.4 (1.0)	38.1 (0.8)
1	21.7 (1.0)	21.1 (0.9)	21.4 (0.7)
2	14.2 (0.9)	13.5 (0.8)	13.8 (0.6)
3	9.5 (0.7)	9.8 (0.6)	9.7 (0.5)
4 or 5	10.2 (0.8)	12.8 (0.7)	11.5 (0.5)
6, 7, or 8	4.5 (0.6)	6.3 (0.6)	5.5 (0.4)

<http://www.wvlegislature.gov/senate/1/majority/poverty/ACEsinWashington2009BRFSSFinalReport%20-%20Crittenton.pdf>

* The ACE score is the simple summation of the number of ACE categories to which each respondent reported exposure during the first 18 years of life

Let's Talk

Let's take a few minutes to talk about ACEs.

Why are some
resilient and
others are not able
to come to terms
with their ACEs?



Attachment and ACEs

- Our relationship with our first primary caregiver lays the foundation for how humans build and approach relationships throughout our entire lives
- The lack of a competent and caring adult in the early years of a child's life often leads to issues with attachment



ACEs and Epigenetics


- Genetics
- Biology
- Nature *and* Nurture?
 - Could depression be a normal response to abnormal life experiences?



ACE Scores and Heart Disease

Ischemic heart disease

Dr. Nadine Burke Harris



Dr. Nadine Burke Harris



Finding Your ACE Score




Let's look at our handout.



ACEs & Trauma

The Pair of ACEs

Adverse Childhood Experiences



Trauma

Trauma effects these seven domains:

- Attachment
- Emotion regulation
- Behavior control
- Biological regulation
- Cognition
- Self-concept
- Dissociation

What it Means to be Trauma-Informed



- Build trust
- Understand the impact trauma has on behavior, development, attachment and survival strategies
- Understand your role in responding to someone else's traumatic stress or their ACEs
- Don't take reactions or non-reactions personally
- Be aware of and understand trauma triggers
- Support and promote positive and stable relationships

What can we do now?



- Ask questions of social workers to understand the child's parenting history to better assist them in their journey
- Arrange therapy appointments as appropriate
 - Utilize Evidence Based therapy approaches

Summary



- Adverse Childhood Experiences: Increases the risk of many different health and social well-being issues
- Trauma affects many aspects of a child's life and can lead to secondary problems during childhood and into adulthood

References



- Ellis, W., & Dietz, W. (2017). A New Framework for Addressing Adverse Childhood and Community Experiences. American Pediatrics. Vol. 17(7) p. S86-S93
DOI: <http://dx.doi.org/10.1016/j.acap.2016.12.011>
- Gonzales, L. (2012) Surviving Survival. New York: W.W. Norton & Company, Inc.
- Mattejat, Ph.D. & Remschmidt, Ph.D. (2008) The Children of Mentally Ill Parents. Jun;105(23): 413–418 Published online 2008 6/6 oi: [10.3238/arztebl.2008.0413](https://doi.org/10.3238/arztebl.2008.0413)
- Nakazawa, D.J. (2015) Childhood Disrupted. New York: Simon & Schuster, Inc.
- Ouimette, P., Ph.D. and Read, J., Ph.D. (2003) Trauma and Substance Abuse: Causes, Consequences, and Treatment of Comorbid Disorders 2nd Edition American Psychological Association
- SAMHSA 5600 Fishers Ln Rockville, MD 20857 1-877-SAMHSA-7 (1-877-726-4727)
Kristin Moore, Ph.D., Vanessa Sacks, M.P.P., Tawana Bandy, B.S., and David Murphey, Ph.D. Fact sheet: ACE's and the well-being of Adolescents
- Sparrow Consulting, LLC Carol Redding, ACE Study consultant, lecturer, and trainer.
- Van Der Kolk, M.D. (2014) The Body Keeps the Score. New York: Penguin Random House LLC
- Weir, K. (2014, April) Volume 45, No. 4. Not-so blank slates/ What do infants understand about the social world? More than you think. American Psychological Association [Monitor on Psychology](#)

Community Educators



- **Nathan LaChine** – Region 3, 4, 5 & 6:
- **Zia Freeman** – Region 1 & 2:

Thank you!