

Gearbox Security Scan Results

by Pessimistic

This is not a security audit

This report is public

May 28, 2024

| Abstract | 2 |
|--|---|
| Disclaimer | 2 |
| Summary | 2 |
| Scan process | 3 |
| Workflow | 3 |
| Issue categories | 3 |
| Scan results | 4 |
| Discovered Issues | 5 |
| Missing event | 5 |
| Unchecked return value | 5 |
| Unsafe ERC20 interaction | 6 |
| Block properties on the Arbitrum chain | 6 |
| Read-only reentrancy vulnerability | 7 |
| Potential read-only reentrancy vulnerability | 7 |

Abstract

This report considers the security of smart contracts of the Gearbox protocol. Our task is to find and describe security issues using the static-analysis tools Slither and Slitherin and help resolve them.

The work is financially covered by the Arbitrum Foundation grant.

Disclaimer

Current work does not give any warranties on the security of the code. It is not an audit or its replacement. Performing this scan, we focused on finding as many crucial issues as possible rather than making sure that the protocol was entirely secure. We always recommend proceeding with several independent audits and a public bug bounty program to ensure the security of smart contracts.

Summary

In this report, we described issues found in smart contracts of the Gearbox protocol.

We scanned the codebase and manually rejected or verified all automated findings, revealing six relevant issues.

The developers acknowledged six issues and commented on all of them.

The entire process is described in the section below.

Scan process

Under the Arbitrum Foundation grant, we researched and developed Arbitrum-specific detectors. They became publicly available with Slitherin v0.6.0 release.

Workflow

This work consisted of five stages:

- **1.** For the scan, we were provided with the Gearbox project on the following GitHub repositories:
 - core-v3, commit: b2628d77f17fecf71feb77ebb038d5350f26fca7, the scope of the scan excludes test folder;
 - bots-v3, commit: dc7fe47f5b0c05d24f8349ed41bdd72f4989bf40, the scope of the scan excludes test folder;
 - oracles-v3, commit: c6e4bd0a42331daeec599f3d8a688fab79f9879a, the scope of the scan excludes test folder;
 - integrations-v3, commit: 8f1ae29e14fa9c918b87e9ed9a2a6e93f3654dbe, the scope of the scan excludes **test** folder.
- **2.** For the analysis of the protocol, we launched Slither v0.10.2 and Slitherin v0.6.1 on the provided codebase.
- **3.** One auditor manually checked (rejected or accepted) all findings reported by the tools. The second auditor verified this work. We shared all relevant issues with the protocol developers and answered their questions.
- **4.** The developers reviewed the findings, acknowledged and commented on all of them.
- **5.** We prepared this final report summarizing all the issues and comments from the developers.

Issue categories

Within the confines of this work, we were looking for:

- · Arbitrum-specific problems;
- Standard vulnerabilities like re-entrancy, overflow, arbitrary calls, etc;
- Non-compliance with popular standards like ERC20 and ERC721;
- · Some access control problems;
- Integration issues with some popular DeFi protocols;
- A wide range of code quality and gas efficiency improvement opportunities.

This scan does not guarantee that these issues are not present in the codebase.

Scan results

| Issue category | Number of detectors | Status |
|-------------------------------|---------------------|----------------|
| Compilation | 1 | Passed |
| Arbitrum Integration | 3 | 1 issue found |
| AAVE Integration | 1 | Passed |
| Uniswap V2 Integration | 7 | Passed |
| OpenZeppelin | 2 | Passed |
| ERC-20 | 7 | Passed |
| ERC-721 | 2 | Passed |
| Known Bugs | 15 | Passed |
| Access Control | 3 | Passed |
| Arbitrary Call | 5 | Passed |
| Re-entrancy | 6 | 2 issues found |
| Weak PRNG | 2 | Passed |
| Upgradability | 2 | Passed |
| Ether Handling | 3 | Passed |
| Low-level Calls | 2 | Passed |
| Assembly | 2 | Passed |
| Inheritance | 3 | Passed |
| Arithmetic | 2 | Passed |
| Old Solidity Versions Bugs | 10 | Passed |
| Code Quality | 15 | 2 issues found |
| Best Practices | 4 | 1 issue found |
| Gas | 7 | Passed |

Discovered Issues

Missing event

There are several contracts where setter functions do not emit an event:

- The setActiveCreditAccount and setFlagFor functions of the CreditManagerV3.sol contract;
- The setQuotaRevenue function of the PoolV3.sol contract.

Emmiting of event in setter functions allows contract owner and relevant parties to be notified about important state changes within the contract.

Comment from the developers:

- setActiveCreditAccount and setFlagFor These are not significant enough state changes;
- setQuotaRevenue This derived value can be easily calculated based on the updateQuota and updateTokenQuotaRate events in the PoolQuotaKeeperV3 contract.

Unchecked return value

There are several contracts where the return values of called functions are not checked:

- The rescue function ignores return value by functionCall function in the CreditAccountV3.sol contract;
- The openCreditAccount function ignores return value by creditAccountSet.add function in the CreditManagerV3.sol contract;
- The closeCreditAccount function ignores return value by creditAccountSet.remove function in the CreditManagerV3.sol contract;
- The withdrawUnderlying function ignores return value by withdraw function in the WrappedAToken contract.

We recommend checking the return values to avoid incorrect state changes in case of unexpected behaviour of the called function.

Comment from the developers:

- We do not check the functionCall result because it is unnecessary, as the function is only used to withdraw stuck tokens from the account;
- We do not check <code>creditAccountsSet.add</code> and <code>creditAccountsSet.remove</code> results because there are external checks that guarantee the call will always succeed;
- In the withdrawUnderlying function, we have confidence in Aave's ability to perform seamless one-to-one conversions. However, actually, this is not critical.

Unsafe ERC20 interaction

There are several contracts where the return values of called ERC20 functions are not checked:

- The submit function ignores return values by transferFrom and transfer functions in the LidoV1Gateway contract;
- The mint function ignores return values by transferFrom and transfer functions in the CEtherGateway contract;
- The redeem function ignores return values by transferFrom and transfer functions in the **CEtherGateway** contract;
- The redeemUnderlying function ignores return values by transferFrom and transfer functions in the CEtherGateway contract;
- The deposit function ignores return value by transferFrom function in the WrappedAToken contract;
- The withdraw function ignores return value by transfer function in the **WrappedAToken** contract;
- The constructor function ignores return value by approve function in the CurveV1StETHPoolGateway contract;
- The migrate function ignores return value by approve function in the **GearStakingV3.sol** contract.

According to the ERC20 token standard:

Callers MUST handle false from returns (bool success). Callers MUST NOT assume that false is never returned!

We recommend using the safe functions from the OpenZeppelin **SafeERC20** library to interact with ERC20 tokens.

<u>Comment from the developers:</u> Almost always, we know in advance which token we are dealing with, and accordingly, we know its behaviour. Otherwise, the contract is unlikely to be used in production.

Block properties on the Arbitrum chain

In LPPriceFeed, RedstonePriceFeed, AccountFactoryV3, CreditManagerV3, CreditLogic, PriceFeedValidationTrait, CreditConfiguratorV3, CreditFacadeV3, GearStakingV3, ControllerTimelockV3, PolicyManagerV3, QuotasLogic, PoolQuotaKeeperV3 and PoolV3 contracts there are several functions rely on the block.timestamp or block.number value within the Arbitrum contract's code. This behaves differently than on Ethereum, since consecutive blocks can share the same block.timestamp and block.number. It is important to ensure that the contract logic remains correct despite these differences.

<u>Comment from the developers:</u> At the moment, we do not see a problem with this. There is no logic here that is strictly tied to block.timestamp or block.number.

Read-only reentrancy vulnerability

There are several contracts where function's return values could be manipulated through external read-only reentrancy:

- The ICurvePoolStETH(pool).get_virtual_price function of the CurveV1StETHPoolGateway contract;
- The ICurvePool(lpContract).get_virtual_price function of the CurveCryptoLPPriceFeed contract;
- The IBalancerStablePool(lpToken).getRate function of the BPTStablePriceFeed contract.

It is crucial to verify that the pools are not being re-entered since price and rate formulas might be manipulated. Although only view functions are present in the current code, we recommend checking for reentrancy before using the returned values by these functions.

Comment from the developers:

- In the CurveV1StETHPoolGateway contract, the get_virtual_price is just a view function for returning the pool's state. Actually, we do not use it anywhere;
- There is no uniform way to prevent this across different pools, let alone different protocols, so we use strict boundaries for the return value. This allows manipulation of the value, but only within a strictly limited percentage.

Potential read-only reentrancy vulnerability

In the updateBounds function of the LPPriceFeed contract there is a possibility of readonly reentrancy vulnerability. In case of an external call to a malicious reserveFeed contract, it is possible to read outdated values of latestRoundData, lowerBound and upperBound before they are updated despite the lastBoundsUpdate variable's state being already updated.

<u>Comment from the developers:</u> We presume that reserveFeed is trusted, as it is our own contract.

This analysis was performed by Pessimistic:

Pavel Kondratenkov, Senior Security Engineer Evgeny Bokarev, Junior Security Engineer Nikita Kirillov, Product Owner Evgeny Marchenko, CTO Konstantin Zherebtsov, Business Development Lead

May 28, 2024