

## Diagrama ESTUDO\_V1 (Elevacao)

Projeto: TESTEEEEEE.eftxproj.json | Antena: T\_END\_FEED\_8\_Hpol | Pol: POL1 | Freq: 0.000 MHz | Expr: E/Emax linear

Peak:	0.00 dB
Peak angle:	-0.00 deg
HPBW:	16.00 deg
D2D:	9.641
D2D (dB):	9.84 dB
1st null:	-19.59 dB
Range:	-90.0 .. 90.0 deg
Step:	0.100 deg
Points:	1801

Ang [deg]	Valor [dB]	Ang [deg]	Valor [dB]
-90	-44.39	0	0.00
-89	-42.55	4	-0.72
-86	-38.51	7	-2.28
-82	-35.39	11	-6.08
-78	-34.04	15	-13.11
-75	-33.95	18	-19.55
-71	-34.12	22	-14.56
-67	-31.45	26	-12.30
-64	-27.81	30	-12.90
-60	-23.41	33	-14.47
-56	-20.17	37	-16.91
-53	-18.50	41	-17.75
-49	-17.26	44	-17.50
-45	-17.09	48	-17.51
-42	-17.41	52	-18.55
-38	-17.13	55	-20.07
-34	-14.98	59	-23.12
-30	-12.80	63	-27.38
-27	-12.17	66	-31.17
-23	-13.57	70	-34.93
-19	-18.99	74	-35.34
-16	-15.58	77	-35.49
-12	-7.42	81	-36.99
-8	-3.00	85	-40.53
-5	-1.13	89	-46.40
-1	-0.04	90	-47.46

Tabela exibida compactada; dados completos no CSV.

## Diagrama ESTUDO\_V1 (Elevacao)

Projeto: TESTEEEEEE.eftxproj.json | Antena: T\_END\_FEED\_8\_Hpol | Pol: POL1 | Freq: 0.000 MHz | Expr: E/Emax linear

Peak:	0.00 dB
Peak angle:	-0.00 deg
HPBW:	16.00 deg
D2D:	9.641
D2D (dB):	9.84 dB
1st null:	-19.59 dB
Range:	-90.0 .. 90.0 deg
Step:	0.100 deg
Points:	1801

Ang [deg]	Valor [dB]	Ang [deg]	Valor [dB]
-90	-44.39	0	0.00
-89	-42.55	4	-0.72
-86	-38.51	7	-2.28
-82	-35.39	11	-6.08
-78	-34.04	15	-13.11
-75	-33.95	18	-19.55
-71	-34.12	22	-14.56
-67	-31.45	26	-12.30
-64	-27.81	30	-12.90
-60	-23.41	33	-14.47
-56	-20.17	37	-16.91
-53	-18.50	41	-17.75
-49	-17.26	44	-17.50
-45	-17.09	48	-17.51
-42	-17.41	52	-18.55
-38	-17.13	55	-20.07
-34	-14.98	59	-23.12
-30	-12.80	63	-27.38
-27	-12.17	66	-31.17
-23	-13.57	70	-34.93
-19	-18.99	74	-35.34
-16	-15.58	77	-35.49
-12	-7.42	81	-36.99
-8	-3.00	85	-40.53
-5	-1.13	89	-46.40
-1	-0.04	90	-47.46

Tabela exibida compactada; dados completos no CSV.

## Diagrama ESTUDO\_V1 (Elevacao)

Projeto: TESTEEEEEE.eftxproj.json | Antena: T\_END\_FEED\_8\_Hpol | Pol: POL1 | Freq: 0.000 MHz | Expr: E/Emax linear

Peak:	0.00 dB
Peak angle:	-0.00 deg
HPBW:	16.00 deg
D2D:	9.641
D2D (dB):	9.84 dB
1st null:	-19.59 dB
Range:	-90.0 .. 90.0 deg
Step:	0.100 deg
Points:	1801

Ang [deg]	Valor [dB]	Ang [deg]	Valor [dB]
-90	-44.39	0	0.00
-89	-42.55	4	-0.72
-86	-38.51	7	-2.28
-82	-35.39	11	-6.08
-78	-34.04	15	-13.11
-75	-33.95	18	-19.55
-71	-34.12	22	-14.56
-67	-31.45	26	-12.30
-64	-27.81	30	-12.90
-60	-23.41	33	-14.47
-56	-20.17	37	-16.91
-53	-18.50	41	-17.75
-49	-17.26	44	-17.50
-45	-17.09	48	-17.51
-42	-17.41	52	-18.55
-38	-17.13	55	-20.07
-34	-14.98	59	-23.12
-30	-12.80	63	-27.38
-27	-12.17	66	-31.17
-23	-13.57	70	-34.93
-19	-18.99	74	-35.34
-16	-15.58	77	-35.49
-12	-7.42	81	-36.99
-8	-3.00	85	-40.53
-5	-1.13	89	-46.40
-1	-0.04	90	-47.46

Tabela exibida compactada; dados completos no CSV.

## Diagrama ESTUDO\_V1 (Elevacao)

Projeto: TESTEEEEEE.eftxproj.json | Antena: T\_END\_FEED\_8\_Hpol | Pol: POL1 | Freq: 0.000 MHz | Expr: E/Emax linear

Peak:	0.00 dB
Peak angle:	-0.00 deg
HPBW:	16.00 deg
D2D:	9.641
D2D (dB):	9.84 dB
1st null:	-19.59 dB
Range:	-90.0 .. 90.0 deg
Step:	0.100 deg
Points:	1801

Ang [deg]	Valor [dB]	Ang [deg]	Valor [dB]
-90	-44.39	0	0.00
-89	-42.55	4	-0.72
-86	-38.51	7	-2.28
-82	-35.39	11	-6.08
-78	-34.04	15	-13.11
-75	-33.95	18	-19.55
-71	-34.12	22	-14.56
-67	-31.45	26	-12.30
-64	-27.81	30	-12.90
-60	-23.41	33	-14.47
-56	-20.17	37	-16.91
-53	-18.50	41	-17.75
-49	-17.26	44	-17.50
-45	-17.09	48	-17.51
-42	-17.41	52	-18.55
-38	-17.13	55	-20.07
-34	-14.98	59	-23.12
-30	-12.80	63	-27.38
-27	-12.17	66	-31.17
-23	-13.57	70	-34.93
-19	-18.99	74	-35.34
-16	-15.58	77	-35.49
-12	-7.42	81	-36.99
-8	-3.00	85	-40.53
-5	-1.13	89	-46.40
-1	-0.04	90	-47.46

Tabela exibida compactada; dados completos no CSV.

## Diagrama ESTUDO\_V1 (Elevacao)

Projeto: TESTEEEEEE.eftxproj.json | Antena: T\_END\_FEED\_8\_Hpol | Pol: POL1 | Freq: 0.000 MHz | Expr: E/Emax linear


Peak:	0.00 dB
Peak angle:	-0.00 deg
HPBW:	16.00 deg
D2D:	9.641
D2D (dB):	9.84 dB
1st null:	-19.59 dB
Range:	-90.0 .. 90.0 deg
Step:	0.100 deg
Points:	1801

Ang [deg]	Valor [dB]	Ang [deg]	Valor [dB]
-90	-44.39	0	0.00
-89	-42.55	4	-0.72
-86	-38.51	7	-2.28
-82	-35.39	11	-6.08
-78	-34.04	15	-13.11
-75	-33.95	18	-19.55
-71	-34.12	22	-14.56
-67	-31.45	26	-12.30
-64	-27.81	30	-12.90
-60	-23.41	33	-14.47
-56	-20.17	37	-16.91
-53	-18.50	41	-17.75
-49	-17.26	44	-17.50
-45	-17.09	48	-17.51
-42	-17.41	52	-18.55
-38	-17.13	55	-20.07
-34	-14.98	59	-23.12
-30	-12.80	63	-27.38
-27	-12.17	66	-31.17
-23	-13.57	70	-34.93
-19	-18.99	74	-35.34
-16	-15.58	77	-35.49
-12	-7.42	81	-36.99
-8	-3.00	85	-40.53
-5	-1.13	89	-46.40
-1	-0.04	90	-47.46

Tabela exibida compactada; dados completos no CSV.

## Diagrama ESTUDO\_V1 (Elevacao)

Projeto: TESTEEEEEE.eftxproj.json | Antena: T\_END\_FEED\_8\_Hpol | Pol: POL1 | Freq: 0.000 MHz | Expr: E/Emax linear



Metricas  
Pico: 0.00 dB @ -0.00 deg  
HPBW: 16.00 deg  
D2D: 9.641 (9.84 dB)  
1o nulo: -19.59 dB  
Pontos: 1801 | Faixa: -90.0..90.0 deg | Passo: 0.100 deg

Peak:	0.00 dB
Peak angle:	-0.00 deg
HPBW:	16.00 deg
D2D:	9.641
D2D (dB):	9.84 dB
1st null:	-19.59 dB
Range:	-90.0 .. 90.0 deg
Step:	0.100 deg
Points:	1801

Ang [deg]	Valor [dB]	Ang [deg]	Valor [dB]
-90	-44.39	0	0.00
-89	-42.55	4	-0.72
-86	-38.51	7	-2.28
-82	-35.39	11	-6.08
-78	-34.04	15	-13.11
-75	-33.95	18	-19.55
-71	-34.12	22	-14.56
-67	-31.45	26	-12.30
-64	-27.81	30	-12.90
-60	-23.41	33	-14.47
-56	-20.17	37	-16.91
-53	-18.50	41	-17.75
-49	-17.26	44	-17.50
-45	-17.09	48	-17.51
-42	-17.41	52	-18.55
-38	-17.13	55	-20.07
-34	-14.98	59	-23.12
-30	-12.80	63	-27.38
-27	-12.17	66	-31.17
-23	-13.57	70	-34.93
-19	-18.99	74	-35.34
-16	-15.58	77	-35.49
-12	-7.42	81	-36.99
-8	-3.00	85	-40.53
-5	-1.13	89	-46.40
-1	-0.04	90	-47.46

Tabela exibida compactada; dados completos no CSV.