

PA_Panel_Diary_CR_Programme_UP_Bihar

Field	Question	Answer
start	[ODK / SurveyCTO / KoboToolbox Metadata]: Automated timestamp recorded when the survey session starts.	
end	[ODK / SurveyCTO / KoboToolbox Metadata]: Automated timestamp recorded when the survey session ends.	
start-geopoint	[ODK / SurveyCTO Metadata]: Initial GPS location captured upon opening the form.	
today	[ODK / SurveyCTO / KoboToolbox Metadata]: Current date recorded when the survey is conducted.	
username	[ODK / KoboToolbox / SurveyCTO Metadata]: Username of the logged-in field enumerator.	
deviceid	[ODK / SurveyCTO / KoboToolbox Metadata]: Unique hardware identifier (IMEI/UUID) of the collection device.	
phonenummer	[ODK / SurveyCTO / KoboToolbox Metadata]: Phone number associated with the SIM card in the device.	
audit	[ODK / SurveyCTO / KoboToolbox Metadata]: User activity audit log file tracking timestamped interaction events.	
calc_start_time	Calculation (Timestamp Capture): <code>format-date-time(now(), '%Y-%m-%d %H:%M:%S')</code> <i>Captures current date/time upon evaluation.</i>	
Note_1	PA - Panel Diary - CR Programme UP Bihar	
Identification Details (Prefilled from Listing)		

Field	Question	Answer
Surveyor <i>(required)</i>	Surveyor	14 Anurag Awasthi 31 Awdhesh Gautam 32 Prabhakar 33 Bal Ji Trivedi 34 Savita 35 Sapna 36 Gaurav Kumar 37 Md. Husain 38 Anita Gupta 39 Risha Kumari 40 Laxmi Devi 27 Pratima Kumari 26 Seema Kumari 41 Krishna Nandan Mahto 42 Divya Kumari 43 Kajal Kumari 44 Hare Ram Prasad 29 Vinay Kumar 888 Other
Surveyor_other <i>(required)</i>	Other (Please specify) <i>Relevance: \${Surveyor} = '888'</i>	
Surveyor_Name	Calculation (ODK / SurveyCTO Choice Label Lookup): if(\${Surveyor} = '888',\${Surveyor_other},jr:choice-name(\${Surveyor},'\${Surveyor}')) Resolves raw choice option code into human-readable label text.	

Field	Question	Answer								
Identification_Start_Time	Calculation (Timestamp Capture): if(\${Surveyor}!=', once(now()), '') Captures current date/time upon evaluation.									
Supervisor <i>(required)</i>	Supervisor	<table><tr><td>1</td><td>Ashish Mishra</td></tr><tr><td>4</td><td>Najeen Sheikh</td></tr><tr><td>5</td><td>Santosh Sharma</td></tr><tr><td>888</td><td>Other</td></tr></table>	1	Ashish Mishra	4	Najeen Sheikh	5	Santosh Sharma	888	Other
1	Ashish Mishra									
4	Najeen Sheikh									
5	Santosh Sharma									
888	Other									
Supervisor_other <i>(required)</i>	Other (Please specify) <i>Relevance: \${Supervisor} = '888'</i>									
Supervisor_Name	Calculation (ODK / SurveyCTO Choice Label Lookup): if(\${Supervisor} = '888',\${Supervisor_ot her},jr:choice-name(\${Supervisor},'\${Supervisor}')) Resolves raw choice option code into human-readable label text.									
Unique_ID <i>(required)</i>	Enter Respondent UUID Enter 11 digit UUID									
household_id	Calculation (String Processing): substr(\${Unique_ID}, 0, 9) Performs text manipulation, substring extraction, or string concatenation.									
member_name	Calculation (SurveyCTO / ODK External Dataset Query): pulldata('datalistall', 'member_name', 'unique_id', \${Unique_ID}) Queries pre-loaded CSV dataset or server case data using unique lookup key.									
member_age	Calculation (SurveyCTO / ODK External Dataset Query): pulldata('datalistall', 'member_age', 'unique_id', \${Unique_ID}) Queries pre-loaded CSV dataset or server case data using unique lookup key.									
member_gender	Calculation (SurveyCTO / ODK External Dataset Query): pulldata('datalistall', 'member_gende r', 'unique_id', \${Unique_ID}) Queries pre-loaded CSV dataset or server case data using unique lookup key.									

Field	Question	Answer
resp_address	Calculation (SurveyCTO / ODK External Dataset Query): pulldata('datalistall', 'resp_addresses', 'unique_id', \${Unique_ID}) <i>Queries pre-loaded CSV dataset or server case data using unique lookup key.</i>	
resp_landmark	Calculation (SurveyCTO / ODK External Dataset Query): pulldata('datalistall', 'resp_landmark', 'unique_id', \${Unique_ID}) <i>Queries pre-loaded CSV dataset or server case data using unique lookup key.</i>	
A_pulled	Calculation (SurveyCTO / ODK External Dataset Query): pulldata('datalistall', 'state', 'unique_id', \${Unique_ID}) <i>Queries pre-loaded CSV dataset or server case data using unique lookup key.</i>	
B_pulled	Calculation (SurveyCTO / ODK External Dataset Query): pulldata('datalistall', 'district', 'unique_id', \${Unique_ID}) <i>Queries pre-loaded CSV dataset or server case data using unique lookup key.</i>	
C_pulled	Calculation (SurveyCTO / ODK External Dataset Query): pulldata('datalistall', 'radio_station', 'unique_id', \${Unique_ID}) <i>Queries pre-loaded CSV dataset or server case data using unique lookup key.</i>	
E_pulled	Calculation (SurveyCTO / ODK External Dataset Query): pulldata('datalistall', 'population', 'unique_id', \${Unique_ID}) <i>Queries pre-loaded CSV dataset or server case data using unique lookup key.</i>	
F_pulled	Calculation (SurveyCTO / ODK External Dataset Query): pulldata('datalistall', 'area', 'unique_id', \${Unique_ID}) <i>Queries pre-loaded CSV dataset or server case data using unique lookup key.</i>	
H_pulled	Calculation (SurveyCTO / ODK External Dataset Query): pulldata('datalistall', 'random_booster_name', 'unique_id', \${Unique_ID}) <i>Queries pre-loaded CSV dataset or server case data using unique lookup key.</i>	

Field	Question	Answer
I_pulled	Calculation (SurveyCTO / ODK External Dataset Query): pulldata('datalistall', 'cl_cnl_name', 'unique_id', \${Unique_ID}) <i>Queries pre-loaded CSV dataset or server case data using unique lookup key.</i>	
J_pulled	Calculation (SurveyCTO / ODK External Dataset Query): pulldata('datalistall', 'marginalize d', 'unique_id', \${Unique_ID}) <i>Queries pre-loaded CSV dataset or server case data using unique lookup key.</i>	
data_error <i>(required)</i>	Please check the entered ID <i>Relevance: \${A_pulled} = "</i>	
pull_status_note	<p> ⚠ Verify all auto-filled fields below.
 Unique_ID = \${Unique_ID}
 Name = \${member_name}
 Age = \${member_age}
 Gender = \${member_gender}
 Address = \${resp_address}
 Landmark = \${resp_landmark}
 State = \${A_pulled}
 District = \${B_pulled}
 CRS Name = \${C_pulled}
 Population strata = \${E_pulled}
 Village/ Ward = \${F_pulled}
 Type of interview = \${H_pulled}
 Type of Respondent = \${I_pulled}
 Categorization = \${J_pulled}</p>	
Diary Data Capture		
diary_date <i>(required)</i>	Date of diary page (DD-MM-YY)	
week_number <i>(required)</i>	Week number (1–6)	
day_in_week <i>(required)</i>	Day in week (1–7)	
diary_page_yes_no <i>(required)</i>	Q1. Did you fill the diary today (\${diary_date})?	1 Yes 0 No

Field	Question	Answer
diary_page_status <i>(required)</i>	Q2. If no, what was the main reason you could not fill the diary today (\${diary_date})? <i>Relevance: \${diary_page_yes_no} = '0'</i>	4 Away from home 5 Forgot to fill the diary 6 Could not remember what was watched or listened to 7 Climate-related issue [for example: heavy rain, flood, storm, extreme heat, Electricity issue] 8 Some other reason
diary_page_status_other <i>(required)</i>	Other (Please specify) <i>Relevance: \${diary_page_status} = '888'</i>	
diary_page_photo_1 <i>(required)</i>	Take a photo of the diary page - 1	
diary_page_photo_2 <i>(required)</i>	Take a photo of the diary page - 2	
diary_page_photo_3 <i>(required)</i>	Take a photo of the diary page - 3	
diary_data_note	Now enter the media consumption data from the diary page below.	
TV Consumption / टीवी खपत		
tv_watched <i>(required)</i>	Did the respondent watch TV on this day?	1 Yes 0 No

Field	Question	Answer
tv_time_slots (required)	Which time slots did they watch TV? Select all time slots from the diary page. Relevance: \${tv_watched} = '1'	1 Before 8:00 AM 2 8:00-8:30 3 8:30-9:00 4 9:00-9:30 5 9:30-10:00 6 10:00-10:30 7 10:30-11:00 8 11:00-11:30 9 11:30-12:00 10 12:00-12:30 11 12:30-13:00 12 13:00-13:30 13 13:30-14:00 14 14:00-14:30 15 14:30-15:00 16 15:00-15:30 17 15:30-16:00 18 16:00-16:30 28 16:30-17:00 29 17:00-17:30 30 17:30-18:00 19 18:00-18:30 20 18:30-19:00 21 19:00-19:30

Field	Question	Answer
		22 19:30-20:00 23 20:00-20:30 24 20:30-21:00 25 21:00-21:30 26 21:30-22:00 27 After 10:00 PM
TV Programs Watched / देखे गए टीवी कार्यक्रम		
tv_time_slots_Selected	Calculation (ODK Multi-Select / Repeat Function): selected-at(\${tv_time_slots}, position(..)-1) <i>Extracts or counts selected response options in multiple-choice field.</i>	
tv_time_slots_Name	Calculation (ODK / SurveyCTO Choice Label Lookup): jr:choice-name(\${tv_time_slots_Selected}, '\${tv_time_slots}') <i>Resolves raw choice option code into human-readable label text.</i>	
tv_prog_time	Time slot: \${tv_time_slots_Name}	
tv_prog_name <i>(required)</i>	Program name	
tv_prog_type	Program type <i>Relevance: 0</i>	1 News 2 Sports 3 Entertainment 4 Religious program 5 Education 6 Agriculture 7 Health 8 Other

Field	Question	Answer
tv_prog_device (required)	Where watched?	1 Home TV 2 Mobile phone
Radio Consumption / रेडियो खपत		
radio_listened (required)	Did the respondent listen to radio on this day?	1 Yes 0 No

Field	Question	Answer
radio_time_slots (required)	Which time slots did they listen to radio? <i>Relevance: \${radio_listened} = '1'</i>	1 Before 8:00 AM 2 8:00-8:30 3 8:30-9:00 4 9:00-9:30 5 9:30-10:00 6 10:00-10:30 7 10:30-11:00 8 11:00-11:30 9 11:30-12:00 10 12:00-12:30 11 12:30-13:00 12 13:00-13:30 13 13:30-14:00 14 14:00-14:30 15 14:30-15:00 16 15:00-15:30 17 15:30-16:00 18 16:00-16:30 28 16:30-17:00 29 17:00-17:30 30 17:30-18:00 19 18:00-18:30 20 18:30-19:00 21 19:00-19:30

Field	Question	Answer
		22 19:30-20:00 23 20:00-20:30 24 20:30-21:00 25 21:00-21:30 26 21:30-22:00 27 After 10:00 PM
Radio Programs Listened / सुने गए रेडियो कार्यक्रम		
radio_time_slots_Selected	Calculation (ODK Multi-Select / Repeat Function): selected-at(\${radio_time_slots}, position (..) -1) <i>Extracts or counts selected response options in multiple-choice field.</i>	
radio_time_slots_Name	Calculation (ODK / SurveyCTO Choice Label Lookup): jr:choice-name(\${radio_time_slots_Selected}, '\${radio_time_slots}') <i>Resolves raw choice option code into human-readable label text.</i>	
radio_prog_time	Time slot: \${radio_time_slots_Name}	
radio_prog_name <i>(required)</i>	Program name	
radio_prog_type	Program type <i>Relevance: 0</i>	1 News 2 Sports 3 Entertainment 4 Religious program 5 Education 6 Agriculture 7 Health 8 Other

Field	Question	Answer
radio_prog_device (required)	Where listened?	1 Home Radio 2 Mobile phone
Community Radio Consumption / कम्युनिटी रेडियो खपत		
cr_listened (required)	Did the respondent listen to community radio on this day?	1 Yes 0 No

Field	Question	Answer
cr_time_slots (required)	Which time slots did they listen to community radio? <i>Relevance: \${cr_listened} = '1'</i>	1 Before 8:00 AM
		2 8:00-8:30
		3 8:30-9:00
		4 9:00-9:30
		5 9:30-10:00
		6 10:00-10:30
		7 10:30-11:00
		8 11:00-11:30
		9 11:30-12:00
		10 12:00-12:30
		11 12:30-13:00
		12 13:00-13:30
		13 13:30-14:00
		14 14:00-14:30
		15 14:30-15:00
		16 15:00-15:30
		17 15:30-16:00
		18 16:00-16:30
		28 16:30-17:00
		29 17:00-17:30
		30 17:30-18:00
		19 18:00-18:30
		20 18:30-19:00
		21 19:00-19:30

Field	Question	Answer
		22 19:30-20:00 23 20:00-20:30 24 20:30-21:00 25 21:00-21:30 26 21:30-22:00 27 After 10:00 PM
cr_time_slots_Time	Calculation (Timestamp Capture): if(\${cr_time_slots}!=',', once(now()), '') Captures current date/time upon evaluation.	
CR Programs Listened / सुने गए कम्युनिटी रेडियो कार्यक्रम		
cr_time_slots_Selected	Calculation (ODK Multi-Select / Repeat Function): selected-at(\${cr_time_slots}, position(..)-1) Extracts or counts selected response options in multiple-choice field.	
cr_time_slots_Name	Calculation (ODK / SurveyCTO Choice Label Lookup): jr:choice-name(\${cr_time_slots_Selected}, '\${cr_time_slots}') Resolves raw choice option code into human-readable label text.	
cr_prog_time	Time slot: \${cr_time_slots_Name}	
cr_prog_name <i>(required)</i>	Program name	

Field	Question	Answer
cr_prog_type	Program type <i>Relevance: 0</i>	1 News 2 Sports 3 Entertainment 4 Religious program 5 Education 6 Agriculture 7 Health 8 Other
cr_prog_device <i>(required)</i>	Where listened?	1 Home Radio 2 Mobile phone 3 Social media
Field Check Details		
visit_notes	Visit notes / observations	
calc_end_time	Calculation (Timestamp Capture): once(now()) Captures current date/time upon evaluation.	
duration_seconds	Calculation (Duration / Datetime Math): (decimal-date-time(\${end}) - decimal-date-time(\${start})) * 86400 Converts datetime to decimal days for duration math.	
duration_minutes	Calculation: \${duration_seconds} div 60	
alt_duration_seconds	Calculation (Duration / Datetime Math): (decimal-date-time(\${cr_time_slots_Time}) - decimal-date-time(\${Identification_Start_Time})) * 86400 Converts datetime to decimal days for duration math.	

Field	Question	Answer
alt_duration_minutes	Calculation: $\text{\\${alt_duration_seconds}} \div 60$	
background-audio	[ODK Metadata]: Automated background audio recording captured during the survey.	