

Sample Household Survey

Field	Question	Answer
starttime	[ODK / SurveyCTO / KoboToolbox Metadata]: Automated timestamp recorded when the survey session starts.	
endtime	[ODK / SurveyCTO / KoboToolbox Metadata]: Automated timestamp recorded when the survey session ends.	
today	[ODK / SurveyCTO / KoboToolbox Metadata]: Current date recorded when the survey is conducted.	
deviceid	[ODK / SurveyCTO / KoboToolbox Metadata]: Unique hardware identifier (IMEI/UUID) of the collection device.	
username	[ODK / KoboToolbox / SurveyCTO Metadata]: Username of the logged-in field enumerator.	
audit	[ODK / SurveyCTO / KoboToolbox Metadata]: User activity audit log file tracking timestamped interaction events.	
A. Household identification		
hh_name_pre	Calculation (SurveyCTO / ODK External Dataset Query): pulldata('household_list', 'hh_head_name', 'hh_id', \${hh_id}) <i>Queries pre-loaded CSV dataset or server case data using unique lookup key.</i>	
survey_started	Calculation (Timestamp Capture): once(now()) <i>Captures current date/time upon evaluation.</i>	
district_label	Calculation (ODK / SurveyCTO Choice Label Lookup): jr:choice-name(\${district}, '\${district}') <i>Resolves raw choice option code into human-readable label text.</i>	
interview_minutes	Calculation (Duration / Datetime Math): if(\${endtime} != '', (decimal-date-time(\${endtime}) - decimal-dat... <i>Converts datetime to decimal days for duration math.</i>	

Field	Question	Answer
hh_id <i>(required)</i>	Household ID Copy from the listing sheet	
district <i>(required)</i>	District of residence Read options aloud	1 Khordha 2 Cuttack 3 Balasore
assets	Which of these assets does the household own? Select all that apply <i>Relevance: \${hh_id} != "</i>	1 Bicycle 2 Mobile phone with internet access 3 Refrigerator 96 None of the above
B. Child roster		
child_name <i>(required)</i>	Name of child	
child_age <i>(required)</i>	Age of child in completed years	
child_enrolled <i>(required)</i>	Is the child currently enrolled in school? <i>Relevance: \${child_age} >= 3</i>	1 Yes 0 No
child_label	Calculation (String Processing): concat(substr(\${child_name}, 0, 12), ' - ', string-length(\${child... <i>Performs text manipulation, substring extraction, or string concatenation.</i>	
closing_note	Thank the respondent and end the interview.	