

```
Option Compare Database
```

```
Option Explicit
```

```
Private Sub closeBtn_Click()
```

```
DoCmd.Close acForm, "ACRegF"
```

```
End Sub
```

```
Private Sub AddACbtn_Click()
```

```
    ' Assign values To the fields in the form
```

```
    Me.Customer.Value = Nz(Me.Customer.Value, "")
```

```
    Me.Operator.Value = Nz(Me.Operator.Value, "")
```

```
    Me.ACType.Value = Nz(Me.ACType.Value, "")
```

```
    Me.ACMTOW.Value = Nz(Me.ACMTOW.Value, "")
```

```
    Me.ACReg.Value = Nz(Me.ACReg.Value, "")
```

```
    ' Check If the ACReg And Operator values already exist in the ACRegT table
```

```
    Dim db As DAO.Database
```

```
    Dim rsCheck As DAO.Recordset
```

```
    Dim strSQL As String
```

```
    Set db = CurrentDb
```

```
    strSQL = "Select * FROM ACRegT WHERE ACReg = '" & Me.ACReg.Value & "' And Operator = '" & Me.Operator.Value & "'"
```

```
    Set rsCheck = db.OpenRecordset(strSQL, dbOpenSnapshot)
```

```
    If Not rsCheck.EOF Then
```

```
        ' ACReg And Operator already exist, display a message And Exit the subroutine
```

```
        MsgBox "ACReg And Operator combination already exists in the table. Please enter different values.", vbExclamation
```

```
        rsCheck.Close
```

```
        Set rsCheck = Nothing
```

```
        Set db = Nothing
```

```
    Exit Sub
```

```
Else
```

```
    rsCheck.Close
```

```
    Set rsCheck = Nothing
```

```
    ' Add a New record To the table
```

```
    Dim rs As DAO.Recordset
```

```
    Set rs = db.OpenRecordset("ACRegT", dbOpenDynaset)
```

```
    rs.AddNew
```

```
    ' Assign values To the fields in the table
```

```
    rs.Fields("Customer").Value = Me.Customer.Value
```

```
    rs.Fields("Operator").Value = Me.Operator.Value
```

```
    rs.Fields("ACType").Value = Me.ACType.Value
```

```
    rs.Fields("ACMTOW").Value = Me.ACMTOW.Value
```

```
    rs.Fields("ACReg").Value = Me.ACReg.Value
```

```
    rs.Fields("AirworthExpiry").Value = Me.Airworthtxt.Value
```

```
    rs.Fields("InsuranceExpiry").Value = Me.Insurancetxt.Value
```

```
    rs.Fields("CRSExpiry").Value = Me.CRStxt.Value
```

```
    rs.Fields("RadioExpiry").Value = Me.Radiotxt.Value
```

```
    ' Save the New record
```

```
    rs.Update
```

```
    ' Clean up
```

```
    rs.Close
```

```
    Set rs = Nothing
```

```
    Set db = Nothing
```

```
    ' Reset form values
```

```
    ResetBtn_Click
```

```
    ' Display a message indicating successful addition
```

```
    MsgBox "Data added successfully."
```

```
    Me.Refresh
```

```
End If
```

```
End Sub
Private Sub Form_Load()
    DoCmd.GoToRecord , , acNewRec
End Sub

Private Sub UpdateACBtn_Click()
DoCmd.Save
DoCmd.Requery
End Sub

Public Sub ResetBtn_Click()
    On Error GoTo ErrorHandler

    Me.Undo
    DoCmd.CancelEvent
    DoCmd.GoToRecord , , acNewRec

Exit Sub

ErrorHandler:
    MsgBox "An error occurred: " & err.Description, vbExclamation
End Sub
```


Form_AddAgentF - 1

Option Compare Database

```
Private Sub closeBtn_Click()  
DoCmd.Close acForm, "AddAgentF"  
End Sub
```

```
Private Sub Form_Load()  
    DoCmd.GoToRecord , , acNewRec  
    Dim fw As New clFormWindow  
  
    fw.hWnd = Me.hWnd  
    With fw  
        .Top = (.Parent.Height - .Height) / 2  
        .Left = (.Parent.Width - .Width) / 2  
    End With  
    Set fw = Nothing  
End Sub
```

Form_AddCustomerF - 1

Option Compare Database

```
Private Sub closeBtn_Click()  
DoCmd.Close acForm, "AddCustomerF"  
End Sub
```

```
Private Sub Form_Load()  
DoCmd.GoToRecord , , acNewRec  
End Sub
```

Form_AddFuelVendorF - 1

Option Compare Database

Private Sub AddFuelService_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Set db = CurrentDb

Set rs = db.OpenRecordset("FuelBriefT", dbOpenDynaset)

rs.AddNew

' Assign values to the fields in the table

rs.Fields("Location_ID").Value = Me.Location_ID.Value

rs.Fields("FuelType").Value = Me.FuelType.Value

rs.Fields("FuelStatus").Value = Me.ServiceStatus.Value

rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value

rs.Fields("IPA").Value = Me.IPA.Value

rs.Fields("Quantity").Value = Me.Quantity.Value

rs.Fields("VendorPrice").Value = Me.VendorPrice.Value

rs.Fields("TASPrice").Value = Me.TASPrice.Value

rs.Fields("Vendor").Value = Me.Vendor.Value

rs.Fields("FBO").Value = Me.FBO.Value

' Save the new record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values

ResetBtn_Click

' Display a message indicating successful addition

MsgBox "Data added successfully."

Me.Undo

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "FuelF", acSaveNo

End Sub

Private Sub ResetBtn_Click()

Me.Location_ID.Value = Null

Me.FuelType.Value = "Jet-A1"

Me.ServiceStatus.Value = Null

Me.PaymentMethod.Value = Null

Me.IPA.Value = Null

Me.FBO.Value = Null

Me.Quantity.Value = "As Per Captain Request"

Me.VendorPrice.Value = Null

' Me.TASPrice.Value = Null

Me.FuelVendor.Value = Null

' Me.VendorLoc.Value = Null

Me.Undo

End Sub

Private Sub ICAO_IATACmb_Change()

Dim selectedValue As Variant

selectedValue = Me.ICAO_IATACmb.Value ' Get the selected value from the combo box

If Not IsNull(selectedValue) Then

Dim rs As DAO.Recordset

Set rs = CurrentDb.OpenRecordset("Airports_DataT", dbOpenSnapshot)

rs.FindFirst "AIRPORT_DETAILS = '" & selectedValue & "'"

If Not rs.NoMatch Then

Me.ICAO.Value = rs("ICAO").Value

Me.IATA.Value = rs("IATA").Value

Form_AddFuelVendorF - 2

```
        Me.Country.Value = rs("Country").Value
    Else
        Me.Country.Value = Null
        Me.IATA.Value = Null
        Me.ICAO.Value = Null
    End If

    rs.Close
    Set rs = Nothing
Else
    Me.Country.Value = Null
    Me.IATA.Value = Null
    Me.ICAO.Value = Null
End If

Exit Sub
End Sub

Private Sub Form_Load()

Dim fw As New clFormWindow

    fw.hWnd = Me.hWnd
    With fw
        .Top = (.Parent.Height - .Height) / 2
        .Left = (.Parent.Width - .Width) / 2
    End With
    Set fw = Nothing

End Sub
```

Form_AddLocationF - 1

Option Compare Database

Private Sub AddLocation_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

' Me.Customer.Value = Nz(Me.CurrentARP.Value, "")

Set db = CurrentDb

Set rs = db.OpenRecordset("LocationsT", dbOpenDynaset)

rs.AddNew

' Assign values to the fields in the table

rs.Fields("Location").Value = Me.Location.Value

rs.Fields("Sect_ID").Value = Me.Sect_ID.Column(1)

' Save the new record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values

' ResetBtn_Click

' Display a message indicating successful addition

Me.Location.Value = Null

MsgBox "Data added successfully."

'Me.Undo

'Me.Requery

Me.Refresh

'UpdateIDQueries

End Sub

Public Sub ResetBtn_Click()

On Error GoTo ErrorHandler

Me.Undo

Me.Location.Value = Null

Me.Sect_ID.Value = Null

Exit Sub

ErrorHandler:

MsgBox "An error occurred: " & err.Description, vbExclamation

End Sub

Private Sub UpdateIDQueries()

'On Error Goto ErrorHandler

Dim selectedSect_ID As Integer

Dim query As String

Dim locSect_ID As Integer

selectedSect_ID = Me.Sect_ID.Column(0) ' Get the selected value from RefNo combo box

' Construct the dynamic query based on the selected value

query = "Select ID FROM LocationsT WHERE Sect_ID = " & selectedSect_ID & ";"

' Set the RowSource Property of the other subform's combo box To the dynamic query

Forms("FlightSupport_LASTFORM").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID1").RowSource = query

Forms("FlightSupport_LASTFORM").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID2").RowSource = query

Forms("FlightSupport_LASTFORM").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID3").RowSource = query

Forms("FlightSupport_LASTFORM").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID4").RowSource = query

Forms("FlightSupport_LASTFORM").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID5").RowSource = query

Form_AddLocationF - 2

```
Forms("FlightSupport_LASTFORM").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID6").RowSource = query
```

```
Forms("FlightSupport_LASTFORM").Controls("FlightSupport_BriefsF").Form.Controls("FuelF").Controls("Location_ID").RowSource = query
Forms("FlightSupport_LASTFORM").Controls("FlightSupport_BriefsF").Form.Controls("FuelF").Controls("FlightSupport_FuelReleaseF").Controls("Location_ID").RowSource = query
Forms("FlightSupport_LASTFORM").Controls("FlightSupport_BriefsF").Form.Controls("ConciergeBriefF").Controls("Location_ID").RowSource = query
```

```
Me.Requery
```

```
' Assign selectedSect_ID To locSect_ID
locSect_ID = selectedSect_ID
```

```
' Update the value of Sect_ID in the other subform
```

```
Forms("FlightSupport_LASTFORM").Controls("FlightSupport_NewAddSectorF").Controls("AddLocationF").Controls("Sect_ID").Value = locSect_ID
```

```
'ErrorHandler:
```

```
'MsgBox "An error occurred: " & err.Description, vbExclamation
```

```
End Sub
```

```
Private Sub LoadLastBtn_Click()
```

```
Me.Sect_ID.DefaultValue = "" & GetLastSect_ID() & ""
```

```
End Sub
```

```
Private Function GetLastSect_ID() As Variant
```

```
' Get the latest RefNo value from NewFlightRequestsT table
```

```
Dim db As DAO.Database
```

```
Dim rs As DAO.Recordset
```

```
Dim strSQL As String
```

```
'Dim lastRefNo As Variant
```

```
Dim MaxID As Long
```

```
MaxID = DMax("ID", "NewSectorsT")
```

```
' Me.RecordSource = "SELECT * FROM NewSectorsT WHERE ID = " & MaxID & ";"
```

```
Set db = CurrentDb
```

```
strSQL = "SELECT * FROM NewSectorsT WHERE ID = " & MaxID & ";"
```

```
Set rs = db.OpenRecordset(strSQL)
```

```
' Check if a record was found
```

```
If Not rs.EOF Then
```

```
lastSect_ID = rs.Fields("Sect_ID").Value
```

```
End If
```

```
' Clean up
```

```
rs.Close
```

```
Set rs = Nothing
```

```
Set db = Nothing
```

```
GetLastSect_ID = lastSect_ID
```

```
End Function
```

Option Compare Database

Private Sub AddNewARPs_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim selectedValue As Variant

selectedValue = Me.CurrentARP.Value ' Get the selected value from the combo box

If IsNull(selectedValue) Then

MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"

Exit Sub

End If

' Check if the value already exists in the table

Set db = CurrentDb

Set rs = db.OpenRecordset("Airports_DataT", dbOpenDynaset)

rs.FindFirst "AIRPORT_DETAILS = '" & selectedValue & "'"

If Not rs.NoMatch Then

MsgBox "The selected value already exists in the table.", vbInformation, "Duplicate Value"

rs.Close

Set rs = Nothing

Set db = Nothing

Exit Sub

End If

rs.Close

' Add a new record to the table

Set rs = db.OpenRecordset("Airports_DataT", dbOpenDynaset)

rs.AddNew

' Assign values to the fields in the table

rs.Fields("AIRPORT_DETAILS").Value = Me.CurrentARP.Value

rs.Fields("ICAO").Value = Me.ICAO.Value

rs.Fields("IATA").Value = Me.IATA.Value

rs.Fields("Location").Value = Me.Location.Value

rs.Fields("Country").Value = Me.Country.Value

rs.Fields("AIRPORT").Value = Me.AIRPORT.Value

rs.Fields("Full_Airport").Value = Me.Full_Airport.Value

' Save the new record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Display a message indicating successful addition

MsgBox "Data added successfully.", vbInformation, "Success"

' Reset form values

ResetBtn_Click

Me.Refresh

Me.Requery

End Sub

Private Sub ARPCmb_AfterUpdate()

Me.RecordSource = "SELECT * FROM Airports_DataT ORDER BY ID DESC;"

'Me.RecordSource = "SELECT * FROM Airports_DataT WHERE ICAO = '" & Me.ICAO & "'" ;"

'Me.CurrentARP = Me.ARPCmb

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "AddNewAirportF", acSaveNo

End Sub

Private Sub Form_Load()

Dim fw As New clFormWindow

Dim MaxID As Long

fw.hWnd = Me.hWnd

With fw

Form_AddNewAirportF - 2

```
        .Top = (.Parent.Height - .Height) / 2
        .Left = (.Parent.Width - .Width) / 2
    End With
    Set fw = Nothing
    Me.Undo
```

```
DoCmd.GoToRecord , , acNewRec
'MaxID = DMax("ID", "Airports_FIRsT")
'Me.RecordSource = "SELECT * FROM Airports_FIRsT WHERE ID = " & MaxID & ";"
```

```
End Sub
Private Sub UpdateACBtn_Click()
DoCmd.Save
DoCmd.Requery
```

```
End Sub
Public Sub ResetBtn_Click()
    'On Error GoTo ErrorHandler

    'DoCmd.CancelEvent

    ' DoCmd.GoToRecord , , acNewRec
    Me.Undo
    Me.CurrentARP.Value = Null
    'Me.ICAO.Value = Null
    ' Me.IATA.Value = Null
    Me.Location.Value = Null
    Me.Country.Value = Null
    Me.AIRPORT.Value = Null
    'Me.Full_Airport.Value = Null
    Me.Undo
```

```
Exit Sub
```

```
'ErrorHandler:
    'Exit Sub
End Sub
```


Option Compare Database

```

Private Sub CancelBtn_Click()
If MsgBox(" Are you sure? you dont want to add new user info", vbYesNo, "App Title") = vbYes Then
DoCmd.Close acForm, Me.Name
DoCmd.OpenForm "MainMenuf", acNormal
End If

End Sub

Private Sub Form_Load()
Dim fw As New clFormWindow

    fw.hWnd = Me.hWnd
    With fw
        .Top = (.Parent.Height - .Height) / 2
        .Left = (.Parent.Width - .Width) / 2
    End With
    Set fw = Nothing

DoCmd.RunCommand acCmdRecordsGoToNew

End Sub

Private Sub SignUpBtn_Click()
Dim CountUser As Integer

    If IsNull(Me.UserName) Or Me.UserName = "" Then
        MsgBox "You must enter a User Name", vbCritical
        Exit Sub
    Else

        CountUser = DCount("UserName", "UsersT", "UserName ='" & Me.UserName & "'")

        If CountUser > 0 Then
            MsgBox "Sorry, the specified User already exists. Kindly specify a new User Name.", vbCritical, "App Title"
            Exit Sub
        End If
    End If

    If IsNull(Me.FullName) Or Me.FullName = "" Then
        MsgBox "You must enter a Full name", vbCritical
        Exit Sub
    End If

    If IsNull(Me.UserPassword) Or Me.UserPassword = "" Then
        MsgBox "You must enter a Password", vbCritical
        Exit Sub
    End If

    If Me.UserPassword <> Me.ConfirmedPassword Then
        MsgBox "Password confirmation does not match. Please confirm your password."
        Me.ConfirmedPassword.SetFocus
    Else
        DoCmd.RunCommand acCmdSaveRecord
        DoCmd.RunCommand acCmdRecordsGoToNew
        Me.UserPassword.Value = ""
    End If
End Sub

```

Form_AddVendorsF - 1

Option Compare Database

```
Private Sub closeBtn_Click()  
DoCmd.Close acForm, "AddVendorsF"  
End Sub
```

```
Private Sub Form_Load()  
DoCmd.GoToRecord , , acNewRec  
End Sub
```


Option Compare Database

Private Sub addServiceBtn_Click()

On Error GoTo ErrorHandler

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim I As Integer

Dim Service As String, Vendor As String, Agent As String, ServiceStatus As String, PaymentMethod As String

Dim Notes As String, Sect_ID As Variant ' Add variable declaration for Notes

' Open the main table's recordset

Set db = CurrentDb

Set rs = db.OpenRecordset("ServicesT", dbOpenDynaset)

' Loop through the sets of text boxes and add records

For I = 1 To 10 ' Change 10 to the desired number of services

' Retrieve values from text boxes

Service = Nz(Me.Controls("Service" & I).Value, "")

Vendor = Nz(Me.Controls("Vendor" & I).Value, "")

Agent = Nz(Me.Controls("Agent" & I).Value, "")

ServiceStatus = Nz(Me.Controls("ServiceStatus" & I).Value, "")

PaymentMethod = Nz(Me.Controls("PaymentMethod" & I).Value, "")

Notes = Nz(Me.Controls("Notes" & I).Value, "")

Sect_ID = Nz(Me.Controls("Sect_ID" & I).Value, "")

' Check if at least one field is not empty

If Service <> "" Or Vendor <> "" Or Agent <> "" Or ServiceStatus <> "" Or PaymentMethod <> "" Or Notes <> "" Or Not IsNull(Notes) Or Not IsNull(Sect_ID) Then

' Add a record

rs.AddNew

' Assign values to the fields in the table

rs.Fields("Service").Value = Service

rs.Fields("Vendor").Value = Vendor

rs.Fields("Agent").Value = Agent

rs.Fields("ServiceStatus").Value = ServiceStatus

rs.Fields("PaymentMethod").Value = PaymentMethod

rs.Fields("Notes").Value = Notes

rs.Fields("Sect_ID").Value = Sect_ID

rs.Update

End If

' Clear the text boxes after adding a record

Me.Controls("Service" & I).Value = Null

Me.Controls("Vendor" & I).Value = Null

Me.Controls("Agent" & I).Value = Null

Me.Controls("ServiceStatus" & I).Value = Null

Me.Controls("PaymentMethod" & I).Value = Null

Me.Controls("Notes" & I).Value = Null

Me.Controls("Sect_ID" & I).Value = Null

Next I

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Optional: Display a message indicating successful addition

MsgBox "Service records added successfully.", vbInformation

Exit Sub

ErrorHandler:

MsgBox "Service records added successfully.", vbInformation

Exit Sub

End Sub

Private Sub closeBtn_Click()

DoCmd.Close acForm, "multiNewServicesF"

End Sub

```
Private Sub Form_Load()  
    DoCmd.GoToRecord , , acNewRec  
        ' Check if the other form is loaded  
    If CurrentProject.AllForms("AddSectorF").IsLoaded Then  
        ' Get the value from the other form  
        Dim otherForm As Form  
        Set otherForm = Forms("AddSectorF")  
        Me.Sect_ID1.Value = otherForm.Sect_ID.Value  
    Else  
        ' Calculate the latest value from the table  
        Dim lastSect_ID As String  
        lastSect_ID = Nz(DMax("Sect_ID", "SectorsT"), "")  
  
        ' Assign the latest value to the Sect_ID1 field  
        Me.Sect_ID1.Value = lastSect_ID  
    End If  
End Sub
```

Form_aviationServicesF - 1

Option Compare Database

```
Private Sub closeBtn_Click()  
DoCmd.Close acForm, "aviationServicesF"  
End Sub
```

```
Private Sub Form_Load()  
DoCmd.GoToRecord , , acNewRec  
End Sub
```

Form_BaseAddNewAirportF - 1

Option Compare Database

Private Sub AddNewARPs_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

If IsNull(Me.CurrentARP.Value) Then

MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"

Exit Sub

Else

' Me.Customer.Value = Nz(Me.CurrentARP.Value, "")

Set db = CurrentDb

Set rs = db.OpenRecordset("Airports_DataT", dbOpenDynaset)

rs.AddNew

' Assign values to the fields in the table

rs.Fields("AIRPORT_DETAILS").Value = Me.CurrentARP.Value

rs.Fields("ICAO").Value = Me.ICAO.Value

rs.Fields("IATA").Value = Me.IATA.Value

rs.Fields("Location").Value = Me.Location.Value

rs.Fields("Country").Value = Me.Country.Value

rs.Fields("AIRPORT").Value = Me.AIRPORT.Value

rs.Fields("AIRPORTS_FIRs").Value = Me.AIRPORTS_FIRs.Value

' Save the new record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Display a message indicating successful addition

MsgBox "Data added successfully."

' Reset form values

ResetBtn_Click

End If

End Sub

Private Sub ARPCmb_AfterUpdate()

Me.RecordSource = "SELECT * FROM Airports_DataT ORDER BY ID DESC;"

'Me.RecordSource = "SELECT * FROM Airports_DataT WHERE ICAO = '" & Me.ICAO & "';"

'Me.CurrentARP = Me.ARPCmb

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "AddNewAirportF", acSaveNo

End Sub

Private Sub Form_Load()

Dim fw As New clFormWindow

Dim MaxID As Long

fw.hWnd = Me.hWnd

With fw

.Top = (.Parent.Height - .Height) / 2

.Left = (.Parent.Width - .Width) / 2

End With

Set fw = Nothing

Me.Undo

DoCmd.GoToRecord , , acNewRec

'MaxID = DMax("ID", "Airports_FIRsT")

'Me.RecordSource = "SELECT * FROM Airports_FIRsT WHERE ID = " & MaxID & ";"

End Sub

Private Sub UpdateACBtn_Click()

DoCmd.Save

Form_BaseAddNewAirportF -2

```
DoCmd.Requery
End Sub

Public Sub ResetBtn_Click()
    On Error GoTo ErrorHandler

    'DoCmd.CancelEvent

    ' DoCmd.GoToRecord , , acNewRec
Me.CurrentARP.Value = Null
Me.ICAO.Value = Null
Me.IATA.Value = Null
Me.Location.Value = Null
Me.Country.Value = Null
Me.AIRPORT.Value = Null
Me.AIRPORTS_FIRs.Value = Null
Me.Undo

    Exit Sub

ErrorHandler:
    Exit Sub
End Sub
```

Form_ConciergeBriefF - 1

Option Compare Database

Private Sub AddService_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

If IsNull(Me.Location_ID) Or IsNull(Me.ServiceType) Or IsNull(Me.ServiceStatus) Or IsNull(Me.PaymentMethod) Or IsNull(Me.Vendor) Then

MsgBox "Add Missing Fields", vbExclamation

Exit Sub

Else

' Check if a record with the same ServiceType and Location_ID already exists

Set db = CurrentDb

Set rs = db.OpenRecordset("ConciergeBriefT_New", dbOpenDynaset)

If DCount("*", "ConciergeBriefT_New", "ServiceType = '" & Me.ServiceType.Value & "' AND Location_ID = '" & Me.Location_ID.Value) > 0 Then

MsgBox "A record with the same ServiceType and Location_ID already exists.", vbExclamation, "Duplicate Record"

rs.Close

Set rs = Nothing

Set db = Nothing

Exit Sub

End If

Set rs = db.OpenRecordset("ConciergeBriefT_New", dbOpenDynaset)

rs.AddNew

' Assign values to the fields in the table

rs.Fields("Location_ID").Value = Me.Location_ID.Value

rs.Fields("ServiceType").Value = Me.ServiceType.Value

rs.Fields("ServiceStatus").Value = Me.ServiceStatus.Value

rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value

rs.Fields("Notes").Value = Me.Notes.Value

rs.Fields("HotelDetails").Value = Me.HotelDetails.Value

rs.Fields("DriverDetails").Value = Me.DriverDetails.Value

rs.Fields("Vendor").Value = Me.Vendor.Value

' Save the new record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values

Me.ServiceType.Value = Null

Me.Notes.Value = Null

Me.HotelDetails.Value = Null

Me.DriverDetails.Value = Null

Me.Vendor.Value = Null

' Display a message indicating successful addition

MsgBox "Data added successfully."

Me.Undo

End If

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "ConciergeBriefF_New", acSaveNo

End Sub

Private Sub Form_GotFocus()

'Me.Location_ID = GetLastLocID

End Sub

Private Function GetLastLocID() As Variant

' Get the latest RefNo value from NewFlightRequestsT table

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim strSQL As String

'Dim lastRefNo As Variant

```

Dim MaxID As Long
MaxID = DMax("ID", "LocationsT_New")
' Me.RecordSource = "Select * FROM NewSectorsT WHERE ID = " & MaxID & ";"

Set db = CurrentDb
strSQL = "Select * FROM LocationsT_New WHERE ID = " & MaxID & ";"
Set rs = db.OpenRecordset(strSQL)

' Check If a record was found
If Not rs.EOF Then
    LastLocID = rs.Fields("ID").Value
End If

' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing

GetLastLocID = LastLocID
End Function
Private Sub Form_Load()

Dim Loaded_FORM As Form

Me.closeBtn.Visible = False
'Me.Location_ID = GetLastLocID

End Sub

Private Sub ResetBtn_Click()
'Me.Location_ID.Value = Null
Me.ServiceType.Value = Null
Me.ServiceStatus.Value = Null
Me.PaymentMethod.Value = Null
Me.Notes.Value = Null
Me.HotelDetails.Value = Null
Me.DriverDetails.Value = Null
Me.Vendor.Value = Null

Me.Undo
End Sub
' for future usage once we have enough data to select from
Private Sub VendorLocCmb_Change()
Dim selectedValue As Variant
selectedValue = Me.VendorLocCmb.Value ' Get the selected value from the combo box

If Not IsNull(selectedValue) Then
    Dim rs As DAO.Recordset
    Set rs = CurrentDb.OpenRecordset("FuelVendorsT", dbOpenSnapshot)

    rs.FindFirst "VendorICAO = '" & selectedValue & "'"
    If Not rs.NoMatch Then
        Me.IPA.Value = rs("IPA").Value
        Me.FBO.Value = rs("FBO").Value
        Me.Vendor.Value = rs("FuelVendor").Value
        Me.Location_ID.Value = rs("Location_ID").Value
        Me.VendorPrice.Value = rs("VendorPrice").Value
    Else
        Me.IPA.Value = Null
        Me.Vendor.Value = Null
        Me.Location_ID.Value = Null
        Me.VendorPrice.Value = Null
        Me.FBO.Value = Null
    End If

    rs.Close
    Set rs = Nothing
Else
    Me.IPA.Value = Null
    Me.Vendor.Value = Null
    Me.Location_ID.Value = Null

```

```
        Me.VendorPrice.Value = Null
        Me.FBO.Value = Null
    End If

    Exit Sub
    Me.Refresh
End Sub
```

Form_ConciergeBriefF_New -1

Option Compare Database

Private Sub AddService_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

If IsNull(Me.Location_ID) Or IsNull(Me.ServiceType) Or IsNull(Me.ServiceStatus) Or IsNull(Me.PaymentMethod) Or IsNull(Me.Vendor) Then

MsgBox "Add Missing Fields", vbExclamation

Exit Sub

Else

' Check if a record with the same ServiceType and Location_ID already exists

Set db = CurrentDb

Set rs = db.OpenRecordset("ConciergeBriefT_New", dbOpenDynaset)

If DCount("*", "ConciergeBriefT_New", "ServiceType = '" & Me.ServiceType.Value & "' AND Notes = '" & Me.Notes.Value & "' AND Location_ID = " & Me.Location_ID.Column(1)) > 0 Then

MsgBox "A record with the same ServiceType and Location_ID already exists.", vbExclamation, "Duplicate Record"

rs.Close

Set rs = Nothing

Set db = Nothing

Exit Sub

End If

Set rs = db.OpenRecordset("ConciergeBriefT_New", dbOpenDynaset)

rs.AddNew

' Assign values to the fields in the table

rs.Fields("Location_ID").Value = Me.Location_ID.Column(1)

rs.Fields("ServiceType").Value = Me.ServiceType.Value

rs.Fields("ServiceStatus").Value = Me.ServiceStatus.Value

rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value

rs.Fields("Notes").Value = Me.Notes.Value

rs.Fields("HotelDetails").Value = Me.HotelDetails.Value

rs.Fields("DriverDetails").Value = Me.DriverDetails.Value

rs.Fields("Vendor").Value = Me.Vendor.Value

' Save the new record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values

Me.ServiceType.Value = Null

Me.Notes.Value = Null

Me.HotelDetails.Value = Null

Me.DriverDetails.Value = Null

Me.Vendor.Value = Null

' Display a message indicating successful addition

MsgBox "Data added successfully."

Me.Undo

End If

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "ConciergeBriefF_New", acSaveNo

End Sub

Private Sub Form_GotFocus()

'Me.Location_ID = GetLastLocID

End Sub

Private Function GetLastLocID() As Variant

' Get the latest RefNo value from NewFlightRequestsT table

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim strSQL As String

'Dim lastRefNo As Variant

Form_ConciergeBriefF_New - 2

```
Dim MaxID As Long
MaxID = DMax("ID", "LocationsT_New")
' Me.RecordSource = "Select * FROM NewSectorsT WHERE ID = " & MaxID & ";"

Set db = CurrentDb
strSQL = "Select * FROM LocationsT_New WHERE ID = " & MaxID & ";"
Set rs = db.OpenRecordset(strSQL)

' Check If a record was found
If Not rs.EOF Then
    LastLocID = rs.Fields("ID").Value
End If

' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing

GetLastLocID = LastLocID
End Function
Private Sub Form_Load()

Dim Loaded_FORM As Form

Me.closeBtn.Visible = False
'Me.Location_ID = GetLastLocID

End Sub

Private Sub ResetBtn_Click()
'Me.Location_ID.Value = Null
Me.ServiceType.Value = Null
Me.ServiceStatus.Value = Null
Me.PaymentMethod.Value = Null
Me.Notes.Value = Null
Me.HotelDetails.Value = Null
Me.DriverDetails.Value = Null
Me.Vendor.Value = Null

Me.Undo
End Sub
' for future usage once we have enough data to select from
Private Sub VendorLocCmb_Change()
Dim selectedValue As Variant
selectedValue = Me.VendorLocCmb.Value ' Get the selected value from the combo box

If Not IsNull(selectedValue) Then
    Dim rs As DAO.Recordset
    Set rs = CurrentDb.OpenRecordset("FuelVendorsT", dbOpenSnapshot)

    rs.FindFirst "VendorICAO = '" & selectedValue & "'"
    If Not rs.NoMatch Then
        Me.IPA.Value = rs("IPA").Value
        Me.FBO.Value = rs("FBO").Value
        Me.Vendor.Value = rs("FuelVendor").Value
        Me.Location_ID.Value = rs("Location_ID").Value
        Me.VendorPrice.Value = rs("VendorPrice").Value
    Else
        Me.IPA.Value = Null
        Me.Vendor.Value = Null
        Me.Location_ID.Value = Null
        Me.VendorPrice.Value = Null
        Me.FBO.Value = Null
    End If

    rs.Close
    Set rs = Nothing
Else
    Me.IPA.Value = Null
    Me.Vendor.Value = Null
    Me.Location_ID.Value = Null
End If
```

Form_ConciergeBriefF_New - 3

```
Me.VendorPrice.Value = Null  
Me.FBO.Value = Null
```

```
End If
```

```
Exit Sub  
Me.Refresh  
End Sub
```

Option Compare Database

Option Explicit

Private Sub AddService_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

If IsNull(Me.Location_ID) Or IsNull(Me.ServiceType) Or IsNull(Me.ServiceStatus) Or IsNull(Me.PaymentMethod) Or IsNull(Me.Vendor) Then

MsgBox "Add Missing Fields", vbExclamation

Exit Sub

Else

' Check if a record with the same ServiceType and Location_ID already exists

Set db = CurrentDb

Set rs = db.OpenRecordset("ConciergeBriefT_New", dbOpenDynaset)

If DCount("*", "ConciergeBriefT_New", "ServiceType = '" & Me.ServiceType.Value & "' AND Notes = '" & Me.Notes.Value & "' AND Location_ID = " & Me.Location_ID.Column(1)) > 0 Then

MsgBox "A record with the same ServiceType and Location_ID already exists.", vbExclamation, "Duplicate Record"

rs.Close

Set rs = Nothing

Set db = Nothing

Exit Sub

End If

Set rs = db.OpenRecordset("ConciergeBriefT_New", dbOpenDynaset)

rs.AddNew

' Assign values to the fields in the table

rs.Fields("Location_ID").Value = Me.Location_ID.Column(1)

rs.Fields("ServiceType").Value = Me.ServiceType.Value

rs.Fields("ServiceStatus").Value = Me.ServiceStatus.Value

rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value

rs.Fields("Notes").Value = Me.Notes.Value

rs.Fields("HotelDetails").Value = Me.HotelDetails.Value

rs.Fields("DriverDetails").Value = Me.DriverDetails.Value

rs.Fields("Vendor").Value = Me.Vendor.Value

' Save the new record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values

Me.ServiceType.Value = Null

Me.Notes.Value = Null

Me.HotelDetails.Value = Null

Me.DriverDetails.Value = Null

Me.Vendor.Value = Null

' Display a message indicating successful addition

MsgBox "Data added successfully."

Me.Undo

End If

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "ConciergeBriefF_New", acSaveNo

End Sub

Private Sub Form_GotFocus()

Form_Load

End Sub

Private Function GetLastLocID() As Variant

' Get the latest RefNo value from NewFlightRequestsT table

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim strSQL As String

```

'Dim lastRefNo As Variant
Dim MaxID As Long
MaxID = DMax("ID", "LocationsT_New")
' Me.RecordSource = "Select * FROM NewSectorsT WHERE ID = " & MaxID & ";"

Set db = CurrentDb
strSQL = "Select * FROM LocationsT_New WHERE ID = " & MaxID & ";"
Set rs = db.OpenRecordset(strSQL)

' Check If a record was found
If Not rs.EOF Then
    LastLocID = rs.Fields("ID").Value
End If

' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing

GetLastLocID = LastLocID
End Function

Private Sub Form_Load()
    Dim selectedSect_ID As Integer
    Dim LocationsQuery As String
    Dim Sect_ID As Variant ' Use Variant data type to handle Null values
    Dim Loaded_FORM As Form

    Me.closeBtn.Visible = False
    Sect_ID = Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_AddSectorsF").Form.Controls("Sect_IDCmb").Value

    If IsNull(Sect_ID) Then
        Exit Sub
    Else
        selectedSect_ID = Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_AddSectorsF").Form.Controls("Sect_IDCmb").Column(1)
        LocationsQuery = "Select Location,ID FROM LocationsT_New WHERE Sect_ID = " & selectedSect_ID & ";"
        Me.Location_ID.RowSource = LocationsQuery
        Me.Requery
    End If
End Sub

Private Sub ResetBtn_Click()
    Me.Location_ID.Value = Null
    Me.ServiceType.Value = Null
    Me.ServiceStatus.Value = Null
    Me.PaymentMethod.Value = Null
    Me.Notes.Value = Null
    Me.HotelDetails.Value = Null
    Me.DriverDetails.Value = Null
    Me.Vendor.Value = Null

    Me.Undo
End Sub

' for future usage once we have enough data to select from
Private Sub VendorLocCmb_Change()
    Dim selectedValue As Variant
    selectedValue = Me.VendorLocCmb.Value ' Get the selected value from the combo box

    If Not IsNull(selectedValue) Then
        Dim rs As DAO.Recordset
        Set rs = CurrentDb.OpenRecordset("FuelVendorsT", dbOpenSnapshot)

        rs.FindFirst "VendorICAO = '" & selectedValue & "'"
        If Not rs.NoMatch Then
            Me.IPA.Value = rs("IPA").Value
            Me.FBO.Value = rs("FBO").Value
            Me.Vendor.Value = rs("FuelVendor").Value
        End If
    End If
End Sub

```

```
        Me.Location_ID.Value = rs("Location_ID").Value
        Me.VendorPrice.Value = rs("VendorPrice").Value
    Else
        Me.IPA.Value = Null
        Me.Vendor.Value = Null
        Me.Location_ID.Value = Null
        Me.VendorPrice.Value = Null
        Me.FBO.Value = Null
    End If

    rs.Close
    Set rs = Nothing
Else
    Me.IPA.Value = Null
    Me.Vendor.Value = Null
    Me.Location_ID.Value = Null
    Me.VendorPrice.Value = Null
    Me.FBO.Value = Null
End If

Exit Sub
Me.Refresh
End Sub
```

```

Option Compare Database
Option Explicit
Const acEmpty As Long = 0
Private Sub AddService_Click()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    If IsNull(Me.Location_ID) Or IsNull(Me.ServiceType) Or IsNull(Me.ServiceStatus) Or IsNull(Me.PaymentMethod) Or IsNull(Me.Vendor) Then
        MsgBox "Add Missing Fields", vbExclamation
        Exit Sub
    Else
        ' Check if a record with the same ServiceType and Location_ID already exists
        Set db = CurrentDb
        Set rs = db.OpenRecordset("ConciergeBriefT_New", dbOpenDynaset)
        If DCount("*", "ConciergeBriefT_New", "ServiceType = '" & Me.ServiceType.Value & "' AND Notes = '" & Me.Notes.Value & "' AND Location_ID = " & Me.Location_ID.Column(1)) > 0 Then
            MsgBox "A record with the same ServiceType and Location_ID already exists.", vbExclamation, "Duplicate Record"
            rs.Close
            Set rs = Nothing
            Set db = Nothing
            Exit Sub
        End If

        Set rs = db.OpenRecordset("ConciergeBriefT_New", dbOpenDynaset)
        rs.AddNew

        ' Assign values to the fields in the table
        rs.Fields("Location_ID").Value = Me.Location_ID.Column(1)
        rs.Fields("ServiceType").Value = Me.ServiceType.Value
        rs.Fields("ServiceStatus").Value = Me.ServiceStatus.Value
        rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value
        rs.Fields("Notes").Value = Me.Notes.Value
        rs.Fields("HotelDetails").Value = Me.HotelDetails.Value
        rs.Fields("DriverDetails").Value = Me.DriverDetails.Value
        rs.Fields("Vendor").Value = Me.Vendor.Value

        ' Save the new record
        rs.Update

        ' Clean up
        rs.Close
        Set rs = Nothing
        Set db = Nothing

        ' Reset form values
        Me.ServiceType.Value = Null
        Me.Notes.Value = Null
        Me.HotelDetails.Value = Null
        Me.DriverDetails.Value = Null
        Me.Vendor.Value = Null
        ' Display a message indicating successful addition
        MsgBox "Data added successfully."
        Me.Undo
    End If
End Sub

Private Sub closeBtn_Click()
    Me.Undo

    DoCmd.Close acForm, "ConciergeBriefF_New", acSaveNo
End Sub

Private Sub Form_GotFocus()
    Form_Load
End Sub

Private Function GetLastLocID() As Variant

    ' Get the latest RefNo value from NewFlightRequestsT table
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

```

```

Dim strSQL As String
'Dim lastRefNo As Variant
Dim MaxID As Long
MaxID = DMax("ID", "LocationsT_New")
' Me.RecordSource = "Select * FROM NewSectorsT WHERE ID = " & MaxID & ";"

Set db = CurrentDb
strSQL = "Select * FROM LocationsT_New WHERE ID = " & MaxID & ";"
Set rs = db.OpenRecordset(strSQL)

' Check If a record was found
If Not rs.EOF Then
    LastLocID = rs.Fields("ID").Value
End If

' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing

GetLastLocID = LastLocID
End Function
Private Sub Form_Load_ex()
Dim selectedSect_ID As Integer
Dim LocationsQuery As String
Dim Sect_ID As Variant ' Use Variant data type to handle Null values
Dim Loaded_FORM As Form

Me.closeBtn.Visible = False
Sect_ID = Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_AddSectorsF").Form.Controls("Sect_IDCmb").Value

If IsNull(Sect_ID) Then
    Exit Sub
Else
    selectedSect_ID = Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_AddSectorsF").Form.Controls("Sect_IDCmb").Column(1)
    LocationsQuery = "Select Location, ID FROM LocationsT_New WHERE Sect_ID = " & selectedSect_ID & ";"
    Me.Location_ID.RowSource = LocationsQuery
    Me.Requery
End If

End Sub
Private Sub Form_Load()
Dim selectedSect_ID As Integer
Dim LocationsQuery As String
Dim CurrentForm As Form

On Error Resume Next
selectedSect_ID = Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_AddUpdateRequestF").Controls("Add_UpdateRequestF").Form.Controls("SectorNoCmb").Column(1) ' Get the selected value from RefNo combo box
If Not IsNull(selectedSect_ID) Then

    LocationsQuery = "Select DISTINCT Location, Loc_ID FROM FlightSupport_locationsQ_V12 WHERE Sect_ID = " & selectedSect_ID & ";"

    Set CurrentForm = Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_AddUpdateRequestF").Controls("Add_UpdateRequestF").Form.Controls("FlightSupport_ServicesTabs").Form.Controls("BriefsTabs").Form

On Error Resume Next
If CurrentForm.Form.Controls("Location_ID").ControlType <> acEmpty Then
    CurrentForm.Form.Controls("Location_ID").RowSource = LocationsQuery

ElseIf CurrentForm.Form.Controls("Location_ID1").ControlType <> acEmpty Then
    CurrentForm.Form.Controls("Location_ID1").RowSource = LocationsQuery
    CurrentForm.Form.Controls("Location_ID2").RowSource = LocationsQuery

```

```

        CurrentForm.Form.Controls("Location_ID3").RowSource = LocationsQuery
        CurrentForm.Form.Controls("Location_ID4").RowSource = LocationsQuery
        CurrentForm.Form.Controls("Location_ID5").RowSource = LocationsQuery
        CurrentForm.Form.Controls("Location_ID6").RowSource = LocationsQuery
    Else
        CurrentForm.Form.Controls("Airport").RowSource = LocationsQuery
        CurrentForm.Controls("FlightSupport_FuelReleaseF").Form.Controls("Location").RowSource = LocationsQuery
    End If
    End If
    On Error GoTo 0
    Me.Refresh
End Sub

Private Sub ResetBtn_Click()
    'Me.Location_ID.Value = Null
    Me.ServiceType.Value = Null
    Me.ServiceStatus.Value = Null
    Me.PaymentMethod.Value = Null
    Me.Notes.Value = Null
    Me.HotelDetails.Value = Null
    Me.DriverDetails.Value = Null
    Me.Vendor.Value = Null

    Me.Undo
End Sub
' for future usage once we have enough data to select from
Private Sub VendorLocCmb_Change()
    Dim selectedValue As Variant
    selectedValue = Me.VendorLocCmb.Value ' Get the selected value from the combo box

    If Not IsNull(selectedValue) Then
        Dim rs As DAO.Recordset
        Set rs = CurrentDb.OpenRecordset("FuelVendorsT", dbOpenSnapshot)

        rs.FindFirst "VendorICAO = '" & selectedValue & "'"
        If Not rs.NoMatch Then
            Me.IPA.Value = rs("IPA").Value
            Me.FBO.Value = rs("FBO").Value
            Me.Vendor.Value = rs("FuelVendor").Value
            Me.Location_ID.Value = rs("Location_ID").Value
            Me.VendorPrice.Value = rs("VendorPrice").Value
        Else
            Me.IPA.Value = Null
            Me.Vendor.Value = Null
            Me.Location_ID.Value = Null
            Me.VendorPrice.Value = Null
            Me.FBO.Value = Null
        End If

        rs.Close
        Set rs = Nothing
    Else
        Me.IPA.Value = Null
        Me.Vendor.Value = Null
        Me.Location_ID.Value = Null
        Me.VendorPrice.Value = Null
        Me.FBO.Value = Null
    End If

    Exit Sub
    Me.Refresh
End Sub

```


Option Compare Database

Private Sub AddService_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Set db = CurrentDb

Set rs = db.OpenRecordset("ConciergeBriefT", dbOpenDynaset)

rs.AddNew

' Assign values to the fields in the table

rs.Fields("Location_ID").Value = Me.Location_ID.Value

rs.Fields("ServiceType").Value = Me.ServiceType.Value

rs.Fields("ServiceStatus").Value = Me.ServiceStatus.Value

rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value

rs.Fields("Notes").Value = Me.Notes.Value

rs.Fields("HotelDetails").Value = Me.HotelDetails.Value

rs.Fields("DriverDetails").Value = Me.DriverDetails.Value

rs.Fields("Vendor").Value = Me.Vendor.Value

' Save the new record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values

ResetBtn_Click

' Display a message indicating successful addition

MsgBox "Data added successfully."

Me.Undo

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "ConciergeBriefF", acSaveNo

End Sub

Private Sub Form_GotFocus()

Me.Location_ID = GetLastLocID

End Sub

Private Function GetLastLocID() As Variant

' Get the latest RefNo value from NewFlightRequestsT table

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim strSQL As String

'Dim lastRefNo As Variant

Dim MaxID As Long

MaxID = DMax("ID", "LocationsT")

' Me.RecordSource = "Select * FROM NewSectorsT WHERE ID = " & MaxID & ";"

Set db = CurrentDb

strSQL = "Select * FROM LocationsT WHERE ID = " & MaxID & ";"

Set rs = db.OpenRecordset(strSQL)

' Check If a record was found

If Not rs.EOF Then

LastLocID = rs.Fields("ID").Value

End If

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

GetLastLocID = LastLocID

End Function

```
Private Sub Form_Load()
```

```
Dim Loaded_FORM As Form
```

```
Me.closeBtn.Visible = False
Me.Location_ID = GetLastLocID
```

```
End Sub
```

```
Private Sub ResetBtn_Click()
```

```
'Me.Location_ID.Value = Null
Me.ServiceType.Value = Null
Me.ServiceStatus.Value = Null
Me.PaymentMethod.Value = Null
Me.Notes.Value = Null
Me.HotelDetails.Value = Null
Me.DriverDetails.Value = Null
Me.Vendor.Value = Null
```

```
Me.Undo
```

```
End Sub
```

```
' for future usage once we have enough data to select from
```

```
Private Sub VendorLocCmb_Change()
```

```
Dim selectedValue As Variant
```

```
selectedValue = Me.VendorLocCmb.Value ' Get the selected value from the combo box
```

```
If Not IsNull(selectedValue) Then
```

```
Dim rs As DAO.Recordset
```

```
Set rs = CurrentDb.OpenRecordset("FuelVendorsT", dbOpenSnapshot)
```

```
rs.FindFirst "VendorICAO = '" & selectedValue & "'"
```

```
If Not rs.NoMatch Then
```

```
Me.IPA.Value = rs("IPA").Value
```

```
Me.FBO.Value = rs("FBO").Value
```

```
Me.Vendor.Value = rs("FuelVendor").Value
```

```
Me.Location_ID.Value = rs("Location_ID").Value
```

```
Me.VendorPrice.Value = rs("VendorPrice").Value
```

```
Else
```

```
Me.IPA.Value = Null
```

```
Me.Vendor.Value = Null
```

```
Me.Location_ID.Value = Null
```

```
Me.VendorPrice.Value = Null
```

```
Me.FBO.Value = Null
```

```
End If
```

```
rs.Close
```

```
Set rs = Nothing
```

```
Else
```

```
Me.IPA.Value = Null
```

```
Me.Vendor.Value = Null
```

```
Me.Location_ID.Value = Null
```

```
Me.VendorPrice.Value = Null
```

```
Me.FBO.Value = Null
```

```
End If
```

```
Exit Sub
```

```
End Sub
```

Option Compare Database

Private Sub ACRgCb_Change()

Dim selectedValue As Variant

selectedValue = Me.ACRgCb.Value ' Get the selected value from the combo box

If Not IsNull(selectedValue) Then

Dim rs As DAO.Recordset

Set rs = CurrentDb.OpenRecordset("ACRegT", dbOpenSnapshot)

rs.FindFirst "ACReg = '" & selectedValue & "'"

If Not rs.NoMatch Then

Me.ACType.Value = rs("ACType").Value

Me.MTOW.Value = rs("ACMTOW").Value

Me.Operator.Value = rs("Operator").Value

Me.Customer.Value = rs("Customer").Value

Me.CallSigntxt.Value = rs("callSign").Value

Else

Me.ACType.Value = Null

Me.MTOW.Value = Null

Me.Operator.Value = Null

Me.Customer.Value = Null

Me.CallSigntxt.Value = Null

End If

rs.Close

Set rs = Nothing

Else

Me.ACType.Value = Null

Me.MTOW.Value = Null

Me.Operator.Value = Null

Me.Customer.Value = Null

Me.CallSigntxt.Value = Null

End If

Exit Sub

End Sub

Private Sub updateUser1()

Dim UserID As Integer

UserID = Forms!loggedInUser!txtUserID

'UserID = 1

Me.User1 = DLookup("UserName", "UsersT", "ID =" & UserID & "")

End Sub

Private Sub addSectID()

Dim RefValue As Integer

Dim rst As DAO.Recordset

RefValue = Nz(DLookup("RefNum", "TSect_ID"), 0)

Me.Sect_ID.Value = Format(RefValue + 1, "000")

Set rst = CurrentDb.OpenRecordset("TSect_ID", dbOpenDynaset, dbSeeChanges)

With rst

.Edit

![RefNum] = ![RefNum] + 1

.Update

End With

rst.Close

Set rst = Nothing

End Sub

Private Sub addSectorBtn_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

addSectID

If IsNull(Me.Sect_ID) Or IsNull(Me.SectorNo) Or IsNull(Me.ORIGIN) Or IsNull(Me.Destination) Or IsNull(Me.CallSigntxt) Or IsNull(Me.ETD) Or IsNull(Me.ETA) Or IsNull(Me.ArrivalDate) Or IsNull(Me.DepartDate) Or IsNull(Me.SectorRefNo) Or IsNull(Me.ACRgCb) Or IsNull(Me.Operator) Or IsNull(Me.Customer) Or IsNull(Me.CallSign)

```
IsNull(Me.ACType) Then
```

```
MsgBox "Please add missing fields.", vbExclamation
```

```
Exit Sub
```

```
End If
```

```
    ' Check if a record with the same SectorNo, Sect_ID, ORIGIN, and Destination already exists
```

```
    Set db = CurrentDb
```

```
    Set rs = db.OpenRecordset("FlightSupport_SectorsT", dbOpenDynaset)
```

```
    If DCount("*", "FlightSupport_SectorsT", "Sect_ID = " & CInt(Me.Sect_ID.Value) & " AND [ORIGIN]
```

```
= ' " & CStr(Me.ORIGIN.Value) & "' AND Destination = ' " & CStr(Me.Destination.Value) & "'") > 0 Then
```

```
        MsgBox "A record with the same Sect_ID, ORIGIN, and Destination already exists.", vbExclam
```

```
ation, "Duplicate Record"
```

```
        rs.Close
```

```
        Set rs = Nothing
```

```
        Set db = Nothing
```

```
        Exit Sub
```

```
    End If
```

```
Set rs = db.OpenRecordset("FlightSupport_SectorsT", dbOpenDynaset)
```

```
rs.AddNew
```

```
' Assign values to the fields in the table
```

```
rs.Fields("ORIGIN").Value = Me.ORIGIN.Value
```

```
rs.Fields("TripStatus").Value = Me.TripStatuscmb.Value
```

```
rs.Fields("CallSign").Value = Me.CallSigntxt.Value
```

```
rs.Fields("Sect_ID").Value = Me.Sect_ID.Value
```

```
rs.Fields("SectorNo").Value = Me.SectorNo.Value
```

```
rs.Fields("RequestRefNo").Value = Me.SectorRefNo.Value
```

```
rs.Fields("Destination").Value = Me.Destination.Value
```

```
rs.Fields("ETA").Value = Me.ETA.Value
```

```
rs.Fields("ETD").Value = Me.ETD.Value
```

```
rs.Fields("Notes").Value = Me.Notes.Value
```

```
rs.Fields("ArrivalDate").Value = Me.ArrivalDate.Value
```

```
rs.Fields("DepartDate").Value = Me.DepartDate.Value
```

```
rs.Fields("ACReg").Value = Me.ACRegCb.Value
```

```
rs.Fields("Operator").Value = Me.Operator.Value
```

```
rs.Fields("ACType").Value = Me.ACType.Value
```

```
rs.Fields("MTOW").Value = Me.MTOW.Value
```

```
rs.Fields("Customer").Value = Me.Customer.Value
```

```
' Save the new record
```

```
rs.Update
```

```
' Clean up
```

```
rs.Close
```

```
Set rs = Nothing
```

```
Set db = Nothing
```

```
' Reset form values
```

```
Me.ORIGIN.Value = Null
```

```
Me.Sect_ID.Value = Null
```

```
Me.SectorNo.Value = Null
```

```
Me.Destination.Value = Null
```

```
Me.ETA.Value = Null
```

```
Me.ETD.Value = Null
```

```
Me.Notes.Value = Null
```

```
Me.ArrivalDate.Value = Null
```

```
Me.DepartDate.Value = Null
```

```
Me.Undo
```

```
Me.Requery
```

```
Me.Refresh
```

```
' Display a message indicating successful addition
```

```
MsgBox "Data added successfully."
```

```
End Sub
```

```
Private Sub closeBtn_Click()
```

```

    Me.Undo
    DoCmd.Close acForm, "FlightSupport_AddSectorsF", acSaveNo
End Sub

Private Sub DepartDate_GotFocus()
DepartDate_Click
End Sub

Private Sub ArrivalDate_GotFocus()
ArrivalDate_Click
End Sub

Private Sub LoadLastBtn_Click()
    Me.RequestRefNo = GetLastRequestID
End Sub

Private Function GetLastRequestRefNo() As Variant
    Dim LastRequestID As Variant

    LastRequestID = DMax("ID", "FlightSupport_FlightRequestsT")
    GetLastRequestRefNo = LastRequestID
End Function

Public Sub DepartDate_Click()
    InputDateField DepartDate, "Select a date To use this on your form"
End Sub

Public Sub ArrivalDate_Click()
    InputDateField ArrivalDate, "Select a date To use this on your form"
End Sub

Private Sub RefreshBtn_Click()
Me.Requery
Me.Refresh
End Sub

Public Sub ResetBtn_Click()
    Me.ORIGIN.Value = Null
    Me.Sect_ID.Value = Null
    Me.SectorNo.Value = Null
    Me.Destination.Value = Null
    Me.ETA.Value = Null
    Me.ETD.Value = Null
    Me.Notes.Value = Null
    Me.ArrivalDate.Value = Null
    Me.DepartDate.Value = Null
    Me.ACRegCb.Value = Null
    Me.Operator.Value = Null
    Me.ACTYPE.Value = Null
    Me.MTOW.Value = Null
    Me.Customer.Value = Null
    Me.CallSigntxt.Value = Null

End Sub

Private Sub Form_Load()
    If IsNull(Me.RequestRefNo) Then
        Me.RequestRefNo = Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_RequestF_New").Form.Controls("RefNo").Value
        Me.SectorRefNo = Me.RequestRefNo
    Else
        Exit Sub
    End If
End Sub

Private Sub Sect_IDCmb_AfterUpdate()
    UpdateIDQueries
End Sub

Private Sub UpdateIDQueries()
    'On Error Goto ErrorHandler
    Dim selectedSect_ID As Integer

    Dim LocationsQuery As String

```

```

Dim locSect_ID As Integer

selectedSect_ID = Me.Sect_IDCmb.Column(1) ' Get the selected value from RefNo combo box

LocationsQuery = "Select Location,ID FROM LocationsT_New WHERE Sect_ID = " & selectedSect_ID & ";"

' Set the RowSource Property of the other subform's combo box To the dynamic query
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID1").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID2").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID3").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID4").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID5").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID6").RowSource = LocationsQuery

Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("FuelF").Controls("Location_ID").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("FuelF").Controls("FlightSupport_FuelReleaseF").Controls("Location_ID").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("ConciergeBriefF").Controls("Location_ID").RowSource = LocationsQuery

Me.Requery
' Assign selectedSect_ID To locSect_ID
locSect_ID = selectedSect_ID
' Update the value of Sect_ID in the other subform
Me.Controls("FlightSupport_AddLocationF").Controls("Sect_ID").Value = locSect_ID

'ErrorHandler:
'MsgBox "An error occurred: " & err.Description, vbExclamation
End Sub

Private Sub selectLocations()
Dim strSQL As String
Dim rs As DAO.Recordset
Dim strRowSource As String
Dim selectedSect_ID As Integer

' Get the selected Sect_ID
selectedSect_ID = Me.Sect_IDCmb.Column(1)

' Build the SQL query (using JOIN instead of IN)
strSQL = "SELECT DISTINCT Airports_DataT.Full_Airport " & _
"FROM Airports_DataT " & _
"INNER JOIN FlightSupport_SectorsT ON (Airports_DataT.Full_Airport = FlightSupport_SectorsT.Origin OR Airports_DataT.Full_Airport = FlightSupport_SectorsT.Destination) " & _
"WHERE FlightSupport_SectorsT.Sect_ID = " & selectedSect_ID & " " & _
"ORDER BY Airports_DataT.Full_Airport;"

' Open the recordset
Set rs = CurrentDb.OpenRecordset(strSQL)

' Build the row source string
strRowSource = ""
Do While Not rs.EOF
strRowSource = strRowSource & rs!Full_Airport & ";"
rs.MoveNext
Loop

' Remove the trailing semicolon only if strRowSource is not empty
If Len(strRowSource) > 0 Then
strRowSource = Left(strRowSource, Len(strRowSource) - 1)
End If

' Update the combo box's row source
Me.Controls("FlightSupport_AddLocationF").Controls("Location").RowSource = strRowSource
Me.Controls("FlightSupport_AddLocationF").Controls("Location").ColumnCount = 1

```

```
' Close the recordset  
rs.Close  
Set rs = Nothing
```

End Sub

```
Private Sub TripStatuscmb_AfterUpdate()
```

End Sub

```
Option Compare Database
Private Sub Agent_Change()
Service_Change
End Sub

Private Sub Notes_Change()
Service_Change
End Sub

Private Sub PaymentMethod_Click()
Service_Change
End Sub

Private Sub Service_Change()
Dim UserID As Integer

    UserID = Forms!loggedInUser!txtUserID
    ' Me.Updated_date.ForeColor = RGB(255, 0, 0)
    ' Me.Updated_date.BackColor = RGB(255, 255, 0)
    ' Me.Updated_date.Value = Format(Now(), "dd mm yyyy, hh:nn")
    Me.Updated_date.Value = Format(Now(), "dd/mm/yyyy, hh:nn")
    Me.User = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub ServiceStatus_Change()
Service_Change
End Sub

Private Sub Vendor_Change()
Service_Change
End Sub
```


Option Compare Database

Private Sub AddFuelService_Click()

'On Error Goto ErrorHandler

Dim db As DAO.Database

Dim rs As DAO.Recordset

If IsNull(Me.Location_ID) Or IsNull(Me.FuelStatus) Or IsNull(Me.PaymentMethod) Or IsNull(Me.Currency) Or IsNull(Me.vendorName) Or IsNull(Me.AddedRate) Or IsNull(Me.TASPrice) Then

MsgBox "Add Missing Field.", vbExclamation

Exit Sub

Else

Set db = CurrentDb

Set rs = db.OpenRecordset("FuelBriefT", dbOpenDynaset)

' Find the existing record based on Location_ID And vendorName

rs.FindFirst "Location_ID = " & Me.Location_ID.Value & " And Vendor = '" & Me.vendorName.Value & "'"

If rs.NoMatch Then ' No existing record found

rs.AddNew

' Assign values To the fields in the table

rs.Fields("Location_ID").Value = Me.Location_ID.Value

rs.Fields("FuelType").Value = Me.FuelType.Value

rs.Fields("FuelStatus").Value = Me.FuelStatus.Value

rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value

rs.Fields("IPA").Value = Me.IPA.Value

rs.Fields("Quantity").Value = Me.Quantity.Value

rs.Fields("VendorPrice").Value = Me.BasePrice.Value

rs.Fields("TASPrice").Value = Me.TASPrice.Value

rs.Fields("AddedRate").Value = Me.AddedRate.Value

rs.Fields("Vendor").Value = Me.vendorName.Value

rs.Fields("FBO").Value = Me.FBO.Value

rs.Fields("QuoteSent").Value = Me.QuoteSentCb.Value

rs.Fields("Taxes").Value = Me.Taxes.Value

rs.Fields("Notes").Value = Me.Notes.Value

rs.Fields("Validity").Value = Me.Validity.Value

rs.Fields("EstimatedTotal").Value = Me.EstimatedTotal.Value

rs.Fields("Airport").Value = Me.AIRPORT.Value

rs.Fields("Currency").Value = Me.Currency.Value

rs.Fields("InternalNotes").Value = Me.InternalNotes.Value

' Save the New record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values

ResetBtn_Click

' Display a message indicating successful addition

MsgBox "Service added successfully. Please add fuel release once service is confirmed from the vendor."

Me.Undo

Else

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

MsgBox "Vendor already exists For the same Location_ID.", vbExclamation

End If

Exit Sub

End If

'ErrorHandler:

'MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"

'Me.Undo

```

'Exit Sub
End Sub

Private Sub Airport_AfterUpdate()
    MinPrice_MinVendor
    Me.Refresh
End Sub

Private Sub MinPrice_MinVendor()
    On Error GoTo ErrorHandler

    Dim selectedAirport As Variant
    Dim airportCode As String
    Dim rs As DAO.Recordset
    Dim strSQL As String

    selectedAirport = Me.AIRPORT

    If Not IsNull(selectedAirport) Then
        airportCode = selectedAirport
        strSQL = "SELECT MinVendorPrice, TableName, ID, LOWCURRENCY FROM FuelSupport_PriceQ WHERE Airport = '" & Replace(airportCode, "'", "'') & "'"

        Set rs = CurrentDb.OpenRecordset(strSQL)

        If Not rs.EOF Then
            Me.AirportID.Value = rs!ID
            Me.LowestVendor.Value = rs!TableName
            Me.Vendor.Value = rs!TableName
            Me.LowestPriceTxt.Value = rs!MinVendorPrice
            Me.LowestPriceCurrency.Value = rs!LowCurrency
            RenderRecord
        Else
            Me.LowestPriceTxt.Value = "No data found"
        End If

        rs.Close
        Set rs = Nothing
    End If

    Exit Sub

ErrorHandler:
    MsgBox "An error occurred: " & err.Description, vbCritical
    If Not rs Is Nothing Then
        rs.Close
        Set rs = Nothing
    End If
End Sub

Private Sub RenderRecord()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim rs As DAO.Recordset
    Dim db As DAO.Database

    selectedVendorTable = Me.Vendor
    'AirportID = Me.AirportID
    selectedAirport = Me.AIRPORT

    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
        Exit Sub
    Else
        'If Not IsNull(selectedAirport) Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)

        ' Find the row that matches the selectedAirport And FlightType
        'rs.FindFirst "ID = " & AirportID & " And FlightType = '" & FlightType & "'"

```

```

rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
If Not rs.NoMatch Then
    ' Assign values To the fields in the form`
    Me.BasePrice.Value = rs("VendorPrice").Value
    Me.EstimatedTotal.Value = rs("EstimatedTotal").Value
    Me.Validity.Value = rs("Validity").Value

    Me.IPA.Value = rs("IPA").Value
    Me.FBO.Value = rs("FBO").Value
    Me.Notes.Value = rs("Notes").Value
    Me.Taxes.Value = rs("Taxes").Value
    Me.Currency.Value = rs("Currency").Value
    Me.InternalNotes.Value = rs("InternalNotes").Value
    rs.Close
    Set rs = Nothing
    Set db = Nothing
    'MsgBox "Data rendered successfully."
Else
    MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
End If

```

Validity_Check

```

End If
End Sub
Private Sub ReleaseDate_Click()
InputDateField ReleaseDate, "Select a date To use this on your form"
End Sub
Private Sub Validity_Check()
If Not IsNull(Me.Validity) And DateValue(Me.Validity) < date Then
    MsgBox "Price is expired Please ask for updated price from the selected vendor", vbExclamation + vbOKOnly
Exit Sub
End If

```

End Sub

```

Private Sub Vendor_AfterUpdate()
    'Vendor_Change
    RenderRecord
End Sub

```

```

Private Sub Form_Load()
    RowSourceReset
End Sub

```

```

Private Sub RowSourceReset()
    Dim AirportQuery As String
    AirportQuery = "Select Airport FROM FuelSupport_PriceQ "
    Me.RecordSource = AirportQuery
    ' Set the RowSource Property of the AIRPORT combo box To the dynamic query
    Me.AIRPORT.RowSource = AirportQuery

    ' Requery the AIRPORT combo box To reflect the updated options
    Me.AIRPORT.Requery
End Sub

```

```

Private Sub ResetBtn_Click()
    Me.Location_ID.Value = Null
    Me.FuelStatus.Value = Null
    Me.IPA.Value = Null
    Me.FBO.Value = Null
    Me.Validity.Value = Null
    Me.QuoteSentCb.Value = Null
    Me.Taxes.Value = Null
    Me.Notes.Value = Null
    Me.Validity.Value = Null
    Me.AIRPORT.Value = Null
    Me.InternalNotes.Value = Null
    Me.BasePrice.Value = Null
    Me.FuelType.Value = Null

```

Form_Copy Of FlightSupport_FuelF - 4

```
Me.AddedRate.Value = 0.1  
Me.Currency.Value = Null
```

```
RowSourceReset
```

```
End Sub
```

```
Private Sub closeBtn_Click()
```

```
Me.Undo
```

```
DoCmd.Close acForm, "FuelSupport_FuelQuote", acSaveNo
```

```
End Sub
```

```
Option Compare Database
Private Sub Agent_Change()
Service_Change
End Sub

Private Sub Notes_Change()
Service_Change
End Sub

Private Sub PaymentMethod_Click()
Service_Change
End Sub

Private Sub Service_Change()
Dim UserID As Integer

    UserID = Forms!loggedInUser!txtUserID
    ' Me.Updated_date.ForeColor = RGB(255, 0, 0)
    ' Me.Updated_date.BackColor = RGB(255, 255, 0)
    ' Me.Updated_date.Value = Format(Now(), "dd mm yyyy, hh:nn")
    Me.Updated_date.Value = Format(Now(), "dd/mm/yyyy, hh:nn")
    Me.User = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub ServiceStatus_Change()
Service_Change
End Sub

Private Sub Vendor_Change()
Service_Change
End Sub
```

```
Option Compare Database
Private Sub Agent_Change()
Service_Change
End Sub

Private Sub Notes_Change()
Service_Change
End Sub

Private Sub PaymentMethod_Click()
Service_Change
End Sub

Private Sub Service_Change()
Dim UserID As Integer

    UserID = Forms!loggedInUser!txtUserID
    ' Me.Updated_date.ForeColor = RGB(255, 0, 0)
    ' Me.Updated_date.BackColor = RGB(255, 255, 0)
    ' Me.Updated_date.Value = Format(Now(), "dd mm yyyy, hh:nn")
    Me.Updated_date.Value = Format(Now(), "dd/mm/yyyy, hh:nn")
    Me.User = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub ServiceStatus_Change()
Service_Change
End Sub

Private Sub Vendor_Change()
Service_Change
End Sub
```

Option Compare Database

Private Sub closeBtn_Click()

'On Error GoTo MyError

 'Me.Undo

 'Forms("LASTFORM!RequestF").ResetBtn_Click

 Me.Undo

 'DoCmd.CancelEvent

 DoCmd.Close acForm, "FlightSupport_LASTFORM", acSaveNo

 'DoCmd.Close acForm, "NewAddSectorF", acSaveNo

 'DoCmd.Close acForm, "RequestF", acSaveNo

'Exit Sub

'MyError:

'Err.Description

End Sub

Private Sub UpdateFormBtn_Click()

 DoCmd.OpenForm "FlightSupport_UpdateLASTFORM", WindowMode:=acWindowNormal

End Sub

Private Sub Handling_Brief_Click()

Me.Refresh

End Sub

Private Sub UpdateFuelReleasebtn_Click()

DoCmd.OpenForm "FlightSupport_UpdateFuelReleaseF", WindowMode:=acWindowNormal

End Sub

Option Compare Database

```
Private Sub AddFuelService_Click()
```

```
    'On Error GoTo ErrorHandler
```

```
    Dim db As DAO.Database
```

```
    Dim rs As DAO.Recordset
```

```
If IsNull(Me.Location_ID) Or IsNull(Me.FuelStatus) Or IsNull(Me.PaymentMethod) Or IsNull(Me.IPA) Or IsNull(Me.Currency) Or IsNull(Me.vendorName) Or IsNull(Me.AddedRate) Or IsNull(Me.TASPrice) Then
```

```
    MsgBox "Add Missing Field.", vbExclamation
```

```
    Exit Sub
```

```
Else
```

```
    Set db = CurrentDb
```

```
    Set rs = db.OpenRecordset("FuelBriefT", dbOpenDynaset)
```

```
    rs.AddNew
```

```
    ' Assign values to the fields in the table
```

```
    rs.Fields("Location_ID").Value = Me.Location_ID.Value
```

```
    rs.Fields("FuelType").Value = Me.FuelType.Value
```

```
    rs.Fields("FuelStatus").Value = Me.FuelStatus.Value
```

```
    rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value
```

```
    rs.Fields("IPA").Value = Me.IPA.Value
```

```
    rs.Fields("Quantity").Value = Me.Quantity.Value
```

```
    rs.Fields("VendorPrice").Value = Me.BasePrice.Value
```

```
    rs.Fields("TASPrice").Value = Me.TASPrice.Value
```

```
    rs.Fields("AddedRate").Value = Me.AddedRate.Value
```

```
    rs.Fields("Vendor").Value = Me.vendorName.Value
```

```
    rs.Fields("FBO").Value = Me.FBO.Value
```

```
    rs.Fields("QuoteSent").Value = Me.QuoteSentCb.Value
```

```
    rs.Fields("Taxes").Value = Me.Taxes.Value
```

```
    rs.Fields("Notes").Value = Me.Notes.Value
```

```
    rs.Fields("Validity").Value = Me.Validity.Value
```

```
    rs.Fields("EstimatedTotal").Value = Me.TASEstimatedTotal.Value
```

```
    rs.Fields("Airport").Value = Me.AIRPORT.Value
```

```
    rs.Fields("Currency").Value = Me.Currency.Value
```

```
    rs.Fields("InternalNotes").Value = Me.InternalNotes.Value
```

```
    ' Save the new record
```

```
    rs.Update
```

```
    ' Clean up
```

```
    rs.Close
```

```
    Set rs = Nothing
```

```
    Set db = Nothing
```

```
    ' Reset form values
```

```
    ResetBtn_Click
```

```
    ' Display a message indicating successful addition
```

```
    MsgBox "Service added succsfully, please added fuel release once service is confiremd from the vendor"
```

```
    Me.Undo
```

```
    Exit Sub
```

```
End If
```

```
'ErrorHandler:
```

```
    'MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
```

```
    'Me.Undo
```

```
'Exit Sub
```

```
End Sub
```

```
Private Sub Airport_AfterUpdate()
```

```
    MinPrice_MinVendor
```

```
    Me.Refresh
```

```
End Sub
```

```
Private Sub MinPrice_MinVendor()
```

```
    Dim selectedAirport As Variant
```

```
    Dim airportCode As String
```

```
    Dim LowestPriceQ As String
```

```
    Dim MinVendorPrice As Variant
```

```
    Dim vendorTable As String
```

```
    Dim AirportIDQ As Integer
```



```

selectedAirport = Me.AIRPORT

If Not IsNull(selectedAirport) Then
    airportCode = selectedAirport

    LowestPriceQ = "Select MinVendorPrice, TableName, ID FROM FuelSupport_PriceQ WHERE Airport = '" & airportCode & "'"

    MinVendorPrice = DLookup("MinVendorPrice", "FuelSupport_PriceQ", "Airport = '" & airportCode & "'")

    vendorTable = DLookup("TableName", "FuelSupport_PriceQ", "Airport = '" & airportCode & "'")
    AirportIDQ = DLookup("ID", "FuelSupport_PriceQ", "Airport = '" & airportCode & "'")

    If Not IsNull(MinVendorPrice) Then
        Me.AirportID.Value = AirportIDQ
        Me.LowestVendor.Value = vendorTable
        Me.VendorT.Value = vendorTable
        Me.LowestPriceTxt.Value = MinVendorPrice
        RenderRecord
    Else
        ' Me.LowestPriceTxt.Value = "No data found"
    End If
End If
End Sub

Private Sub RenderRecord()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    selectedVendorTable = Me.VendorT
    'AirportID = Me.AirportID
    selectedAirport = Me.AIRPORT

    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
        Exit Sub
    Else
        'If Not IsNull(selectedAirport) Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)

        ' Find the row that matches the selectedAirport And FlightType
        'rs.FindFirst "ID = " & AirportID & " And FlightType = '" & FlightType & "'"
        rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
        If Not rs.NoMatch Then
            ' Assign values To the fields in the form`
            Me.BasePrice.Value = rs("VendorPrice").Value
            Me.EstimatedTotal.Value = rs("EstimatedTotal").Value
            Me.Validity.Value = rs("Validity").Value
            'Me.VendorCmbPrice.Value = rs("VendorPrice").Value
            Me.IPA.Value = rs("IPA").Value
            Me.FBO.Value = rs("FBO").Value
            Me.Notes.Value = rs("Notes").Value
            Me.Taxes.Value = rs("Taxes").Value
            Me.Currency.Value = rs("Currency").Value
            Me.InternalNotes.Value = rs("InternalNotes").Value
            rs.Close
            Set rs = Nothing
            Set db = Nothing
            Me.Vendor = Left(VendorT, Len(VendorT) - 5)

            'MsgBox "Data rendered successfully."
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    End If

End If

```

End Sub

```
Private Sub ReleaseDate_Click()  
InputDateField ReleaseDate, "Select a date To use this on your form"  
End Sub
```

```
Private Sub Vendor_AfterUpdate()  
    'Vendor_Change  
    RenderRecord  
End Sub
```

```
Private Sub Form_Load()  
    '    RowSourceReset  
End Sub
```

```
Private Sub RowSourceReset()  
    Dim AirportQuery As String  
    AirportQuery = "Select Airport FROM FuelSupport_PriceQ "  
    Me.RecordSource = AirportQuery  
    ' Set the RowSource Property of the AIRPORT combo box To the dynamic query  
    Me.AIRPORT.RowSource = AirportQuery  
  
    ' Requery the AIRPORT combo box To reflect the updated options  
    Me.AIRPORT.Requery  
End Sub
```

```
Private Sub ResetBtn_Click()  
    Me.Location_ID.Value = Null  
    Me.FuelStatus.Value = Null  
    Me.IPA.Value = Null  
    Me.BasePrice.Value = Null  
    Me.FBO.Value = Null  
    Me.Validity.Value = Null  
    Me.QuoteSentCb.Value = Null  
    Me.Taxes.Value = Null  
    Me.Notes.Value = Null  
    Me.Validity.Value = Null  
    'Me.TASEstimatedTotal.Value = Null  
    Me.AIRPORT.Value = Null  
    RowSourceReset  
    'Me.Undo  
End Sub
```

```
Private Sub closeBtn_Click()  
    Me.Undo  
    DoCmd.Close acForm, "FuelSupport_FuelQuote", acSaveNo  
End Sub
```

Option Compare Database

Option Explicit

Private Sub Location_AfterUpdate()

RenderRecord

End Sub

Private Sub AddFuelRelease_Click()

Dim SelectedLocation_ID As Integer

Dim db As DAO.Database

Dim rs As DAO.Recordset

SelectedLocation_ID = Me.Location.Column(1)

Set db = CurrentDb

Set rs = db.OpenRecordset("FuelSupport_ReleaseQ_New_V12", dbOpenDynaset)

rs.FindFirst "Loc_ID = " & SelectedLocation_ID

If Not rs.NoMatch Then

If rs("Airport").Value = "Dest" Then

rs.Edit

rs.Fields("Dest_ETD").Value = Me.ReleaseETD.Value

rs.Fields("Dest_ETA").Value = Me.ReleaseETA.Value

rs.Fields("Dest_ArrivalDate").Value = Me.ArrivalDate.Value

rs.Fields("Dest_DepartDate").Value = Me.DepartDate.Value

rs.Update

ElseIf rs("Airport").Value = "Origin" Then

rs.Edit

rs.Fields("Origin_ETD").Value = Me.ReleaseETD.Value

rs.Fields("Origin_ETA").Value = Me.ReleaseETA.Value

rs.Fields("Origin_ArrivalDate").Value = Me.ArrivalDate.Value

rs.Fields("Origin_DepartDate").Value = Me.DepartDate.Value

rs.Update

End If

rs.Close

Set rs = Nothing

Set db = Nothing

' Call the NextLocationQ subroutine To populate the NextDestCmb combo box

Else

MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"

End If

Me.Requery

Reset

MsgBox "Data updated successfully."

Else

MsgBox "No records found.", vbExclamation + vbOKOnly, "Update Failed"

End Sub

Private Sub ArrivalDate_Click()

InputDateField ArrivalDate, "Select a date To use this on your form"

End Sub

Private Sub DepartDate_Click()

InputDateField DepartDate, "Select a date To use this on your form"

End Sub

Private Sub Location_ID_AfterUpdate()

End Sub

Private Sub PrintRelease_Click()

Dim strWhere As String

Dim lngLen As Long

Dim Loc_ID As Integer

Loc_ID = Me.Location_ID.Column(1)

' Initialize strWhere

strWhere = ""

If Not IsNull(Loc_ID) Then

' Build the WHERE clause

strWhere = strWhere & "([Location_ID] = " & Loc_ID & ")"

End If

```

' Check if there's a WHERE clause
IngLen = Len(strWhere)
If IngLen > 0 Then
    ' Apply the filter and open the report
    Me.Filter = strWhere
    Me.FilterOn = True
    DoCmd.OpenReport "FlightSupport_FuelReleaseWithoutVendor_New", acViewPreview, , strWhere
Else
    ' No filter, open the report generator form
    DoCmd.OpenForm "FuelSupport_ReportGeneratorF", WindowMode:=acWindowNormal
End If

End Sub

Private Sub Reset()
    Me.NextDestCmb.Value = Null
    Me.ReleaseETD.Value = Null
    Me.ReleaseETA.Value = Null
    Me.ArrivalDate.Value = Null
    Me.DepartDate.Value = Null
End Sub

Private Sub RenderRecord()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim selectedSect_ID As Integer
    Dim RefNo As Variant
    Dim isRecordFound As Boolean

    RefNo = Me.RefNo.Value
    MsgBox RefNo
    ' Check If the selected Sector ID is Not null
    If Not IsNull(Me.Location.Column(1)) Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset("Select * FROM FuelSupport_ReleaseQ_New_V12_test WHERE FlightRefNo = " & RefNo & "'", dbOpenDynaset)

        ' If a match is found
        If Not rs.EOF Then
            Do While Not rs.EOF
                If rs("Dest_Location_ID").Value = Me.Location.Column(1) Then
                    ' Update form controls With values from the record
                    Me.ReleaseETA.Value = rs("Dest_ETA").Value
                    Me.ArrivalDate.Value = rs("Dest_ArrivalDate").Value

                    ' Handle SectorNo 1
                    isRecordFound = FindNextRecord(rs, 2)
                    If isRecordFound Then Exit Do
                ElseIf rs("Origin_Location_ID").Value = Me.Location.Column(1) Then
                    ' Update form controls With values from the record
                    Me.ReleaseETD.Value = rs("Origin_ETD").Value
                    Me.DepartDate.Value = rs("Origin_DepartDate").Value
                    Me.ReleaseETA.Value = "00:01"
                    Me.ArrivalDate.Value = rs("Origin_DepartDate").Value
                    Exit Do
                End If

                rs.MoveNext
            Loop
        Else
            MsgBox "No matching records found For the selected Sector ID.", vbExclamation + vbOKOnly, "Record Not Found"
        End If

        ' Close the recordset And clean up objects
        rs.Close
        Set rs = Nothing
        Set db = Nothing
    End If

End Sub

Private Function FindNextRecord(rs As DAO.Recordset, SectorNo As Integer) As Boolean

```

```
rs.FindFirst "SectorNo = " & SectorNo
If Not rs.NoMatch Then
    Me.ReleaseETD.Value = rs("Origin_ETD").Value
    Me.DepartDate.Value = rs("Origin_DepartDate").Value
    FindNextRecord = True
Else
    FindNextRecord = False
End If
End Function
```

Option Compare Database

Private Sub ShowCountry()

Dim selectedValue As Variant

selectedValue = Me.AIRPORT.Value ' Get the selected value from the combo box

If Not IsNull(selectedValue) Then

Dim rs As DAO.Recordset

Set rs = CurrentDb.OpenRecordset("Airports_DataT", dbOpenSnapshot)

rs.FindFirst "AIRPORT_DETAILS = '" & selectedValue & "'"

If Not rs.NoMatch Then

Me.Country.Value = rs("Country").Value

Else

Me.Country.Value = Null

End If

rs.Close

Set rs = Nothing

Else

Me.Country.Value = Null

End If

Exit Sub

End Sub

Private Sub Airport_AfterUpdate()

MinPrice_MinVendor

ShowCountry

End Sub

Private Sub MinPrice_MinVendor()

Dim selectedAirport As Variant

Dim airportCode As String

Dim LowestPriceQ As String

Dim MinVendorPrice As Variant

Dim AirportIDQ As Integer

Dim db As DAO.Database

Dim rs As DAO.Recordset

selectedAirport = Me.AIRPORT

If Not IsNull(selectedAirport) Then

airportCode = selectedAirport

Set db = CurrentDb

Set rs = db.OpenRecordset("Select * FROM FuelSupport_NewFuelQ WHERE Airport = '" & airportCode & "'", dbOpenSnapshot)

If Not rs.EOF Then

Me.AirportID.Value = rs!ID

Me.LowestVendor.Value = rs!TableName

Me.Vendor.Value = rs!TableName

Me.LowestPriceTxt.Value = rs!MinVendorPrice

Me.HADIDBasePrice.Value = rs!Hadid_BasePrice

Me.HADIDTotal.Value = rs!Hadid_EstimatedTotal

Me.HADIDCurrency.Value = rs!Hadid_Currency

Me.HADIDFlightType.Value = rs!Hadid_FlightType

Me.UCIGBasePrice.Value = rs!UCIG_BasePrice

Me.UCIGTotal.Value = rs!UCIG_EstimatedTotal

Me.UCIGCurrency.Value = rs!UCIG_Currency

Me.UCIGFlightType.Value = rs!UCIG_FlightType

Me.LINKAEROBasePrice.Value = rs!LINKAERO_BasePrice

Me.LINKAEROTotal.Value = rs!LINKAERO_EstimatedTotal

Me.LINKAEROCurrency.Value = rs!LINKAERO_Currency

Me.LINKAEROFlightType.Value = rs!LINKAERO_FlightType

Me.ASMBasePrice.Value = rs!ASM_BasePrice

Me.ASMTTotal.Value = rs!ASM_EstimatedTotal

Me.ASMCurrency.Value = rs!ASM_Currency

```

        Me.ASMFlightType.Value = rs!ASM_FlightType

        Me.MASBasePrice.Value = rs!MAS_BasePrice
        Me.MASTotal.Value = rs!MAS_EstimatedTotal
        Me.MASCurrency.Value = rs!MAS_Currency
        Me.MASFlightType.Value = rs!MAS_FlightType

        Me.AEGBasePrice.Value = rs!AEG_BasePrice
        Me.AEGTotal.Value = rs!AEG_EstimatedTotal
        Me.AEGCurrency.Value = rs!AEG_Currency
        Me.AEGFlightType.Value = rs!AEG_FlightType
        RenderRecord
    Else
        MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
    End If
End If
End Sub

Private Sub Command35_Click()
    DoCmd.OpenForm "FuelSupport_AddFuel", WindowMode:=acWindowNormal
End Sub

Private Sub Command36_Click()
    DoCmd.OpenForm "FuelSupport_updateFuel", WindowMode:=acWindowNormal
End Sub

Private Sub PrintQuote_Click()
    If Not IsNull(Me.QuoteRefNo) Then

        Dim strWehre As String
        Dim InLeng As Long

        Const conJetDate = "\#dd\/mm\/yyyy\#"

        If Not IsNull(Me.Client) Then

            strWhere = strWhere & "([Client] Like "*" & Me.Client & "*)" And "
        End If

        If Not IsNull(Me.QuoteRefNo) Then

            strWhere = strWhere & "([QuoteRefNo] Like "*" & Me.QuoteRefNo & "*)" And "
        End If

        IngLen = Len(strWhere) - 5
        If IngLen <= 0 Then
            MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight
App"
        Else
            strWhere = Left$(strWhere, IngLen)
            Me.Filter = strWhe
            Me.FilterOn = True
            DoCmd.OpenReport "FuelSupport_FuelQuote", acViewPreview, , strWhere
        End If
    Else
        DoCmd.OpenForm "FuelSupport_ReportGeneratorF", WindowMode:=acWindowNormal
    End If
End Sub

Private Sub Command659_Click()
    Me.Refresh
End Sub

Private Sub RenderRecord()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    selectedVendorTable = Me.Vendor

```

```
selectedAirport = Me.AIRPORT
```

```
If IsNull(selectedAirport) Or selectedAirport = "" Then
```

```
    MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
```

```
Exit Sub
```

```
Else
```

```
    Set db = CurrentDb
```

```
    Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
```

```
    ' Find the row that matches the selectedAirport
```

```
    rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
```

```
    If Not rs.NoMatch Then
```

```
        ' Assign values To the fields in the form`
```

```
        Me.BasePrice.Value = rs("VendorPrice").Value
```

```
        Me.Notes.Value = rs("Notes").Value
```

```
        Me.Taxes.Value = rs("Taxes").Value
```

```
        Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
```

```
        Me.IPA.Value = rs("IPA").Value
```

```
        Me.FuelType.Value = rs("FuelType").Value
```

```
        Me.FlightType.Value = rs("FlightType").Value
```

```
        Me.Validity.Value = rs("Validity").Value
```

```
        Me.VendorCmbPrice.Value = rs("VendorPrice").Value
```

```
        Me.Currency.Value = rs("Currency").Value
```

```
        Me.Unit.Value = rs("Unit").Value
```

```
        Me.InternalNotes.Value = rs("InternalNotes").Value
```

```
        rs.Close
```

```
        Set rs = Nothing
```

```
        Set db = Nothing
```

```
    If Me.Validity < date Then
```

```
        Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
```

```
        Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
```

```
    Else
```

```
        Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
```

```
        Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
```

```
    End If
```

```
Else
```

```
    MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
```

```
End If
```

```
End If
```

```
End Sub
```

```
Private Sub cmdGenerate_Click()
```

```
    Dim RefValue As Integer
```

```
    Dim rst As DAO.Recordset
```

```
    RefValue = Nz(DLookup("Quote_ID", "TRefNo"), 0)
```

```
    Me.QuoteRefNo = "TAS_FQ-" & Format(RefValue + 7, "0000") & "/" & Format(date, "yy")
```

```
    Set rst = CurrentDb.OpenRecordset("TRefNo", dbOpenDynaset, dbSeeChanges)
```

```
    With rst
```

```
        .Edit
```

```
        ![Quote_ID] = ![Quote_ID] + 7
```

```
        .Update
```

```
    End With
```

```
    rst.Close
```

```
    Set rst = Nothing
```

```
End Sub
```

```
Private Sub newQuoteBtn_Click()
```

```
    If IsNull(Me.QuoteRefNo) Or Me.QuoteRefNo = "" Then
```

```
        cmdGenerate_Click
```

```
    End If
```

```
    ' Set focus To the first field For data entry
```

```
    Me.AIRPORT.SetFocus
```

```
End Sub
```

```
Private Sub Vendor_AfterUpdate()
```

```
    RenderRecord
```


End Sub

```
Private Sub Form_Load()
Dim fw As New clFormWindow
```

```
    fw.hWnd = Me.hWnd
    With fw
        .Top = (.Parent.Height - .Height) / 2
        .Left = (.Parent.Width - .Width) / 2
    End With
    Set fw = Nothing
```

```
    RowSourceReset
```

End Sub

```
Private Sub QuoteReset()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.IPA.Value = Null
    Me.AIRPORT.Value = Null
```

```
    RowSourceReset
```

End Sub

```
Private Sub RowSourceReset()
    Dim AirportQuery As String
```

```
    AirportQuery = "Select Airport FROM FuelSupport_PriceQ "
```

```
    Me.RecordSource = AirportQuery
```

```
    ' Set the RowSource Property of the AIRPORT combo box To the dynamic query
    Me.AIRPORT.RowSource = AirportQuery
```

```
    ' Requery the AIRPORT combo box To reflect the updated options
    Me.AIRPORT.Requery
```

End Sub

```
Private Sub ResetBtn_Click()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.IPA.Value = Null
    Me.FlightType.Value = Null
    Me.AIRPORT.Value = Null
    Me.QuoteRefNo.Value = Null
    RowSourceReset
```

End Sub

```
Private Sub Validity_Click()
    InputDateField Validity, "Select a date To use this on your form"
```

End Sub

```
Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FuelSupport_FuelQuote", acSaveNo
```

End Sub

```
Private Sub AddFuelQuote_Click()
    If IsNull(Me.BasePrice.Value) Or IsNull(Me.Validity.Value) Or IsNull(Me.Client.Value) Or IsNull(Me.AIRPORT.Value) Or IsNull(Me.QuoteRefNo.Value) Or IsNull(Me.TASPrice.Value) Or IsNull(Me.AddedRate.Value) Then
        MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"
    Exit Sub
End If
```

```
    If CheckIFQuoteIsAlreadyAdded() Then
        MsgBox "Quote For the same airport already exists."
    Exit Sub
End If
```

```
    Dim db As DAO.Database
```

```
Dim rs As DAO.Recordset
Set db = CurrentDb
Set rs = db.OpenRecordset("FuelSupport_FuelQuotationsT", dbOpenDynaset)
```

```
rs.AddNew
rs.Fields("VendorPrice").Value = Me.BasePrice.Value
rs.Fields("Notes").Value = Me.Notes.Value
rs.Fields("Taxes").Value = Me.Taxes.Value
rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value
rs.Fields("TASEstimatedTotal").Value = Me.TASEstimatedTotal.Value
rs.Fields("IPA").Value = Me.IPA.Value
rs.Fields("FuelType").Value = Me.FuelType.Value
rs.Fields("FlightType").Value = Me.FlightType.Value
rs.Fields("Airport").Value = Me.AIRPORT.Value
rs.Fields("Currency").Value = Me.Currency.Value
rs.Fields("Unit").Value = Me.Unit.Value
rs.Fields("Country").Value = Me.Country.Value
rs.Fields("EffDate").Value = Me.EffDate.Value
rs.Fields("Client").Value = Me.Client.Value
rs.Fields("TASPrice").Value = Me.TASPrice.Value
rs.Fields("QuoteRefNo").Value = Me.QuoteRefNo.Value
rs.Fields("AddedRate").Value = Me.AddedRate.Value
rs.Fields("Vendor").Value = Me.vendorName.Value ' Add this line
rs.Fields("Validity").Value = Me.Validity.Value
' Save the New record
rs.Update
```

```
' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing
```

```
' Reset the form fields
QuoteReset
```

```
MsgBox "Data added successfully.", vbInformation, "Success"
Me.Undo
```

```
End Sub
```

```
Private Function CheckIFQuoteIsAlreadyAdded() As Boolean
```

```
Dim db As DAO.Database
Dim rs As DAO.Recordset
Dim currentQuoteRefNo As Variant
Dim selectedAirport As Variant
```

```
currentQuoteRefNo = Me.QuoteRefNo.Value
selectedAirport = Me.AIRPORT.Value
```

```
Set db = CurrentDb
Set rs = db.OpenRecordset("FuelSupport_FuelQuotationsT", dbOpenDynaset)
```

```
If Not rs.EOF Then
    rs.MoveFirst ' Move To the first record in the recordset
```

```
    ' Loop through the recordset
    Do Until rs.EOF
```

```
        If rs("QuoteRefNo").Value = currentQuoteRefNo And rs("Airport").Value = selectedAirport Then
```

```
            rs.Close
```

```
            Set rs = Nothing
```

```
            Set db = Nothing
```

```
            CheckIFQuoteIsAlreadyAdded = True ' Return True If matching quote is found
```

```
            Exit Function ' Exit the Function If a matching quote is found
```

```
        End If
```

```
    rs.MoveNext ' Move To the Next record
```

```
Loop
```

```
rs.Close
```

```
Set rs = Nothing
```

```
Set db = Nothing
```

```
        Me.Requery
    End If

    CheckIFQuoteIsAlreadyAdded = False ' Return False If no matching quote is found
End Function
```

Option Compare Database

Private Sub addServiceBtn_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim I As Integer

Dim Service As String, Vendor As String, Agent As String, ServiceStatus As String, PaymentMethod As String

Dim Notes As String, Location_ID As Variant ' Add variable declaration for Notes

' Open the main table's recordset

Set db = CurrentDb

Set rs = db.OpenRecordset("HandlingT", dbOpenDynaset)

' Loop through the sets of text boxes and add records

For I = 1 To 7 ' Change 10 to the desired number of services

' Retrieve values from text boxes

Service = Nz(Me.Controls("Service" & I).Value, "")

Vendor = Nz(Me.Controls("Vendor" & I).Value, "")

Agent = Nz(Me.Controls("Agent" & I).Value, "")

ServiceStatus = Nz(Me.Controls("ServiceStatus" & I).Value, "")

PaymentMethod = Nz(Me.Controls("PaymentMethod" & I).Value, "")

Notes = Nz(Me.Controls("Notes" & I).Value, "")

Location_ID = Nz(Me.Controls("Location_ID" & I).Value, "")

' Check if at least one field is not empty

If Service <> "" Or Vendor <> "" Or Agent <> "" Or ServiceStatus <> "" Or PaymentMethod <> "" Or Notes <> "" Or IsNull(Notes) Or IsNull(Location_ID) Then

' Add a record

rs.AddNew

' Assign values to the fields in the table

rs.Fields("Service").Value = Service

rs.Fields("Vendor").Value = Vendor

rs.Fields("Agent").Value = Agent

rs.Fields("ServiceStatus").Value = ServiceStatus

rs.Fields("PaymentMethod").Value = PaymentMethod

rs.Fields("Notes").Value = Notes

rs.Fields("Location_ID").Value = Location_ID

rs.Update

End If

' Clear the text boxes after adding a record

Me.Controls("Service" & I).Value = Null

Me.Controls("Vendor" & I).Value = Null

Me.Controls("Agent" & I).Value = Null

Me.Controls("ServiceStatus" & I).Value = Null

Me.Controls("PaymentMethod" & I).Value = Null

Me.Controls("Notes" & I).Value = Null

Me.Controls("Location_ID" & I).Value = Null

Next I

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Optional: Display a message indicating successful addition

MsgBox "Service records added successfully.", vbInformation

Exit Sub

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "HandlingF", acSaveNo

End Sub

Private Function GetLastLocID() As Variant

```
' Get the latest RefNo value from NewFlightRequestsT table
Dim db As DAO.Database
Dim rs As DAO.Recordset
Dim strSQL As String
'Dim lastRefNo As Variant
Dim MaxID As Long
MaxID = DMax("ID", "LocationsT")
' Me.RecordSource = "Select * FROM NewSectorsT WHERE ID = " & MaxID & ";"

Set db = CurrentDb
strSQL = "Select * FROM LocationsT WHERE ID = " & MaxID & ";"
Set rs = db.OpenRecordset(strSQL)

' Check If a record was found
If Not rs.EOF Then
    LastLocID = rs.Fields("ID").Value
End If

' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing

GetLastLocID = LastLocID
End Function

Private Sub Form_Load()
Dim fw As New clFormWindow

fw.hWnd = Me.hWnd
With fw
    .Top = (.Parent.Height - .Height) / 2
    .Left = (.Parent.Width - .Width) / 2
End With
Set fw = Nothing
Me.closeBtn.Visible = False
Me.Location_ID1 = GetLastLocID

End Sub

Private Sub Form_GotFocus()
Me.Location_ID = GetLastLocID
End Sub
```

Option Compare Database

Private Sub addServiceBtn_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim I As Integer

Dim Service As String, Vendor As String, Agent As String, ServiceStatus As String, PaymentMethod As String

Dim Notes As String, Location_ID As Variant ' Add variable declaration For Notes

' Open the main table's recordset

Set db = CurrentDb

Set rs = db.OpenRecordset("HandlingT_New", dbOpenDynaset)

' Loop through the sets of text boxes And add records

For I = 1 To 7 ' Change 10 To the desired number of services

' Retrieve values from text boxes

Service = Nz(Me.Controls("Service" & I).Value, "")

Vendor = Nz(Me.Controls("Vendor" & I).Value, "")

Agent = Nz(Me.Controls("Agent" & I).Value, "")

ServiceStatus = Nz(Me.Controls("ServiceStatus" & I).Value, "")

PaymentMethod = Nz(Me.Controls("PaymentMethod" & I).Value, "")

Notes = Nz(Me.Controls("Notes" & I).Value, "")

Location_ID = Nz(Me.Controls("Location_ID" & I).Value, "") ' Correct reference

' Check If at least one field is Not empty

If Service <> "" Or Vendor <> "" Or Agent <> "" Or ServiceStatus <> "" Or PaymentMethod <> "" Or IIsNull(Location_ID) Then

' Check If a record With the same Service And Location_ID already exists

If DCount("*", "HandlingT_New", "Service = '" & Service & "' And Location_ID = '" & Me.Controls("Location_ID" & I).Value) > 0 Then ' Access Column(1) and convert to string

MsgBox "A record With the same Service And Location_ID already exists.", vbExclamation, "Duplicate Record"

Exit Sub ' Exit the sub if duplicate found

Else

' Add a record

rs.AddNew

' Assign values To the fields in the table

rs.Fields("Service").Value = Service

rs.Fields("Vendor").Value = Vendor

rs.Fields("Agent").Value = Agent

rs.Fields("ServiceStatus").Value = ServiceStatus

rs.Fields("PaymentMethod").Value = PaymentMethod

rs.Fields("Notes").Value = Notes

rs.Fields("Location_ID").Value = Me.Controls("Location_ID" & I).Column(1) ' Access Column(1)

rs.Update

End If

End If

' Clear the text boxes after adding a record

Me.Controls("Service" & I).Value = Null

Me.Controls("Vendor" & I).Value = Null

Me.Controls("Agent" & I).Value = Null

Me.Controls("ServiceStatus" & I).Value = Null

Me.Controls("PaymentMethod" & I).Value = Null

Me.Controls("Notes" & I).Value = Null

Me.Controls("Location_ID" & I).Value = Null

Next I

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

MsgBox "Service records added successfully.", vbInformation

' Display a message indicating successful addition

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "HandlingF_New", acSaveNo

End Sub

Private Sub PaymentMethod1_GotFocus()

Me.PaymentMethod1.Value = "ON TAS CREDIT"

End Sub

Private Sub PaymentMethod2_GotFocus()

Me.PaymentMethod2.Value = "ON TAS CREDIT"

End Sub

Private Sub PaymentMethod3_GotFocus()

Me.PaymentMethod3.Value = "ON TAS CREDIT"

End Sub

Private Sub PaymentMethod4_GotFocus()

Me.PaymentMethod4.Value = "ON TAS CREDIT"

End Sub

Private Sub PaymentMethod5_GotFocus()

Me.PaymentMethod5.Value = "ON TAS CREDIT"

End Sub

Private Sub PaymentMethod6_GotFocus()

Me.PaymentMethod6.Value = "ON TAS CREDIT"

End Sub

Private Sub PaymentMethod7_GotFocus()

Me.PaymentMethod7.Value = "ON TAS CREDIT"

End Sub

Private Sub Vendor2_GotFocus()

Me.Vendor2.Value = Me.Vendor1.Value

End Sub

Private Sub Vendor3_GotFocus()

Me.Vendor3.Value = Me.Vendor2.Value

End Sub

Private Sub Vendor4_GotFocus()

Me.Vendor4.Value = Me.Vendor3.Value

End Sub

Private Sub Vendor5_GotFocus()

Me.Vendor5.Value = Me.Vendor4.Value

End Sub

Private Sub Vendor6_GotFocus()

Me.Vendor6.Value = Me.Vendor5.Value

End Sub

Private Sub Vendor7_GotFocus()

Me.Vendor7.Value = Me.Vendor6.Value

End Sub

Private Sub Agent2_GotFocus()

Me.Agent2.Value = Me.Agent1.Value

End Sub

Private Sub Agent3_GotFocus()

Me.Agent3.Value = Me.Agent2.Value

End Sub

Private Sub Agent4_GotFocus()

Me.Agent4.Value = Me.Agent3.Value

End Sub

Private Sub Agent5_GotFocus()

Me.Agent5.Value = Me.Agent4.Value

End Sub

Private Sub Agent6_GotFocus()

Me.Agent6.Value = Me.Agent5.Value

End Sub

Private Sub Agent7_GotFocus()

Me.Agent7.Value = Me.Agent6.Value

End Sub

Private Sub ServiceStatus2_GotFocus()

Me.ServiceStatus2.Value = Me.ServiceStatus1.Value

End Sub

Private Sub ServiceStatus3_GotFocus()

Me.ServiceStatus3.Value = Me.ServiceStatus2.Value

End Sub

Private Sub ServiceStatus4_GotFocus()

Me.ServiceStatus4.Value = Me.ServiceStatus3.Value

End Sub

```
Private Sub ServiceStatus5_GotFocus()  
    Me.ServiceStatus5.Value = Me.ServiceStatus4.Value  
End Sub  
Private Sub ServiceStatus6_GotFocus()  
    Me.ServiceStatus6.Value = Me.ServiceStatus5.Value  
End Sub  
Private Sub ServiceStatus7_GotFocus()  
    Me.ServiceStatus7.Value = Me.ServiceStatus6.Value  
End Sub
```


Option Compare Database

```
Private Sub AddPermit_Click()
```

```
    Dim db As DAO.Database
```

```
    Dim rs As DAO.Recordset
```

```
    Set db = CurrentDb
```

```
    Set rs = db.OpenRecordset("PermitBriefT", dbOpenDynaset)
```

```
    rs.AddNew
```

```
    ' Assign values to the fields in the table
```

```
    rs.Fields("Country").Value = Me.CountriesCmb.Value
```

```
    rs.Fields("Sect_ID").Value = Me.Sect_ID.Value
```

```
    rs.Fields("PermitType").Value = Me.PermitType.Value
```

```
    rs.Fields("PermitStatus").Value = Me.ServiceStatus.Value
```

```
    rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value
```

```
    rs.Fields("PermitNumber").Value = Me.PermitNumber.Value
```

```
    ' Save the new record
```

```
    rs.Update
```

```
    ' Clean up
```

```
    rs.Close
```

```
    Set rs = Nothing
```

```
    Set db = Nothing
```

```
    ' Reset form values
```

```
    Me.CountriesCmb.Value = Null
```

```
    Me.PermitNumber.Value = Null
```

```
    ' Display a message indicating successful addition
```

```
    MsgBox "Data added successfully."
```

```
    Me.Undo
```

```
End Sub
```

```
Private Sub closeBtn_Click()
```

```
    Me.Undo
```

```
    DoCmd.Close acForm, "ConciergeBriefF", acSaveNo
```

```
End Sub
```

```
Private Function GetLastSectID() As Variant
```

```
    ' Get the latest RefNo value from NewFlightRequestsT table
```

```
    Dim db As DAO.Database
```

```
    Dim rs As DAO.Recordset
```

```
    Dim strSQL As String
```

```
    'Dim lastRefNo As Variant
```

```
    Dim MaxID As Long
```

```
    MaxID = DMax("ID", "NewSectorsT")
```

```
    ' Me.RecordSource = "Select * FROM NewSectorsT WHERE ID = " & MaxID & ";"
```

```
    Set db = CurrentDb
```

```
    strSQL = "Select * FROM NewSectorsT WHERE ID = " & MaxID & ";"
```

```
    Set rs = db.OpenRecordset(strSQL)
```

```
    ' Check If a record was found
```

```
    If Not rs.EOF Then
```

```
        LastSectID = rs.Fields("Sect_ID").Value
```

```
    End If
```

```
    ' Clean up
```

```
    rs.Close
```

```
    Set rs = Nothing
```

```
    Set db = Nothing
```

```
    GetLastSectID = LastSectID
```

```
End Function
```

```
Private Sub Form_Load()
```

```
LoadUrgentRequests
```

End Sub

Private Sub LoadUrgentRequests()

Dim TodayRequest As Date
Dim TomorrowRequest As Date
Dim UrgentQuery As String

TodayRequest = date
TomorrowRequest = DateAdd("d", 1, TodayRequest)

' Construct the dynamic query based on the selected value
UrgentQuery = "SELECT RefNo, OPSDate, Customer, RequestStatus, FuelRequest, FlightSupport FROM NewFlightRequestsT WHERE RequestStatus <> 'CONFIRMED' AND (OPSDate = #" & Format(TodayRequest, "yyyy-mm-dd") & "# OR OPSDate = #" & Format(TomorrowRequest, "yyyy-mm-dd") & "#);"

' Set the record source of the report to the dynamic query
Me.RecordSource = UrgentQuery

End Sub

Private Sub ResetBtn_Click()

Me.CountriesCmb.Value = Null
Me.PermitType.Value = Null
Me.ServiceStatus.Value = Null
Me.PaymentMethod.Value = Null
Me.PermitNumber.Value = Null
Me.Undo

End Sub

' for future usage once we have enough data to select from

Private Sub VendorLocCmb_Change()

Dim selectedValue As Variant
selectedValue = Me.VendorLocCmb.Value ' Get the selected value from the combo box

If Not IsNull(selectedValue) Then

Dim rs As DAO.Recordset
Set rs = CurrentDb.OpenRecordset("FuelVendorsT", dbOpenSnapshot)

rs.FindFirst "VendorICAO = '" & selectedValue & "'"

If Not rs.NoMatch Then

Me.IPA.Value = rs("IPA").Value
Me.FBO.Value = rs("FBO").Value
Me.Vendor.Value = rs("FuelVendor").Value
Me.Location_ID.Value = rs("Location_ID").Value
Me.VendorPrice.Value = rs("VendorPrice").Value

Else

Me.IPA.Value = Null
Me.Vendor.Value = Null
Me.Location_ID.Value = Null
Me.VendorPrice.Value = Null
Me.FBO.Value = Null

End If

rs.Close
Set rs = Nothing

Else

Me.IPA.Value = Null
Me.Vendor.Value = Null
Me.Location_ID.Value = Null
Me.VendorPrice.Value = Null
Me.FBO.Value = Null

End If

Exit Sub

End Sub

Option Compare Database

```
Private Sub AddFuelService_Click()
```

```
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
```

```
    Set db = CurrentDb
```

```
    Set rs = db.OpenRecordset("FuelBriefT", dbOpenDynaset)
```

```
    rs.AddNew
```

```
    ' Assign values to the fields in the table
```

```
    rs.Fields("Location_ID").Value = Me.Location_ID.Value
```

```
    rs.Fields("FuelType").Value = Me.FuelType.Value
```

```
    rs.Fields("FuelStatus").Value = Me.FuelStatus.Value
```

```
    rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value
```

```
    rs.Fields("IPA").Value = Me.IPA.Value
```

```
    rs.Fields("Quantity").Value = Me.Quantity.Value
```

```
    rs.Fields("VendorPrice").Value = Me.BasePrice.Value
```

```
    rs.Fields("TASPrice").Value = Me.TASPrice.Value
```

```
    rs.Fields("AddedRate").Value = Me.AddedRate.Value
```

```
    rs.Fields("Vendor").Value = Me.vendorName.Value
```

```
    rs.Fields("FBO").Value = Me.FBO.Value
```

```
    rs.Fields("NextDest").Value = Me.NextDestCmb.Value
```

```
    rs.Fields("ReleaseETD").Value = Me.ReleaseETD.Value
```

```
    rs.Fields("ReleaseETA").Value = Me.ReleaseETA.Value
```

```
    rs.Fields("ArrivalDate").Value = Me.ArrivalDate.Value
```

```
    rs.Fields("DepartDate").Value = Me.DepartDate.Value
```

```
    ' Save the new record
```

```
    rs.Update
```

```
    ' Clean up
```

```
    rs.Close
```

```
    Set rs = Nothing
```

```
    Set db = Nothing
```

```
    ' Reset form values
```

```
    ResetBtn_Click
```

```
    ' Display a message indicating successful addition
```

```
        MsgBox "Data added successfully."
```

```
    Me.Undo
```

```
End Sub
```

```
Private Sub Airport_AfterUpdate()
```

```
    MinPrice_MinVendor
```

```
End Sub
```

```
Private Sub MinPrice_MinVendor()
```

```
    Dim selectedAirport As Variant
```

```
    Dim airportCode As String
```

```
    Dim LowestPriceQ As String
```

```
    Dim MinVendorPrice As Variant
```

```
    Dim vendorTable As String
```

```
    Dim AirportIDQ As Integer
```

```
    selectedAirport = Me.AIRPORT
```

```
    If Not IsNull(selectedAirport) Then
```

```
        airportCode = selectedAirport
```

```
        LowestPriceQ = "Select MinVendorPrice, TableName,ID FROM FuelSupport_PriceQ WHERE Airport = '"
```

```
& airportCode & "'"
```

```
        MinVendorPrice = DLookup("MinVendorPrice", "FuelSupport_PriceQ", "Airport = '" & airportCode & "
```

```
        '"")
```

```
        vendorTable = DLookup("TableName", "FuelSupport_PriceQ", "Airport = '" & airportCode & "'"")
```

```
        AirportIDQ = DLookup("ID", "FuelSupport_PriceQ", "Airport = '" & airportCode & "'"")
```

```
    If Not IsNull(MinVendorPrice) Then
```

```
        Me.AirportID.Value = AirportIDQ
```

```

        Me.LowestVendor.Value = vendorTable
        Me.Vendor.Value = vendorTable
        Me.LowestPriceTxt.Value = MinVendorPrice
        RenderRecord
    Else
        Me.LowestPriceTxt.Value = "No data found"
    End If
End If
End Sub

Private Sub ArrivalDate_Click()
    InputDateField ArrivalDate, "Select a date To use this on your form"
End Sub

Private Sub DepartDate_Click()
    InputDateField DepartDate, "Select a date To use this on your form"
End Sub

Private Sub Command659_Click()
    Me.Refresh
End Sub

Private Sub RenderRecord()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    selectedVendorTable = Me.Vendor
    'AirportID = Me.AirportID
    selectedAirport = Me.AIRPORT

    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
        Exit Sub
    Else
        'If Not IsNull(selectedAirport) Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)

        ' Find the row that matches the selectedAirport And FlightType
        'rs.FindFirst "ID = " & AirportID & " And FlightType = '" & FlightType & "'"
        rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
        If Not rs.NoMatch Then
            ' Assign values To the fields in the form`
            Me.BasePrice.Value = rs("VendorPrice").Value
            Me.EstimatedTotal.Value = rs("EstimatedTotal").Value
            'Me.IPA.Value = rs("IPA").Value

            Me.Validity.Value = rs("Validity").Value
            Me.VendorCmbPrice.Value = rs("VendorPrice").Value
            Me.IPA.Value = rs("IPA").Value
            Me.FBO.Value = rs("FBO").Value
            rs.Close
            Set rs = Nothing
            Set db = Nothing
            'MsgBox "Data rendered successfully."
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If

    End If
End Sub

Private Sub ReleaseDate_Click()
    InputDateField ReleaseDate, "Select a date To use this on your form"
End Sub

Private Sub Vendor_AfterUpdate()

```

Form_EXFlightSupport_FuelF-- 3

```
'Vendor_Change
RenderRecord
End Sub

Private Sub Form_Load()
    RowSourceReset
End Sub

Private Sub RowSourceReset()

    Dim AirportQuery As String

    AirportQuery = "Select Airport FROM FuelSupport_PriceQ "

    Me.RecordSource = AirportQuery

    ' Set the RowSource Property of the AIRPORT combo box To the dynamic query
    Me.AIRPORT.RowSource = AirportQuery

    ' Requery the AIRPORT combo box To reflect the updated options
    Me.AIRPORT.Requery
End Sub

Private Sub ResetBtn_Click()
    Me.Location_ID.Value = Null
    'Me.FuelType.Value = Null
    Me.FuelStatus.Value = Null
    'Me.PaymentMethod.Value = Null
    Me.IPA.Value = Null
    'Me.Quantity.Value = Null
    Me.BasePrice.Value = Null
    'Me.TASPrice.Value = Null
    'Me.AddedRate.Value = Null
    ' Me.vendorName.Value = Null
    Me.FBO.Value = Null
    Me.Validity.Value = Null
    Me.NextDestCmb.Value = Null
    Me.ReleaseETD.Value = Null
    Me.ReleaseETA.Value = Null
    Me.ArrivalDate.Value = Null
    Me.DepartDate.Value = Null
    ' Me.ReleaseDate.Value = Null
    RowSourceReset
    'Me.Undo
End Sub

Private Sub Validity_Click()
    InputDateField Validity, "Select a date To use this on your form"
End Sub

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FuelSupport_FuelQuote", acSaveNo
End Sub
```

Option Compare Database

Private Sub addDestBtn_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

addSectID

If IsNull(Me.Sect_ID) Or IsNull(Me.Destination) Or IsNull(Me.ETA) Or IsNull(Me.ArrivalDate) Then

MsgBox "Please add missing fields.", vbExclamation

Exit Sub

End If

' Check if a record with the same SectorNo, Sect_ID, ORIGIN, and Destination already exists

Set db = CurrentDb

Set rs = db.OpenRecordset("FlightSupport_DestinationT", dbOpenDynaset)

If DCount("*", "FlightSupport_DestinationT", "Sect_ID = " & CInt(Me.Sect_ID.Value) & " AND [Destination] = '" & CStr(Me.Destination.Value)) Then

MsgBox "A record with the same Sect_ID, Destination.", vbExclamation, "Duplicate Record"

rs.Close

Set rs = Nothing

Set db = Nothing

Exit Sub

End If

Set rs = db.OpenRecordset("FlightSupport_DestinationT", dbOpenDynaset)

rs.AddNew

' Assign values to the fields in the table

rs.Fields("Destination").Value = Me.Destination.Value

rs.Fields("Sect_ID").Value = Me.Sect_ID.Value

rs.Fields("ETA").Value = Me.ETA.Value

' Save the new record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values

ResetBtn_Click

Me.Undo

Me.Requery

Me.Refresh

' Display a message indicating successful addition

MsgBox "Data added successfully."

End Sub

Private Sub DepartDate_GotFocus()

DepartDate_Click

End Sub

Private Sub ArrivalDate_GotFocus()

ArrivalDate_Click

End Sub

Public Sub DepartDate_Click()

InputDateField DepartDate, "Select a date To use this on your form"

End Sub

Public Sub ArrivalDate_Click()

InputDateField ArrivalDate, "Select a date To use this on your form"

End Sub

Private Sub RefreshBtn_Click()

Me.Requery

Me.Refresh

End Sub

Public Sub ResetBtn_Click()

Me.ORIGIN.Value = Null

Me.Sect_ID.Value = Null

Me.ETA.Value = Null

Form_FlightSupport_AddDestinationF - 2

```
        Me.ArrivalDate.Value = Null
End Sub
```

```
Private Sub Form_GotFocus()
    Dim strSQL As String
    strSQL = "SELECT DISTINCT AIRPORT_DETAILS, Full_Airport FROM Airports_DataT WHERE (((AIRPORT_DETAILS) Is Not Null)) ORDER BY AIRPORT_DETAILS;"

    Me.Destination.RowSource = strSQL

    Me.Requery
End Sub
```

Option Compare Database

Option Explicit

Private Sub AddFuelRelease_Click()

On Error GoTo ErrorHandler

Dim db As DAO.Database

Dim rs As DAO.Recordset

If IsNull(Me.Location) Or IsNull(Me.NextDestCmb) Or IsNull(Me.ReleaseETD) Or IsNull(Me.ReleaseETA) Or IsNull(Me.ArrivalDate) Or IsNull(Me.DepartDate) Then

MsgBox "Please add missing Fields"

Exit Sub

Else

Set db = CurrentDb

Set rs = db.OpenRecordset("FuelReleaseT_New_V12", dbOpenDynaset)

rs.FindFirst "Location_ID = " & Me.Location.Column(1)

If Not rs.NoMatch Then

MsgBox "A record With this Location already exists.", vbExclamation + vbOKOnly, "Record Already Exists"

Exit Sub

Else

rs.AddNew

' Assign values To the fields in the table

rs.Fields("Location_ID").Value = Me.Location.Column(1)

rs.Fields("NextDest").Value = Me.NextDestCmb.Value

rs.Fields("ReleaseETD").Value = Me.ReleaseETD.Value

rs.Fields("ReleaseETA").Value = Me.ReleaseETA.Value

rs.Fields("ArrivalDate").Value = Me.ArrivalDate.Value

rs.Fields("DepartDate").Value = Me.DepartDate.Value

' Save the New record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values

Reset

' Display a message indicating successful addition

MsgBox "Release added successfully, Please send it To client And their handler If needed"

Me.Undo

Exit Sub

End If

End If

ErrorHandler:

MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"

Me.Undo

Exit Sub

End Sub

Private Sub Form_Load()

Dim Loc_ID As String

Dim Sect_IDCmb As Integer

Dim CurrentForm As Form

Set CurrentForm = Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_AddUpdateRequestF").Form.Controls("Add_UpdateRequestF").Form

Sect_IDCmb = CurrentForm.Controls("SectorNoCmb").Column(1)

Loc_ID = "Select DISTINCT Location, Loc_ID FROM FlightSupport_AllocationsQ_V12 WHERE Sect_ID = " & Sect_IDCmb & " ORDER BY Loc_ID ASC;"

Me.Location.RowSource = Loc_ID

Me.Requery


```

End Sub
Private Sub PrintRelease_Click()
    Dim strWhere As String
    Dim IngLen As Long
    Dim Loc_ID As Integer

    Loc_ID = Me.Location.Column(1)
    ' Initialize strWhere
    strWhere = ""

    If Not IsNull(Loc_ID) Then
        ' Build the WHERE clause
        strWhere = strWhere & "([Location_ID] = " & Loc_ID & ")"
    End If

    ' Check if there's a WHERE clause
    IngLen = Len(strWhere)
    If IngLen > 0 Then
        ' Apply the filter and open the report
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenReport "FlightSupport_FuelReleaseWithoutVendor_New_V12", acViewPreview, , strWhere
    Else
        ' No filter, open the report generator form
        DoCmd.OpenForm "FuelSupport_ReportGeneratorF", WindowMode:=acWindowNormal
    End If
End Sub

End Sub
Private Sub Reset()
    Me.NextDestCmb.Value = Null
    Me.ReleaseETD.Value = Null
    Me.ReleaseETA.Value = Null
    Me.ArrivalDate.Value = Null
    Me.DepartDate.Value = Null
End Sub
Private Sub Location_AfterUpdate()
    TestParameterizedQuery
    RenderRecord
End Sub
Private Sub TestParameterizedQuery()
    Dim selectedSect_ID As Integer
    Dim FlightRefNo As Variant

    selectedSect_ID = Me.Location.Column(1)

    ' Use DLookup to directly retrieve the FlightRefNo value
    FlightRefNo = DLookup("FlightRefNo", "FlightSupport_AlllocationsQ_V12", "Loc_ID = " & selectedSect_ID)

    If Not IsNull(FlightRefNo) Then
        Me.RefNo.Value = FlightRefNo
    Else
        MsgBox "No FlightRefNo found for Loc_ID " & selectedSect_ID
    End If
End Sub

End Sub
Private Sub RenderRecord()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim RefNo As Variant
    Dim SelectedLocation As Integer
    Dim SectorNumber As Integer
    Dim selectedAirport As Variant

    RefNo = Me.RefNo.Value
    selectedAirport = Me.Location.Column(0)
    SelectedLocation = Me.Location.Column(1)

    If Not IsNull(SelectedLocation) Then
        Set db = CurrentDb

```

```

        Set rs = db.OpenRecordset("Select * FROM FlightSupport_SectorsQ WHERE FlightRefNo = '" & RefNo
& "'", dbOpenSnapshot)

        If Not rs.EOF Then
            rs.MoveFirst
            Do Until rs.EOF
                If (SelectedLocation = rs("Origin_Location_ID").Value And selectedAirport = rs("Origin
").Value) Or (SelectedLocation = rs("Dest_Location_ID").Value And selectedAirport = rs("Destination").
Value) Then
                    If SelectedLocation = rs("Origin_Location_ID").Value And selectedAirport = rs("Ori
gin").Value Then
                        SectorNumber = rs("SectorNo").Value
                        If SectorNumber = 1 Then
                            'MsgBox "This is origin And SectorNo = 1"
                            Me.ReleaseETA.Value = "00:01"
                            Me.ArrivalDate.Value = rs("Origin_DepartDate").Value
                            Me.ReleaseETD.Value = rs("Origin_ETD").Value
                            Me.DepartDate.Value = rs("Origin_DepartDate").Value
                            Me.NextDestCmb.Value = rs("Destination").Value
                        ElseIf SectorNumber > 1 Then
                            ' MsgBox "This is origin And SectorNo > 1"
                            Me.ReleaseETD.Value = rs("Origin_ETD").Value
                            Me.DepartDate.Value = rs("Origin_DepartDate").Value
                            Me.NextDestCmb.Value = rs("Destination").Value
                            rs.MovePrevious
                            Me.ArrivalDate.Value = rs("Dest_ArrivalDate").Value
                            Me.ReleaseETA.Value = rs("Dest_ETD").Value
                        End If
                    ElseIf SelectedLocation = rs("Dest_Location_ID").Value And selectedAirport = rs("D
estination").Value Then
                        ' MsgBox "This is destination"
                        Me.ReleaseETA.Value = rs("Dest_ETD").Value
                        Me.ArrivalDate.Value = rs("Dest_ArrivalDate").Value
                        rs.MoveNext
                        Me.ReleaseETD.Value = rs("Origin_ETD").Value
                        Me.DepartDate.Value = rs("Origin_DepartDate").Value
                        Me.NextDestCmb.Value = rs("Destination").Value
                    End If
                End If
            Exit Do
        End If
        rs.MoveNext
    Loop
End If

rs.Close
Set rs = Nothing
Set db = Nothing

End If
End Sub

```

```
Option Compare Database
```

```
Option Explicit
```

```
Private Sub AddFuelRelease_Click()
```

```
On Error GoTo ErrorHandler
```

```
Dim db As DAO.Database
```

```
Dim rs As DAO.Recordset
```

```
If IsNull(Me.Location) Or IsNull(Me.NextDestCmb) Or IsNull(Me.ReleaseETD) Or IsNull(Me.ReleaseETA) Or IsNull(Me.ArrivalDate) Or IsNull(Me.DepartDate) Then
```

```
MsgBox "Please add missing Fields"
```

```
Exit Sub
```

```
Else
```

```
Set db = CurrentDb
```

```
Set rs = db.OpenRecordset("FuelReleaseT_New_V12", dbOpenDynaset)
```

```
rs.FindFirst "Location_ID = " & Me.Location.Column(1)
```

```
If Not rs.NoMatch Then
```

```
MsgBox "A record With this Location already exists.", vbExclamation + vbOKOnly, "Record Already Exists"
```

```
Exit Sub
```

```
Else
```

```
rs.AddNew
```

```
' Assign values To the fields in the table
```

```
rs.Fields("Location_ID").Value = Me.Location.Column(1)
```

```
rs.Fields("NextDest").Value = Me.NextDestCmb.Value
```

```
rs.Fields("ReleaseETD").Value = Me.ReleaseETD.Value
```

```
rs.Fields("ReleaseETA").Value = Me.ReleaseETA.Value
```

```
rs.Fields("ArrivalDate").Value = Me.ArrivalDate.Value
```

```
rs.Fields("DepartDate").Value = Me.DepartDate.Value
```

```
' Save the New record
```

```
rs.Update
```

```
' Clean up
```

```
rs.Close
```

```
Set rs = Nothing
```

```
Set db = Nothing
```

```
' Reset form values
```

```
Reset
```

```
' Display a message indicating successful addition
```

```
MsgBox "Release added successfully, Please send it To client And their handler If needed"
```

```
Me.Undo
```

```
Exit Sub
```

```
End If
```

```
End If
```

```
ErrorHandler:
```

```
MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
```

```
Me.Undo
```

```
Exit Sub
```

```
End Sub
```

```
Private Sub ArrivalDate_Click()
```

```
'InputDateField ArrivalDate, "Select a date To use this on your form"
```

```
End Sub
```

```
Private Sub DepartDate_Click()
```

```
'InputDateField DepartDate, "Select a date To use this on your form"
```

```
End Sub
```

```
Private Sub PrintRelease_Click()
```

```
Dim strWhere As String
```

```
Dim lngLen As Long
```

```
Dim Loc_ID As Integer
```

```
Loc_ID = Me.Location.Column(1)
```

```
' Initialize strWhere
```

```
strWhere = ""
```

```

If Not IsNull(Loc_ID) Then
    ' Build the WHERE clause
    strWhere = strWhere & "([Location_ID] = " & Loc_ID & ")"
End If

' Check if there's a WHERE clause
IngLen = Len(strWhere)
If IngLen > 0 Then
    ' Apply the filter and open the report
    Me.Filter = strWhere
    Me.FilterOn = True
    DoCmd.OpenReport "FlightSupport_FuelReleaseWithoutVendor_New_V12", acViewPreview, , strWhere
Else
    ' No filter, open the report generator form
    DoCmd.OpenForm "FuelSupport_ReportGeneratorF", WindowMode:=acWindowNormal
End If

End Sub

Private Sub Reset()
    Me.NextDestCmb.Value = Null
    Me.ReleaseETD.Value = Null
    Me.ReleaseETA.Value = Null
    Me.ArrivalDate.Value = Null
    Me.DepartDate.Value = Null
End Sub

Private Sub Location_AfterUpdate()
TestParameterizedQuery
RenderRecord
End Sub

Private Sub TestParameterizedQuery()
    Dim selectedSect_ID As Integer
    Dim FlightRefNo As Variant

    selectedSect_ID = Me.Location.Column(1)

    ' Use DLookup to directly retrieve the FlightRefNo value
    FlightRefNo = DLookup("FlightRefNo", "FlightSupport_AlllocationsQ_V12", "Loc_ID = " & selectedSect_ID)

    If Not IsNull(FlightRefNo) Then
        Me.RefNo.Value = FlightRefNo
    Else
        MsgBox "No FlightRefNo found for Loc_ID " & selectedSect_ID
    End If
End Sub

Private Sub RenderRecord()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim RefNo As Variant
    Dim SelectedLocation As Integer
    Dim SectorNumber As Integer
    Dim selectedAirport As Variant

    RefNo = Me.RefNo.Value
    selectedAirport = Me.Location.Column(0)
    SelectedLocation = Me.Location.Column(1)

    If Not IsNull(SelectedLocation) Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset("Select * FROM FlightSupport_SectorsQ WHERE FlightRefNo = '" & RefNo & "'", dbOpenSnapshot)

        If Not rs.EOF Then
            rs.MoveFirst
            Do Until rs.EOF
                If (SelectedLocation = rs("Origin_Location_ID").Value And selectedAirport = rs("Origin_Location_ID").Value) Or (SelectedLocation = rs("Dest_Location_ID").Value And selectedAirport = rs("Destination").Value) Then
                    If SelectedLocation = rs("Origin_Location_ID").Value And selectedAirport = rs("Origin_Location_ID").Value Then

```

```
gin").Value Then
```

```
    SectorNumber = rs("SectorNo").Value
```

```
    If SectorNumber = 1 Then
```

```
        'MsgBox "This is origin And SectorNo = 1"
```

```
        Me.ReleaseETA.Value = "00:01"
```

```
        Me.ArrivalDate.Value = rs("Origin_DepartDate").Value
```

```
        Me.ReleaseETD.Value = rs("Origin_ETD").Value
```

```
        Me.DepartDate.Value = rs("Origin_DepartDate").Value
```

```
        Me.NextDestCmb.Value = rs("Destination").Value
```

```
    ElseIf SectorNumber > 1 Then
```

```
        ' MsgBox "This is origin And SectorNo > 1"
```

```
        Me.ReleaseETD.Value = rs("Origin_ETD").Value
```

```
        Me.DepartDate.Value = rs("Origin_DepartDate").Value
```

```
        Me.NextDestCmb.Value = rs("Destination").Value
```

```
        rs.MovePrevious
```

```
        Me.ArrivalDate.Value = rs("Dest_ArrivalDate").Value
```

```
        Me.ReleaseETA.Value = rs("Dest_ETD").Value
```

```
    End If
```

```
    ElseIf SelectedLocation = rs("Dest_Location_ID").Value And selectedAirport = rs("Destination").Value Then
```

```
        ' MsgBox "This is destination"
```

```
        Me.ReleaseETA.Value = rs("Dest_ETD").Value
```

```
        Me.ArrivalDate.Value = rs("Dest_ArrivalDate").Value
```

```
        rs.MoveNext
```

```
        Me.ReleaseETD.Value = rs("Origin_ETD").Value
```

```
        Me.DepartDate.Value = rs("Origin_DepartDate").Value
```

```
        Me.NextDestCmb.Value = rs("Destination").Value
```

```
    End If
```

```
    Exit Do
```

```
End If
```

```
rs.MoveNext
```

```
Loop
```

```
End If
```

```
rs.Close
```

```
Set rs = Nothing
```

```
Set db = Nothing
```

```
End If
```

```
End Sub
```

Option Compare Database

Private Sub AddLocation_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim similarRecordExists As Boolean

similarRecordExists = False

Set db = CurrentDb

Set rs = db.OpenRecordset("LocationsT_New", dbOpenDynaset) ' Open in dbOpenTable mode

' Check if the Location field is empty

If IsNull(Me.Location.Value) Or Trim(Me.Location.Value) = "" Then

MsgBox "Please enter a location.", vbExclamation

Exit Sub

Else

' Check if the table is empty

If rs.EOF Then

' Add new record directly

rs.AddNew

rs.Fields("Location").Value = Me.Location.Value

rs.Fields("Sect_ID").Value = Me.Sect_ID.Value

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values and display success message

Me.Location.Value = Null

MsgBox "Data added successfully."

Me.Refresh

Exit Sub ' Exit the sub after adding the record

Else ' This Else belongs to the If rs.EOF Then block

' Check for similar records if the table is not empty

rs.MoveFirst

Do While Not rs.EOF

If rs!Location = Me.Location.Value And rs!Sect_ID = Me.Sect_ID.Value Then

similarRecordExists = True

Exit Do

End If

rs.MoveNext

Loop

If similarRecordExists Then

MsgBox "A similar record already exists in the database.", vbExclamation

Exit Sub

Else

' Add new record

rs.AddNew

rs.Fields("Location").Value = Me.Location.Value

rs.Fields("Sect_ID").Value = Me.Sect_ID.Value

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values and display success message

Me.Location.Value = Null

MsgBox "Data added successfully."

Me.Refresh

End If

End If ' End of the If rs.EOF Then block

End If

End Sub

Public Sub ResetBtn_Click()

On Error GoTo ErrorHandler

Form_FlightSupport_AddLocationF - 2

```
Me.Undo
Me.Location.Value = Null
Me.Sect_ID.Value = Null
```

```
Exit Sub
```

ErrorHandler:

```
MsgBox "An error occurred: " & err.Description, vbExclamation
End Sub
```

```
Private Sub Form_Unload(Cancel As Integer)
Me.RecordSource = "" ' Clear the form's data source
'DoCmd.Requery ' Refresh the form
End Sub
```

Option Compare Database

Private Sub AddLocation_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim similarRecordExists As Boolean

similarRecordExists = False

Set db = CurrentDb

Set rs = db.OpenRecordset("LocationsT_New", dbOpenDynaset) ' Open in dbOpenTable mode

' Check if the Location field is empty

If IsNull(Me.Location.Value) Or Trim(Me.Location.Value) = "" Then

MsgBox "Please enter a location.", vbExclamation

Exit Sub

Else

' Check if the table is empty

If rs.EOF Then

' Add new record directly

rs.AddNew

rs.Fields("Location").Value = Me.Location.Value

rs.Fields("Sect_ID").Value = Me.Sect_ID.Value

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values and display success message

Me.Location.Value = Null

MsgBox "Data added successfully."

Me.Refresh

Exit Sub ' Exit the sub after adding the record

Else ' This Else belongs to the If rs.EOF Then block

' Check for similar records if the table is not empty

rs.MoveFirst

Do While Not rs.EOF

If rs!Location = Me.Location.Value And rs!Sect_ID = Me.Sect_ID.Value Then

similarRecordExists = True

Exit Do

End If

rs.MoveNext

Loop

If similarRecordExists Then

MsgBox "A similar record already exists in the database.", vbExclamation

Exit Sub

Else

' Add new record

rs.AddNew

rs.Fields("Location").Value = Me.Location.Value

rs.Fields("Sect_ID").Value = Me.Sect_ID.Value

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values and display success message

Me.Location.Value = Null

MsgBox "Data added successfully."

Me.Refresh

End If

End If ' End of the If rs.EOF Then block

End If

End Sub

Public Sub ResetBtn_Click()

On Error GoTo ErrorHandler

Form_FlightSupport_AddLocationF_New - 2

```
Me.Undo
Me.Location.Value = Null
Me.Sect_ID.Value = Null
```

```
Exit Sub
```

ErrorHandler:

```
MsgBox "An error occurred: " & err.Description, vbExclamation
```

```
End Sub
```

```
Private Sub Form_Unload(Cancel As Integer)
```

```
'Cancel = True
```

```
' Me.Sect_ID = "" ' Clear the form's data source
```

```
'DoCmd.Requery ' Refresh the form
```

```
End Sub
```

Option Compare Database

Private Sub AddLocation_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim similarRecordExists As Boolean

similarRecordExists = False

Set db = CurrentDb

Set rs = db.OpenRecordset("LocationsT_New", dbOpenDynaset) ' Open in dbOpenTable mode

' Check if the Location field is empty

If IsNull(Me.Location.Value) Or Trim(Me.Location.Value) = "" Then

MsgBox "Please enter a location.", vbExclamation

Exit Sub

Else

' Check if the table is empty

If rs.EOF Then

' Add new record directly

rs.AddNew

rs.Fields("Location").Value = Me.Location.Value

rs.Fields("Sect_ID").Value = Me.Sect_ID.Value

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values and display success message

Me.Location.Value = Null

MsgBox "Data added successfully."

Me.Refresh

Exit Sub ' Exit the sub after adding the record

Else ' This Else belongs to the If rs.EOF Then block

' Check for similar records if the table is not empty

rs.MoveFirst

Do While Not rs.EOF

If rs!Location = Me.Location.Value And rs!Sect_ID = Me.Sect_ID.Value Then

similarRecordExists = True

Exit Do

End If

rs.MoveNext

Loop

If similarRecordExists Then

MsgBox "A similar record already exists in the database.", vbExclamation

Exit Sub

Else

' Add new record

rs.AddNew

rs.Fields("Location").Value = Me.Location.Value

rs.Fields("Sect_ID").Value = Me.Sect_ID.Value

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values and display success message

Me.Location.Value = Null

MsgBox "Data added successfully."

Me.Refresh

End If

End If ' End of the If rs.EOF Then block

End If

End Sub

Public Sub ResetBtn_Click()

On Error GoTo ErrorHandler

Form_FlightSupport_AddLocationF_V11 - 2

```
Me.Undo
Me.Location.Value = Null
Me.Sect_ID.Value = Null
```

```
Exit Sub
```

ErrorHandler:

```
MsgBox "An error occurred: " & err.Description, vbExclamation
End Sub
```

Private Sub Form_Unload(Cancel As Integer)

```
Me.RecordSource = "" ' Clear the form's data source
'DoCmd.Requery ' Refresh the form
```

End Sub

Option Compare Database

```
Private Sub AddNotesBtn_Click()
```

```
    If Not IsNull(Me.OVFProcedures.Value) Or Not IsNull(Me.OperationalProcedures.Value) Or Not IsNull(Me.CountryCmb.Value) Or Not IsNull(Me.RecommendedVendorCmb.Value) Then
```

```
        AddNotes
```

```
    Else
```

```
        MsgBox "Please fill in the empty fields"
```

```
    Exit Sub
```

```
    End If
```

```
End Sub
```

```
Private Sub Form_Load()
```

```
    Dim fw As New clFormWindow
```

```
    fw.hWnd = Me.hWnd
```

```
    With fw
```

```
        .Top = (.Parent.Height - .Height) / 2
```

```
        .Left = (.Parent.Width - .Width) / 2
```

```
    End With
```

```
    Set fw = Nothing
```

```
End Sub
```

```
Private Sub AddNotes()
```

```
    On Error GoTo ErrorHandler
```

```
    Dim db As DAO.Database
```

```
    Dim rs As DAO.Recordset
```

```
    Set db = CurrentDb
```

```
    Set rs = db.OpenRecordset("OperationalProceduresT", dbOpenDynaset)
```

```
    rs.AddNew
```

```
    ' Assign values To the fields in the table
```

```
    rs.Fields("OVFProcedures").Value = Me.OVFProcedures.Value
```

```
    rs.Fields("OperationalProcedures").Value = Me.OperationalProcedures.Value
```

```
    rs.Fields("RecommendedVendor").Value = Me.RecommendedVendorCmb.Value
```

```
    rs.Fields("Country").Value = Me.CountryCmb.Value
```

```
    rs.Fields("Location").Value = Me.AIRPORT.Value
```

```
    ' Save the New record
```

```
    rs.Update
```

```
    ' Clean up
```

```
    rs.Close
```

```
    Set rs = Nothing
```

```
    Set db = Nothing
```

```
    ' Reset the form fields
```

```
    NotesReset
```

```
    MsgBox "Data added successfully."
```

```
    Me.Undo
```

```
Exit Sub
```

```
ErrorHandler:
```

```
    MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
```

```
    Me.Undo
```

```
Exit Sub
```

```
End Sub
```

```
Private Sub NotesReset()
```

```
    Me.OVFProcedures.Value = Null
```

```
    Me.OperationalProcedures.Value = Null
```

```
    Me.RecommendedVendorCmb.Value = Null
```

```
    Me.AIRPORT.Value = Null
```

```
    CountryAirportsQuery
```

```
End Sub
```

```
Private Sub ResetBtn_Click()
```

```
    Me.OVFProcedures.Value = Null
```

```
    Me.OperationalProcedures.Value = Null
```

```
    Me.RecommendedVendorCmb.Value = Null
```

Form_FlightSupport_AddOperationalProcedures - 2

```
Me.CountryCmb.Value = Null
Me.AIRPORT.Value = Null
Me.Undo
End Sub
Private Sub closeBtn_Click()
Me.Undo
DoCmd.Close acForm, "FlightSupport_AddOperationalProcedures", acSaveNo
End Sub

Private Sub UpdateOperationalProceduresBtn_Click()
DoCmd.OpenForm "FlightSupport_UpdateOperationalProcedures", WindowMode:=acWindowNormal
End Sub

Private Sub CountryCmb_AfterUpdate()
CountryAirportsQuery
End Sub
Private Sub CountryAirportsQuery()
Dim SelectedCountry As String
Dim CountryAirports As String

SelectedCountry = Me.CountryCmb.Value

CountryAirports = "SELECT DISTINCT AIRPORT_DETAILS FROM Airports_DataT WHERE Country IS NOT NULL
AND Country = '" & SelectedCountry & "'"

Me.AIRPORT.RowSource = CountryAirports

Me.AIRPORT.Requery
End Sub
```

Option Compare Database

Private Sub addOriginBtn_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

addSectID

If IsNull(Me.Sect_ID) Or IsNull(Me.ORIGIN) Or IsNull(Me.ETD) Or IsNull(Me.ETA) Or IsNull(Me.ArrivalDate) Or IsNull(Me.DepartDate) Then

MsgBox "Please add missing fields.", vbExclamation

Exit Sub

End If

' Check if a record with the same SectorNo, Sect_ID, ORIGIN, and Destination already exists

Set db = CurrentDb

Set rs = db.OpenRecordset("FlightSupport_OriginT", dbOpenDynaset)

If DCount("*", "FlightSupport_OriginT", "Sect_ID = " & CInt(Me.Sect_ID.Value) & " AND [ORIGIN] = " & CStr(Me.ORIGIN.Value)) Then

MsgBox "A record with the same Sect_ID, ORIGIN.", vbExclamation, "Duplicate Record"

rs.Close

Set rs = Nothing

Set db = Nothing

Exit Sub

End If

Set rs = db.OpenRecordset("FlightSupport_OriginT", dbOpenDynaset)

rs.AddNew

' Assign values to the fields in the table

rs.Fields("ORIGIN").Value = Me.ORIGIN.Value

rs.Fields("Sect_ID").Value = Me.Sect_ID.Value

rs.Fields("ETA").Value = Me.ETA.Value

rs.Fields("ETD").Value = Me.ETD.Value

rs.Fields("ArrivalDate").Value = Me.ArrivalDate.Value

rs.Fields("DepartDate").Value = Me.DepartDate.Value

' Save the new record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values

ResetBtn_Click

Me.Undo

Me.Requery

Me.Refresh

' Display a message indicating successful addition

MsgBox "Data added successfully."

End Sub

Private Sub DepartDate_GotFocus()

DepartDate_Click

End Sub

Private Sub ArrivalDate_GotFocus()

ArrivalDate_Click

End Sub

Public Sub DepartDate_Click()

InputDateField DepartDate, "Select a date To use this on your form"

End Sub

Public Sub ArrivalDate_Click()

InputDateField ArrivalDate, "Select a date To use this on your form"

End Sub

Private Sub RefreshBtn_Click()

Me.Requery

Me.Refresh

End Sub

```
Public Sub ResetBtn_Click()  
    Me.ORIGIN.Value = Null  
    Me.Sect_ID.Value = Null  
    Me.ETA.Value = Null  
    Me.ETD.Value = Null  
    Me.ArrivalDate.Value = Null  
    Me.DepartDate.Value = Null  
End Sub
```

Form_FlightSupport_AddOriginF - 1

Option Compare Database

Private Sub addOriginBtn_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

addSectID

If IsNull(Me.Sect_ID) Or IsNull(Me.ORIGIN) Or IsNull(Me.ETD) Or IsNull(Me.ETA) Or IsNull(Me.ArrivalDate) Or IsNull(Me.DepartDate) Then

MsgBox "Please add missing fields.", vbExclamation

Exit Sub

End If

' Check if a record with the same SectorNo, Sect_ID, ORIGIN, and Destination already exists

Set db = CurrentDb

Set rs = db.OpenRecordset("FlightSupport_OriginT", dbOpenDynaset)

If DCount("*", "FlightSupport_OriginT", "Sect_ID = " & CInt(Me.Sect_ID.Value) & " AND [ORIGIN] = " & CStr(Me.ORIGIN.Value)) Then

MsgBox "A record with the same Sect_ID, ORIGIN.", vbExclamation, "Duplicate Record"

rs.Close

Set rs = Nothing

Set db = Nothing

Exit Sub

End If

Set rs = db.OpenRecordset("FlightSupport_OriginT", dbOpenDynaset)

rs.AddNew

' Assign values to the fields in the table

rs.Fields("ORIGIN").Value = Me.ORIGIN.Value

rs.Fields("Sect_ID").Value = Me.Sect_ID.Value

rs.Fields("ETA").Value = Me.ETA.Value

rs.Fields("ETD").Value = Me.ETD.Value

rs.Fields("ArrivalDate").Value = Me.ArrivalDate.Value

rs.Fields("DepartDate").Value = Me.DepartDate.Value

' Save the new record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values

ResetBtn_Click

Me.Undo

Me.Requery

Me.Refresh

' Display a message indicating successful addition

MsgBox "Data added successfully."

End Sub

Private Sub DepartDate_GotFocus()

DepartDate_Click

End Sub

Private Sub ArrivalDate_GotFocus()

ArrivalDate_Click

End Sub

Public Sub DepartDate_Click()

InputDateField DepartDate, "Select a date To use this on your form"

End Sub

Public Sub ArrivalDate_Click()

InputDateField ArrivalDate, "Select a date To use this on your form"

End Sub

Private Sub RefreshBtn_Click()

Me.Requery

Me.Refresh

End Sub

Form_FlightSupport_AddOriginF - 2

```
Public Sub ResetBtn_Click()
    Me.ORIGIN.Value = Null
    Me.Sect_ID.Value = Null
    Me.ETA.Value = Null
    Me.ETD.Value = Null
    Me.ArrivalDate.Value = Null
    Me.DepartDate.Value = Null
End Sub

Private Sub ETD_LostFocus()
    Dim destForm As Form

    Set destForm = Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_AddUpdateRequestF").Form.Controls("Add_UpdateRequestF").Form.Controls("FlightSupport_AddDestinationF").Form

    destForm.Controls("Destination").SetFocus
End Sub

Private Sub OriginTxt_Click()
    Dim strSQL As String
    strSQL = "SELECT DISTINCT Airports_DataT.AIRPORT_DETAILS, Airports_DataT.Full_Airport FROM Airports_DataT WHERE (((Airports_DataT.AIRPORT_DETAILS) Is Not Null)) ORDER BY Airports_DataT.AIRPORT_DETAILS;"

    Debug.Print strSQL ' Print the SQL query to the Immediate Window

    Me.OriginTxt.RowSource = strSQL
End Sub

Private Sub Form_GotFocus()
    Dim strSQL As String
    strSQL = "SELECT DISTINCT AIRPORT_DETAILS, Full_Airport FROM Airports_DataT WHERE (((AIRPORT_DETAILS) Is Not Null)) ORDER BY AIRPORT_DETAILS;"

    Me.OriginTxt.RowSource = strSQL

    Me.Requery
End Sub
```

Option Compare Database

Private Sub ACRgCb_Change()

Dim selectedValue As Variant

selectedValue = Me.ACRgCb.Value ' Get the selected value from the combo box

If Not IsNull(selectedValue) Then

Dim rs As DAO.Recordset

Set rs = CurrentDb.OpenRecordset("ACRegT", dbOpenSnapshot)

rs.FindFirst "ACReg = '" & selectedValue & "'"

If Not rs.NoMatch Then

Me.ACType.Value = rs("ACType").Value

Me.MTOW.Value = rs("ACMTOW").Value

Me.Operator.Value = rs("Operator").Value

Me.Customer.Value = rs("Customer").Value

Me.CallSigntxt.Value = rs("callSign").Value

Else

Me.ACType.Value = Null

Me.MTOW.Value = Null

Me.Operator.Value = Null

Me.Customer.Value = Null

Me.CallSigntxt.Value = Null

End If

rs.Close

Set rs = Nothing

Else

Me.ACType.Value = Null

Me.MTOW.Value = Null

Me.Operator.Value = Null

Me.Customer.Value = Null

Me.CallSigntxt.Value = Null

End If

Exit Sub

End Sub

Private Sub updateUser1()

Dim UserID As Integer

UserID = Forms!loggedInUser!txtUserID

'UserID = 1

Me.User1 = DLookup("UserName", "UsersT", "ID =" & UserID & "")

End Sub

Private Sub addSectID()

Dim RefValue As Integer

Dim rst As DAO.Recordset

RefValue = Nz(DLookup("SectNum", "IDs_GeneratingT"), 0)

Me.Sect_ID.Value = Format(RefValue + 1, "000")

Set rst = CurrentDb.OpenRecordset("IDs_GeneratingT", dbOpenDynaset, dbSeeChanges)

With rst

.Edit

![SectNum] = ![SectNum] + 1

.Update

End With

rst.Close

Set rst = Nothing

End Sub

Private Sub addSectorBtn_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

addSectID

If IsNull(Me.Sect_ID) Or IsNull(Me.SectorNo) Or IsNull(Me.CallSigntxt) Or IsNull(Me.SectorRefNo) Or
 IsNull(Me.ACRgCb) Or IsNull(Me.Operator) Or IsNull(Me.Customer) Or IsNull(Me.ACType) Then

Form_FlightSupport_AddSectorF_New - 2

```
MsgBox "Please add missing fields.", vbExclamation
Exit Sub
End If
```

```
    ' Check if a record with the same SectorNo, Sect_ID, ORIGIN, and Destination already exists
    Set db = CurrentDb
    Set rs = db.OpenRecordset("FlightSupport_SectorsT_New_V12", dbOpenDynaset)
    If DCount("*", "FlightSupport_SectorsT_New_V12", "Sect_ID = " & CInt(Me.Sect_ID.Value)) > 0 Then
n
        MsgBox "A record with the same Sect_ID, ORIGIN, and Destination already exists.", vbExclam
ation, "Duplicate Record"
        rs.Close
        Set rs = Nothing
        Set db = Nothing
        Exit Sub
    End If
```

```
Set rs = db.OpenRecordset("FlightSupport_SectorsT_New_V12", dbOpenDynaset)
rs.AddNew
' Assign values to the fields in the table
```

```
rs.Fields("SectorStatus").Value = Me.TripStatuscmb.Value
rs.Fields("CallSign").Value = Me.CallSigntxt.Value
rs.Fields("Sect_ID").Value = Me.Sect_ID.Value
rs.Fields("SectorNo").Value = Me.SectorNo.Value
rs.Fields("FlightRefNo").Value = Me.SectorRefNo.Value
rs.Fields("Notes").Value = Me.Notes.Value
rs.Fields("ACReg").Value = Me.ACRegCb.Value
rs.Fields("Operator").Value = Me.Operator.Value
rs.Fields("ACType").Value = Me.ACType.Value
rs.Fields("MTOW").Value = Me.MTOW.Value
rs.Fields("Customer").Value = Me.Customer.Value
```

```
' Save the new record
rs.Update
```

```
' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing
```

```
AddOrigin_Dest
```

```
Reset_Fields
```

```
Me.Requery
Me.Refresh
```

```
' Display a message indicating successful addition
MsgBox "Data added successfully."
```

End Sub

```
Private Sub AddOrigin_Dest()
addLocID
addOrigin
addDest
End Sub
```

```
Private Sub addLocID()
Dim OriginRefValue As Integer
Dim Origin_LocID As Integer
Dim rst As DAO.Recordset
```

```
OriginRefValue = Nz(DLookup("Origin_LocNum", "IDs_GeneratingT"), 0)
```

```
Origin_LocID = Format(OriginRefValue + 1, "000")
Me.FlightSupport_AddOriginF_Form.Form.Controls("OriginLoc_ID").Value = Origin_LocID
```

```
Me.FlightSupport_AddDestinationF_Form.Form.Controls("DestLoc_ID").Value = Origin_LocID + 1
```

```

Set rst = CurrentDb.OpenRecordset("IDs_GeneratingT", dbOpenDynaset, dbSeeChanges)

With rst
    .Edit
    ![Origin_LocNum] = ![Origin_LocNum] + 1
    ![Dest_LocNum] = ![Dest_LocNum] + 1
    .Update
End With

rst.Close
Set rst = Nothing

End Sub

Private Sub addOrigin()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim boundControl As control

    If IsNull(Me.FlightSupport_AddOriginF_Form.Form.Controls("OriginTxt").Value) Or IsNull(Me.FlightSupport_AddOriginF_Form.Form.Controls("ETD").Value) Or IsNull(Me.FlightSupport_AddOriginF_Form.Form.Controls("DepartDate").Value) Then

        MsgBox "Please add missing fields.", vbExclamation
        Exit Sub
        End If

        ' Check if a record with the same SectorNo, Sect_ID, ORIGIN, and Destination already exists
        Set db = CurrentDb
        Set rs = db.OpenRecordset("FlightSupport_OriginT", dbOpenDynaset)

        Set boundControl = Me.FlightSupport_AddOriginF_Form.Form.Controls("OriginTxt")

        If DCount("*", "FlightSupport_OriginT", "Origin_Sect_ID = " & CInt(Me.Sect_ID.Value) & " AND 'OriginAirportCode' = '" & CStr(boundControl.Column(0)) & "'" > 0 Then
            MsgBox "A record with the same Sect_ID, OriginAirportCode.", vbExclamation, "Duplicate Record"

            rs.Close
            Set rs = Nothing
            Set db = Nothing
            Exit Sub
        End If

        Set rs = db.OpenRecordset("FlightSupport_OriginT", dbOpenDynaset)
        rs.AddNew
        ' Assign values to the fields in the table
        rs.Fields("OriginAirportCode").Value = Me.FlightSupport_AddOriginF_Form.Form.Controls("OriginTxt").Column(0)
        rs.Fields("Origin_AirportName").Value = Me.FlightSupport_AddOriginF_Form.Form.Controls("OriginTxt").Column(1)
        rs.Fields("Origin_Sect_ID").Value = Me.Sect_ID.Value
        rs.Fields("Origin_ETA").Value = Me.FlightSupport_AddOriginF_Form.Form.Controls("ETA").Value
        rs.Fields("Origin_ETD").Value = Me.FlightSupport_AddOriginF_Form.Form.Controls("ETD").Value
        rs.Fields("Origin_Location_ID").Value = Me.FlightSupport_AddOriginF_Form.Form.Controls("OriginLoc_ID").Value
        rs.Fields("Origin_ArrivalDate").Value = Me.FlightSupport_AddOriginF_Form.Form.Controls("ArrivalDate").Value
        rs.Fields("Origin_DepartDate").Value = Me.FlightSupport_AddOriginF_Form.Form.Controls("DepartDate").Value

        ' Save the new record
        rs.Update

        ' Clean up
        rs.Close
        Set rs = Nothing
        Set db = Nothing

```

```

        ' Reset form values

Me.Undo
Me.Requery
Me.Refresh

End Sub

Private Sub addDest()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    If IsNull(Me.FlightSupport_AddDestinationF_Form.Form.Controls("Destination").Value) Or IsNull(Me.FlightSupport_AddDestinationF_Form.Form.Controls("ETA").Value) Or IsNull(Me.FlightSupport_AddDestinationF_Form.Form.Controls("ArrivalDate").Value) Then

        MsgBox "Please add missing fields.", vbExclamation
        Exit Sub
    End If

    ' Check if a record with the same SectorNo, Sect_ID, ORIGIN, and Destination already exists
    Set db = CurrentDb
    Set rs = db.OpenRecordset("FlightSupport_DestinationT", dbOpenDynaset)
    Dim boundControl As control

Set boundControl = Me.FlightSupport_AddDestinationF_Form.Form.Controls("Destination")

    If DCount("*", "FlightSupport_DestinationT", "Dest_Sect_ID = " & CInt(Me.Sect_ID.Value) & " AND 'DestAirportCode' = '" & CStr(boundControl.Column(0)) & "'") > 0 Then
        MsgBox "A record with the same Sect_ID, Destination.", vbExclamation, "Duplicate Record"
        rs.Close
        Set rs = Nothing
        Set db = Nothing
        Exit Sub
    End If

    Set rs = db.OpenRecordset("FlightSupport_DestinationT", dbOpenDynaset)
    rs.AddNew
    ' Assign values to the fields in the table
    rs.Fields("Dest_Sect_ID").Value = Me.Sect_ID.Value
    rs.Fields("DestAirportCode").Value = Me.FlightSupport_AddDestinationF_Form.Form.Controls("Destination").Column(0)
    rs.Fields("Dest_AirportName").Value = Me.FlightSupport_AddDestinationF_Form.Form.Controls("Destination").Column(1)
    rs.Fields("Dest_ETA").Value = Me.FlightSupport_AddDestinationF_Form.Form.Controls("ETA").Value
    rs.Fields("Dest_Location_ID").Value = Me.FlightSupport_AddDestinationF_Form.Form.Controls("DestLoc_ID").Value
    rs.Fields("Dest_ArrivalDate").Value = Me.FlightSupport_AddDestinationF_Form.Form.Controls("ArrivalDate").Value
    ' Save the new record
    rs.Update

    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing

    ' Reset form values

Me.Undo
Me.Requery
Me.Refresh

End Sub

Public Sub Reset_Fields()
    Dim originBoundControl As control
    Dim destBoundControl As control
    Dim originBoundControl_ID As control
    Dim destBoundControl_ID As control

    Set destBoundControl = Me.FlightSupport_AddDestinationF_Form.Form.Controls("Destination")

```

Form_FlightSupport_AddSectorF_New - 5

```
Set destBoundControl_ID = Me.FlightSupport_AddDestinationF_Form.Form.Controls("DestLoc_ID")

Set originBoundControl = Me.FlightSupport_AddOriginF_Form.Form.Controls("OriginTxt")
Set originBoundControl_ID = Me.FlightSupport_AddOriginF_Form.Form.Controls("OriginLoc_ID")

Me.Sect_ID.Value = Null
Me.SectorNo.Value = Null

originBoundControl = destBoundControl
originBoundControl_ID = destBoundControl_ID

Me.FlightSupport_AddOriginF_Form.Form.Controls("ETD").Value = Null
Me.FlightSupport_AddOriginF_Form.Form.Controls("DepartDate").Value = Null
Me.FlightSupport_AddDestinationF_Form.Form.Controls("ETA").Value = Null
Me.FlightSupport_AddDestinationF_Form.Form.Controls("ArrivalDate").Value = Null
Me.FlightSupport_AddDestinationF_Form.Form.Controls("Destination").Value = Null

End Sub

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FlightSupport_AddSectorsF", acSaveNo
End Sub

Private Sub DepartDate_GotFocus()
DepartDate_Click
End Sub

Private Sub ArrivalDate_GotFocus()
ArrivalDate_Click
End Sub

Private Sub LoadLastBtn_Click()
    Me.RequestRefNo = GetLastRequestID
End Sub

Private Function GetLastRequestRefNo() As Variant
    Dim LastRequestID As Variant

    LastRequestID = DMax("ID", "FlightSupport_FlightRequestsT")
    GetLastRequestRefNo = LastRequestID
End Function

Public Sub DepartDate_Click()
    InputDateField DepartDate, "Select a date To use this on your form"
End Sub

Public Sub ArrivalDate_Click()
    InputDateField ArrivalDate, "Select a date To use this on your form"
End Sub

Private Sub RefreshBtn_Click()
Me.Requery
Me.Refresh
End Sub

Private Sub Form_Load()
    If IsNull(Me.RequestRefNo) Then
        Me.RequestRefNo = Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_RequestF_New").Form.Controls("RefNo").Value
        Me.SectorRefNo = Me.RequestRefNo
        Me.Requery
    Else
        Exit Sub
    End If
End Sub

Private Sub Sect_IDCmb_AfterUpdate()
'selectLocations
UpdateIDQueries
End Sub

Private Sub UpdateIDQueries()
'On Error Goto ErrorHandler
Dim selectedSect_ID As Integer
```

```

Dim LocationsQuery As String
'Dim locSect_ID As Integer

selectedSect_ID = Me.Sect_IDCmb.Column(1) ' Get the selected value from RefNo combo box

' LocationsQuery = "Select Location, Loc_ID FROM FlightSupport_locationsQ_V12 WHERE Sect_ID = " & selectedSect_ID & ";"
LocationsQuery = "SELECT DISTINCT Location, Loc_ID FROM FlightSupport_locationsQ_V12 WHERE Sect_ID = " & selectedSect_ID & ";"
' Set the RowSource Property of the other subform's combo box To the dynamic query
Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID1").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID2").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID3").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID4").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID5").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID6").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_BriefsF").Form.Controls("FuelF").Controls("AIRPORT").RowSource = LocationsQuery

Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_BriefsF").Form.Controls("FuelF").Controls("Location_ID").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_BriefsF").Form.Controls("FuelF").Controls("FlightSupport_FuelReleaseF").Controls("Location").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_BriefsF").Form.Controls("ConciergeBriefingF").Controls("Location_ID").RowSource = LocationsQuery

Me.Requery
' Assign selectedSect_ID To locSect_ID
'locSect_ID = selectedSect_ID
' Update the value of Sect_ID in the other subform
'Me.Controls("FlightSupport_AddLocationF").Controls("Sect_ID").Value = locSect_ID

'ErrorHandler:
'MsgBox "An error occurred: " & err.Description, vbExclamation
End Sub
Private Sub selectLocations()
Dim strSQL As String
Dim rs As DAO.Recordset
Dim strRowSource As String
Dim selectedSect_ID As Integer

' Get the selected Sect_ID
selectedSect_ID = Me.Sect_IDCmb.Column(1)
Me.Controls("FlightSupport_AddLocationF").Controls("Sect_ID").Value = selectedSect_ID
strSQL = "Select AirportName, Loc_ID FROM FlightSupport_locationsQ_V12 WHERE Sect_ID = " & selectedSect_ID & ";"
' Update the combo box's row source
Me.Controls("FlightSupport_AddLocationF").Controls("Location").RowSource = strSQL
Me.Controls("FlightSupport_AddLocationF").Controls("Location").ColumnCount = 1
End Sub

```

Option Compare Database

Private Sub ACRegCb_Change()

Dim selectedValue As Variant

selectedValue = Me.ACRegCb.Value ' Get the selected value from the combo box

If Not IsNull(selectedValue) Then

Dim rs As DAO.Recordset

Set rs = CurrentDb.OpenRecordset("ACRegT", dbOpenSnapshot)

rs.FindFirst "ACReg = '" & selectedValue & "'"

If Not rs.NoMatch Then

Me.ACType.Value = rs("ACType").Value

Me.MTOW.Value = rs("ACMTOW").Value

Me.Operator.Value = rs("Operator").Value

Me.Customer.Value = rs("Customer").Value

Me.CallSigntxt.Value = rs("callSign").Value

Else

Me.ACType.Value = Null

Me.MTOW.Value = Null

Me.Operator.Value = Null

Me.Customer.Value = Null

Me.CallSigntxt.Value = Null

End If

rs.Close

Set rs = Nothing

Else

Me.ACType.Value = Null

Me.MTOW.Value = Null

Me.Operator.Value = Null

Me.Customer.Value = Null

Me.CallSigntxt.Value = Null

End If

Exit Sub

End Sub

Private Sub updateUser1()

Dim UserID As Integer

UserID = Forms!loggedInUser!txtUserID

'UserID = 1

Me.User1 = DLookup("UserName", "UsersT", "ID =" & UserID & "")

End Sub

Private Sub addSectID()

Dim RefValue As Integer

Dim db As DAO.Database

Dim rst As DAO.Recordset

RefValue = Nz(DLookup("SectNum", "Sector_IDT"), 0)

Me.Sect_ID.Value = Format(RefValue + 1, "000")

Set db = CurrentDb

Set rst = db.OpenRecordset("Sector_IDT", dbOpenDynaset)

If Not rst.EOF Then

'rst.MoveFirst

rst.Edit

rst!SectNum = rst!SectNum + 1

rst.Update

End If

rst.Close

Set rst = Nothing

Set db = Nothing

End Sub

Private Sub addSectorBtn_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

addSectID


```
If IsNull(Me.Sect_ID) Or IsNull(Me.SectorNo) Or IsNull(Me.CallSigntxt) Or IsNull(Me.SectorRefNo) Or
IsNull(Me.ACRegCb) Or IsNull(Me.Operator) Or IsNull(Me.Customer) Or IsNull(Me.ACType) Then
```

```
MsgBox "Please add missing fields.", vbExclamation
Exit Sub
End If
```

```
' Check if a record with the same SectorNo, Sect_ID, ORIGIN, and Destination already exists
Set db = CurrentDb
Set rs = CurrentDb.OpenRecordset("SELECT * FROM FlightSupport_SectorsT_New_V12 WHERE Sect_ID =
" & CInt(Me.Sect_ID.Value))
```

```
If Not rs.EOF Then
MsgBox "A record with the same Sect_ID already exists.", vbExclamation, "Duplicate Record"
rs.Close
Set rs = Nothing
Set db = Nothing
Exit Sub
End If
```

```
Set rs = db.OpenRecordset("FlightSupport_SectorsT_New_V12", dbOpenDynaset)
rs.AddNew
' Assign values to the fields in the table
```

```
rs.Fields("SectorStatus").Value = Me.TripStatuscmb.Value
rs.Fields("CallSign").Value = Me.CallSigntxt.Value
rs.Fields("Sect_ID").Value = Me.Sect_ID.Value
rs.Fields("SectorNo").Value = Me.SectorNo.Value
rs.Fields("FlightRefNo").Value = Me.SectorRefNo.Value
rs.Fields("Notes").Value = Me.Notes.Value
rs.Fields("ACReg").Value = Me.ACRegCb.Value
rs.Fields("Operator").Value = Me.Operator.Value
rs.Fields("ACType").Value = Me.ACType.Value
rs.Fields("MTOW").Value = Me.MTOW.Value
rs.Fields("Customer").Value = Me.Customer.Value
```

```
' Save the new record
rs.Update
```

```
AddOrigin_Dest
```

```
newSectorNo = Me.SectorNo.Value + 1
Me.SectorNo.Value = newSectorNo
Reset_Fields
```

```
' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing
```

```
Me.Refresh
```

```
' Display a message indicating successful addition
MsgBox "Data added successfully."
```

```
End Sub
```

```
Private Sub AddOrigin_Dest()
addLocID
addOrigin
addDest
End Sub
```

```
Private Sub addLocID()
Dim OriginRefValue As Integer
Dim Origin_LocID As Integer
Dim db As DAO.Database
Dim rst As DAO.Recordset
```

```
OriginRefValue = Nz(DLookup("Origin_LocNum", "Loaction_IDT"), 0)
```

```

Origin_LocID = Format(OriginRefValue + 1, "000")
Me.FlightSupport_AddOriginF_Form.Form.Controls("OriginLoc_ID").Value = Origin_LocID

Me.FlightSupport_AddDestinationF_Form.Form.Controls("DestLoc_ID").Value = Origin_LocID + 1

Set db = CurrentDb
Set rst = db.OpenRecordset("Loaction_IDT", dbOpenDynaset)

With rst
    .Edit
    ![Origin_LocNum] = ![Origin_LocNum] + 1
    ![Dest_LocNum] = ![Dest_LocNum] + 1
    .Update
End With

rst.Close
Set rst = Nothing
Set db = Nothing
End Sub

```

```

Private Sub addOrigin()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim boundControl As control

    If IsNull(Me.FlightSupport_AddOriginF_Form.Form.Controls("OriginTxt").Value) Or IsNull(Me.FlightSupport_AddOriginF_Form.Form.Controls("ETD").Value) Or IsNull(Me.FlightSupport_AddOriginF_Form.Form.Controls("DepartDate").Value) Then

        MsgBox "Please add missing fields.", vbExclamation
        Exit Sub
    End If

```

```

    ' Check if a record with the same SectorNo, Sect_ID, ORIGIN, and Destination already exists
    Set db = CurrentDb
    Set rs = db.OpenRecordset("FlightSupport_OriginT", dbOpenDynaset)

```

```

    Set boundControl = Me.FlightSupport_AddOriginF_Form.Form.Controls("OriginTxt")

```

```

    If DCount("*", "FlightSupport_OriginT", "Origin_Sect_ID = " & CInt(Me.Sect_ID.Value) & " AND 'OriginAirportCode' = '" & CStr(boundControl.Column(0)) & "'") > 0 Then
        MsgBox "A record with the same Sect_ID, OriginAirportCode.", vbExclamation, "Duplicate Record"

```

```

        rs.Close
        Set rs = Nothing
        Set db = Nothing
        Exit Sub
    End If

```

```

    Set rs = db.OpenRecordset("FlightSupport_OriginT", dbOpenDynaset)
    rs.AddNew

```

```

    ' Assign values to the fields in the table

```

```

    rs.Fields("OriginAirportCode").Value = Me.FlightSupport_AddOriginF_Form.Form.Controls("OriginTxt").Column(0)
    rs.Fields("Origin_AirportName").Value = Me.FlightSupport_AddOriginF_Form.Form.Controls("OriginTxt").Column(1)
    rs.Fields("Origin_Sect_ID").Value = Me.Sect_ID.Value
    rs.Fields("Origin_ETA").Value = Me.FlightSupport_AddOriginF_Form.Form.Controls("ETA").Value
    rs.Fields("Origin_ETD").Value = Me.FlightSupport_AddOriginF_Form.Form.Controls("ETD").Value
    rs.Fields("Origin_Location_ID").Value = Me.FlightSupport_AddOriginF_Form.Form.Controls("OriginLoc_ID").Value
    rs.Fields("Origin_ArrivalDate").Value = Me.FlightSupport_AddOriginF_Form.Form.Controls("ArrivalDate").Value
    rs.Fields("Origin_DepartDate").Value = Me.FlightSupport_AddOriginF_Form.Form.Controls("DepartDate").Value

```

```

    ' Save the new record

```

```

        rs.Update

        ' Clean up
        rs.Close
        Set rs = Nothing
        Set db = Nothing

        ' Reset form values

        Me.Undo
        Me.Requery
        Me.Refresh

End Sub

Private Sub addDest()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    If IsNull(Me.FlightSupport_AddDestinationF.Form.Controls("Destination").Value) Or IsNull(Me.FlightSupport_AddDestinationF.Form.Controls("ETA").Value) Or IsNull(Me.FlightSupport_AddDestinationF.Form.Controls("ArrivalDate").Value) Then

        MsgBox "Please add missing fields.", vbExclamation
        Exit Sub
    End If

    ' Check if a record with the same SectorNo, Sect_ID, ORIGIN, and Destination already exists
    Set db = CurrentDb
    Set rs = db.OpenRecordset("FlightSupport_DestinationT", dbOpenDynaset)
    Dim boundControl As control

    Set boundControl = Me.FlightSupport_AddDestinationF.Form.Controls("Destination")

    If DCount("*", "FlightSupport_DestinationT", "Dest_Sect_ID = " & CInt(Me.Sect_ID.Value) & " AND 'DestAirportCode' = '" & CStr(boundControl.Column(0)) & "'" > 0 Then
        MsgBox "A record with the same Sect_ID, Destination.", vbExclamation, "Duplicate Record"
        rs.Close
        Set rs = Nothing
        Set db = Nothing
        Exit Sub
    End If

    Set rs = db.OpenRecordset("FlightSupport_DestinationT", dbOpenDynaset)
    rs.AddNew
    ' Assign values to the fields in the table
    rs.Fields("Dest_Sect_ID").Value = Me.Sect_ID.Value
    rs.Fields("DestAirportCode").Value = Me.FlightSupport_AddDestinationF.Form.Controls("Destination").Column(0)
    rs.Fields("Dest_AirportName").Value = Me.FlightSupport_AddDestinationF.Form.Controls("Destination").Column(1)
    rs.Fields("Dest_ETA").Value = Me.FlightSupport_AddDestinationF.Form.Controls("ETA").Value
    rs.Fields("Dest_Location_ID").Value = Me.FlightSupport_AddDestinationF.Form.Controls("DestLocation_ID").Value
    rs.Fields("Dest_ArrivalDate").Value = Me.FlightSupport_AddDestinationF.Form.Controls("ArrivalDate").Value
    ' Save the new record
    rs.Update

    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing

    ' Reset form values

    Me.Undo
    Me.Requery
    Me.Refresh

End Sub

```

```

Public Sub Reset_Fields()
    Dim originBoundControl As control
    Dim destBoundControl As control
    Dim originBoundControl_ID As control
    Dim destBoundControl_ID As control

    Set destBoundControl = Me.FlightSupport_AddDestinationF.Form.Controls("Destination")
    Set destBoundControl_ID = Me.FlightSupport_AddDestinationF.Form.Controls("DestLoc_ID")

    Set originBoundControl = Me.FlightSupport_AddOriginF_Form.Form.Controls("OriginTxt")
    Set originBoundControl_ID = Me.FlightSupport_AddOriginF_Form.Form.Controls("OriginLoc_ID")

    Me.Sect_ID.Value = Null

    originBoundControl = destBoundControl
    originBoundControl_ID = destBoundControl_ID

    Me.FlightSupport_AddOriginF_Form.Form.Controls("ETD").Value = Null
    Me.FlightSupport_AddOriginF_Form.Form.Controls("DepartDate").Value = Null
    Me.FlightSupport_AddDestinationF.Form.Controls("ETA").Value = Null
    Me.FlightSupport_AddDestinationF.Form.Controls("ArrivalDate").Value = Null
    Me.FlightSupport_AddDestinationF.Form.Controls("Destination").Value = Null
End Sub

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FlightSupport_AddSectorsF", acSaveNo
End Sub

Private Sub DepartDate_GotFocus()
    DepartDate_Click
End Sub

Private Sub ArrivalDate_GotFocus()
    ArrivalDate_Click
End Sub

Private Sub LoadLastBtn_Click()
    Me.RequestRefNo = GetLastRequestID
End Sub

Private Function GetLastRequestRefNo() As Variant
    Dim LastRequestID As Variant

    LastRequestID = DMax("ID", "FlightSupport_FlightRequestsT")
    GetLastRequestRefNo = LastRequestID
End Function

Public Sub DepartDate_Click()
    InputDateField DepartDate, "Select a date To use this on your form"
End Sub

Public Sub ArrivalDate_Click()
    InputDateField ArrivalDate, "Select a date To use this on your form"
End Sub

Private Sub RefreshBtn_Click()
    Me.Requery
    Me.Refresh
End Sub

Private Sub Form_Load()
    Dim selectedRefNo As Variant
    Dim SectorNoCmbQ As String

    selectedRefNo = Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_RequestF_New").Form.Controls("RefNo").Value
    SectorNoCmbQ = "Select SectorNo, Sect_ID FROM FlightSupport_SectorsT_New_V12 WHERE FlightRefNo = '" & selectedRefNo & "' And SectorStatus = 'Active' ORDER BY SectorNo ASC;"

    If Not IsNull(selectedRefNo) Then
        Me.RequestRefNo = selectedRefNo
        Me.SectorRefNo = selectedRefNo
    End If

```

```

        Me.SectorNoCmb.RowSource = SectorNoCmbQ
        Me.Requery
    Else
        Exit Sub
    End If
End Sub

Private Sub SectorNoCmb_AfterUpdate()
    UpdateIDQueries
End Sub

Private Sub UpdateIDQueries()
    Dim selectedSect_ID As Integer
    Dim LocationsQuery As String
    Dim CurrentForm As Form

    selectedSect_ID = Me.SectorNoCmb.Column(1) ' Get the selected value from RefNo combo box
    LocationsQuery = "SELECT DISTINCT Location, Loc_ID FROM FlightSupport_AlllocationsQ_V12 WHERE Sect
_ID = " & selectedSect_ID & " ORDER BY Loc_ID ASC;"

    Set CurrentForm = Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_AddUpdateRequest
F").Controls("Add_UpdateRequestF").Controls("FlightSupport_ServicesTabs").Form.Controls("BriefsTabs").
Form

    On Error Resume Next
    If CurrentForm.Form.Controls("Airport").ControlType <> acEmpty Or CurrentForm.Controls("FlightSupp
ort_FuelReleaseF").Form.Controls("Location").ControlType <> acEmpty Then
        CurrentForm.Form.Controls("Airport").RowSource = LocationsQuery
        CurrentForm.Controls("FlightSupport_FuelReleaseF").Form.Controls("Location").RowSource = Locat
ionsQuery

    End If

    If CurrentForm.Form.Controls("Location_ID").ControlType <> acEmpty Then
        CurrentForm.Form.Controls("Location_ID").RowSource = LocationsQuery
    End If

    If CurrentForm.Form.Controls("Location_ID1").ControlType <> acEmpty Then
        CurrentForm.Form.Controls("Location_ID1").RowSource = LocationsQuery
        CurrentForm.Form.Controls("Location_ID2").RowSource = LocationsQuery
        CurrentForm.Form.Controls("Location_ID3").RowSource = LocationsQuery
        CurrentForm.Form.Controls("Location_ID4").RowSource = LocationsQuery
        CurrentForm.Form.Controls("Location_ID5").RowSource = LocationsQuery
        CurrentForm.Form.Controls("Location_ID6").RowSource = LocationsQuery
    End If

    On Error GoTo 0
    Me.Refresh
End Sub

```

If IsNull(Me.Sect_ID) Or IsNull(Me.SectorNo) Or IsNull(Me.ORIGIN) Or IsNull(Me.Destination) Or IsNull(Me.CallSigntxt) Or IsNull(Me.ETD) Or IsNull(Me.ETA) Or IsNull(Me.ArrivalDate) Or IsNull(Me.DepartDate) Or IsNull(Me.SectorRefNo) Or IsNull(Me.ACReqCb) Or IsNull(Me.Operator) Or IsNull(Me.Customer) Or IsNull(Me.ContactName)

```
IsNull(Me.ACType) Then
```

```
MsgBox "Please add missing fields.", vbExclamation
```

```
Exit Sub
```

```
End If
```

```
    ' Check if a record with the same SectorNo, Sect_ID, ORIGIN, and Destination already exists
```

```
    Set db = CurrentDb
```

```
    Set rs = db.OpenRecordset("FlightSupport_SectorsT", dbOpenDynaset)
```

```
If DCount("*", "FlightSupport_SectorsT", "Sect_ID = " & CInt(Me.Sect_ID.Value) & " AND [ORIGIN]
```

```
= ' " & CStr(Me.ORIGIN.Value) & "' AND Destination = ' " & CStr(Me.Destination.Value) & "'") > 0 Then
```

```
    MsgBox "A record with the same Sect_ID, ORIGIN, and Destination already exists.", vbExclam
```

```
ation, "Duplicate Record"
```

```
    rs.Close
```

```
    Set rs = Nothing
```

```
    Set db = Nothing
```

```
    Exit Sub
```

```
End If
```

```
Set rs = db.OpenRecordset("FlightSupport_SectorsT", dbOpenDynaset)
```

```
rs.AddNew
```

```
    ' Assign values to the fields in the table
```

```
rs.Fields("ORIGIN").Value = Me.ORIGIN.Value
```

```
rs.Fields("TripStatus").Value = Me.TripStatuscmb.Value
```

```
rs.Fields("CallSign").Value = Me.CallSigntxt.Value
```

```
rs.Fields("Sect_ID").Value = Me.Sect_ID.Value
```

```
rs.Fields("SectorNo").Value = Me.SectorNo.Value
```

```
rs.Fields("RequestRefNo").Value = Me.SectorRefNo.Value
```

```
rs.Fields("Destination").Value = Me.Destination.Value
```

```
rs.Fields("ETA").Value = Me.ETA.Value
```

```
rs.Fields("ETD").Value = Me.ETD.Value
```

```
rs.Fields("Notes").Value = Me.Notes.Value
```

```
rs.Fields("ArrivalDate").Value = Me.ArrivalDate.Value
```

```
rs.Fields("DepartDate").Value = Me.DepartDate.Value
```

```
rs.Fields("ACReg").Value = Me.ACRegCb.Value
```

```
rs.Fields("Operator").Value = Me.Operator.Value
```

```
rs.Fields("ACType").Value = Me.ACType.Value
```

```
rs.Fields("MTOW").Value = Me.MTOW.Value
```

```
rs.Fields("Customer").Value = Me.Customer.Value
```

```
    ' Save the new record
```

```
rs.Update
```

```
    ' Clean up
```

```
rs.Close
```

```
Set rs = Nothing
```

```
Set db = Nothing
```

```
    ' Reset form values
```

```
Me.ORIGIN.Value = Null
```

```
Me.Sect_ID.Value = Null
```

```
Me.SectorNo.Value = Null
```

```
Me.Destination.Value = Null
```

```
Me.ETA.Value = Null
```

```
Me.ETD.Value = Null
```

```
Me.Notes.Value = Null
```

```
Me.ArrivalDate.Value = Null
```

```
Me.DepartDate.Value = Null
```

```
Me.Undo
```

```
Me.Requery
```

```
Me.Refresh
```

```
    ' Display a message indicating successful addition
```

```
MsgBox "Data added successfully."
```

```
End Sub
```

```
Private Sub closeBtn_Click()
```

Form_FlightSupport_AddSectorsF - 3

```
Me.Undo
DoCmd.Close acForm, "FlightSupport_AddSectorsF", acSaveNo
End Sub

Private Sub DepartDate_GotFocus()
DepartDate_Click
End Sub

Private Sub ArrivalDate_GotFocus()
ArrivalDate_Click
End Sub

Private Sub LoadLastBtn_Click()
Me.RequestRefNo = GetLastRequestID
End Sub

Private Function GetLastRequestRefNo() As Variant
Dim LastRequestID As Variant

LastRequestID = DMax("ID", "FlightSupport_FlightRequestsT")
GetLastRequestRefNo = LastRequestID
End Function

Public Sub DepartDate_Click()
InputDateField DepartDate, "Select a date To use this on your form"
End Sub

Public Sub ArrivalDate_Click()
InputDateField ArrivalDate, "Select a date To use this on your form"
End Sub

Private Sub RefreshBtn_Click()
Me.Requery
Me.Refresh
End Sub

Public Sub ResetBtn_Click()
Me.ORIGIN.Value = Null
Me.Sect_ID.Value = Null
Me.SectorNo.Value = Null
Me.Destination.Value = Null
Me.ETA.Value = Null
Me.ETD.Value = Null
Me.Notes.Value = Null
Me.ArrivalDate.Value = Null
Me.DepartDate.Value = Null
Me.ACRegCb.Value = Null
Me.Operator.Value = Null
Me.ACType.Value = Null
Me.MTOW.Value = Null
Me.Customer.Value = Null
Me.CallSigntxt.Value = Null

End Sub

Private Sub Form_Load()
If Not IsNull(Me.RequestRefNo) Then
Me.RequestRefNo = Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_RequestF_New").Form.Controls("RefNo").Value
Me.SectorRefNo = Me.RequestRefNo
Else
Exit Sub
End If
End Sub

Private Sub Sect_IDCmb_AfterUpdate()
UpdateIDQueries
End Sub

Private Sub UpdateIDQueries()
'On Error Goto ErrorHandler
Dim selectedSect_ID As Integer

Dim LocationsQuery As String
```



```

Dim locSect_ID As Integer

selectedSect_ID = Me.Sect_IDCmb.Column(1) ' Get the selected value from RefNo combo box

LocationsQuery = "Select Location,ID FROM LocationsT_New WHERE Sect_ID = " & selectedSect_ID & ";"

' Set the RowSource Property of the other subform's combo box To the dynamic query
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID1").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID2").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID3").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID4").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID5").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID6").RowSource = LocationsQuery

Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("FuelF").Controls("Location_ID").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("FuelF").Controls("FlightSupport_FuelReleaseF").Controls("Location_ID").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("ConciergeBriefF").Controls("Location_ID").RowSource = LocationsQuery

Me.Requery
' Assign selectedSect_ID To locSect_ID
locSect_ID = selectedSect_ID
' Update the value of Sect_ID in the other subform
Me.Controls("FlightSupport_AddLocationF").Controls("Sect_ID").Value = locSect_ID

'ErrorHandler:
'MsgBox "An error occurred: " & err.Description, vbExclamation
End Sub

Private Sub selectLocations()
Dim strSQL As String
Dim rs As DAO.Recordset
Dim strRowSource As String
Dim selectedSect_ID As Integer

' Get the selected Sect_ID
selectedSect_ID = Me.Sect_IDCmb.Column(1)

' Build the SQL query (using JOIN instead of IN)
strSQL = "SELECT DISTINCT Airports_DataT.Full_Airport " & _
        "FROM Airports_DataT " & _
        "INNER JOIN FlightSupport_SectorsT ON (Airports_DataT.Full_Airport = FlightSupport_SectorsT.Origin OR Airports_DataT.Full_Airport = FlightSupport_SectorsT.Destination) " & _
        "WHERE FlightSupport_SectorsT.Sect_ID = " & selectedSect_ID & " " & _
        "ORDER BY Airports_DataT.Full_Airport;"

' Open the recordset
Set rs = CurrentDb.OpenRecordset(strSQL)

' Build the row source string
strRowSource = ""
Do While Not rs.EOF
    strRowSource = strRowSource & rs!Full_Airport & ";"
    rs.MoveNext
Loop

' Remove the trailing semicolon only if strRowSource is not empty
If Len(strRowSource) > 0 Then
    strRowSource = Left(strRowSource, Len(strRowSource) - 1)
End If

' Update the combo box's row source
Me.Controls("FlightSupport_AddLocationF").Controls("Location").RowSource = strRowSource
Me.Controls("FlightSupport_AddLocationF").Controls("Location").ColumnCount = 1

```

```
' Close the recordset  
rs.Close  
Set rs = Nothing
```

End Sub

Private Sub TripStatuscmb_AfterUpdate()

End Sub

Option Compare Database

Private Sub ACRegCb_Change()

Dim selectedValue As Variant

selectedValue = Me.ACRegCb.Value ' Get the selected value from the combo box

If Not IsNull(selectedValue) Then

Dim rs As DAO.Recordset

Set rs = CurrentDb.OpenRecordset("ACRegT", dbOpenSnapshot)

rs.FindFirst "ACReg = '" & selectedValue & "'"

If Not rs.NoMatch Then

Me.ACType.Value = rs("ACType").Value

Me.MTOW.Value = rs("ACMTOW").Value

Me.Operator.Value = rs("Operator").Value

Me.Customer.Value = rs("Customer").Value

Me.CallSigntxt.Value = rs("callSign").Value

Else

Me.ACType.Value = Null

Me.MTOW.Value = Null

Me.Operator.Value = Null

Me.Customer.Value = Null

Me.CallSigntxt.Value = Null

End If

rs.Close

Set rs = Nothing

Else

Me.ACType.Value = Null

Me.MTOW.Value = Null

Me.Operator.Value = Null

Me.Customer.Value = Null

Me.CallSigntxt.Value = Null

End If

Exit Sub

End Sub

Private Sub updateUser1()

Dim UserID As Integer

UserID = Forms!loggedInUser!txtUserID

'UserID = 1

Me.User1 = DLookup("UserName", "UsersT", "ID =" & UserID & "")

End Sub

Private Sub addSectID()

Dim RefValue As Integer

Dim rst As DAO.Recordset

RefValue = Nz(DLookup("RefNum", "TSect_ID"), 0)

Me.Sect_ID.Value = Format(RefValue + 1, "000")

Set rst = CurrentDb.OpenRecordset("TSect_ID", dbOpenDynaset, dbSeeChanges)

With rst

.Edit

![RefNum] = ![RefNum] + 1

.Update

End With

rst.Close

Set rst = Nothing

End Sub

Private Sub addSectorBtn_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim newSectorNo As Long

Dim newDestination As String

Dim newArrivalDate As Date

```
addSectID
```

```
    If IsNull(Me.Sect_ID) Or IsNull(Me.SectorNo) Or IsNull(Me.ORIGIN) Or IsNull(Me.Destination) Or IsNull(Me.CallSigntxt) Or IsNull(Me.ETD) Or IsNull(Me.ETA) Or IsNull(Me.ArrivalDate) Or IsNull(Me.DepartDate) Or IsNull(Me.SectorRefNo) Or IsNull(Me.ACRegCb) Or IsNull(Me.Operator) Or IsNull(Me.Customer) Or IsNull(Me.ACType) Then
```

```
        MsgBox "Please add missing fields.", vbExclamation
```

```
    Exit Sub
```

```
End If
```

```
    ' Check If a record With the same SectorNo, Sect_ID, ORIGIN, And Destination already exists
```

```
    Set db = CurrentDb
```

```
    Set rs = db.OpenRecordset("FlightSupport_SectorsT", dbOpenDynaset)
```

```
    If DCount("*", "FlightSupport_SectorsT", "Sect_ID = " & CInt(Me.Sect_ID.Value) & " And [ORIGIN] = '" & CStr(Me.ORIGIN.Value) & "' And Destination = '" & CStr(Me.Destination.Value) & "'") > 0 Then
```

```
        MsgBox "A record With the same Sect_ID, ORIGIN, And Destination already exists.", vbExclamation, "Duplicate Record"
```

```
        rs.Close
```

```
        Set rs = Nothing
```

```
        Set db = Nothing
```

```
    Exit Sub
```

```
End If
```

```
Set rs = db.OpenRecordset("FlightSupport_SectorsT", dbOpenDynaset)
```

```
rs.AddNew
```

```
' Assign values To the fields in the table
```

```
rs.Fields("ORIGIN").Value = Me.ORIGIN.Value
```

```
rs.Fields("TripStatus").Value = Me.TripStatuscmb.Value
```

```
rs.Fields("CallSign").Value = Me.CallSigntxt.Value
```

```
rs.Fields("Sect_ID").Value = Me.Sect_ID.Value
```

```
rs.Fields("SectorNo").Value = Me.SectorNo.Value
```

```
rs.Fields("RequestRefNo").Value = Me.SectorRefNo.Value
```

```
rs.Fields("Destination").Value = Me.Destination.Value
```

```
rs.Fields("ETA").Value = Me.ETA.Value
```

```
rs.Fields("ETD").Value = Me.ETD.Value
```

```
rs.Fields("Notes").Value = Me.Notes.Value
```

```
rs.Fields("ArrivalDate").Value = Me.ArrivalDate.Value
```

```
rs.Fields("DepartDate").Value = Me.DepartDate.Value
```

```
rs.Fields("ACReg").Value = Me.ACRegCb.Value
```

```
rs.Fields("Operator").Value = Me.Operator.Value
```

```
rs.Fields("ACType").Value = Me.ACType.Value
```

```
rs.Fields("MTOW").Value = Me.MTOW.Value
```

```
rs.Fields("Customer").Value = Me.Customer.Value
```

```
' Save the New record
```

```
rs.Update
```

```
newSectorNo = Me.SectorNo.Value + 1
```

```
newDestination = Me.Destination.Value
```

```
newArrivalDate = Me.ArrivalDate.Value
```

```
' Reset form values
```

```
Me.ORIGIN.Value = newDestination
```

```
Me.DepartDate.Value = newArrivalDate
```

```
Me.SectorNo.Value = newSectorNo
```

```
Me.Sect_ID.Value = Null
```

```
Me.SectorNo.Value = Null
```

```
Me.Destination.Value = Null
```

```
Me.ETA.Value = Null
```

```
Me.ETD.Value = Null
```

```
Me.Notes.Value = Null
```

```
Me.ArrivalDate.Value = Null
```

```
' Clean up
```

```
rs.Close
```

```
Set rs = Nothing
```

```
Set db = Nothing
```

```
Me.Refresh
```

```

' Display a message indicating successful addition
MsgBox "Data added successfully."

```

```
End Sub
```

```

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FlightSupport_AddSectorsF", acSaveNo
End Sub

```

```

Private Sub DepartDate_GotFocus()
    InputDateField DepartDate, "Select a date To use this on your form"
End Sub

```

```

Private Sub ArrivalDate_GotFocus()
    InputDateField ArrivalDate, "Select a date To use this on your form"
End Sub

```

```

Private Sub LoadLastBtn_Click()
    Me.RequestRefNo = GetLastRequestID
End Sub

Private Function GetLastRequestRefNo() As Variant
    Dim LastRequestID As Variant

    LastRequestID = DMax("ID", "FlightSupport_FlightRequestsT")
    GetLastRequestRefNo = LastRequestID
End Function

```

```

Public Sub DepartDate_Click()
    InputDateField DepartDate, "Select a date To use this on your form"
End Sub

Public Sub ArrivalDate_Click()
    InputDateField ArrivalDate, "Select a date To use this on your form"
End Sub

```

```

Private Sub RefreshBtn_Click()
    Me.Requery
    Me.Refresh
End Sub

```

```

Public Sub ResetBtn_Click()
    Me.ORIGIN.Value = Null
    Me.Sect_ID.Value = Null
    Me.SectorNo.Value = Null
    Me.Destination.Value = Null
    Me.ETA.Value = Null
    Me.ETD.Value = Null
    Me.Notes.Value = Null
    Me.ArrivalDate.Value = Null
    Me.DepartDate.Value = Null
    Me.ACRgCb.Value = Null
    Me.Operator.Value = Null
    Me.ACType.Value = Null
    Me.MTOW.Value = Null
    Me.Customer.Value = Null
    Me.CallSigntxt.Value = Null

```

```
End Sub
```

```

Private Sub Form_Load()
    If IsNull(Me.RequestRefNo) Then
        Me.RequestRefNo = Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_RequestF_New")
        Me.SectorRefNo = Me.RequestRefNo
    Else
        Exit Sub
    End If
End Sub

Private Sub Sect_IDCmb_AfterUpdate()
    UpdateIDQueries

```

End Sub

Private Sub UpdateIDQueries()

Dim selectedSect_ID As Integer

Dim LocationsQuery As String

Dim locSect_ID As Integer

' Enable error handling to move to the next line on error

selectedSect_ID = Me.Sect_IDCmb.Column(1) ' Get the selected value from RefNo combo box

LocationsQuery = "SELECT Location, ID FROM LocationsT_New WHERE Sect_ID = " & selectedSect_ID & " ;"

On Error Resume Next

If Me.Controls("FlightSupport_BriefsF").Form.Controls("BriefsTabs").Controls("Location_ID").ControlType <> acEmpty Or Me.Controls("FlightSupport_BriefsF").Form.Controls("BriefsTabs").Controls("Location_ID1").ControlType <> acEmpty Then
MsgBox "The control is loaded."

Me.Controls("FlightSupport_BriefsF").Form.Controls("BriefsTabs").Controls("Location_ID").RowSource = LocationsQuery

Me.Controls("FlightSupport_BriefsF").Form.Controls("BriefsTabs").Controls("Location_ID1").RowSource = LocationsQuery

Me.Controls("FlightSupport_BriefsF").Form.Controls("BriefsTabs").Controls("Location_ID2").RowSource = LocationsQuery

Me.Controls("FlightSupport_BriefsF").Form.Controls("BriefsTabs").Controls("Location_ID3").RowSource = LocationsQuery

Me.Controls("FlightSupport_BriefsF").Form.Controls("BriefsTabs").Controls("Location_ID4").RowSource = LocationsQuery

Me.Controls("FlightSupport_BriefsF").Form.Controls("BriefsTabs").Controls("Location_ID5").RowSource = LocationsQuery

Me.Controls("FlightSupport_BriefsF").Form.Controls("BriefsTabs").Controls("Location_ID6").RowSource = LocationsQuery

Me.Controls("FlightSupport_BriefsF").Form.Controls("BriefsTabs").Controls("Location_ID7").RowSource = LocationsQuery

Me.Controls("FlightSupport_BriefsF").Form.Controls("BriefsTabs").Form.Controls("FlightSupport_FuelReleaseF").Controls("Location_ID").RowSource = LocationsQuery

Else

On Error GoTo 0 ' Disable error handling to return to normal error behavior

MsgBox "The control is not loaded."

End If

Me.Requery

' Assign selectedSect_ID To locSect_ID

locSect_ID = selectedSect_ID

' Update the value of Sect_ID in the other subform

Me.Controls("FlightSupport_AddLocationF").Controls("Sect_ID").Value = locSect_ID

End Sub

Private Sub selectLocations()

Dim strSQL As String

Dim rs As DAO.Recordset

Dim strRowSource As String

Dim selectedSect_ID As Integer

' Get the selected Sect_ID

selectedSect_ID = Me.Sect_IDCmb.Column(1)

' Build the SQL query (using JOIN instead of IN)

strSQL = "SELECT DISTINCT Airports_DataT.Full_Airport " & _

"FROM Airports_DataT " & _

"INNER JOIN FlightSupport_SectorsT ON (Airports_DataT.Full_Airport = FlightSupport_SectorsT.Origin OR Airports_DataT.Full_Airport = FlightSupport_SectorsT.Destination) " & _

"WHERE FlightSupport_SectorsT.Sect_ID = " & selectedSect_ID & " " & _

```
"ORDER BY Airports_DataT.Full_Airport;"
```

```
' Open the recordset
```

```
Set rs = CurrentDb.OpenRecordset(strSQL)
```

```
' Build the row source string
```

```
strRowSource = ""
```

```
Do While Not rs.EOF
```

```
    strRowSource = strRowSource & rs!Full_Airport & ";"
```

```
    rs.MoveNext
```

```
Loop
```

```
' Remove the trailing semicolon only if strRowSource is not empty
```

```
If Len(strRowSource) > 0 Then
```

```
    strRowSource = Left(strRowSource, Len(strRowSource) - 1)
```

```
End If
```

```
' Update the combo box's row source
```

```
Me.Controls("FlightSupport_AddLocationF").Controls("Location").RowSource = strRowSource
```

```
Me.Controls("FlightSupport_AddLocationF").Controls("Location").ColumnCount = 1
```

```
' Close the recordset
```

```
rs.Close
```

```
Set rs = Nothing
```

```
End Sub
```

Option Compare Database

Private Sub ACRegCb_Change()

Dim selectedValue As Variant

selectedValue = Me.ACRegCb.Value ' Get the selected value from the combo box

If Not IsNull(selectedValue) Then

Dim rs As DAO.Recordset

Set rs = CurrentDb.OpenRecordset("ACRegT", dbOpenSnapshot)

rs.FindFirst "ACReg = '" & selectedValue & "'"

If Not rs.NoMatch Then

Me.ACType.Value = rs("ACType").Value

Me.MTOW.Value = rs("ACMTOW").Value

Me.Operator.Value = rs("Operator").Value

Me.Customer.Value = rs("Customer").Value

Me.CallSigntxt.Value = rs("callSign").Value

Else

Me.ACType.Value = Null

Me.MTOW.Value = Null

Me.Operator.Value = Null

Me.Customer.Value = Null

Me.CallSigntxt.Value = Null

End If

rs.Close

Set rs = Nothing

Else

Me.ACType.Value = Null

Me.MTOW.Value = Null

Me.Operator.Value = Null

Me.Customer.Value = Null

Me.CallSigntxt.Value = Null

End If

Exit Sub

End Sub

Private Sub updateUser1()

Dim UserID As Integer

UserID = Forms!loggedInUser!txtUserID

'UserID = 1

Me.User1 = DLookup("UserName", "UsersT", "ID =" & UserID & "")

End Sub

Private Sub addSectID()

Dim RefValue As Integer

Dim rst As DAO.Recordset

RefValue = Nz(DLookup("RefNum", "TSect_ID"), 0)

Me.Sect_ID.Value = Format(RefValue + 1, "000")

Set rst = CurrentDb.OpenRecordset("TSect_ID", dbOpenDynaset, dbSeeChanges)

With rst

.Edit

![RefNum] = ![RefNum] + 1

.Update

End With

rst.Close

Set rst = Nothing

End Sub

Private Sub addSectorBtn_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

addSectID

If IsNull(Me.Sect_ID) Or IsNull(Me.SectorNo) Or IsNull(Me.ORIGIN) Or IsNull(Me.Destination) Or IsNull(Me.CallSigntxt) Or IsNull(Me.ETD) Or IsNull(Me.ETA) Or IsNull(Me.ArrivalDate) Or IsNull(Me.DepartDate) Or IsNull(Me.SectorRefNo) Or IsNull(Me.ACRegCb) Or IsNull(Me.Operator) Or IsNull(Me.Customer) Or IsNull(Me.CallSign)


```
IsNull(Me.ACType) Then
```

```
MsgBox "Please add missing fields.", vbExclamation
```

```
Exit Sub
```

```
End If
```

```
    ' Check if a record with the same SectorNo, Sect_ID, ORIGIN, and Destination already exists
```

```
    Set db = CurrentDb
```

```
    Set rs = db.OpenRecordset("FlightSupport_SectorsT", dbOpenDynaset)
```

```
    If DCount("*", "FlightSupport_SectorsT", "Sect_ID = " & CInt(Me.Sect_ID.Value) & " AND [ORIGIN]
```

```
= ' " & CStr(Me.ORIGIN.Value) & "' AND Destination = ' " & CStr(Me.Destination.Value) & "'") > 0 Then
```

```
        MsgBox "A record with the same Sect_ID, ORIGIN, and Destination already exists.", vbExclam
```

```
ation, "Duplicate Record"
```

```
        rs.Close
```

```
        Set rs = Nothing
```

```
        Set db = Nothing
```

```
        Exit Sub
```

```
    End If
```

```
Set rs = db.OpenRecordset("FlightSupport_SectorsT", dbOpenDynaset)
```

```
rs.AddNew
```

```
' Assign values to the fields in the table
```

```
rs.Fields("ORIGIN").Value = Me.ORIGIN.Value
```

```
rs.Fields("TripStatus").Value = Me.TripStatuscmb.Value
```

```
rs.Fields("CallSign").Value = Me.CallSigntxt.Value
```

```
rs.Fields("Sect_ID").Value = Me.Sect_ID.Value
```

```
rs.Fields("SectorNo").Value = Me.SectorNo.Value
```

```
rs.Fields("RequestRefNo").Value = Me.SectorRefNo.Value
```

```
rs.Fields("Destination").Value = Me.Destination.Value
```

```
rs.Fields("ETA").Value = Me.ETA.Value
```

```
rs.Fields("ETD").Value = Me.ETD.Value
```

```
rs.Fields("Notes").Value = Me.Notes.Value
```

```
rs.Fields("ArrivalDate").Value = Me.ArrivalDate.Value
```

```
rs.Fields("DepartDate").Value = Me.DepartDate.Value
```

```
rs.Fields("ACReg").Value = Me.ACRegCb.Value
```

```
rs.Fields("Operator").Value = Me.Operator.Value
```

```
rs.Fields("ACType").Value = Me.ACType.Value
```

```
rs.Fields("MTOW").Value = Me.MTOW.Value
```

```
rs.Fields("Customer").Value = Me.Customer.Value
```

```
' Save the new record
```

```
rs.Update
```

```
' Clean up
```

```
rs.Close
```

```
Set rs = Nothing
```

```
Set db = Nothing
```

```
' Reset form values
```

```
Me.ORIGIN.Value = Null
```

```
Me.Sect_ID.Value = Null
```

```
Me.SectorNo.Value = Null
```

```
Me.Destination.Value = Null
```

```
Me.ETA.Value = Null
```

```
Me.ETD.Value = Null
```

```
Me.Notes.Value = Null
```

```
Me.ArrivalDate.Value = Null
```

```
Me.DepartDate.Value = Null
```

```
Me.Undo
```

```
Me.Requery
```

```
Me.Refresh
```

```
' Display a message indicating successful addition
```

```
MsgBox "Data added successfully."
```

```
End Sub
```

```
Private Sub closeBtn_Click()
```

Form_FlightSupport_AddSectorsF_V11_test - 3

```
Me.Undo
DoCmd.Close acForm, "FlightSupport_AddSectorsF", acSaveNo
End Sub

Private Sub DepartDate_GotFocus()
DepartDate_Click
End Sub

Private Sub ArrivalDate_GotFocus()
ArrivalDate_Click
End Sub

Private Sub LoadLastBtn_Click()
Me.RequestRefNo = GetLastRequestID
End Sub

Private Function GetLastRequestRefNo() As Variant
Dim LastRequestID As Variant

LastRequestID = DMax("ID", "FlightSupport_FlightRequestsT")
GetLastRequestRefNo = LastRequestID
End Function

Public Sub DepartDate_Click()
InputDateField DepartDate, "Select a date To use this on your form"
End Sub

Public Sub ArrivalDate_Click()
InputDateField ArrivalDate, "Select a date To use this on your form"
End Sub

Private Sub RefreshBtn_Click()
Me.Requery
Me.Refresh
End Sub

Public Sub ResetBtn_Click()
Me.ORIGIN.Value = Null
Me.Sect_ID.Value = Null
Me.SectorNo.Value = Null
Me.Destination.Value = Null
Me.ETA.Value = Null
Me.ETD.Value = Null
Me.Notes.Value = Null
Me.ArrivalDate.Value = Null
Me.DepartDate.Value = Null
Me.ACRegCb.Value = Null
Me.Operator.Value = Null
Me.ACTYPE.Value = Null
Me.MTOW.Value = Null
Me.Customer.Value = Null
Me.CallSigntxt.Value = Null

End Sub

Private Sub Form_Load()
If IsNull(Me.RequestRefNo) Then
Me.RequestRefNo = Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_RequestF_New").Form.Controls("RefNo").Value
Me.SectorRefNo = Me.RequestRefNo
Else
Exit Sub
End If
End Sub

Private Sub Sect_IDCmb_AfterUpdate()
UpdateIDQueries
End Sub

Private Sub UpdateIDQueries()
'On Error Goto ErrorHandler
Dim selectedSect_ID As Integer

Dim LocationsQuery As String
```

Form_FlightSupport_AddSectorF_V11_test - 4

```
Dim locSect_ID As Integer

selectedSect_ID = Me.Sect_IDCmb.Column(1) ' Get the selected value from RefNo combo box

LocationsQuery = "Select Location,ID FROM LocationsT_New WHERE Sect_ID = " & selectedSect_ID & ";"

' Set the RowSource Property of the other subform's combo box To the dynamic query
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID1").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID2").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID3").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID4").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID5").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID6").RowSource = LocationsQuery

Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("FuelF").Controls("Location_ID").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("FuelF").Controls("FlightSupport_FuelReleaseF").Controls("Location_ID").RowSource = LocationsQuery
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("ConciergeBriefF").Controls("Location_ID").RowSource = LocationsQuery

Me.Requery
' Assign selectedSect_ID To locSect_ID
locSect_ID = selectedSect_ID
' Update the value of Sect_ID in the other subform
Me.Controls("FlightSupport_AddLocationF").Controls("Sect_ID").Value = locSect_ID

'ErrorHandler:
'MsgBox "An error occurred: " & err.Description, vbExclamation
End Sub

Private Sub selectLocations()
Dim strSQL As String
Dim rs As DAO.Recordset
Dim strRowSource As String
Dim selectedSect_ID As Integer

' Get the selected Sect_ID
selectedSect_ID = Me.Sect_IDCmb.Column(1)

' Build the SQL query (using JOIN instead of IN)
strSQL = "SELECT DISTINCT Airports_DataT.Full_Airport " & _
"FROM Airports_DataT " & _
"INNER JOIN FlightSupport_SectorsT ON (Airports_DataT.Full_Airport = FlightSupport_SectorsT.Origin OR Airports_DataT.Full_Airport = FlightSupport_SectorsT.Destination) " & _
"WHERE FlightSupport_SectorsT.Sect_ID = " & selectedSect_ID & " " & _
"ORDER BY Airports_DataT.Full_Airport;"

' Open the recordset
Set rs = CurrentDb.OpenRecordset(strSQL)

' Build the row source string
strRowSource = ""
Do While Not rs.EOF
strRowSource = strRowSource & rs!Full_Airport & ";"
rs.MoveNext
Loop

' Remove the trailing semicolon only if strRowSource is not empty
If Len(strRowSource) > 0 Then
strRowSource = Left(strRowSource, Len(strRowSource) - 1)
End If

' Update the combo box's row source
Me.Controls("FlightSupport_AddLocationF").Controls("Location").RowSource = strRowSource
Me.Controls("FlightSupport_AddLocationF").Controls("Location").ColumnCount = 1
```

```
' Close the recordset  
rs.Close  
Set rs = Nothing
```

End Sub

Private Sub TripStatuscmb_AfterUpdate()

End Sub

Option Compare Database

Private Sub ACRgCb_Change()

Dim selectedValue As Variant

selectedValue = Me.ACRgCb.Value ' Get the selected value from the combo box

If Not IsNull(selectedValue) Then

Dim rs As DAO.Recordset

Set rs = CurrentDb.OpenRecordset("ACRegT", dbOpenSnapshot)

rs.FindFirst "ACReg = '" & selectedValue & "'"

If Not rs.NoMatch Then

Me.ACType.Value = rs("ACType").Value

Me.MTOW.Value = rs("ACMTOW").Value

Me.Operator.Value = rs("Operator").Value

Me.Customer.Value = rs("Customer").Value

Me.CallSigt.txt.Value = rs("callSign").Value

Else

Me.ACType.Value = Null

Me.MTOW.Value = Null

Me.Operator.Value = Null

Me.Customer.Value = Null

Me.CallSigt.txt.Value = Null

End If

rs.Close

Set rs = Nothing

Else

Me.ACType.Value = Null

Me.MTOW.Value = Null

Me.Operator.Value = Null

Me.Customer.Value = Null

Me.CallSigt.txt.Value = Null

End If

Exit Sub

End Sub

Private Sub UpdateUser1()

Dim UserID As Integer

UserID = Forms!loggedInUser!txtUserID

'UserID = 1

Me.User1 = DLookup("UserName", "UsersT", "ID =" & UserID & "")

End Sub

Private Sub addSectID()

Dim RefValue As Integer

Dim rst As DAO.Recordset

RefValue = Nz(DLookup("RefNum", "TSect_ID"), 0)

Me.Sect_ID.Value = Format(RefValue + 1, "000")

Set rst = CurrentDb.OpenRecordset("TSect_ID", dbOpenDynaset, dbSeeChanges)

With rst

.Edit

![RefNum] = ![RefNum] + 1

.Update

End With

rst.Close

Set rst = Nothing

End Sub

Private Sub addSectorBtn_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim newSectorNo As Long

Dim newDestination As String

Dim newArrivalDate As Date

addSectID

```

    If IsNull(Me.Sect_ID) Or IsNull(Me.SectorNo) Or IsNull(Me.ORIGIN) Or IsNull(Me.Destination) Or IsNull(Me.CallSigntxt) Or IsNull(Me.ETD) Or IsNull(Me.ETA) Or IsNull(Me.ArrivalDate) Or IsNull(Me.DepartDate) Or IsNull(Me.SectorRefNo) Or IsNull(Me.ACRegCb) Or IsNull(Me.Operator) Or IsNull(Me.Customer) Or IsNull(Me.ACType) Then

        MsgBox "Please add missing fields.", vbExclamation
        Exit Sub
    End If

    ' Check if a record with the same SectorNo, Sect_ID, ORIGIN, and Destination already exists
    Set db = CurrentDb
    Set rs = db.OpenRecordset("FlightSupport_SectorsT", dbOpenDynaset)
    If DCount("*", "FlightSupport_SectorsT", "Sect_ID = " & CInt(Me.Sect_ID.Value) & " AND [ORIGIN] = '" & CStr(Me.ORIGIN.Value) & "' AND Destination = '" & CStr(Me.Destination.Value) & "'") > 0 Then
        MsgBox "A record with the same Sect_ID, ORIGIN, and Destination already exists.", vbExclamation, "Duplicate Record"
        rs.Close
        Set rs = Nothing
        Set db = Nothing
        Exit Sub
    End If

    Set rs = db.OpenRecordset("FlightSupport_SectorsT", dbOpenDynaset)
    rs.AddNew
    ' Assign values to the fields in the table
    rs.Fields("ORIGIN").Value = Me.ORIGIN.Value
    rs.Fields("TripStatus").Value = Me.TripStatuscmb.Value
    rs.Fields("CallSign").Value = Me.CallSigntxt.Value
    rs.Fields("Sect_ID").Value = Me.Sect_ID.Value
    rs.Fields("SectorNo").Value = Me.SectorNo.Value
    rs.Fields("RequestRefNo").Value = Me.SectorRefNo.Value
    rs.Fields("Destination").Value = Me.Destination.Value
    rs.Fields("ETA").Value = Me.ETA.Value
    rs.Fields("ETD").Value = Me.ETD.Value
    rs.Fields("Notes").Value = Me.Notes.Value
    rs.Fields("ArrivalDate").Value = Me.ArrivalDate.Value
    rs.Fields("DepartDate").Value = Me.DepartDate.Value
    rs.Fields("ACReg").Value = Me.ACRegCb.Value
    rs.Fields("Operator").Value = Me.Operator.Value
    rs.Fields("ACType").Value = Me.ACType.Value
    rs.Fields("MTOW").Value = Me.MTOW.Value
    rs.Fields("Customer").Value = Me.Customer.Value

    ' Save the new record
    rs.Update
    newSectorNo = Me.SectorNo.Value + 1
    newDestination = Me.Destination.Value
    newArrivalDate = Me.ArrivalDate.Value

    ' Reset form values
    Me.ORIGIN.Value = newDestination
    Me.DepartDate.Value = newArrivalDate
    Me.SectorNo.Value = newSectorNo
    Me.Sect_ID.Value = Null
    Me.SectorNo.Value = Null
    Me.Destination.Value = Null
    Me.ETA.Value = Null
    Me.ETD.Value = Null
    Me.Notes.Value = Null
    Me.ArrivalDate.Value = Null

    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing

    ' Display a message indicating successful addition
    MsgBox "Data added successfully."

```

End Sub

```
Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FlightSupport_AddSectorsF", acSaveNo
End Sub
```

```
Private Sub DepartDate_GotFocus()
    DepartDate_Click
End Sub
```

```
Private Sub ArrivalDate_GotFocus()
    ArrivalDate_Click
End Sub
```

```
Private Sub LoadLastBtn_Click()
    Me.RequestRefNo = GetLastRequestID
End Sub
```

```
Private Function GetLastRequestRefNo() As Variant
    Dim LastRequestID As Variant

    LastRequestID = DMax("ID", "FlightSupport_FlightRequestsT")
    GetLastRequestRefNo = LastRequestID
End Function
```

```
Public Sub DepartDate_Click()
    InputDateField DepartDate, "Select a date To use this on your form"
End Sub
```

```
Public Sub ArrivalDate_Click()
    InputDateField ArrivalDate, "Select a date To use this on your form"
End Sub
```

```
Private Sub RefreshBtn_Click()
    Me.Requery
    Me.Refresh
End Sub
```

```
Public Sub ResetBtn_Click()
    Me.ORIGIN.Value = Null
    Me.Sect_ID.Value = Null
    Me.SectorNo.Value = Null
    Me.Destination.Value = Null
    Me.ETA.Value = Null
    Me.ETD.Value = Null
    Me.Notes.Value = Null
    Me.ArrivalDate.Value = Null
    Me.DepartDate.Value = Null
    Me.ACRegCb.Value = Null
    Me.Operator.Value = Null
    Me.ACType.Value = Null
    Me.MTOW.Value = Null
    Me.Customer.Value = Null
    Me.CallSigntxt.Value = Null
End Sub
```

```
Private Sub Form_Load()
    If Not IsNull(Me.RequestRefNo) Then
        Me.RequestRefNo = Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_RequestF_New").Form.Controls("RefNo").Value
        Me.SectorRefNo = Me.RequestRefNo
    Else
        Exit Sub
    End If
End Sub

Private Sub Sect_IDCmb_AfterUpdate()
    UpdateIDQueries
End Sub
```

```

Private Sub UpdateIDQueries()
    'On Error Goto ErrorHandler
    Dim selectedSect_ID As Integer

    Dim LocationsQuery As String
    Dim locSect_ID As Integer

    selectedSect_ID = Me.Sect_IDCmb.Column(1) ' Get the selected value from RefNo combo box

    LocationsQuery = "Select Location,ID FROM LocationsT_New WHERE Sect_ID = " & selectedSect_ID & ";";

    ' Set the RowSource Property of the other subform's combo box To the dynamic query
    Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID1").RowSource = LocationsQuery
    Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID2").RowSource = LocationsQuery
    Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID3").RowSource = LocationsQuery
    Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID4").RowSource = LocationsQuery
    Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID5").RowSource = LocationsQuery
    Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID6").RowSource = LocationsQuery

    Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_BriefsF").Form.Controls("FuelF").Controls("Location_ID").RowSource = LocationsQuery
    Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_BriefsF").Form.Controls("FuelF").Controls("FlightSupport_FuelReleaseF").Controls("Location_ID").RowSource = LocationsQuery
    Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_BriefsF").Form.Controls("ConciergeBriefsF").Controls("Location_ID").RowSource = LocationsQuery

    Me.Requery
    ' Assign selectedSect_ID To locSect_ID
    locSect_ID = selectedSect_ID
    ' Update the value of Sect_ID in the other subform
    Me.Controls("FlightSupport_AddLocationF").Controls("Sect_ID").Value = locSect_ID

    'ErrorHandler:
    'MsgBox "An error occurred: " & err.Description, vbExclamation
End Sub

Private Sub selectLocations()
    Dim strSQL As String
    Dim rs As DAO.Recordset
    Dim strRowSource As String
    Dim selectedSect_ID As Integer

    ' Get the selected Sect_ID
    selectedSect_ID = Me.Sect_IDCmb.Column(1)

    ' Build the SQL query (using JOIN instead of IN)
    strSQL = "SELECT DISTINCT Airports_DataT.Full_Airport " & _
        "FROM Airports_DataT " & _
        "INNER JOIN FlightSupport_SectorsT ON (Airports_DataT.Full_Airport = FlightSupport_SectorsT.Origin OR Airports_DataT.Full_Airport = FlightSupport_SectorsT.Destination) " & _
        "WHERE FlightSupport_SectorsT.Sect_ID = " & selectedSect_ID & " " & _
        "ORDER BY Airports_DataT.Full_Airport;"

    ' Open the recordset
    Set rs = CurrentDb.OpenRecordset(strSQL)

    ' Build the row source string
    strRowSource = ""
    Do While Not rs.EOF
        strRowSource = strRowSource & rs!Full_Airport & ";"
        rs.MoveNext
    Loop

    ' Remove the trailing semicolon only if strRowSource is not empty
    If Len(strRowSource) > 0 Then
        strRowSource = Left(strRowSource, Len(strRowSource) - 1)
    End If

```


End If

' Update the combo box's row source

Me.Controls("FlightSupport_AddLocationF").Controls("Location").RowSource = strRowSource

Me.Controls("FlightSupport_AddLocationF").Controls("Location").ColumnCount = 1

' Close the recordset

rs.Close

Set rs = Nothing

End Sub

Private Sub TripStatuscmb_AfterUpdate()

End Sub

Option Compare Database

```
Private Sub AddHandover_Click()
```

```
    If Not IsNull(Me.TasksCompleted.Value) Or Not IsNull(Me.TasksPending.Value) Or Not IsNull(Me.UserIDList.Value) Or Not IsNull(Me.FollowupActionsRequired.Value) Then
```

```
        AddHandover
```

```
    Else
```

```
        MsgBox "Please fill in the empty fields"
```

```
    Exit Sub
```

```
End If
```

```
End Sub
```

```
Private Sub Form_Load()
```

```
    Dim fw As New clFormWindow
```

```
    fw.hWnd = Me.hWnd
```

```
    With fw
```

```
        .Top = (.Parent.Height - .Height) / 2
```

```
        .Left = (.Parent.Width - .Width) / 2
```

```
    End With
```

```
    Set fw = Nothing
```

```
    AddUserName
```

```
End Sub
```

```
Private Sub AddUserName()
```

```
    Dim AddUser As Boolean
```

```
    Dim UserID As Integer
```

```
    UserID = Forms!loggedInUser!txtUserID
```

```
    AddUser = DLookup("CreateUser", "UsersT", "ID =" & UserID & "")
```

```
    Me.SubmittedBytxt = DLookup("UserName", "UsersT", "ID =" & UserID & "")
```

```
End Sub
```

```
Private Sub AddHandover()
```

```
    On Error GoTo ErrorHandler
```

```
        Dim db As DAO.Database
```

```
        Dim rs As DAO.Recordset
```

```
        Set db = CurrentDb
```

```
        Set rs = db.OpenRecordset("ShiftsHandoverT", dbOpenDynaset)
```

```
        rs.AddNew
```

```
        ' Assign values To the fields in the table
```

```
        rs.Fields("OVFProcedures").Value = Me.OVFProcedures.Value
```

```
        rs.Fields("OperationalProcedures").Value = Me.OperationalProcedures.Value
```

```
        rs.Fields("RecommendedVendor").Value = Me.RecommendedVendorCmb.Value
```

```
        rs.Fields("Country").Value = Me.CountryCmb.Value
```

```
        rs.Fields("Location").Value = Me.AIRPORT.Value
```

```
        ' Save the New record
```

```
        rs.Update
```

```
        ' Clean up
```

```
        rs.Close
```

```
        Set rs = Nothing
```

```
        Set db = Nothing
```

```
        ' Reset the form fields
```

```
        NotesReset
```

```
        MsgBox "Data added successfully."
```

```
        Me.Undo
```

```
Exit Sub
```

```
ErrorHandler:
```

```
    MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
```

```
    Me.Undo
```

```
Exit Sub
```

```
End Sub
Private Sub ShiftReset()
    Me.OVFProcedures.Value = Null
    Me.OperationalProcedures.Value = Null
    Me.RecommendedVendorCmb.Value = Null
    Me.AIRPORT.Value = Null
    CountryAirportsQuery
End Sub
Private Sub ResetBtn_Click()
    Me.OVFProcedures.Value = Null
    Me.OperationalProcedures.Value = Null
    Me.RecommendedVendorCmb.Value = Null
    Me.CountryCmb.Value = Null
    Me.AIRPORT.Value = Null
    Me.Undo
End Sub
Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FlightSupport_AddShiftInfo", acSaveNo
End Sub

Private Sub UpdateHandoverBtn_Click()
DoCmd.OpenForm "FlightSupport_UpdateShiftInfo", WindowMode:=acWindowNormal
End Sub
```

Form_FlightSupport_CanceledRequests_New - 1

Option Compare Database

```
Private Sub closeBtn_Click()  
    DoCmd.Close acForm, "FlightSupport_CanceledRequests_New"  
End Sub
```

```
Private Sub Form_Load()
```

```
    LoadUrgentRequests
```

```
End Sub
```

```
Private Sub LoadUrgentRequests()  
    Dim FirstDayNextMonth As Date  
    Dim LastDayNextMonth As Date  
    Dim UrgentQuery As String
```

```
    ' Calculate the first and last day of the next month  
    FirstDayNextMonth = DateSerial(Year(date), Month(date) + 1, 1)  
    LastDayNextMonth = DateSerial(Year(date), Month(date) + 2, 0)
```

```
    UrgentQuery = "SELECT RefNo, OPSDate,ReqDate, Customer, RequestStatus, ACREg, ReqNo, Urgent FROM FlightSupport_UrgentRequestsQ " & _  
    "WHERE (RequestStatus <> 'CONFIRMED' AND RequestStatus <> 'ACTIVE' AND RequestStatus <> 'MERGED' AND RequestStatus <> 'CONFIRMED - STC' AND RequestStatus <> 'IN PROGRESS') " & _  
    "ORDER BY OPSDate DESC;"
```

```
    Me.RecordSource = UrgentQuery
```

```
End Sub
```

```
Private Sub RefNo_DblClick(Cancel As Integer)  
    RefNo2_AfterUpdate  
    Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_RequestF_New").Form.TriggerAfterUpdate  
    closeBtn_Click  
End Sub
```

```
Private Sub RefNo2_AfterUpdate()  
    Dim selectedRefNo As Variant  
    selectedRefNo = Me.RefNo.Value  
  
    If Not IsNull(selectedRefNo) Then  
        Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_RequestF_New").Form.Controls("RefNo2").Value = selectedRefNo  
        'Me.Requery  
    Else  
        Exit Sub  
    End If
```

```
End Sub
```

Option Compare Database

Option Compare Database

Option Compare Database

Option Compare Database


```
Option Compare Database
Private Sub Agent_Change()
Service_Change
End Sub

Private Sub Notes_Change()
Service_Change
End Sub

Private Sub PaymentMethod_Click()
Service_Change
End Sub

Private Sub Service_Change()
Dim UserID As Integer

    UserID = Forms!loggedInUser!txtUserID
    ' Me.Updated_date.ForeColor = RGB(255, 0, 0)
    ' Me.Updated_date.BackColor = RGB(255, 255, 0)
    ' Me.Updated_date.Value = Format(Now(), "dd mm yyyy, hh:nn")
    Me.Updated_date.Value = Format(Now(), "dd/mm/yyyy, hh:nn")
    Me.User = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub ServiceStatus_Change()
Service_Change
End Sub

Private Sub Vendor_Change()
Service_Change
End Sub
```

```
Option Compare Database
Private Sub Agent_Change()
Service_Change
End Sub

Private Sub Notes_Change()
Service_Change
End Sub

Private Sub PaymentMethod_Click()
Service_Change
End Sub

Private Sub Service_Change()
Dim UserID As Integer

    UserID = Forms!loggedInUser!txtUserID
    ' Me.Updated_date.ForeColor = RGB(255, 0, 0)
    ' Me.Updated_date.BackColor = RGB(255, 255, 0)
    ' Me.Updated_date.Value = Format(Now(), "dd mm yyyy, hh:nn")
    Me.Updated_date.Value = Format(Now(), "dd/mm/yyyy, hh:nn")
    Me.User = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub ServiceStatus_Change()
Service_Change
End Sub

Private Sub Vendor_Change()
Service_Change
End Sub
```

```
Option Compare Database
Private Sub Agent_Change()
Service_Change
End Sub

Private Sub Notes_Change()
Service_Change
End Sub

Private Sub PaymentMethod_Click()
Service_Change
End Sub

Private Sub Service_Change()
Dim UserID As Integer

    UserID = Forms!loggedInUser!txtUserID
    ' Me.Updated_date.ForeColor = RGB(255, 0, 0)
    ' Me.Updated_date.BackColor = RGB(255, 255, 0)
    ' Me.Updated_date.Value = Format(Now(), "dd mm yyyy, hh:nn")
    Me.Updated_date.Value = Format(Now(), "dd/mm/yyyy, hh:nn")
    Me.User = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub ServiceStatus_Change()
Service_Change
End Sub

Private Sub Vendor_Change()
Service_Change
End Sub
```

```
Option Compare Database
Private Sub Agent_Change()
Service_Change
End Sub

Private Sub Notes_Change()
Service_Change
End Sub

Private Sub PaymentMethod_Click()
Service_Change
End Sub

Private Sub Service_Change()
Dim UserID As Integer

    UserID = Forms!loggedInUser!txtUserID
    ' Me.Updated_date.ForeColor = RGB(255, 0, 0)
    ' Me.Updated_date.BackColor = RGB(255, 255, 0)
    ' Me.Updated_date.Value = Format(Now(), "dd mm yyyy, hh:nn")
    Me.Updated_date.Value = Format(Now(), "dd/mm/yyyy, hh:nn")
    Me.User = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub ServiceStatus_Change()
Service_Change
End Sub

Private Sub Vendor_Change()
Service_Change
End Sub
```

Form_FlightSupport_ConfirmedRequests - 1

Option Compare Database

```
Private Sub closeBtn_Click()  
    DoCmd.Close acForm, "FlightSupport_UrgentRequests"  
End Sub
```

```
Private Sub Form_Load()
```

```
    LoadUrgentRequests
```

```
End Sub
```

```
Private Sub LoadUrgentRequests()  
    Dim FirstDayNextMonth As Date  
    Dim LastDayNextMonth As Date  
    Dim UrgentQuery As String
```

```
    ' Calculate the first and last day of the next month  
    FirstDayNextMonth = DateSerial(Year(date), Month(date) + 1, 1)  
    LastDayNextMonth = DateSerial(Year(date), Month(date) + 2, 0)
```

```
    UrgentQuery = "SELECT RefNo, OPSDate,ReqDate, Customer, RequestStatus, ACREg, ReqNo FROM NewFlightRequestsT " &  
    "WHERE (RequestStatus <> 'CONFIRMED' AND RequestStatus <> 'CANCELED' AND RequestStatus <> 'MERGED') "  
    &  
    "ORDER BY OPSDate DESC;"
```

```
    Me.RecordSource = UrgentQuery
```

```
End Sub
```

```
Private Sub RefNo_DblClick(Cancel As Integer)  
    RefNo2_AfterUpdate  
    Forms("FlightSupport_LASTFORM").Controls("RequestF").Form.TriggerAfterUpdate  
    closeBtn_Click  
End Sub
```

```
Private Sub RefNo2_AfterUpdate()  
    Dim selectedRefNo As Variant  
    selectedRefNo = Me.RefNo.Value  
  
    If Not IsNull(selectedRefNo) Then  
        Forms("FlightSupport_LASTFORM").Controls("RequestF").Form.Controls("RefNo2").Value = selectedRefNo  
    Else  
        'Me.Requery  
        Exit Sub  
    End If  
End Sub
```

Form_FlightSupport_ConfirmedRequests_New - 1

Option Compare Database

```
Private Sub closeBtn_Click()  
    DoCmd.Close acForm, "FlightSupport_ConfirmedRequests_New"  
End Sub
```

```
Private Sub Form_Load()
```

```
    LoadUrgentRequests
```

```
End Sub
```

```
Private Sub LoadUrgentRequests()  
    Dim FirstDayNextMonth As Date  
    Dim LastDayNextMonth As Date  
    Dim UrgentQuery As String
```

```
    ' Calculate the first and last day of the next month  
    FirstDayNextMonth = DateSerial(Year(date), Month(date) + 1, 1)  
    LastDayNextMonth = DateSerial(Year(date), Month(date) + 2, 0)
```

```
    UrgentQuery = "SELECT DISTINCT RefNo, OPSDate,ReqDate, Customer, RequestStatus, ACREg, ReqNo, Urgent F  
FROM FlightSupport_UrgentRequestsQ " & _  
    "WHERE (RequestStatus = 'CONFIRMED' ) AND (TripStatus = 'CONFIRMED' or 'ACTIVE') " & _  
    "ORDER BY OPSDate DESC;"
```

```
    Me.RecordSource = UrgentQuery
```

```
End Sub
```

```
Private Sub RefNo_DblClick(Cancel As Integer)  
    RefNo2_AfterUpdate  
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_RequestF_New").Form.TriggerAfterUpdat  
e  
    closeBtn_Click  
End Sub
```

```
Private Sub RefNo2_AfterUpdate()  
    Dim selectedRefNo As Variant  
    selectedRefNo = Me.RefNo.Value  
  
    If Not IsNull(selectedRefNo) Then  
        Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_RequestF_New").Form.Controls("R  
efNo2").Value = selectedRefNo  
        'Me.Requery  
    Else  
        Exit Sub  
    End If
```

```
End Sub
```

Form_FlightSupport_EditReleaseF - 1

Option Compare Database

```
Private Sub Command7_Click()  
Me.Refresh  
End Sub
```

```
Private Sub ResetFilters_Click()  
    Me.FlightSupport_FuelPreformaF.Form.Filter = ""  
    Me.FlightSupport_FuelPreformaF.Form.FilterOn = False  
    Me.RefNoCmb.Value = Null  
    Me.AirportCmb.Value = Null  
End Sub
```

```
Private Sub RefNoCmb_AfterUpdate()  
    Me.FlightSupport_FuelPreformaF.Form.Filter = "ID = " & Me.RefNoCmb.Column(1)  
    Me.FlightSupport_FuelPreformaF.Form.FilterOn = True  
End Sub
```

```
Private Sub AirportCmb_AfterUpdate()  
    Me.FlightSupport_FuelPreformaF.Form.Filter = "Airport = '" & Me.AirportCmb.Value & "'" &  
    Me.FlightSupport_FuelPreformaF.Form.FilterOn = True  
End Sub
```

Option Compare Database

```
Private Sub Command7_Click()  
Me.Refresh  
End Sub
```

```
Private Sub ResetFilters_Click()  
    Me.FlightSupport_FuelPreformaF.Form.Filter = ""  
    Me.FlightSupport_FuelPreformaF.Form.FilterOn = False  
    Me.RefNoCmb.Value = Null  
    Me.AirportCmb.Value = Null  
End Sub
```

```
Private Sub RefNoCmb_AfterUpdate()  
    Me.FlightSupport_FuelPreformaF.Form.Filter = "ID = " & Me.RefNoCmb.Column(1)  
    Me.FlightSupport_FuelPreformaF.Form.FilterOn = True  
End Sub
```

```
Private Sub AirportCmb_AfterUpdate()  
    Me.FlightSupport_FuelPreformaF.Form.Filter = "Airport = '" & Me.AirportCmb.Value & "'" &  
    Me.FlightSupport_FuelPreformaF.Form.FilterOn = True  
End Sub
```


Option Compare Database

```

Private Sub AddInvoice_Click()
    AddFuelInvoice
End Sub

Private Sub CustomerName_AfterUpdate()
    Dim CurrentCustomer As String
    Dim strSQL As String

    CurrentCustomer = Me.CustomerName.Value

    ' Use a function to build the query safely
    strSQL = BuildSafeQuery(CurrentCustomer)

    ' Set the RowSource of the combo box to the dynamic query
    Me.RefNo.RowSource = strSQL
    Me.RefNo.Requery

    ' Build the SQL query for OperatorListCb combo box
    strSQL = BuildSafeQueryForOperator(CurrentCustomer)
    Me.OperatorListCb.RowSource = strSQL
    Me.OperatorListCb.Requery
End Sub

Private Function BuildSafeQuery(ByVal CustomerValue As String) As String
    ' Build the SQL query using parameterized approach
    BuildSafeQuery = "SELECT DISTINCT RefNo, ID FROM FlightSupport_FuelPreformaQ_New_Test WHERE Custom
er = '" & Replace(CustomerValue, "'", "'") & "'"
End Function

Private Function BuildSafeQueryForOperator(ByVal CustomerValue As String) As String
    ' Build the SQL query using parameterized approach
    BuildSafeQueryForOperator = "SELECT DISTINCT Operator FROM FlightSupport_FuelPreformaQ_New_Test WH
ERE Customer = '" & Replace(CustomerValue, "'", "'") & "'"
End Function

Private Sub DueDate_Click()
    InputDateField DueDate, "Select a date To use this on your form"
End Sub

Private Sub InvoiceReset()
    Me.RefNo.Value = Null
    Me.RefNo_Airport.Value = Null
    Me.Destination.Value = Null
    Me.Taxes.Value = Null
    Me.ServiceCost.Value = Null
    Me.Vendor.Value = Null
    Me.TripRefNo.Value = Null
    Me.DeliveryDate.Value = Null
    Me.Validity.Value = Null
    Me.Currency.Value = Null
    Me.ACTYPE.Value = Null
    Me.Operator.Value = Null
    Me.Customer.Value = Null
    Me.ACREG.Value = Null
    Me.Amount.Value = Null
    Me.VATRate.Value = Null
    Me.Invoiced.Value = Null
    Me.InvoiceRefNo.Value = Null
    Me.VendorInvoice.Value = Null
    Me.InvoiceDate.Value = Null
    Me.DueDate.Value = Null
    Me.FuelStatus.Value = Null
    resetRowSource
End Sub

Private Sub EndDate_Change()
    EndDate_AfterUpdate
End Sub

Private Sub EndDate_DblClick(Cancel As Integer)
    EndDate_AfterUpdate

```

End Sub

```
Private Sub EndDate_GotFocus()
    InputDateField EndDate, "Select a date To use this on your form"
End Sub
```

```
Private Sub InvoiceDate_Click()
    InputDateField InvoiceDate, "Select a date To use this on your form"
End Sub
```

```
Private Sub OperatorListCb_AfterUpdate()
    Dim CurrentOperator As String
    Dim strSQL As String

    CurrentOperator = Me.OperatorListCb.Value

    ' Use a Function To build the query safely
    strSQL = BuildSafeRefNoQueryFormOperator(CurrentOperator)

    ' Set the RowSource of the combo box To the dynamic query
    Me.RefNo.RowSource = strSQL
    Me.RefNo.Requery
End Sub
```

```
Private Function BuildSafeRefNoQueryFormOperator(ByVal OperatorValue As String) As String
    ' Build the SQL query using parameterized approach
    BuildSafeRefNoQueryFormOperator = "Select DISTINCT RefNo, ID FROM FlightSupport_FuelPreformaQ_New_Test WHERE Operator = '" & Replace(OperatorValue, "'", "'') & "'"
End Function
```

```
Private Sub RefNo_AfterUpdate()
    Dim RecordQuery As String
    Dim CurrentRefNO As Integer ' Declare CurrentRefNO As Variant

    CurrentRefNO = Me.RefNo.Column(1)

    RecordQuery = "Select Airport, Location_ID FROM FlightSupport_FuelPreformaQ_New_Test WHERE ID = " & CurrentRefNO

    ' Set the RowSource Property of the AIRPORT combo box To the dynamic query
    Me.RefNo_Airport.RowSource = RecordQuery

    ' Requery the AIRPORT combo box To reflect the updated options
    Me.RefNo_Airport.Requery
End Sub
```

```
Private Sub RefNo_Airport_AfterUpdate()
    RenderRecord
End Sub
```

```
Private Sub ResetBtn_Click()
    Me.RefNo.Value = Null
    Me.RefNo_Airport.Value = Null
    Me.Destination.Value = Null
    Me.Taxes.Value = Null
    Me.ServiceCost.Value = Null
    Me.Vendor.Value = Null
    Me.TripRefNo.Value = Null
    Me.DeliveryDate.Value = Null
    Me.Validity.Value = Null
    Me.Currency.Value = Null
    Me.ACType.Value = Null
    Me.Operator.Value = Null
    Me.Customer.Value = Null
    Me.ACRReg.Value = Null
    Me.Amount.Value = Null
    Me.VATRate.Value = Null
    Me.Invoiced.Value = Null
    Me.InvoiceRefNo.Value = Null
    Me.VendorInvoice.Value = Null
    Me.InvoiceDate.Value = Null
```

```

Me.DueDate.Value = Null
Me.FuelStatus.Value = Null
Me.CustomerName.Value = Null
Me.OperatorListCb.Value = Null
Me.ServiceStatus.Value = Null
Me.StartDate.Value = Null
Me.EndDate.Value = Null
resetRowSource
End Sub

Private Sub closeBtn_Click()
Me.Undo
DoCmd.Close acForm, "FlightSupport_EstimatedInvoiceF", acSaveNo
End Sub

Private Sub RenderRecord()
Dim selectedAirport As Integer
Dim rs As DAO.Recordset
Dim db As DAO.Database

selectedAirport = Me.RefNo_Airport.Column(1)

If Not IsNull(selectedAirport) Then
Set db = CurrentDb
Set rs = db.OpenRecordset("FlightSupport_FuelPreformaQ_New_Test", dbOpenSnapshot)

' Find the row that matches the selectedAirport And FlightType
rs.FindFirst "Location_ID = " & selectedAirport

If Not rs.NoMatch Then
' Assign values To the fields in the form
Me.Customer.Value = rs("Customer").Value
Me.Operator.Value = rs("Operator").Value
Me.ACReg.Value = rs("ACReg").Value
Me.ACType.Value = rs("ACType").Value
Me.DeliveryDate.Value = rs("DepartDate").Value
Me.TripRefNo.Value = rs("CallSign").Value
Me.Vendor.Value = rs("Vendor").Value
Me.Validity.Value = rs("Validity").Value
Me.Currency.Value = rs("Currency").Value
Me.ServiceCost.Value = rs("TASPrice").Value
Me.Taxes.Value = rs("Taxes").Value
Me.Destination.Value = rs("NextDest").Value
Me.FuelStatus.Value = rs("FuelStatus").Value
Me.AddedRate.Value = rs("AddedRate").Value
rs.Close
Set rs = Nothing
Set db = Nothing
Else
MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
End If
Else
MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
End If
End Sub

Private Sub AddFuelInvoice()
'On Error GoTo ErrorHandler
Dim selectedAirport As Integer
Dim SelectedLocation As Variant
Dim selectedRefNo As Variant
Dim rs As DAO.Recordset
Dim db As DAO.Database

selectedRefNo = Me.RefNo.Column(0)
selectedAirport = Me.RefNo_Airport.Column(1)
SelectedLocation = Me.RefNo_Airport.Column(0)
Set db = CurrentDb
Set rs = db.OpenRecordset("FlightSupport_EstimatedDebitT", dbOpenDynaset) ' Open in dbOpenDynaset
mode

' Find the row that matches the selectedAirport And FlightType
rs.FindFirst "Location_ID = " & selectedAirport

```

```

If Not rs.NoMatch Then
    MsgBox "Record already exists."
    Exit Sub
End If

```

```

If IsNull(Me.RefNo) Or IsNull(Me.ACReg) Or IsNull(Me.Amount) Or IsNull(Me.VATRate) Or IsNull(Me.TotalCost) Or IsNull(Me.VAT) Or IsNull(Me.TotalGross) Or IsNull(Me.Vendor) Or IsNull(Me.TripRefNo) Or IsNull(Me.DeliveryDate) Or IsNull(Me.ACTYPE) Or IsNull(Me.Operator) Or IsNull(Me.Customer) Or IsNull(Me.RefNo_Airport) Or IsNull(Me.Destination) Or IsNull(Me.Currency) Or IsNull(Me.ServiceCost) Or IsNull(Me.Validity) Then

```

```

    MsgBox "Add missing fields " & err.Description, vbCritical, "Error"
    Exit Sub

```

```

Else
    rs.AddNew
    ' Assign values To the fields in the table
    rs.Fields("CallSign").Value = Me.TripRefNo.Value
    rs.Fields("Location").Value = SelectedLocation
    rs.Fields("Location_ID").Value = selectedAirport
    rs.Fields("Destination").Value = Me.Destination.Value
    rs.Fields("Taxes").Value = Me.Taxes.Value
    rs.Fields("ServiceCost").Value = Me.ServiceCost.Value
    rs.Fields("Vendor").Value = Me.Vendor.Value
    rs.Fields("TripRefNo").Value = selectedRefNo
    rs.Fields("DeliveryDate").Value = Me.DeliveryDate.Value
    rs.Fields("Validity").Value = Me.Validity.Value
    rs.Fields("Currency").Value = Me.Currency.Value
    rs.Fields("ACType").Value = Me.ACTYPE.Value
    rs.Fields("Operator").Value = Me.Operator.Value
    rs.Fields("Customer").Value = Me.Customer.Value
    rs.Fields("ACReg").Value = Me.ACReg.Value
    rs.Fields("Amount").Value = Me.Amount.Value
    rs.Fields("VATRate").Value = Me.VATRate.Value
    rs.Fields("Invoiced").Value = Me.Invoiced.Value
    rs.Fields("VendorRefNo").Value = Me.VendorInvoice.Value
    rs.Fields("InvoiceRefNo").Value = Me.InvoiceRefNo.Value
    rs.Fields("InvoiceDate").Value = Me.InvoiceDate.Value
    rs.Fields("DueDate").Value = Me.DueDate.Value
    rs.Fields("TotalCost").Value = Me.TotalCost.Value
    rs.Fields("VAT").Value = Me.VAT.Value
    rs.Fields("TotalGross").Value = Me.TotalGross.Value
    rs.Fields("FuelStatus").Value = Me.FuelStatus.Value
    ' Save the New record
    rs.Update

    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing

    ' Reset the form fields
    InvoiceReset

    MsgBox "Data added successfully."
    Me.Undo
End If
Exit Sub

```

```

'ErrorHandler:
'MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
'Me.Undo
End Sub

```

```

Private Sub ServiceStatus_AfterUpdate()
    Dim CurrentServiceStatus As String
    Dim strSQL As String
    Dim CurrentOperator As String
    Dim CurrentCustomer As String

    CurrentCustomer = Me.CustomerName.Value
    CurrentOperator = Me.OperatorListCb.Value
    CurrentServiceStatus = Me.ServiceStatus.Value

```



```
Private Sub StartDate_Click()  
    InputDateField StartDate, "Select a date To use this on your form"  
End Sub
```

```
Private Sub resetRowSource()  
Dim strSQL As String  
strSQL = ""  
Me.RefNo.RowSource = strSQL  
Me.OperatorListCb.RowSource = strSQL  
Me.RefNo_Airport.RowSource = strSQL
```

```
End Sub
```

Option Compare Database

Option Compare Database

Option Compare Database

Option Compare Database

```
Option Compare Database
Private Sub Agent_Change()
Service_Change
End Sub

Private Sub Notes_Change()
Service_Change
End Sub

Private Sub PaymentMethod_Click()
Service_Change
End Sub

Private Sub Service_Change()
Dim UserID As Integer

    UserID = Forms!loggedInUser!txtUserID
    ' Me.Updated_date.ForeColor = RGB(255, 0, 0)
    ' Me.Updated_date.BackColor = RGB(255, 255, 0)
    ' Me.Updated_date.Value = Format(Now(), "dd mm yyyy, hh:nn")
    Me.Updated_date.Value = Format(Now(), "dd/mm/yyyy, hh:nn")
    Me.User = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub ServiceStatus_Change()
Service_Change
End Sub

Private Sub Vendor_Change()
Service_Change
End Sub
```

Option Compare Database

```
Private Sub Command7_Click()  
Me.Refresh  
End Sub
```

```
Private Sub ResetFilters_Click()  
    Me.FlightSupport_FuelPreformaF.Form.Filter = ""  
    Me.FlightSupport_FuelPreformaF.Form.FilterOn = False  
    Me.RefNoCmb.Value = Null  
    Me.AirportCmb.Value = Null  
End Sub
```

```
Private Sub RefNoCmb_AfterUpdate()  
    Me.FlightSupport_FuelPreformaF.Form.Filter = "ID = " & Me.RefNoCmb.Column(1)  
    Me.FlightSupport_FuelPreformaF.Form.FilterOn = True  
End Sub
```

```
Private Sub AirportCmb_AfterUpdate()  
    Me.FlightSupport_FuelPreformaF.Form.Filter = "Airport = '" & Me.AirportCmb.Value & "'" &  
    Me.FlightSupport_FuelPreformaF.Form.FilterOn = True  
End Sub
```

Option Compare Database

Private Sub AddFuelService_Click()

'On Error Goto ErrorHandler

Dim db As DAO.Database

Dim rs As DAO.Recordset

If IsNull(Me.Location_ID) Or IsNull(Me.FuelStatus) Or IsNull(Me.PaymentMethod) Or IsNull(Me.Currency) Or IsNull(Me.vendorName) Or IsNull(Me.AddedRate) Or IsNull(Me.TASPrice) Then

MsgBox "Add Missing Field.", vbExclamation

Exit Sub

Else

Set db = CurrentDb

Set rs = db.OpenRecordset("FuelBriefT", dbOpenDynaset)

' Find the existing record based on Location_ID And vendorName

rs.FindFirst "Location_ID = " & Me.Location_ID.Value & " And Vendor = '" & Me.vendorName.Value & "'"

If rs.NoMatch Then ' No existing record found

rs.AddNew

' Assign values To the fields in the table

rs.Fields("Location_ID").Value = Me.Location_ID.Value

rs.Fields("FuelType").Value = Me.FuelType.Value

rs.Fields("FuelStatus").Value = Me.FuelStatus.Value

rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value

rs.Fields("IPA").Value = Me.IPA.Value

rs.Fields("Quantity").Value = Me.Quantity.Value

rs.Fields("VendorPrice").Value = Me.BasePrice.Value

rs.Fields("TASPrice").Value = Me.TASPrice.Value

rs.Fields("AddedRate").Value = Me.AddedRate.Value

rs.Fields("Vendor").Value = Me.vendorName.Value

rs.Fields("FBO").Value = Me.FBO.Value

rs.Fields("QuoteSent").Value = Me.QuoteSentCb.Value

rs.Fields("Taxes").Value = Me.Taxes.Value

rs.Fields("Notes").Value = Me.Notes.Value

rs.Fields("Validity").Value = Me.Validity.Value

rs.Fields("EstimatedTotal").Value = Me.EstimatedTotal.Value

rs.Fields("Airport").Value = Me.AIRPORT.Value

rs.Fields("Currency").Value = Me.Currency.Value

rs.Fields("InternalNotes").Value = Me.InternalNotes.Value

' Save the New record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values

ResetBtn_Click

' Display a message indicating successful addition

MsgBox "Service added successfully. Please add fuel release once service is confirmed from the vendor."

Me.Undo

Else

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

MsgBox "Vendor already exists For the same Location_ID.", vbExclamation

End If

Exit Sub

End If

'ErrorHandler:

'MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"

'Me.Undo

```

'Exit Sub
End Sub

Private Sub Airport_AfterUpdate()
    MinPrice_MinVendor
    Me.Refresh
End Sub

Private Sub MinPrice_MinVendor()
    On Error GoTo ErrorHandler

    Dim selectedAirport As Variant
    Dim airportCode As String
    Dim rs As DAO.Recordset
    Dim strSQL As String

    selectedAirport = Me.AIRPORT

    If Not IsNull(selectedAirport) Then
        airportCode = selectedAirport
        strSQL = "SELECT MinVendorPrice, TableName, ID, LOWCURRENCY FROM FuelSupport_PriceQ WHERE Airport = '" & Replace(airportCode, "'", "'') & "'"

        Set rs = CurrentDb.OpenRecordset(strSQL)

        If Not rs.EOF Then
            Me.AirportID.Value = rs!ID
            Me.LowestVendor.Value = rs!TableName
            Me.Vendor.Value = rs!TableName
            Me.LowestPriceTxt.Value = rs!MinVendorPrice
            Me.LowestPriceCurrency.Value = rs!LowCurrency
            RenderRecord
        Else
            Me.LowestPriceTxt.Value = "No data found"
        End If

        rs.Close
        Set rs = Nothing
    End If

    Exit Sub

ErrorHandler:
    MsgBox "An error occurred: " & err.Description, vbCritical
    If Not rs Is Nothing Then
        rs.Close
        Set rs = Nothing
    End If
End Sub

Private Sub RenderRecord()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim rs As DAO.Recordset
    Dim db As DAO.Database

    selectedVendorTable = Me.Vendor
    'AirportID = Me.AirportID
    selectedAirport = Me.AIRPORT

    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
        Exit Sub
    Else
        'If Not IsNull(selectedAirport) Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)

        ' Find the row that matches the selectedAirport And FlightType
        'rs.FindFirst "ID = " & AirportID & " And FlightType = '" & FlightType & "'"

```

```

rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
If Not rs.NoMatch Then
    ' Assign values To the fields in the form`
    Me.BasePrice.Value = rs("VendorPrice").Value
    Me.EstimatedTotal.Value = rs("EstimatedTotal").Value
    Me.Validity.Value = rs("Validity").Value

    Me.IPA.Value = rs("IPA").Value
    Me.FBO.Value = rs("FBO").Value
    Me.Notes.Value = rs("Notes").Value
    Me.Taxes.Value = rs("Taxes").Value
    Me.Currency.Value = rs("Currency").Value
    Me.InternalNotes.Value = rs("InternalNotes").Value
    rs.Close
    Set rs = Nothing
    Set db = Nothing
    'MsgBox "Data rendered successfully."
Else
    MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
End If

```

Validity_Check

```

End If
End Sub
Private Sub ReleaseDate_Click()
InputDateField ReleaseDate, "Select a date To use this on your form"
End Sub
Private Sub Validity_Check()
If Not IsNull(Me.Validity) And DateValue(Me.Validity) < date Then
    MsgBox "Price is expired Please ask for updated price from the selected vendor", vbExclamation + vbOKOnly
Exit Sub
End If

```

End Sub

```

Private Sub Vendor_AfterUpdate()
    'Vendor_Change
    RenderRecord
End Sub

```

```

Private Sub Form_Load()
    RowSourceReset
End Sub

```

```

Private Sub RowSourceReset()
    Dim AirportQuery As String
    AirportQuery = "Select Airport FROM FuelSupport_PriceQ "
    Me.RecordSource = AirportQuery
    ' Set the RowSource Property of the AIRPORT combo box To the dynamic query
    Me.AIRPORT.RowSource = AirportQuery

    ' Requery the AIRPORT combo box To reflect the updated options
    Me.AIRPORT.Requery
End Sub

```

```

Private Sub ResetBtn_Click()
    Me.Location_ID.Value = Null
    Me.FuelStatus.Value = Null
    Me.IPA.Value = Null
    Me.FBO.Value = Null
    Me.Validity.Value = Null
    Me.QuoteSentCb.Value = Null
    Me.Taxes.Value = Null
    Me.Notes.Value = Null
    Me.Validity.Value = Null
    Me.AIRPORT.Value = Null
    Me.InternalNotes.Value = Null
    Me.BasePrice.Value = Null
    Me.FuelType.Value = Null

```

Form_FlightSupport_FuelF -4

```
Me.AddedRate.Value = 0.1  
Me.Currency.Value = Null
```

```
RowSourceReset
```

End Sub

Private Sub closeBtn_Click()

```
Me.Undo
```

```
DoCmd.Close acForm, "FuelSupport_FuelQuote", acSaveNo
```

End Sub

Option Compare Database

Private Sub AddFuelService_Click()

'On Error Goto ErrorHandler

Dim db As DAO.Database

Dim rs As DAO.Recordset

If IsNull(Me.Location_ID) Or IsNull(Me.FuelStatus) Or IsNull(Me.PaymentMethod) Or IsNull(Me.Currency) Or IsNull(Me.vendorName) Or IsNull(Me.AddedRate) Or IsNull(Me.TASPrice) Then

MsgBox "Add Missing Field.", vbExclamation

Exit Sub

Else

Set db = CurrentDb

Set rs = db.OpenRecordset("FuelBriefT_New", dbOpenDynaset)

' Find the existing record based on Location_ID And vendorName

rs.FindFirst "Location_ID = " & Me.Location_ID.Value & " And Vendor = '" & Me.vendorName.Value & "'"

If rs.NoMatch Then ' No existing record found

rs.AddNew

' Assign values To the fields in the table

rs.Fields("Location_ID").Value = Me.Location_ID.Column(1)

rs.Fields("FuelType").Value = Me.FuelType.Value

rs.Fields("FuelStatus").Value = Me.FuelStatus.Value

rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value

rs.Fields("IPA").Value = Me.IPA.Value

rs.Fields("Quantity").Value = Me.Quantity.Value

rs.Fields("VendorPrice").Value = Me.BasePrice.Value

rs.Fields("TASPrice").Value = Me.TASPrice.Value

rs.Fields("AddedRate").Value = Me.AddedRate.Value

rs.Fields("Vendor").Value = Me.vendorName.Value

rs.Fields("FBO").Value = Me.FBO.Value

rs.Fields("QuoteSent").Value = Me.QuoteSentCb.Value

rs.Fields("Taxes").Value = Me.Taxes.Value

rs.Fields("Notes").Value = Me.Notes.Value

rs.Fields("Validity").Value = Me.Validity.Value

rs.Fields("EstimatedTotal").Value = Me.EstimatedTotal.Value

rs.Fields("Airport").Value = Me.AIRPORT.Value

rs.Fields("Currency").Value = Me.Currency.Value

rs.Fields("InternalNotes").Value = Me.InternalNotes.Value

' Save the New record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values

ResetBtn_Click

' Display a message indicating successful addition

MsgBox "Service added successfully. Please add fuel release once service is confirmed from the vendor."

Me.Undo

Else

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

MsgBox "Vendor already exists For the same Location_ID.", vbExclamation

End If

Exit Sub

End If

'ErrorHandler:

'MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"

'Me.Undo

```

'Exit Sub
End Sub

Private Sub Airport_AfterUpdate()
    MinPrice_MinVendor
    Me.Refresh
End Sub

Private Sub MinPrice_MinVendor()
    On Error GoTo ErrorHandler

    Dim selectedAirport As Variant
    Dim airportCode As String
    Dim rs As DAO.Recordset
    Dim strSQL As String

    selectedAirport = Me.AIRPORT

    If Not IsNull(selectedAirport) Then
        airportCode = selectedAirport
        strSQL = "SELECT MinVendorPrice, TableName, ID, LOWCURRENCY FROM FuelSupport_PriceQ WHERE Airport = '" & Replace(airportCode, "'", "'') & "'"

        Set rs = CurrentDb.OpenRecordset(strSQL)

        If Not rs.EOF Then
            Me.AirportID.Value = rs!ID
            Me.LowestVendor.Value = rs!TableName
            Me.Vendor.Value = rs!TableName
            Me.LowestPriceTxt.Value = rs!MinVendorPrice
            Me.LowestPriceCurrency.Value = rs!LowCurrency
            RenderRecord
        Else
            Me.LowestPriceTxt.Value = "No data found"
        End If

        rs.Close
        Set rs = Nothing
    End If

    Exit Sub

ErrorHandler:
    MsgBox "An error occurred: " & err.Description, vbCritical
    If Not rs Is Nothing Then
        rs.Close
        Set rs = Nothing
    End If
End Sub

Private Sub RenderRecord()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim rs As DAO.Recordset
    Dim db As DAO.Database

    selectedVendorTable = Me.Vendor
    'AirportID = Me.AirportID
    selectedAirport = Me.AIRPORT

    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
        Exit Sub
    Else
        'If Not IsNull(selectedAirport) Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)

        ' Find the row that matches the selectedAirport And FlightType
        'rs.FindFirst "ID = " & AirportID & " And FlightType = '" & FlightType & "'"

```

```

rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
If Not rs.NoMatch Then
    ' Assign values To the fields in the form`
    Me.BasePrice.Value = rs("VendorPrice").Value
    Me.EstimatedTotal.Value = rs("EstimatedTotal").Value
    Me.Validity.Value = rs("Validity").Value

    Me.IPA.Value = rs("IPA").Value
    Me.FBO.Value = rs("FBO").Value
    Me.Notes.Value = rs("Notes").Value
    Me.Taxes.Value = rs("Taxes").Value
    Me.Currency.Value = rs("Currency").Value
    Me.InternalNotes.Value = rs("InternalNotes").Value
    rs.Close
    Set rs = Nothing
    Set db = Nothing
    'MsgBox "Data rendered successfully."
Else
    MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
End If

```

Validity_Check

```

End If
End Sub
Private Sub ReleaseDate_Click()
InputDateField ReleaseDate, "Select a date To use this on your form"
End Sub
Private Sub Validity_Check()
If Not IsNull(Me.Validity) And DateValue(Me.Validity) < date Then
    MsgBox "Price is expired Please ask for updated price from the selected vendor", vbExclamation + vbOKOnly
Exit Sub
End If

```

End Sub

```

Private Sub Form_GotFocus()
RowSourceReset
End Sub

```

```

Private Sub openAddReleaseF()
DoCmd.OpenForm "FlightSupport_FuelReleaseF_Seperate_New", WindowMode:=acWindowNormal
End Sub

```

```

Private Sub FuelStatus_BeforeUpdate(Cancel As Integer)
Dim Loc_ID As Integer
Dim rs As DAO.Recordset
Dim db As DAO.Database

```

Loc_ID = Me.Location_ID.Value

```

If (Me.FuelStatus = "CONFIRMED") Or (Me.FuelStatus = "CONFIRMED - STC") Then
Set db = CurrentDb
Set rs = db.OpenRecordset("FuelReleaseT_New", dbOpenSnapshot)

```

rs.FindFirst "Location_ID = " & Loc_ID

```

If rs.NoMatch Then
    MsgBox "No matching Fuel Release found. Please add a release before changing status To confirmed.", vbExclamation + vbOKOnly, "Record Not Found"
    'Me.Undo
    Cancel = True ' Cancel the update
    rs.Close
    Set rs = Nothing
    openAddReleaseF
Exit Sub

```

Form_FlightSupport_FuelF_New - 4

```
        ' Exit the procedure
    Else
        MsgBox "Status changed successfully."
        Me.FuelStatus.BackColor = RGB(0, 255, 0) ' Green color

    End If

Else
    Me.FuelStatus.BackColor = vbWindowFrame
    Exit Sub

End If

End Sub

Private Sub Vendor_AfterUpdate()
    'Vendor_Change
    RenderRecord
End Sub

Private Sub Form_Load()
    ' RowSourceReset
End Sub

Private Sub RowSourceReset()
    Dim AirportQuery As String
    AirportQuery = "Select Airport FROM FuelSupport_PriceQ "
    Me.RecordSource = AirportQuery
    ' Set the RowSource Property of the AIRPORT combo box To the dynamic query
    Me.AIRPORT.RowSource = AirportQuery

    ' Requery the AIRPORT combo box To reflect the updated options
    Me.AIRPORT.Requery
End Sub

Private Sub ResetBtn_Click()
    Me.Location_ID.Value = Null
    Me.FuelStatus.Value = Null
    Me.IPA.Value = Null
    Me.FBO.Value = Null
    Me.Validity.Value = Null
    Me.QuoteSentCb.Value = Null
    Me.Taxes.Value = Null
    Me.Notes.Value = Null
    Me.Validity.Value = Null
    Me.AIRPORT.Value = Null
    Me.InternalNotes.Value = Null
    Me.BasePrice.Value = Null
    Me.FuelType.Value = Null
    Me.AddedRate.Value = 0.1
    Me.Currency.Value = Null

    RowSourceReset

End Sub

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FuelSupport_FuelQuote", acSaveNo
End Sub
```

Form_FlightSupport_FuelPreformaF - 1

Option Compare Database

Private Sub Form_Open(Cancel As Integer)

 Me.FilterOn = False

End Sub

Option Compare Database

```
Private Sub AddFuelRelease_Click()
```

```
On Error GoTo ErrorHandler
```

```
Dim db As DAO.Database
```

```
Dim rs As DAO.Recordset
```

```
If IsNull(Me.Location_ID) Or IsNull(Me.NextDestCmb) Or IsNull(Me.ReleaseETD) Or IsNull(Me.ReleaseETA) Or IsNull(Me.ArrivalDate) Or IsNull(Me.DepartDate) Then
```

```
MsgBox "Please add missing Fields"
```

```
Exit Sub
```

```
Else
```

```
Set db = CurrentDb
```

```
Set rs = db.OpenRecordset("FuelReleaseT", dbOpenDynaset)
```

```
rs.FindFirst "Location_ID = " & Me.Location_ID.Value
```

```
If Not rs.NoMatch Then
```

```
MsgBox "A record With this Location_ID already exists.", vbExclamation + vbOKOnly, "Record Already Exists"
```

```
openUpdateRelease
```

```
Exit Sub
```

```
Else
```

```
rs.AddNew
```

```
' Assign values To the fields in the table
```

```
rs.Fields("Location_ID").Value = Me.Location_ID.Value
```

```
rs.Fields("NextDest").Value = Me.NextDestCmb.Value
```

```
rs.Fields("ReleaseETD").Value = Me.ReleaseETD.Value
```

```
rs.Fields("ReleaseETA").Value = Me.ReleaseETA.Value
```

```
rs.Fields("ArrivalDate").Value = Me.ArrivalDate.Value
```

```
rs.Fields("DepartDate").Value = Me.DepartDate.Value
```

```
' Save the New record
```

```
rs.Update
```

```
' Clean up
```

```
rs.Close
```

```
Set rs = Nothing
```

```
Set db = Nothing
```

```
' Reset form values
```

```
Reset
```

```
' Display a message indicating successful addition
```

```
MsgBox "Release added successfully, Please send it To client And their handler If needed"
```

```
Me.Undo
```

```
Exit Sub
```

```
End If
```

```
End If
```

```
ErrorHandler:
```

```
MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
```

```
Me.Undo
```

```
Exit Sub
```

```
End Sub
```

```
Private Sub openUpdateRelease()
```

```
DoCmd.OpenForm "FlightSupport_UpdateFuelReleaseF_New", WindowMode:=acWindowNormal
```

```
End Sub
```

```
Private Sub ArrivalDate_Click()
```

```
InputDateField ArrivalDate, "Select a date To use this on your form"
```

```
End Sub
```

```
Private Sub DepartDate_Click()
```

```
InputDateField DepartDate, "Select a date To use this on your form"
```

```
End Sub
```

Form_FlightSupport_FuelReleaseF - 2

```
Private Sub PrintRelease_Click()  
    If Not IsNull(Me.Location_ID) Then  
  
        Dim strWhere As String  
        Dim lngLen As Long  
  
        If Not IsNull(Me.Location_ID) Then  
  
            strWhere = strWhere & "([Location_ID] Like "*" & Me.Location_ID & "*"") And "  
End If  
  
        lngLen = Len(strWhere) - 5  
        If lngLen <= 0 Then  
            MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight  
App"  
        Else  
            strWhere = Left$(strWhere, lngLen)  
            Me.Filter = strWhere  
            Me.FilterOn = True  
            DoCmd.OpenReport "FlightSupport_FuelReleaseWithoutVendor", acViewPreview, , strWhere  
        End If  
    Else  
        DoCmd.OpenForm "FuelSupport_ReportGeneratorF", WindowMode:=acWindowNormal  
    End If  
End Sub  
Private Sub Reset()  
    Me.NextDestCmb.Value = Null  
    Me.ReleaseETD.Value = Null  
    Me.ReleaseETA.Value = Null  
    Me.ArrivalDate.Value = Null  
    Me.DepartDate.Value = Null  
End Sub
```

Option Compare Database

```

Private Sub AddFuelRelease_Click()
    On Error GoTo ErrorHandler
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    If IsNull(Me.Location_ID) Or IsNull(Me.NextDestCmb) Or IsNull(Me.ReleaseETD) Or IsNull(Me.ReleaseETA) Or IsNull(Me.ArrivalDate) Or IsNull(Me.DepartDate) Then

        MsgBox "Please add missing Fields"
        Exit Sub

    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset("FuelReleaseT_New", dbOpenDynaset)

        rs.FindFirst "Location_ID = " & Me.Location_ID.Value

        If Not rs.NoMatch Then
            MsgBox "A record With this Location_ID already exists.", vbExclamation + vbOKOnly, "Record Already Exists"
            openUpdateRelease

            Exit Sub

        Else

            rs.AddNew

            ' Assign values To the fields in the table
            rs.Fields("Location_ID").Value = Me.Location_ID.Column(1)
            rs.Fields("NextDest").Value = Me.NextDestCmb.Value
            rs.Fields("ReleaseETD").Value = Me.ReleaseETD.Value
            rs.Fields("ReleaseETA").Value = Me.ReleaseETA.Value
            rs.Fields("ArrivalDate").Value = Me.ArrivalDate.Value
            rs.Fields("DepartDate").Value = Me.DepartDate.Value
            ' Save the New record
            rs.Update

            ' Clean up
            rs.Close
            Set rs = Nothing
            Set db = Nothing

            ' Reset form values
            Reset
            ' Display a message indicating successful addition
            MsgBox "Release added successfully, Please send it To client And their handler If needed"

            Me.Undo
            Exit Sub
        End If

    End If

ErrorHandler:
    MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
    Me.Undo
    Exit Sub
End Sub

Private Sub openUpdateRelease()
    DoCmd.Open acForm, "FlightSupport_UpdateFuelReleaseF_New", WindowMode:=acWindowNormal
End Sub

Private Sub ArrivalDate_Click()
    InputDateField ArrivalDate, "Select a date To use this on your form"
End Sub

Private Sub DepartDate_Click()
    InputDateField DepartDate, "Select a date To use this on your form"
End Sub

Private Sub PrintRelease_Click()

```



```
Dim strWhere As String
Dim lngLen As Long
Dim Loc_ID As Integer

Loc_ID = Me.Location_ID.Column(1)
' Initialize strWhere
strWhere = ""

If Not IsNull(Loc_ID) Then
    ' Build the WHERE clause
    strWhere = strWhere & "([Location_ID] = " & Loc_ID & ")"
End If

' Check if there's a WHERE clause
lngLen = Len(strWhere)
If lngLen > 0 Then
    ' Apply the filter and open the report
    Me.Filter = strWhere
    Me.FilterOn = True
    DoCmd.OpenReport "FlightSupport_FuelReleaseWithoutVendor_New", acViewPreview, , strWhere
Else
    ' No filter, open the report generator form
    DoCmd.OpenForm "FuelSupport_ReportGeneratorF", WindowMode:=acWindowNormal
End If
End Sub

Private Sub Reset()
    Me.NextDestCmb.Value = Null
    Me.ReleaseETD.Value = Null
    Me.ReleaseETA.Value = Null
    Me.ArrivalDate.Value = Null
    Me.DepartDate.Value = Null
End Sub
```

Option Compare Database

```
Private Sub AddFuelRelease_Click()
```

```
On Error GoTo ErrorHandler
```

```
Dim db As DAO.Database
```

```
Dim rs As DAO.Recordset
```

```
If IsNull(Me.Location_ID) Or IsNull(Me.NextDestCmb) Or IsNull(Me.ReleaseETD) Or IsNull(Me.ReleaseETA) Or IsNull(Me.ArrivalDate) Or IsNull(Me.DepartDate) Then
```

```
MsgBox "Please add missing Fields"
```

```
Exit Sub
```

```
Else
```

```
Set db = CurrentDb
```

```
Set rs = db.OpenRecordset("FuelReleaseT_New", dbOpenDynaset)
```

```
rs.FindFirst "Location_ID = " & Me.Location_ID.Value
```

```
If Not rs.NoMatch Then
```

```
MsgBox "A record With this Location_ID already exists.", vbExclamation + vbOKOnly, "Record Already Exists"
```

```
openUpdateRelease
```

```
Exit Sub
```

```
Else
```

```
rs.AddNew
```

```
' Assign values To the fields in the table
```

```
rs.Fields("Location_ID").Value = Me.Location_ID.Column(1)
```

```
rs.Fields("NextDest").Value = Me.NextDestCmb.Value
```

```
rs.Fields("ReleaseETD").Value = Me.ReleaseETD.Value
```

```
rs.Fields("ReleaseETA").Value = Me.ReleaseETA.Value
```

```
rs.Fields("ArrivalDate").Value = Me.ArrivalDate.Value
```

```
rs.Fields("DepartDate").Value = Me.DepartDate.Value
```

```
' Save the New record
```

```
rs.Update
```

```
' Clean up
```

```
rs.Close
```

```
Set rs = Nothing
```

```
Set db = Nothing
```

```
' Reset form values
```

```
Reset
```

```
' Display a message indicating successful addition
```

```
MsgBox "Release added successfully, Please send it To client And their handler If needed"
```

```
Me.Undo
```

```
Exit Sub
```

```
End If
```

```
End If
```

```
ErrorHandler:
```

```
MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
```

```
Me.Undo
```

```
Exit Sub
```

```
End Sub
```

```
Private Sub openUpdateRelease()
```

```
DoCmd.Open acForm, "FlightSupport_UpdateFuelReleaseF_New", WindowMode:=acWindowNormal
```

```
End Sub
```

```
Private Sub ArrivalDate_Click()
```

```
InputDateField ArrivalDate, "Select a date To use this on your form"
```

```
End Sub
```

```
Private Sub DepartDate_Click()
```

```
InputDateField DepartDate, "Select a date To use this on your form"
```

```
End Sub
```

```
Private Sub PrintRelease_Click()
```

```
Dim strWhere As String
Dim lngLen As Long
Dim Loc_ID As Integer

Loc_ID = Me.Location_ID.Column(1)
' Initialize strWhere
strWhere = ""

If Not IsNull(Loc_ID) Then
    ' Build the WHERE clause
    strWhere = strWhere & "([Location_ID] = " & Loc_ID & ")"
End If

' Check if there's a WHERE clause
lngLen = Len(strWhere)
If lngLen > 0 Then
    ' Apply the filter and open the report
    Me.Filter = strWhere
    Me.FilterOn = True
    DoCmd.OpenReport "FlightSupport_FuelReleaseWithoutVendor_New", acViewPreview, , strWhere
Else
    ' No filter, open the report generator form
    DoCmd.OpenForm "FuelSupport_ReportGeneratorF", WindowMode:=acWindowNormal
End If
End Sub

Private Sub Reset()
    Me.NextDestCmb.Value = Null
    Me.ReleaseETD.Value = Null
    Me.ReleaseETA.Value = Null
    Me.ArrivalDate.Value = Null
    Me.DepartDate.Value = Null
End Sub
```

Option Compare Database

```
Private Sub AddFuelRelease_Click()
```

```
On Error GoTo ErrorHandler
```

```
Dim db As DAO.Database
```

```
Dim rs As DAO.Recordset
```

```
If IsNull(Me.Location_ID) Or IsNull(Me.NextDestCmb) Or IsNull(Me.ReleaseETD) Or IsNull(Me.ReleaseETA) Or IsNull(Me.ArrivalDate) Or IsNull(Me.DepartDate) Then
```

```
MsgBox "Please add missing Fields"
```

```
Exit Sub
```

```
Else
```

```
Set db = CurrentDb
```

```
Set rs = db.OpenRecordset("FuelReleaseT", dbOpenDynaset)
```

```
rs.FindFirst "Location_ID = " & Me.Location_ID.Value
```

```
If Not rs.NoMatch Then
```

```
MsgBox "A record With this Location_ID already exists.", vbExclamation + vbOKOnly, "Record Already Exists"
```

```
openUpdateRelease
```

```
Exit Sub
```

```
Else
```

```
rs.AddNew
```

```
' Assign values To the fields in the table
```

```
rs.Fields("Location_ID").Value = Me.Location_ID.Value
```

```
rs.Fields("NextDest").Value = Me.NextDestCmb.Value
```

```
rs.Fields("ReleaseETD").Value = Me.ReleaseETD.Value
```

```
rs.Fields("ReleaseETA").Value = Me.ReleaseETA.Value
```

```
rs.Fields("ArrivalDate").Value = Me.ArrivalDate.Value
```

```
rs.Fields("DepartDate").Value = Me.DepartDate.Value
```

```
' Save the New record
```

```
rs.Update
```

```
' Clean up
```

```
rs.Close
```

```
Set rs = Nothing
```

```
Set db = Nothing
```

```
' Reset form values
```

```
Reset
```

```
' Display a message indicating successful addition
```

```
MsgBox "Release added successfully, Please send it To client And their handler If needed"
```

```
Me.Undo
```

```
Exit Sub
```

```
End If
```

```
End If
```

```
ErrorHandler:
```

```
MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
```

```
Me.Undo
```

```
Exit Sub
```

```
End Sub
```

```
Private Sub openUpdateRelease()
```

```
DoCmd.Open acForm, "FlightSupport_UpdateFuelReleaseF", WindowMode:=acWindowNormal
```

```
End Sub
```

```
Private Sub ArrivalDate_Click()
```

```
InputDateField ArrivalDate, "Select a date To use this on your form"
```

```
End Sub
```

```
Private Sub closeBtn_Click()
```

```
Me.Undo
```

```
DoCmd.Close acForm, "FlightSupport_FuelReleaseF_Seperate", acSaveNo
```

End Sub

Private Sub DepartDate_Click()

InputDateField DepartDate, "Select a date To use this on your form"

End Sub

Private Sub PrintRelease_Click()

If Not IsNull(Me.Location_ID) Then

Dim strWehre As String

Dim InLeng As Long

If Not IsNull(Me.Location_ID) Then

strWhere = strWhere & "([Location_ID] Like ""*"" & Me.Location_ID & ""*") And "
End If

IngLen = Len(strWhere) - 5

If IngLen <= 0 Then

MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight

App"

Else

strWhere = Left\$(strWhere, IngLen)

Me.Filter = strWhe

Me.FilterOn = True

DoCmd.OpenReport "FlightSupport_FuelReleaseWithoutVendor", acViewPreview, , strWhere

End If

Else

DoCmd.OpenForm "FuelSupport_ReportGeneratorF", WindowMode:=acWindowNormal

End If

End Sub

Private Sub Reset()

Me.NextDestCmb.Value = Null

Me.ReleaseETD.Value = Null

Me.ReleaseETA.Value = Null

Me.ArrivalDate.Value = Null

Me.DepartDate.Value = Null

End Sub

Option Compare Database

Private Sub AddFuelRelease_Click()

On Error GoTo ErrorHandler

Dim db As DAO.Database

Dim rs As DAO.Recordset

If IsNull(Me.Location_ID) Or IsNull(Me.NextDestCmb) Or IsNull(Me.ReleaseETD) Or IsNull(Me.ReleaseETA) Or IsNull(Me.ArrivalDate) Or IsNull(Me.DepartDate) Then

MsgBox "Please add missing Fields"

Exit Sub

Else

Set db = CurrentDb

Set rs = db.OpenRecordset("FuelReleaseT_New", dbOpenDynaset)

rs.FindFirst "Location_ID = " & Me.Location_ID.Value

If Not rs.NoMatch Then

MsgBox "A record With this Location_ID already exists.", vbExclamation + vbOKOnly, "Record Already Exists"

openUpdateRelease

Exit Sub

Else

rs.AddNew

' Assign values To the fields in the table

rs.Fields("Location_ID").Value = Me.Location_ID.Value

rs.Fields("NextDest").Value = Me.NextDestCmb.Value

rs.Fields("ReleaseETD").Value = Me.ReleaseETD.Value

rs.Fields("ReleaseETA").Value = Me.ReleaseETA.Value

rs.Fields("ArrivalDate").Value = Me.ArrivalDate.Value

rs.Fields("DepartDate").Value = Me.DepartDate.Value

' Save the New record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values

Reset

' Display a message indicating successful addition

MsgBox "Release added successfully, Please send it To client And their handler If needed"

Me.Undo

Exit Sub

End If

End If

ErrorHandler:

MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"

Me.Undo

Exit Sub

End Sub

Private Sub openUpdateRelease()

DoCmd.Open acForm, "FlightSupport_UpdateFuelReleaseF_New", WindowMode:=acWindowNormal

End Sub

Private Sub ArrivalDate_Click()

InputDateField ArrivalDate, "Select a date To use this on your form"

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "FlightSupport_FuelReleaseF_Seperate_New", acSaveNo

End Sub

Form_FlightSupport_FuelReleaseF_Seperate_New - 2

```
Private Sub DepartDate_Click()
InputDateField DepartDate, "Select a date To use this on your form"
End Sub
Private Sub PrintRelease_Click()
    If Not IsNull(Me.Location_ID) Then

        Dim strWehre As String
        Dim InLeng As Long

        If Not IsNull(Me.Location_ID) Then

            strWhere = strWhere & "([Location_ID] Like ""*" & Me.Location_ID & ""*) And "
        End If

        IngLen = Len(strWhere) - 5
        If IngLen <= 0 Then
            MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight
App"
        Else
            strWhere = Left$(strWhere, IngLen)
            Me.Filter = strWhe
            Me.FilterOn = True
            DoCmd.OpenReport "FlightSupport_FuelReleaseWithoutVendor_New", acViewPreview, , strWhere
        End If
    Else
        DoCmd.OpenForm "FuelSupport_ReportGeneratorF", WindowMode:=acWindowNormal
    End If
End Sub
Private Sub Reset()
    Me.NextDestCmb.Value = Null
    Me.ReleaseETD.Value = Null
    Me.ReleaseETA.Value = Null
    Me.ArrivalDate.Value = Null
    Me.DepartDate.Value = Null
End Sub
```

Option Compare Database

Option Compare Database

Option Compare Database

Option Compare Database

Option Compare Database

Option Compare Database

```
Option Compare Database
Private Sub Agent_Change()
Service_Change
End Sub

Private Sub Notes_Change()
Service_Change
End Sub

Private Sub PaymentMethod_Click()
Service_Change
End Sub

Private Sub Service_Change()
Dim UserID As Integer

    UserID = Forms!loggedInUser!txtUserID
    ' Me.Updated_date.ForeColor = RGB(255, 0, 0)
    ' Me.Updated_date.BackColor = RGB(255, 255, 0)
    ' Me.Updated_date.Value = Format(Now(), "dd mm yyyy, hh:nn")
    Me.Updated_date.Value = Format(Now(), "dd/mm/yyyy, hh:nn")
    Me.User = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub ServiceStatus_Change()
Service_Change
End Sub

Private Sub Vendor_Change()
Service_Change
End Sub
```

```
Option Compare Database
Private Sub Agent_Change()
Service_Change
End Sub

Private Sub Notes_Change()
Service_Change
End Sub

Private Sub PaymentMethod_Click()
Service_Change
End Sub

Private Sub Service_Change()
Dim UserID As Integer

    UserID = Forms!loggedInUser!txtUserID
    ' Me.Updated_date.ForeColor = RGB(255, 0, 0)
    ' Me.Updated_date.BackColor = RGB(255, 255, 0)
    ' Me.Updated_date.Value = Format(Now(), "dd mm yyyy, hh:nn")
    Me.Updated_date.Value = Format(Now(), "dd/mm/yyyy, hh:nn")
    Me.User = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub ServiceStatus_Change()
Service_Change
End Sub

Private Sub Vendor_Change()
Service_Change
End Sub
```



```
Option Compare Database
Private Sub Agent_Change()
Service_Change
End Sub

Private Sub Notes_Change()
Service_Change
End Sub

Private Sub PaymentMethod_Click()
Service_Change
End Sub

Private Sub Service_Change()
Dim UserID As Integer

    UserID = Forms!loggedInUser!txtUserID
    ' Me.Updated_date.ForeColor = RGB(255, 0, 0)
    ' Me.Updated_date.BackColor = RGB(255, 255, 0)
    ' Me.Updated_date.Value = Format(Now(), "dd mm yyyy, hh:nn")
    Me.Updated_date.Value = Format(Now(), "dd/mm/yyyy, hh:nn")
    Me.User = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub ServiceStatus_Change()
Service_Change
End Sub

Private Sub Vendor_Change()
Service_Change
End Sub
```

```
Option Compare Database
Private Sub Agent_Change()
Service_Change
End Sub

Private Sub Notes_Change()
Service_Change
End Sub

Private Sub PaymentMethod_Click()
Service_Change
End Sub

Private Sub Service_Change()
Dim UserID As Integer

    UserID = Forms!loggedInUser!txtUserID
    ' Me.Updated_date.ForeColor = RGB(255, 0, 0)
    ' Me.Updated_date.BackColor = RGB(255, 255, 0)
    ' Me.Updated_date.Value = Format(Now(), "dd mm yyyy, hh:nn")
    Me.Updated_date.Value = Format(Now(), "dd/mm/yyyy, hh:nn")
    Me.User = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub ServiceStatus_Change()
Service_Change
End Sub

Private Sub Vendor_Change()
Service_Change
End Sub
```

Option Compare Database

```

Private Sub AddInvoice_Click()
    AddFuelInvoice
End Sub

Private Sub CustomerName_AfterUpdate()
    Dim CurrentCustomer As String
    Dim strSQL As String

    CurrentCustomer = Me.CustomerName.Value

    ' Use a function to build the query safely
    strSQL = BuildSafeQuery(CurrentCustomer)

    ' Set the RowSource of the combo box to the dynamic query
    Me.RefNo.RowSource = strSQL
    Me.RefNo.Requery

    ' Build the SQL query for OperatorListCb combo box
    strSQL = BuildSafeQueryForOperator(CurrentCustomer)
    Me.OperatorListCb.RowSource = strSQL
    Me.OperatorListCb.Requery
End Sub

Private Function BuildSafeQuery(ByVal CustomerValue As String) As String
    ' Build the SQL query using parameterized approach
    BuildSafeQuery = "SELECT DISTINCT RefNo, ID FROM FlightSupport_FuelPreformaQ_New_Test WHERE Custom
er = '" & Replace(CustomerValue, "'", "'") & "'"
End Function

Private Function BuildSafeQueryForOperator(ByVal CustomerValue As String) As String
    ' Build the SQL query using parameterized approach
    BuildSafeQueryForOperator = "SELECT DISTINCT Operator FROM FlightSupport_FuelPreformaQ_New_Test WH
ERE Customer = '" & Replace(CustomerValue, "'", "'") & "'"
End Function

Private Sub DueDate_Click()
    InputDateField DueDate, "Select a date To use this on your form"
End Sub

Private Sub InvoiceReset()
    Me.RefNo.Value = Null
    Me.RefNo_Airport.Value = Null
    Me.Destination.Value = Null
    Me.Taxes.Value = Null
    Me.ServiceCost.Value = Null
    Me.Vendor.Value = Null
    Me.TripRefNo.Value = Null
    Me.DeliveryDate.Value = Null
    Me.Validity.Value = Null
    Me.Currency.Value = Null
    Me.ACTYPE.Value = Null
    Me.Operator.Value = Null
    Me.Customer.Value = Null
    Me.ACReg.Value = Null
    Me.Amount.Value = Null
    Me.VATRate.Value = Null
    Me.Invoiced.Value = Null
    Me.InvoiceRefNo.Value = Null
    Me.VendorInvoice.Value = Null
    Me.InvoiceDate.Value = Null
    Me.DueDate.Value = Null
    Me.FuelStatus.Value = Null
    resetRowSource
End Sub

Private Sub EndDate_Change()
    EndDate_AfterUpdate
End Sub

Private Sub EndDate_DblClick(Cancel As Integer)
    EndDate_AfterUpdate

```

End Sub

```
Private Sub EndDate_GotFocus()
    InputDateField EndDate, "Select a date To use this on your form"
End Sub
```

```
Private Sub InvoiceDate_Click()
    InputDateField InvoiceDate, "Select a date To use this on your form"
End Sub
```

```
Private Sub OperatorListCb_AfterUpdate()
    Dim CurrentOperator As String
    Dim strSQL As String

    CurrentOperator = Me.OperatorListCb.Value

    ' Use a Function To build the query safely
    strSQL = BuildSafeRefNoQueryFormOperator(CurrentOperator)

    ' Set the RowSource of the combo box To the dynamic query
    Me.RefNo.RowSource = strSQL
    Me.RefNo.Requery
End Sub
```

```
Private Function BuildSafeRefNoQueryFormOperator(ByVal OperatorValue As String) As String
    ' Build the SQL query using parameterized approach
    BuildSafeRefNoQueryFormOperator = "Select DISTINCT RefNo, ID FROM FlightSupport_FuelPreformaQ_New_Test WHERE Operator = '" & Replace(OperatorValue, "'", "'') & "'"
End Function
```

```
Private Sub RefNo_AfterUpdate()
    Dim RecordQuery As String
    Dim CurrentRefNO As Integer ' Declare CurrentRefNO As Variant

    CurrentRefNO = Me.RefNo.Column(1)

    RecordQuery = "Select Airport, Location_ID FROM FlightSupport_FuelPreformaQ_New_Test WHERE ID = " & CurrentRefNO

    ' Set the RowSource Property of the AIRPORT combo box To the dynamic query
    Me.RefNo_Airport.RowSource = RecordQuery

    ' Requery the AIRPORT combo box To reflect the updated options
    Me.RefNo_Airport.Requery
End Sub
```

```
Private Sub RefNo_Airport_AfterUpdate()
    RenderRecord
End Sub
```

```
Private Sub ResetBtn_Click()
    Me.RefNo.Value = Null
    Me.RefNo_Airport.Value = Null
    Me.Destination.Value = Null
    Me.Taxes.Value = Null
    Me.ServiceCost.Value = Null
    Me.Vendor.Value = Null
    Me.TripRefNo.Value = Null
    Me.DeliveryDate.Value = Null
    Me.Validity.Value = Null
    Me.Currency.Value = Null
    Me.ACType.Value = Null
    Me.Operator.Value = Null
    Me.Customer.Value = Null
    Me.ACRReg.Value = Null
    Me.Amount.Value = Null
    Me.VATRate.Value = Null
    Me.Invoiced.Value = Null
    Me.InvoiceRefNo.Value = Null
    Me.VendorInvoice.Value = Null
    Me.InvoiceDate.Value = Null
End Sub
```

Form_FlightSupport_InvoicesF- 3

```
Me.DueDate.Value = Null
Me.FuelStatus.Value = Null
Me.CustomerName.Value = Null
Me.OperatorListCb.Value = Null
Me.ServiceStatus.Value = Null
Me.StartDate.Value = Null
Me.EndDate.Value = Null
resetRowSource
End Sub

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FlightSupport_EstimatedDebitF", acSaveNo
End Sub

Private Sub RenderRecord()
    Dim selectedAirport As Integer
    Dim rs As DAO.Recordset
    Dim db As DAO.Database

    selectedAirport = Me.RefNo_Airport.Column(1)

    If Not IsNull(selectedAirport) Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset("FlightSupport_FuelPreformaQ_New_Test", dbOpenSnapshot)

        ' Find the row that matches the selectedAirport And FlightType
        rs.FindFirst "Location_ID = " & selectedAirport

        If Not rs.NoMatch Then
            ' Assign values To the fields in the form
            Me.Customer.Value = rs("Customer").Value
            Me.Operator.Value = rs("Operator").Value
            Me.ACReg.Value = rs("ACReg").Value
            Me.ACType.Value = rs("ACType").Value
            Me.DeliveryDate.Value = rs("DepartDate").Value
            Me.TripRefNo.Value = rs("CallSign").Value
            Me.Vendor.Value = rs("Vendor").Value
            Me.Validity.Value = rs("Validity").Value
            Me.Currency.Value = rs("Currency").Value
            Me.ServiceCost.Value = rs("TASPrice").Value
            Me.Taxes.Value = rs("Taxes").Value
            Me.Destination.Value = rs("NextDest").Value
            Me.FuelStatus.Value = rs("FuelStatus").Value
            rs.Close
            Set rs = Nothing
            Set db = Nothing
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    Else
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
    End If
End Sub

Private Sub AddFuelInvoice()
    'On Error GoTo ErrorHandler
    Dim selectedAirport As Integer
    Dim SelectedLocation As Variant
    Dim selectedRefNo As Variant
    Dim rs As DAO.Recordset
    Dim db As DAO.Database

    selectedRefNo = Me.RefNo.Column(0)
    selectedAirport = Me.RefNo_Airport.Column(1)
    SelectedLocation = Me.RefNo_Airport.Column(0)
    Set db = CurrentDb
    Set rs = db.OpenRecordset("FlightSupport_EstimatedDebitT", dbOpenDynaset) ' Open in dbOpenDynaset mode

    ' Find the row that matches the selectedAirport And FlightType
    rs.FindFirst "Location_ID = " & selectedAirport
    If Not rs.NoMatch Then
```

```

        MsgBox "Record already exists."
        Exit Sub
    End If

    If IsNull(Me.RefNo) Or IsNull(Me.ACReg) Or IsNull(Me.Amount) Or IsNull(Me.VATRate) Or IsNull(Me.TotalCost) Or IsNull(Me.VAT) Or IsNull(Me.TotalGross) Or IsNull(Me.Vendor) Or IsNull(Me.TripRefNo) Or IsNull(Me.DeliveryDate) Or IsNull(Me.ACTYPE) Or IsNull(Me.Operator) Or IsNull(Me.Customer) Or IsNull(Me.RefNo_Airport) Or IsNull(Me.Destination) Or IsNull(Me.Currency) Or IsNull(Me.ServiceCost) Or IsNull(Me.Validity) Then
        MsgBox "Add missing fields " & err.Description, vbCritical, "Error"
        Exit Sub
    Else
        rs.AddNew
        ' Assign values To the fields in the table
        rs.Fields("CallSign").Value = Me.TripRefNo.Value
        rs.Fields("Location").Value = SelectedLocation
        rs.Fields("Location_ID").Value = selectedAirport
        rs.Fields("Destination").Value = Me.Destination.Value
        rs.Fields("Taxes").Value = Me.Taxes.Value
        rs.Fields("ServiceCost").Value = Me.ServiceCost.Value
        rs.Fields("Vendor").Value = Me.Vendor.Value
        rs.Fields("TripRefNo").Value = selectedRefNo
        rs.Fields("DeliveryDate").Value = Me.DeliveryDate.Value
        rs.Fields("Validity").Value = Me.Validity.Value
        rs.Fields("Currency").Value = Me.Currency.Value
        rs.Fields("ACType").Value = Me.ACTYPE.Value
        rs.Fields("Operator").Value = Me.Operator.Value
        rs.Fields("Customer").Value = Me.Customer.Value
        rs.Fields("ACReg").Value = Me.ACReg.Value
        rs.Fields("Amount").Value = Me.Amount.Value
        rs.Fields("VATRate").Value = Me.VATRate.Value
        rs.Fields("Invoiced").Value = Me.Invoiced.Value
        rs.Fields("VendorRefNo").Value = Me.VendorInvoice.Value
        rs.Fields("InvoiceRefNo").Value = Me.InvoiceRefNo.Value
        rs.Fields("InvoiceDate").Value = Me.InvoiceDate.Value
        rs.Fields("DueDate").Value = Me.DueDate.Value
        rs.Fields("TotalCost").Value = Me.TotalCost.Value
        rs.Fields("VAT").Value = Me.VAT.Value
        rs.Fields("TotalGross").Value = Me.TotalGross.Value
        rs.Fields("FuelStatus").Value = Me.FuelStatus.Value
        ' Save the New record
        rs.Update

        ' Clean up
        rs.Close
        Set rs = Nothing
        Set db = Nothing

        ' Reset the form fields
        InvoiceReset

        MsgBox "Data added successfully."
        Me.Undo
    End If
    Exit Sub

'ErrorHandler:
    'MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
    'Me.Undo
End Sub

Private Sub ServiceStatus_AfterUpdate()
    Dim CurrentServiceStatus As String
    Dim strSQL As String
    Dim CurrentOperator As String
    Dim CurrentCustomer As String

    CurrentCustomer = Me.CustomerName.Value
    CurrentOperator = Me.OperatorListCb.Value
    CurrentServiceStatus = Me.ServiceStatus.Value

```



```
        InputDateField StartDate, "Select a date To use this on your form"  
End Sub
```

```
Private Sub resetRowSource()  
Dim strSQL As String  
strSQL = ""  
Me.RefNo.RowSource = strSQL  
Me.OperatorListCb.RowSource = strSQL  
Me.RefNo_Airport.RowSource = strSQL  
  
End Sub
```


Form_FlightSupport_LASTFORM- 1

Option Compare Database

```
Private Sub AddACbtn_Click()  
    DoCmd.OpenForm "ACRegF", WindowMode:=acWindowNormal  
End Sub
```

```
Private Sub AddAirportBtn_Click()  
    DoCmd.OpenForm "AddAirports_FIRsF", WindowMode:=acWindowNormal  
End Sub
```

```
Private Sub addAServiceBtn_Click()  
    DoCmd.OpenForm "aviationServicesF", WindowMode:=acWindowNormal  
End Sub
```

```
Private Sub AddICAO_IATABtn_Click()  
    DoCmd.OpenForm "AddNewAirportF", WindowMode:=acWindowNormal  
End Sub
```

```
Private Sub closeBtn_Click()  
    Me.Undo  
    DoCmd.Close acForm, "FlightSupport_LASTFORM", acSaveNo  
End Sub
```

```
Private Sub Command34_Click()  
    DoCmd.OpenForm "FuelSupport_FuelQuote", WindowMode:=acWindowNormal  
End Sub
```

```
Private Sub Command35_Click()  
    DoCmd.OpenForm "FuelSupport_AddFuel", WindowMode:=acWindowNormal  
End Sub
```

```
Private Sub Command36_Click()  
    DoCmd.OpenForm "FuelSupport_UpdateFuel", WindowMode:=acWindowNormal  
End Sub
```

```
Private Sub Command41_Click()  
    DoCmd.OpenForm "FlightSupport_ReportGeneratorF", WindowMode:=acDialog  
End Sub
```

```
Private Sub Command42_Click()  
    DoCmd.OpenForm "FuelSupport_ReportGeneratorF", WindowMode:=acDialog  
End Sub
```

```
Private Sub Command49_Click()  
    DoCmd.OpenForm "FlightSupport_UrgentRequests", WindowMode:=acDialog  
End Sub
```

```
Private Sub Command50_Click()  
    DoCmd.OpenForm "FlightSupport_AddOperationalProcedures", WindowMode:=acDialog  
End Sub
```

```
Private Sub CountryCmb_AfterUpdate()  
CountryAirportsQuery  
End Sub
```

```
Private Sub CountryAirportsQuery()  
    Dim SelectedCountry As String  
    Dim CountryIATA_Airports As String  
    Dim CountryICAO_Airports As String
```

```
    SelectedCountry = Me.CountryCmb.Value
```

```
    CountryICAO_Airports = "SELECT DISTINCT ICAO FROM Airports_DataT WHERE Country IS NOT NULL AND C  
Country = '" & SelectedCountry & "'"
```

```
    CountryIATA_Airports = "SELECT DISTINCT IATA FROM Airports_DataT WHERE Country IS NOT NULL AND C  
Country = '" & SelectedCountry & "'"
```

```
    Me.IATA_CODE.RowSource = CountryIATA_Airports  
    Me.ICAO_CODE.RowSource = CountryICAO_Airports
```

```
    Me.Requery  
End Sub
```

```
Private Sub Detail_Click()
    Me.Undo
End Sub
```

```
Private Sub Form_Load()
    Dim fw As New clFormWindow

    fw.hWnd = Me.hWnd
    With fw
        .Top = (.Parent.Height - .Height) / 2
        .Left = (.Parent.Width - .Width) / 2
    End With
    Set fw = Nothing
End Sub
```

```
Private Sub IATA_CODE_Change()
    Dim selectedValue As Variant
    selectedValue = Me.IATA_CODE.Value ' Get the selected value from the combo box

    If Not IsNull(selectedValue) Then
        Dim rs As DAO.Recordset
        Set rs = CurrentDb.OpenRecordset("Airports_DataT", dbOpenSnapshot)

        rs.FindFirst "IATA = '" & selectedValue & "'"
        If Not rs.NoMatch Then
            Me.ICAO_CODE.Value = rs("ICAO").Value
            Me.CountryCmb.Value = rs("Country").Value
        Else
            Me.ICAO_CODE.Value = Null
        End If

        rs.Close
        Set rs = Nothing
    Else
        Me.ICAO_CODE.Value = Null
    End If

    Exit Sub
End Sub
```

```
Private Sub ICAO_CODE_Change()
    Dim selectedValue As Variant
    selectedValue = Me.ICAO_CODE.Value ' Get the selected value from the combo box

    If Not IsNull(selectedValue) Then
        Dim rs As DAO.Recordset
        Set rs = CurrentDb.OpenRecordset("Airports_DataT", dbOpenSnapshot)

        rs.FindFirst "ICAO = '" & selectedValue & "'"
        If Not rs.NoMatch Then
            Me.IATA_CODE.Value = rs("IATA").Value
            Me.CountryCmb.Value = rs("Country").Value
        Else
            Me.IATA_CODE.Value = Null
        End If

        rs.Close
        Set rs = Nothing
    Else
        Me.IATA_CODE.Value = Null
    End If

    Exit Sub
End Sub
```

```
Private Sub OnedriveBtn_Click()
    Dim url As String
    url = "https://tahseenaviation-my.sharepoint.com/:f/p/abdullah/Eu4WAtfQ8-1GuP2LXDsNEwMBZpKmnabG7M"
```

Form_FlightSupport_LASTFORM- 3

VV0FthwpisBg?e=gydkfH"

```
' Open the URL in the default web browser
Application.FollowHyperlink url
```

End Sub

```
Private Sub RefreshBtn_Click()
```

```
    Me.Requery
    Me.Refresh
```

End Sub

```
Private Sub UpdateFormBtn_Click()
```

```
    DoCmd.OpenForm "FlightSupport_UpdateLASTFORM", WindowMode:=acWindowNormal
```

End Sub

```
Private Sub UpdateFuelReleasebtn_Click()
```

```
    DoCmd.OpenForm "FlightSupport_UpdateFuelReleaseF", WindowMode:=acWindowNormal
```

End Sub

```
Option Compare Database
Option Explicit
Private Sub AddACbtn_Click()
    DoCmd.OpenForm "ACRegF", WindowMode:=acWindowNormal
End Sub

Private Sub AddAirportBtn_Click()
    DoCmd.OpenForm "AddAirports_FIRsF", WindowMode:=acWindowNormal
End Sub

Private Sub addAServiceBtn_Click()
    DoCmd.OpenForm "aviationServicesF", WindowMode:=acWindowNormal
End Sub

Private Sub AddICAO_IATABtn_Click()
    DoCmd.OpenForm "AddNewAirportF", WindowMode:=acWindowNormal
End Sub

Private Sub CanceledBtn_Click()
DoCmd.OpenForm "FlightSupport_CanceledRequests_New", WindowMode:=acDialog
End Sub

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FlightSupport_LASTFORM_New", acSaveNo
End Sub

Private Sub Command10_Click()
DoCmd.OpenForm "AddCustomerF", WindowMode:=acWindowNormal
End Sub

Private Sub Command201_Click()
DoCmd.OpenReport "FlightSupport_HandOver_R", acViewPreview
'DoCmd.OpenReport "FlightSupport_HandOver_R", WindowMode:=acWindowNormal
End Sub

Private Sub Command34_Click()
    DoCmd.OpenForm "FuelSupport_FuelQuote", WindowMode:=acWindowNormal
End Sub

Private Sub Command35_Click()
    DoCmd.OpenForm "FuelSupport_AddFuel", WindowMode:=acWindowNormal
End Sub

Private Sub Command36_Click()
    DoCmd.OpenForm "FuelSupport_UpdateFuel", WindowMode:=acWindowNormal
End Sub

Private Sub Command41_Click()
    DoCmd.OpenForm "FlightSupport_ReportGeneratorF_New", WindowMode:=acDialog
End Sub

Private Sub Command42_Click()
    DoCmd.OpenForm "FuelSupport_ReportGeneratorF", WindowMode:=acDialog
End Sub

Private Sub Command49_Click()
    DoCmd.OpenForm "FlightSupport_UrgentRequests_New", WindowMode:=acDialog
End Sub

Private Sub Command50_Click()
    DoCmd.OpenForm "FlightSupport_AddOperationalProcedures", WindowMode:=acDialog
End Sub

Private Sub Command8_Click()
DoCmd.OpenForm "AddVendorsF", WindowMode:=acDialog
End Sub

Private Sub Command9_Click()
DoCmd.OpenForm "AddAgentF", WindowMode:=acDialog
End Sub
```

```
Private Sub ConfirmedBtn_Click()
DoCmd.OpenForm "FlightSupport_ConfirmedRequests_New", WindowMode:=acDialog
End Sub
```

```
Private Sub CountryCmb_AfterUpdate()
CountryAirportsQuery
End Sub
```

```
Private Sub CountryAirportsQuery()
Dim SelectedCountry As String
Dim CountryIATA_Airports As String
Dim CountryICAO_Airports As String
```

```
SelectedCountry = Me.CountryCmb.Value
```

```
CountryICAO_Airports = "SELECT DISTINCT ICAO FROM Airports_DataT WHERE Country IS NOT NULL AND C
Country = '" & SelectedCountry & "'"
```

```
CountryIATA_Airports = "SELECT DISTINCT IATA FROM Airports_DataT WHERE Country IS NOT NULL AND C
Country = '" & SelectedCountry & "'"
```

```
Me.IATA_CODE.RowSource = CountryIATA_Airports
```

```
Me.ICAO_CODE.RowSource = CountryICAO_Airports
```

```
Me.Requery
```

```
End Sub
```

```
Private Sub Detail_Click()
```

```
Me.Undo
```

```
End Sub
```

```
Private Sub ExpiredFuelBtn_Click()
```

```
DoCmd.OpenForm "FlightSupport_UpdateExpiredFuelF", WindowMode:=acDialog
```

```
End Sub
```

```
Private Sub Form_Load()
```

```
Dim fw As New clFormWindow
```

```
fw.hWnd = Me.hWnd
```

```
With fw
```

```
.Top = (.Parent.Height - .Height) / 2
```

```
.Left = (.Parent.Width - .Width) / 2
```

```
End With
```

```
Set fw = Nothing
```

```
End Sub
```

```
Private Sub IATA_CODE_Change()
```

```
Dim selectedValue As Variant
```

```
selectedValue = Me.IATA_CODE.Value ' Get the selected value from the combo box
```

```
If Not IsNull(selectedValue) Then
```

```
Dim rs As DAO.Recordset
```

```
Set rs = CurrentDb.OpenRecordset("Airports_DataT", dbOpenSnapshot)
```

```
rs.FindFirst "IATA = '" & selectedValue & "'"
```

```
If Not rs.NoMatch Then
```

```
Me.ICAO_CODE.Value = rs("ICAO").Value
```

```
Me.CountryCmb.Value = rs("Country").Value
```

```
Else
```

```
Me.ICAO_CODE.Value = Null
```

```
End If
```

```
rs.Close
```

```
Set rs = Nothing
```

```
Else
```

```
Me.ICAO_CODE.Value = Null
```

```
End If
```

```
Exit Sub
```

End Sub

```
Private Sub ICAO_CODE_Change()
    Dim selectedValue As Variant
    selectedValue = Me.ICAO_CODE.Value ' Get the selected value from the combo box

    If Not IsNull(selectedValue) Then
        Dim rs As DAO.Recordset
        Set rs = CurrentDb.OpenRecordset("Airports_DataT", dbOpenSnapshot)

        rs.FindFirst "ICAO = '" & selectedValue & "'"
        If Not rs.NoMatch Then
            Me.IATA_CODE.Value = rs("IATA").Value
            Me.CountryCmb.Value = rs("Country").Value
        Else
            Me.IATA_CODE.Value = Null
        End If

        rs.Close
        Set rs = Nothing
    Else
        Me.IATA_CODE.Value = Null
    End If
End Sub
```

Exit Sub

End Sub

```
Private Sub OnedriveBtn_Click()
    Dim url As String
    url = "https://tahseenaviation.sharepoint.com/:f:/s/TahseenAviationHub/Eiqm7_pwanhBmmjlyzxn7aQBpeh4vBByAArRflg9ZufEkw?e=aSUnfH"

    ' Open the URL in the default web browser
    Application.FollowHyperlink url
End Sub
```

End Sub

```
Private Sub RefreshBtn_Click()
    Me.Requery
    Me.Refresh
End Sub
```

```
Private Sub UpdateFormBtn_Click()
    DoCmd.OpenForm "FlightSupport_UpdateLASTFORM", WindowMode:=acWindowNormal
End Sub
```

```
Private Sub UpdateFuelReleasebtn_Click()
    DoCmd.OpenForm "FlightSupport_UpdateFuelReleaseF", WindowMode:=acWindowNormal
End Sub
```

Option Compare Database

Option Explicit

Private Sub AddACbtn_Click()

DoCmd.OpenForm "ACRegF", WindowMode:=acWindowNormal

End Sub

Private Sub AddAirportBtn_Click()

DoCmd.OpenForm "AddAirports_FIRsF", WindowMode:=acWindowNormal

End Sub

Private Sub addAServiceBtn_Click()

DoCmd.OpenForm "aviationServicesF", WindowMode:=acWindowNormal

End Sub

Private Sub AddICAO_IATABtn_Click()

DoCmd.OpenForm "AddNewAirportF", WindowMode:=acWindowNormal

End Sub

Private Sub CanceledBtn_Click()

DoCmd.OpenForm "FlightSupport_CanceledRequests_New", WindowMode:=acDialog

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "FlightSupport_LASTFORM_New_V11", acSaveNo

End Sub

Private Sub Command10_Click()

DoCmd.OpenForm "AddCustomerF", WindowMode:=acWindowNormal

End Sub

Private Sub Command201_Click()

DoCmd.OpenReport "FlightSupport_HandOver_R", acViewPreview

'DoCmd.OpenReport "FlightSupport_HandOver_R", WindowMode:=acWindowNormal

End Sub

Private Sub Command211_Click()

DoCmd.OpenReport "FlightSupport_BriefReport", acViewPreview

End Sub

Private Sub Command34_Click()

DoCmd.OpenForm "FuelSupport_FuelQuote", WindowMode:=acWindowNormal

End Sub

Private Sub Command35_Click()

DoCmd.OpenForm "FuelSupport_AddFuel", WindowMode:=acWindowNormal

End Sub

Private Sub Command36_Click()

DoCmd.OpenForm "FuelSupport_UpdateFuel", WindowMode:=acWindowNormal

End Sub

Private Sub Command41_Click()

DoCmd.OpenForm "FlightSupport_ReportGeneratorF_New", WindowMode:=acDialog

End Sub

Private Sub Command42_Click()

DoCmd.OpenForm "FuelSupport_ReportGeneratorF", WindowMode:=acDialog

End Sub

Private Sub Command49_Click()

DoCmd.OpenForm "FlightSupport_UrgentRequests_New", WindowMode:=acDialog

End Sub

Private Sub Command50_Click()

DoCmd.OpenForm "FlightSupport_AddOperationalProcedures", WindowMode:=acDialog

End Sub

Private Sub Command8_Click()

DoCmd.OpenForm "AddVendorsF", WindowMode:=acDialog

End Sub

```
Private Sub Command9_Click()
DoCmd.OpenForm "AddAgentF", WindowMode:=acDialog
End Sub
```

```
Private Sub ConfirmedBtn_Click()
DoCmd.OpenForm "FlightSupport_ConfirmedRequests_New", WindowMode:=acDialog
End Sub
```

```
Private Sub CountryCmb_AfterUpdate()
CountryAirportsQuery
End Sub
```

```
Private Sub CountryAirportsQuery()
Dim SelectedCountry As String
Dim CountryIATA_Airports As String
Dim CountryICAO_Airports As String
```

```
SelectedCountry = Me.CountryCmb.Value
```

```
CountryICAO_Airports = "SELECT DISTINCT ICAO FROM Airports_DataT WHERE Country IS NOT NULL AND C
ountry = '" & SelectedCountry & "'"
CountryIATA_Airports = "SELECT DISTINCT IATA FROM Airports_DataT WHERE Country IS NOT NULL AND C
ountry = '" & SelectedCountry & "'"
```

```
Me.IATA_CODE.RowSource = CountryIATA_Airports
Me.ICAO_CODE.RowSource = CountryICAO_Airports
```

```
Me.Requery
```

```
End Sub
```

```
Private Sub Detail_Click()
```

```
Me.Undo
```

```
End Sub
```

```
Private Sub ExpiredFuelBtn_Click()
```

```
DoCmd.OpenForm "FlightSupport_UpdateExpiredFuelF", WindowMode:=acDialog
```

```
End Sub
```

```
Private Sub Form_Load()
```

```
Dim fw As New clFormWindow
```

```
fw.hWnd = Me.hWnd
```

```
With fw
```

```
.Top = (.Parent.Height - .Height) / 2
```

```
.Left = (.Parent.Width - .Width) / 2
```

```
End With
```

```
Set fw = Nothing
```

```
End Sub
```

```
Private Sub IATA_CODE_Change()
```

```
Dim selectedValue As Variant
```

```
selectedValue = Me.IATA_CODE.Value ' Get the selected value from the combo box
```

```
If Not IsNull(selectedValue) Then
```

```
Dim rs As DAO.Recordset
```

```
Set rs = CurrentDb.OpenRecordset("Airports_DataT", dbOpenSnapshot)
```

```
rs.FindFirst "IATA = '" & selectedValue & "'"
```

```
If Not rs.NoMatch Then
```

```
Me.ICAO_CODE.Value = rs("ICAO").Value
```

```
Me.CountryCmb.Value = rs("Country").Value
```

```
Else
```

```
Me.ICAO_CODE.Value = Null
```

```
End If
```

```
rs.Close
```

```
Set rs = Nothing
```

```
Else
```

```
Me.ICAO_CODE.Value = Null
```


Form_FlightSupport_LASTFORM_New_V11 - 3

End If

Exit Sub

End Sub

```
Private Sub ICAO_CODE_Change()  
Dim selectedValue As Variant  
selectedValue = Me.ICAO_CODE.Value ' Get the selected value from the combo box
```

```
If Not IsNull(selectedValue) Then  
    Dim rs As DAO.Recordset  
    Set rs = CurrentDb.OpenRecordset("Airports_DataT", dbOpenSnapshot)  
  
    rs.FindFirst "ICAO = '" & selectedValue & "'"   
    If Not rs.NoMatch Then  
        Me.IATA_CODE.Value = rs("IATA").Value  
        Me.CountryCmb.Value = rs("Country").Value  
    Else  
        Me.IATA_CODE.Value = Null  
    End If  
  
    rs.Close  
    Set rs = Nothing  
Else  
    Me.IATA_CODE.Value = Null  
End If
```

Exit Sub

End Sub

```
Private Sub OnedriveBtn_Click()  
    Dim url As String  
    url = "https://tahseenviation.sharepoint.com/:f:/s/TahseenAviationHub/Eiqm7_pwanhBmmj1yzxn7aQBpeh  
4vBBYAArRflg9ZufEkw?e=aSUnfH"  
  
    ' Open the URL in the default web browser  
    Application.FollowHyperlink url
```

End Sub

```
Private Sub QoutedActualListbtn_Click()  
DoCmd.OpenForm "FuelSupport_QuoteActualPrice_V11", WindowMode:=acWindowNormal  
End Sub
```

```
Private Sub RefreshBtn_Click()  
    Me.Requery  
    Me.Refresh  
End Sub
```

```
Private Sub UpdateFormBtn_Click()  
    DoCmd.OpenForm "FlightSupport_UpdateLASTFORM", WindowMode:=acWindowNormal  
End Sub
```

```
Private Sub UpdateFuelReleasebtn_Click()  
    DoCmd.OpenForm "FlightSupport_UpdateFuelReleaseF", WindowMode:=acWindowNormal  
End Sub
```

```
Option Compare Database
Option Explicit
Private Sub AddACbtn_Click()
    DoCmd.OpenForm "ACRegF", WindowMode:=acWindowNormal
End Sub

Private Sub AddAirportBtn_Click()
    DoCmd.OpenForm "AddAirports_FIRsF", WindowMode:=acWindowNormal
End Sub

Private Sub addAServiceBtn_Click()
    DoCmd.OpenForm "aviationServicesF", WindowMode:=acWindowNormal
End Sub

Private Sub AddICAO_IATABtn_Click()
    DoCmd.OpenForm "AddNewAirportF", WindowMode:=acWindowNormal
End Sub

Private Sub CanceledBtn_Click()
DoCmd.OpenForm "FlightSupport_CanceledRequests_New", WindowMode:=acDialog
End Sub

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FlightSupport_LASTFORM_New_V12", acSaveNo
End Sub

Private Sub Command10_Click()
DoCmd.OpenForm "AddCustomerF", WindowMode:=acWindowNormal
End Sub

Private Sub Command201_Click()
DoCmd.OpenReport "FlightSupport_HandOver_R_V12", acViewPreview
'DoCmd.OpenReport "FlightSupport_HandOver_R", WindowMode:=acWindowNormal
End Sub

Private Sub Command211_Click()
DoCmd.OpenReport "FlightSupport_BriefReport_V12", acViewPreview

End Sub

Private Sub QoutedActualListbtn_Click()
DoCmd.OpenForm "FuelSupport_QuoteActualPrice_V12", WindowMode:=acWindowNormal
End Sub

Private Sub Command34_Click()
    DoCmd.OpenForm "FuelSupport_FuelQuote", WindowMode:=acWindowNormal
End Sub

Private Sub Command35_Click()
    DoCmd.OpenForm "FuelSupport_AddFuel", WindowMode:=acWindowNormal
End Sub

Private Sub Command36_Click()
    DoCmd.OpenForm "FuelSupport_UpdateFuel", WindowMode:=acWindowNormal
End Sub

Private Sub Command41_Click()
    DoCmd.OpenForm "FlightSupport_ReportGeneratorF_New", WindowMode:=acDialog
End Sub

Private Sub Command42_Click()
    DoCmd.OpenForm "FuelSupport_ReportGeneratorF", WindowMode:=acDialog
End Sub

Private Sub Command49_Click()
    DoCmd.OpenForm "FlightSupport_UrgentRequests_New_V12", WindowMode:=acDialog
End Sub

Private Sub Command50_Click()
    DoCmd.OpenForm "FlightSupport_AddOperationalProcedures", WindowMode:=acDialog
```

End Sub

```
Private Sub Command8_Click()
DoCmd.OpenForm "AddVendorsF", WindowMode:=acDialog
End Sub
```

```
Private Sub Command9_Click()
DoCmd.OpenForm "AddAgentF", WindowMode:=acDialog
End Sub
```

```
Private Sub ConfirmedBtn_Click()
DoCmd.OpenForm "FlightSupport_ConfirmedRequests_New", WindowMode:=acDialog
End Sub
```

```
Private Sub CountryCmb_AfterUpdate()
CountryAirportsQuery
End Sub
```

```
Private Sub CountryAirportsQuery()
Dim SelectedCountry As String
Dim CountryIATA_Airports As String
Dim CountryICAO_Airports As String

SelectedCountry = Me.CountryCmb.Value
```

```
CountryICAO_Airports = "SELECT DISTINCT ICAO FROM Airports_DataT WHERE Country IS NOT NULL AND C
Country = '" & SelectedCountry & "'"
CountryIATA_Airports = "SELECT DISTINCT IATA FROM Airports_DataT WHERE Country IS NOT NULL AND C
Country = '" & SelectedCountry & "'"
```

```
Me.IATA_CODE.RowSource = CountryIATA_Airports
Me.ICAO_CODE.RowSource = CountryICAO_Airports
```

```
Me.Requery
```

```
End Sub
Private Sub CountryCmb_Click()
CountryAirportsQuery
End Sub
```

```
Private Sub Detail_Click()
Me.Undo
End Sub
```

```
Private Sub ExpiredFuelBtn_Click()
DoCmd.OpenForm "FlightSupport_UpdateExpiredFuelF", WindowMode:=acDialog
End Sub
```

```
Private Sub Form_Load()
Dim fw As New clFormWindow
```

```
fw.hWnd = Me.hWnd
With fw
.Top = (.Parent.Height - .Height) / 2
.Left = (.Parent.Width - .Width) / 2
End With
Set fw = Nothing
```

End Sub

```
Private Sub IATA_CODE_Change()
Dim selectedValue As Variant
selectedValue = Me.IATA_CODE.Value ' Get the selected value from the combo box
```

```
If Not IsNull(selectedValue) Then
Dim rs As DAO.Recordset
Set rs = CurrentDb.OpenRecordset("Airports_DataT", dbOpenSnapshot)
```

```
rs.FindFirst "IATA = '" & selectedValue & "'"
```

```
If Not rs.NoMatch Then
```

```
Me.ICAO_CODE.Value = rs("ICAO").Value
```

```
Me.CountryCmb.Value = rs("Country").Value
```

```
Else
```

```
Me.ICAO_CODE.Value = Null
```

```

        End If

        rs.Close
        Set rs = Nothing
    Else
        Me.ICA0_CODE.Value = Null
    End If

Exit Sub

End Sub

Private Sub IATA_CODE_Click()
CountryAirportsQuery
End Sub

Private Sub ICA0_CODE_Change()
Dim selectedValue As Variant
    selectedValue = Me.ICA0_CODE.Value ' Get the selected value from the combo box

If Not IsNull(selectedValue) Then
    Dim rs As DAO.Recordset
    Set rs = CurrentDb.OpenRecordset("Airports_DataT", dbOpenSnapshot)

    rs.FindFirst "ICA0 = '" & selectedValue & "'"
    If Not rs.NoMatch Then
        Me.IATA_CODE.Value = rs("IATA").Value
        Me.CountryCmb.Value = rs("Country").Value
    Else
        Me.IATA_CODE.Value = Null
    End If

    rs.Close
    Set rs = Nothing
Else
    Me.IATA_CODE.Value = Null
End If

Exit Sub

End Sub

Private Sub ICA0_CODE_Click()
CountryAirportsQuery
End Sub

Private Sub OnedriveBtn_Click()
Dim url As String
    url = "https://tahseenaviation.sharepoint.com/:f:/s/TahseenAviationHub/Eiqm7_pwanhBmmjlyzxn7aQBpeh4vBBYAArRflg9ZufEkw?e=aSUnfH"

' Open the URL in the default web browser
Application.FollowHyperlink url

End Sub

Private Sub RefreshBtn_Click()
Me.Requery
Me.Refresh
End Sub

Private Sub UpdateFormBtn_Click()
DoCmd.OpenForm "FlightSupport_UpdateLASTFORM", WindowMode:=acWindowNormal
End Sub

Private Sub UpdateFuelReleasebtn_Click()
DoCmd.OpenForm "FlightSupport_UpdateFuelReleaseF", WindowMode:=acWindowNormal
End Sub

```

Option Compare Database

```
Private Sub AddACbtn_Click()  
    DoCmd.OpenForm "ACRegF", WindowMode:=acWindowNormal  
End Sub  
  
Private Sub AddAirportBtn_Click()  
    DoCmd.OpenForm "AddAirports_FIRsF", WindowMode:=acWindowNormal  
End Sub  
  
Private Sub addAServiceBtn_Click()  
    DoCmd.OpenForm "aviationServicesF", WindowMode:=acWindowNormal  
End Sub  
  
Private Sub AddICAO_IATABtn_Click()  
    DoCmd.OpenForm "AddNewAirportF", WindowMode:=acWindowNormal  
End Sub  
  
Private Sub CanceledBtn_Click()  
DoCmd.OpenForm "FlightSupport_CanceledRequests_New", WindowMode:=acDialog  
End Sub  
  
Private Sub closeBtn_Click()  
    Me.Undo  
    DoCmd.Close acForm, "FlightSupport_LASTFORM_New", acSaveNo  
End Sub  
  
Private Sub Command10_Click()  
DoCmd.OpenForm "AddCustomerF", WindowMode:=acWindowNormal  
End Sub  
  
Private Sub Command201_Click()  
DoCmd.OpenReport "FlightSupport_HandOver_R", acViewPreview  
'DoCmd.OpenReport "FlightSupport_HandOver_R", WindowMode:=acWindowNormal  
End Sub  
  
Private Sub Command211_Click()  
DoCmd.OpenReport "FlightSupport_BriefReport", acViewPreview  
End Sub  
  
Private Sub Command34_Click()  
    DoCmd.OpenForm "FuelSupport_FuelQuote", WindowMode:=acWindowNormal  
End Sub  
  
Private Sub Command35_Click()  
    DoCmd.OpenForm "FuelSupport_AddFuel", WindowMode:=acWindowNormal  
End Sub  
  
Private Sub Command36_Click()  
    DoCmd.OpenForm "FuelSupport_UpdateFuel", WindowMode:=acWindowNormal  
End Sub  
  
Private Sub Command41_Click()  
    DoCmd.OpenForm "FlightSupport_ReportGeneratorF_New", WindowMode:=acDialog  
End Sub  
  
Private Sub Command42_Click()  
    DoCmd.OpenForm "FuelSupport_ReportGeneratorF", WindowMode:=acDialog  
End Sub  
  
Private Sub Command49_Click()  
    DoCmd.OpenForm "FlightSupport_UrgentRequests_New", WindowMode:=acDialog  
End Sub  
  
Private Sub Command50_Click()  
    DoCmd.OpenForm "FlightSupport_AddOperationalProcedures", WindowMode:=acDialog  
End Sub  
  
Private Sub Command8_Click()  
DoCmd.OpenForm "AddVendorsF", WindowMode:=acDialog  
End Sub
```

```
Private Sub Command9_Click()
DoCmd.OpenForm "AddAgentF", WindowMode:=acDialog
End Sub
```

```
Private Sub ConfirmedBtn_Click()
DoCmd.OpenForm "FlightSupport_ConfirmedRequests_New", WindowMode:=acDialog
End Sub
```

```
Private Sub CountryCmb_AfterUpdate()
CountryAirportsQuery
End Sub
```

```
Private Sub CountryAirportsQuery()
Dim SelectedCountry As String
Dim CountryIATA_Airports As String
Dim CountryICAO_Airports As String
```

```
SelectedCountry = Me.CountryCmb.Value
```

```
CountryICAO_Airports = "SELECT DISTINCT ICAO FROM Airports_DataT WHERE Country IS NOT NULL AND C
ountry = '" & SelectedCountry & "'"
CountryIATA_Airports = "SELECT DISTINCT IATA FROM Airports_DataT WHERE Country IS NOT NULL AND C
ountry = '" & SelectedCountry & "'"
```

```
Me.IATA_CODE.RowSource = CountryIATA_Airports
Me.ICAO_CODE.RowSource = CountryICAO_Airports
```

```
Me.Requery
```

```
End Sub
```

```
Private Sub Detail_Click()
```

```
Me.Undo
```

```
End Sub
```

```
Private Sub ExpiredFuelBtn_Click()
```

```
DoCmd.OpenForm "FlightSupport_UpdateExpiredFuelF", WindowMode:=acDialog
```

```
End Sub
```

```
Private Sub Form_Load()
```

```
Dim fw As New clFormWindow
```

```
fw.hWnd = Me.hWnd
```

```
With fw
```

```
.Top = (.Parent.Height - .Height) / 2
```

```
.Left = (.Parent.Width - .Width) / 2
```

```
End With
```

```
Set fw = Nothing
```

```
End Sub
```

```
Private Sub IATA_CODE_Change()
```

```
Dim selectedValue As Variant
```

```
selectedValue = Me.IATA_CODE.Value ' Get the selected value from the combo box
```

```
If Not IsNull(selectedValue) Then
```

```
Dim rs As DAO.Recordset
```

```
Set rs = CurrentDb.OpenRecordset("Airports_DataT", dbOpenSnapshot)
```

```
rs.FindFirst "IATA = '" & selectedValue & "'"
```

```
If Not rs.NoMatch Then
```

```
Me.ICAO_CODE.Value = rs("ICAO").Value
```

```
Me.CountryCmb.Value = rs("Country").Value
```

```
Else
```

```
Me.ICAO_CODE.Value = Null
```

```
End If
```

```
rs.Close
```

```
Set rs = Nothing
```

```
Else
```

```
Me.ICAO_CODE.Value = Null
```

```
End If

Exit Sub

End Sub

Private Sub ICAO_CODE_Change()
    Dim selectedValue As Variant
    selectedValue = Me.ICAO_CODE.Value ' Get the selected value from the combo box

    If Not IsNull(selectedValue) Then
        Dim rs As DAO.Recordset
        Set rs = CurrentDb.OpenRecordset("Airports_DataT", dbOpenSnapshot)

        rs.FindFirst "ICAO = '" & selectedValue & "'"
        If Not rs.NoMatch Then
            Me.IATA_CODE.Value = rs("IATA").Value
            Me.CountryCmb.Value = rs("Country").Value
        Else
            Me.IATA_CODE.Value = Null
        End If

        rs.Close
        Set rs = Nothing
    Else
        Me.IATA_CODE.Value = Null
    End If

Exit Sub

End Sub

Private Sub OnedriveBtn_Click()
    Dim url As String
    url = "https://tahseenaviation.sharepoint.com/:f:/s/TahseenAviationHub/Eiqm7_pwanhBmmj1yzxn7aQBpeh4vBBYAArRflg9ZufEkw?e=aSUnfH"

    ' Open the URL in the default web browser
    Application.FollowHyperlink url

End Sub

Private Sub RefreshBtn_Click()
    Me.Requery
    Me.Refresh

End Sub

Private Sub UpdateFormBtn_Click()
    DoCmd.OpenForm "FlightSupport_UpdateLASTFORM", WindowMode:=acWindowNormal

End Sub

Private Sub UpdateFuelReleasebtn_Click()
    DoCmd.OpenForm "FlightSupport_UpdateFuelReleaseF", WindowMode:=acWindowNormal

End Sub
```


Option Compare Database

```

Private Sub Form_Load()
    LoadLastBtn_Click
End Sub

Private Sub LoadLastBtn_Click()
    Me.RefNo.DefaultValue = "" & GetLastRefNo() & ""
End Sub

Private Sub newSectorBtn_Click()
    ' Clear the form fields To prepare For a New record
    cmdGenerate_Click
End Sub

Private Sub cmdGenerate_Click()
    Dim RefValue As Integer
    Dim rst As DAO.Recordset

    RefValue = Nz(DLookup("RefNum", "TSect_ID"), 0)

    Me.Sect_ID.Value = Format(RefValue + 1, "000")

    Set rst = CurrentDb.OpenRecordset("TSect_ID", dbOpenDynaset, dbSeeChanges)

    With rst
        .Edit
        ![RefNum] = ![RefNum] + 1
        .Update
    End With

    rst.Close
    Set rst = Nothing

End Sub

Private Function GetLastRefNo() As Variant
    ' Get the latest RefNo value from NewFlightRequestsT table
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim strSQL As String

    Dim MaxID As Long
    MaxID = DMax("ID", "NewFlightRequestsT")

    Set db = CurrentDb
    strSQL = "Select RefNo FROM NewFlightRequestsT WHERE ID = " & MaxID & ";"
    Set rs = db.OpenRecordset(strSQL)

    ' Check If a record was found
    If Not rs.EOF Then
        LastRefNo = rs.Fields("RefNo").Value
    End If

    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing
    GetLastRefNo = LastRefNo
End Function

Private Sub addSectorBtn_Click()

    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    ' Me.Customer.Value = Nz(Me.CurrentARP.Value, "")
    If IsNull(Me.Sect_ID) Then
        MsgBox "Please press Add New "
        Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset("NewSectorsT", dbOpenDynaset)
    End If
End Sub

```

```

rs.AddNew

' Assign values To the fields in the table
rs.Fields("SectorRoute").Value = Me.SectorRoute.Value
rs.Fields("Sect_ID").Value = Me.Sect_ID.Value
rs.Fields("SectorNo").Value = Me.SectorNo.Value
rs.Fields("RefNo").Value = Me.RefNo.Value
' Save the New record
rs.Update

' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing

' Reset form values
Me.SectorRoute.Value = Null
Me.Sect_ID.Value = Null
Me.SectorNo.Value = Null
Me.Undo
Me.Requery
Me.Refresh

' Display a message indicating successful addition
MsgBox "Data added successfully."
RefNo_AfterUpdate
End If
End Sub

Private Sub RefNo_AfterUpdate()
    RefNo_reselect
End Sub

Private Sub RefNo_reselect()
    Dim selectedRefNo As Variant
    Dim query As String

    selectedRefNo = Me.RefNo.Value ' Get the selected value from RefNo combo box

    ' Construct the dynamic query based on the selected value
    query = "Select SectorNo, Sect_ID FROM NewSectorsT WHERE RefNo = '" & selectedRefNo & "';"

    ' Set the RowSource Property of the other subform's combo box To the dynamic query
    Forms("FlightSupport_LASTFORM").Controls("FlightSupport_BriefsF").Form.Controls("PermitBriefF").Controls("Sect_ID").RowSource = query
    Forms("FlightSupport_LASTFORM").Controls("FlightSupport_NewAddSectorF").Form.Controls("AddLocationF").Controls("Sect_ID").RowSource = query
    Me.Sect_ID.RowSource = query

    ' Requery the other subform's combo box To reflect the updated options
    Me.Sect_ID.Requery
    Me.Requery
    Me.Refresh
End Sub

Public Sub ResetBtn_Click()
    On Error GoTo ErrorHandler

    Me.Undo
    DoCmd.CancelEvent
    DoCmd.GoToRecord , , acNewRec

Exit Sub

ErrorHandler:
    MsgBox "An error occurred: " & err.Description, vbExclamation
End Sub

Private Sub Sect_ID_AfterUpdate()
    UpdateIDQueries

```

End Sub

```

Private Sub UpdateIDQueries()
    'On Error Goto ErrorHandler
    Dim selectedSect_ID As Integer
    Dim query As String
    Dim locSect_ID As Integer

    selectedSect_ID = Me.Sect_ID.Column(1) ' Get the selected value from RefNo combo box

    ' Construct the dynamic query based on the selected value
    query = "Select ID FROM LocationsT WHERE Sect_ID = " & selectedSect_ID & ";"

    ' Set the RowSource Property of the other subform's combo box To the dynamic query
    Forms("FlightSupport_LASTFORM").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID1").RowSource = query
    Forms("FlightSupport_LASTFORM").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID2").RowSource = query
    Forms("FlightSupport_LASTFORM").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID3").RowSource = query
    Forms("FlightSupport_LASTFORM").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID4").RowSource = query
    Forms("FlightSupport_LASTFORM").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID5").RowSource = query
    Forms("FlightSupport_LASTFORM").Controls("FlightSupport_BriefsF").Form.Controls("HandlingF").Controls("Location_ID6").RowSource = query

    Forms("FlightSupport_LASTFORM").Controls("FlightSupport_BriefsF").Form.Controls("FuelF").Controls("Location_ID").RowSource = query
    Forms("FlightSupport_LASTFORM").Controls("FlightSupport_BriefsF").Form.Controls("FuelF").Controls("FlightSupport_FuelReleaseF").Controls("Location_ID").RowSource = query
    Forms("FlightSupport_LASTFORM").Controls("FlightSupport_BriefsF").Form.Controls("ConciergeBriefF").Controls("Location_ID").RowSource = query

    ' Assign selectedSect_ID To locSect_ID
    locSect_ID = selectedSect_ID

    ' Update the value of Sect_ID in the other subform
    Forms("FlightSupport_LASTFORM").Controls("FlightSupport_NewAddSectorF").Controls("AddLocationF").Controls("Sect_ID").Value = locSect_ID
    Me.Requery
    'ErrorHandler:
    'MsgBox "An error occurred: " & err.Description, vbExclamation
End Sub

```

Option Compare Database

Option Compare Database

Option Compare Database

Option Compare Database

Option Compare Database

Option Compare Database

Option Compare Database

```
Option Compare Database
Private Sub Agent_Change()
Service_Change
End Sub

Private Sub Notes_Change()
Service_Change
End Sub

Private Sub PaymentMethod_Click()
Service_Change
End Sub

Private Sub Service_Change()
Dim UserID As Integer

    UserID = Forms!loggedInUser!txtUserID
    ' Me.Updated_date.ForeColor = RGB(255, 0, 0)
    ' Me.Updated_date.BackColor = RGB(255, 255, 0)
    ' Me.Updated_date.Value = Format(Now(), "dd mm yyyy, hh:nn")
    Me.Updated_date.Value = Format(Now(), "dd/mm/yyyy, hh:nn")
    Me.User = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub ServiceStatus_Change()
Service_Change
End Sub

Private Sub Vendor_Change()
Service_Change
End Sub
```

```
Option Compare Database
Private Sub Agent_Change()
Service_Change
End Sub

Private Sub Notes_Change()
Service_Change
End Sub

Private Sub PaymentMethod_Click()
Service_Change
End Sub

Private Sub Service_Change()
Dim UserID As Integer

    UserID = Forms!loggedInUser!txtUserID
    ' Me.Updated_date.ForeColor = RGB(255, 0, 0)
    ' Me.Updated_date.BackColor = RGB(255, 255, 0)
    ' Me.Updated_date.Value = Format(Now(), "dd mm yyyy, hh:nn")
    Me.Updated_date.Value = Format(Now(), "dd/mm/yyyy, hh:nn")
    Me.User = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub ServiceStatus_Change()
Service_Change
End Sub

Private Sub Vendor_Change()
Service_Change
End Sub
```

```
Option Compare Database
Private Sub Agent_Change()
Service_Change
End Sub

Private Sub Notes_Change()
Service_Change
End Sub

Private Sub PaymentMethod_Click()
Service_Change
End Sub

Private Sub Service_Change()
Dim UserID As Integer

    UserID = Forms!loggedInUser!txtUserID
    ' Me.Updated_date.ForeColor = RGB(255, 0, 0)
    ' Me.Updated_date.BackColor = RGB(255, 255, 0)
    ' Me.Updated_date.Value = Format(Now(), "dd mm yyyy, hh:nn")
    Me.Updated_date.Value = Format(Now(), "dd/mm/yyyy, hh:nn")
    Me.User = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub ServiceStatus_Change()
Service_Change
End Sub

Private Sub Vendor_Change()
Service_Change
End Sub
```

```
Option Compare Database
Private Sub Agent_Change()
Service_Change
End Sub

Private Sub Notes_Change()
Service_Change
End Sub

Private Sub PaymentMethod_Click()
Service_Change
End Sub

Private Sub Service_Change()
Dim UserID As Integer

    UserID = Forms!loggedInUser!txtUserID
    ' Me.Updated_date.ForeColor = RGB(255, 0, 0)
    ' Me.Updated_date.BackColor = RGB(255, 255, 0)
    ' Me.Updated_date.Value = Format(Now(), "dd mm yyyy, hh:nn")
    Me.Updated_date.Value = Format(Now(), "dd/mm/yyyy, hh:nn")
    Me.User = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub ServiceStatus_Change()
Service_Change
End Sub

Private Sub Vendor_Change()
Service_Change
End Sub
```

Option Compare Database

```
Private Sub closeBtn_Click()
    DoCmd.Close acForm, "FlightSupport_ReportGeneratorF"
End Sub
```

```
Private Sub Command32_Click()
    Dim strWhere As String
    Dim InLeng As Long

    Const conJetDate = "\#mm\dd\yyyy\#"

    If Not IsNull(Me.RefNoList) Then

        strWhere = strWhere & "([RefNo] Like ""*"" & Me.RefNoList & ""*) And "
    End If

    IngLen = Len(strWhere) - 5
    If IngLen <= 0 Then
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    Else
        strWhere = Left$(strWhere, IngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenForm "Update_FlightSupport_Test", acViewPreview, , strWhere
    End If
End Sub
```

```
Private Sub Form_Load()
    Dim fw As New clFormWindow
```

```
    fw.hWnd = Me.hWnd
    With fw
        .Top = (.Parent.Height - .Height) / 2
        .Left = (.Parent.Width - .Width) / 2
    End With
    Set fw = Nothing
End Sub
```

```
Private Sub FuelReleaseBtn_Click()
    Dim strWhere As String
    Dim InLeng As Long

    Const conJetDate = "\#mm\dd\yyyy\#"

    If Not IsNull(Me.CustomerName) Then

        strWhere = strWhere & "([Customer] Like ""*"" & Me.CustomerName & ""*) And "
    End If
    If Not IsNull(Me.OperatorListCb) Then

        strWhere = strWhere & "([Operator] Like ""*"" & Me.OperatorListCb & ""*) And "
    End If

    If Not IsNull(Me.RefNoList) Then

        strWhere = strWhere & "([RefNo] Like ""*"" & Me.RefNoList & ""*) And "
    End If
    If Not IsNull(Me.ReleaseID) Then
        strWhere = strWhere & "([Location_ID] Like ""*"" & Me.ReleaseID.Column(0) & ""*) And "
    End If

    If Not IsNull(Me.StartDate) Then
        strWhere = strWhere & "([DepartDate] >= " & Format(Me.StartDate, conJetDate) & ") And "
    End If
    If Not IsNull(Me.EndDate) Then
        strWhere = strWhere & "([DepartDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
    End If
    If Not IsNull(Me.AirportCmb) Then
```



```

        strWhere = strWhere & "([Airport] Like ""*"" & Me.AirportCmb & ""*) And "
    End If
    If Not IsNull(Me.ACRegCmb) Then

        strWhere = strWhere & "([ACReg] Like ""*"" & Me.ACRegCmb & ""*) And "
    End If

    IngLen = Len(strWhere) - 5
    If IngLen <= 0 Then
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    Else
        strWhere = Left$(strWhere, IngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenReport "FlightSupport_FuelRelease", acViewPreview, , strWhere
    End If
End Sub

Private Sub FuelReportBtn_Click()
    Dim strWhere As String
    Dim lngLen As Long

    Const conJetDate = "\#mm\dd\yyyy\#"

    If Not IsNull(Me.CustomerName) Then

        strWhere = strWhere & "([Customer] Like ""*"" & Me.CustomerName & ""*) And "
    End If
    If Not IsNull(Me.OperatorListCb) Then

        strWhere = strWhere & "([Operator] Like ""*"" & Me.OperatorListCb & ""*) And "
    End If
    If Not IsNull(Me.ACRegCmb) Then

        strWhere = strWhere & "([ACReg] Like ""*"" & Me.ACRegCmb & ""*) And "
    End If

    If Not IsNull(Me.RefNoList) Then

        strWhere = strWhere & "([RefNo] Like ""*"" & Me.RefNoList & ""*) And "
    End If
    If Not IsNull(Me.ServiceStatus) Then

        strWhere = strWhere & "([FuelStatus] Like ""*"" & Me.ServiceStatus & ""*) And "
    End If
    If Not IsNull(Me.StartDate) Then
        strWhere = strWhere & "([ReqDate] >= " & Format(Me.StartDate, conJetDate) & ") And "
    End If
    If Not IsNull(Me.EndDate) Then
        strWhere = strWhere & "([ReqDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
    End If
    If Not IsNull(Me.AirportCmb) Then

        strWhere = strWhere & "([Airport] Like ""*"" & Me.AirportCmb & ""*) And "
    End If

    lngLen = Len(strWhere) - 5
    If lngLen <= 0 Then
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    Else
        strWhere = Left$(strWhere, lngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenReport "FlightSupport_FuelReport", acViewPreview, , strWhere
    End If
End Sub

```

```

Private Sub GenerateINReportBtn_Click()
    Dim strWhere As String
    Dim InLeng As Long

    Const conJetDate = "\#mm\dd\yyyy\#"

    If Not IsNull(Me.CustomerName) Then

        strWhere = strWhere & "([Customer] Like "*" & Me.CustomerName & "*)" And "
    End If

    If Not IsNull(Me.OperatorListCb) Then

        strWhere = strWhere & "([Operator] Like "*" & Me.OperatorListCb & "*)" And "
    End If
    If Not IsNull(Me.ACRegCmb) Then

        strWhere = strWhere & "([ACReg] Like "*" & Me.ACRegCmb & "*)" And "
    End If

    If Not IsNull(Me.RefNoList) Then

        strWhere = strWhere & "([RefNo] Like "*" & Me.RefNoList & "*)" And "
    End If
    If Not IsNull(Me.ServiceStatus) Then

        strWhere = strWhere & "([RequestStatus] Like "*" & Me.ServiceStatus & "*)" And "
    End If
    If Not IsNull(Me.StartDate) Then
        strWhere = strWhere & "([OPSDate] >= " & Format(Me.StartDate, conJetDate) & ") And "
    End If
    If Not IsNull(Me.EndDate) Then
        strWhere = strWhere & "([OPSDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
    End If
    If Not IsNull(Me.AirportCmb) Then

        strWhere = strWhere & "([Airport] Like "*" & Me.AirportCmb & "*)" And "
    End If

    IngLen = Len(strWhere) - 5
    If IngLen <= 0 Then
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    Else
        strWhere = Left$(strWhere, IngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenReport "FlightSupport_InternalReport", acViewPreview, , strWhere
    End If
End Sub

Private Sub GenerateOUTReportBtn_Click()
    Dim strWhere As String
    Dim InLeng As Long

    Const conJetDate = "\#mm\dd\yyyy\#"

    If Not IsNull(Me.CustomerName) Then

        strWhere = strWhere & "([Customer] Like "*" & Me.CustomerName & "*)" And "
    End If
    If Not IsNull(Me.OperatorListCb) Then

        strWhere = strWhere & "([Operator] Like "*" & Me.OperatorListCb & "*)" And "
    End If
    If Not IsNull(Me.ServiceStatus) Then

```

```

        strWhere = strWhere & "([RequestStatus] Like "*" & Me.ServiceStatus & "*) And "
    End If
    If Not IsNull(Me.RefNoList) Then

```

```

        strWhere = strWhere & "([RefNo] Like "*" & Me.RefNoList & "*) And "
    End If
    If Not IsNull(Me.AirportCmb) Then

```

```

        strWhere = strWhere & "([Airport] Like "*" & Me.AirportCmb & "*) And "
    End If
    If Not IsNull(Me.ACRegCmb) Then

```

```

        strWhere = strWhere & "([ACReg] Like "*" & Me.ACRegCmb & "*) And "
    End If

```

```

    If Not IsNull(Me.StartDate) Then
        strWhere = strWhere & "([OPSDate] >= " & Format(Me.StartDate, conJetDate) & ") And "
    End If
    If Not IsNull(Me.EndDate) Then
        strWhere = strWhere & "([OPSDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
    End If

```

```

    IngLen = Len(strWhere) - 5

```

```

    If IngLen <= 0 Then

```

```

        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"

```

```

    Else
        strWhere = Left$(strWhere, IngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenReport "FlightSupport_ExternalReport", acViewPreview, , strWhere
    End If

```

```

End Sub

```

```

Private Sub PreformaCreatedBtn_Click()

```

```

    Dim strWhere As String
    Dim InLeng As Long
    Dim strQuery As String
    Dim strFilePath As String
    Dim strFileName As String
    Dim qdf As QueryDef
    Dim tempQueryName As String

```

```

    Const conJetDate = "\#mm\dd\yyyy\#"

```

```

    ' Specify the base query name
    strQuery = "FlightSupport_FuelPreformaQ"

```

```

    ' Build the file name With a timestamp And customer name
    strFileName = Me.CustomerName & " " & Format(Me.StartDate, "dd_mm_yyyy") & "-" & Format(Me.EndDate, "dd_mm_yyyy") & " Fuel Release Proforma " & Format(Now(), "ddmmyyyy") & ".xlsx"

```

```

    ' Specify the file path in the current user's Documents directory
    strFilePath = Environ("USERPROFILE") & "\Documents\" & strFileName

```

```

    ' Build the WHERE clause
    If Not IsNull(Me.CustomerName) Then
        strWhere = strWhere & "([Customer] Like "*" & Me.CustomerName & "*) And "
    End If
    If Not IsNull(Me.OperatorListCb) Then
        strWhere = strWhere & "([Operator] Like "*" & Me.OperatorListCb & "*) And "
    End If
    If Not IsNull(Me.ACRegCmb) Then
        strWhere = strWhere & "([ACReg] Like "*" & Me.ACRegCmb & "*) And "
    End If
    ' If Not IsNull(Me.RefNoList) Then
        ' strWhere = strWhere & "([RefNo] Like "*" & Me.RefNoList & "*) And "
    ' End If

```

```

If Not IsNull(Me.RefNoList) Then
    strWhere = strWhere & "(NewFlightRequestsT.RefNo Like '*' & Me.RefNoList & '*') And "
End If
If Not IsNull(Me.ServiceStatus) Then
    strWhere = strWhere & "([FuelStatus] Like ""*"" & Me.ServiceStatus & ""*) And "
End If
If Not IsNull(Me.StartDate) Then
    strWhere = strWhere & "([DepartDate] >= " & Format(Me.StartDate, conJetDate) & ") And "
End If
If Not IsNull(Me.EndDate) Then
    strWhere = strWhere & "([DepartDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
End If
If Not IsNull(Me.AirportCmb) Then
    strWhere = strWhere & "([Airport] Like ""*"" & Me.AirportCmb & ""*) And "
End If

' Trim the trailing " And "
InLeng = Len(strWhere) - 5
If InLeng <= 0 Then
    MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
Else
    'CurrentDb.QueryDefs.Delete tempQueryName
    strWhere = Left$(strWhere, InLeng)
    tempQueryName = "Temp_" & strQuery

    ' Check if the query already exists
    If DCount("*", "MSysObjects", "([Name] = '" & tempQueryName & "' AND [Type] = 5)") > 0 Then
        ' If it exists, delete it
        CurrentDb.QueryDefs.Delete tempQueryName
    End If

'RefNo   ReqNo   Customer   Operator   ACType   Vendor   AddedRate   TASPrice   VendorPrice   Estimated
Total   Validity   Currency   ActualQuantity   EstimatedCost   DepartDate   Airport   ACRag   NextDest
' Now you can safely create your query
Set qdf = CurrentDb.CreateQueryDef(tempQueryName)
qdf.SQL = "SELECT NewFlightRequestsT.RefNo, FuelReleaseT.[Created By],FuelReleaseT.[Modified By], Fuel
ReleaseT.Created, NewFlightRequestsT.ReqNo, NewFlightRequestsT.OPSDate, NewFlightRequestsT.Customer, N
ewFlightRequestsT.Operator, NewFlightRequestsT.ACType, " & _
    "FuelBriefT.Vendor, FuelBriefT.AddedRate, FuelBriefT.TASPrice, FuelBriefT.VendorPrice, FuelBriefT.
EstimatedTotal, FuelBriefT.Validity, FuelBriefT.Currency, FuelBriefT.EstimatedQuantity, " & _
    "FuelBriefT.EstimatedCost, FuelReleaseT.DepartDate, FuelBriefT.Airport, NewFlightRequestsT.ACRag,F
uelReleaseT.NextDest, FuelBriefT.FuelStatus " & _
    "FROM ((NewFlightRequestsT INNER JOIN NewSectorsT ON NewFlightRequestsT.RefNo = NewSectorsT.RefNo)
INNER JOIN LocationsT ON NewSectorsT.Sect_ID = LocationsT.Sect_ID) " & _
    "INNER JOIN (FuelBriefT INNER JOIN FuelReleaseT ON FuelBriefT.Location_ID = FuelReleaseT.Location_
ID) ON LocationsT.ID = FuelBriefT.Location_ID " & _
    "WHERE NewFlightRequestsT.RefNo Like '*' & Me.RefNoList & '*' " & _
    "AND " & strWhere & _
    "ORDER BY FuelReleaseT.DepartDate ASC"

    ' Export the temporary query To Excel
    DoCmd.TransferSpreadsheet acExport, acSpreadsheetTypeExcel12Xml, tempQueryName, strFilePath, T
rue

    ' Delete the temporary query
    CurrentDb.QueryDefs.Delete tempQueryName

    ' Open the folder directory
    Application.FollowHyperlink Environ("USERPROFILE") & "\Documents\", NewWindow:=True

    Set qdf = Nothing
End If
End Sub

Private Sub PreformaModifiedBtn_Click()
    Dim strWhere As String
    Dim InLeng As Long
    Dim strQuery As String
    Dim strFilePath As String
    Dim strFileName As String
    Dim qdf As QueryDef

```

```

Dim tempQueryName As String

Const conJetDate = "\#mm\dd\yyyy\#"

' Specify the base query name
strQuery = "FlightSupport_FuelPreformaQ"

' Build the file name With a timestamp And customer name
strFileName = Me.CustomerName & " " & Format(Me.StartDate, "dd_mm_yyyy") & "-" & Format(Me.EndDate, "dd_mm_yyyy") & " Fuel Release Proforma " & Format(Now(), "ddmmyyyy") & ".xlsx"

' Specify the file path in the current user's Documents directory
strFilePath = Environ("USERPROFILE") & "\Documents\" & strFileName

' Build the WHERE clause
If Not IsNull(Me.CustomerName) Then
    strWhere = strWhere & "([Customer] Like "*" & Me.CustomerName & "*)" And "
End If
If Not IsNull(Me.OperatorListCb) Then
    strWhere = strWhere & "([Operator] Like "*" & Me.OperatorListCb & "*)" And "
End If
If Not IsNull(Me.ACRegCmb) Then
    strWhere = strWhere & "([ACReg] Like "*" & Me.ACRegCmb & "*)" And "
End If
'If Not IsNull(Me.RefNoList) Then
'    strWhere = strWhere & "([RefNo] Like "*" & Me.RefNoList & "*)" And "
' End If

If Not IsNull(Me.RefNoList) Then
    strWhere = strWhere & "(NewFlightRequestsT.RefNo Like '" & Me.RefNoList & "')" And "
End If
If Not IsNull(Me.ServiceStatus) Then
    strWhere = strWhere & "([FuelStatus] Like "*" & Me.ServiceStatus & "*)" And "
End If
If Not IsNull(Me.StartDate) Then
    strWhere = strWhere & "([DepartDate] >= " & Format(Me.StartDate, conJetDate) & ") And "
End If
If Not IsNull(Me.EndDate) Then
    strWhere = strWhere & "([DepartDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
End If
If Not IsNull(Me.AirportCmb) Then
    strWhere = strWhere & "([Airport] Like "*" & Me.AirportCmb & "*)" And "
End If

' Trim the trailing " And "
InLeng = Len(strWhere) - 5
If InLeng <= 0 Then
    MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
Else
    'CurrentDb.QueryDefs.Delete tempQueryName
    strWhere = Left$(strWhere, InLeng)
    tempQueryName = "Temp_" & strQuery

    ' Check if the query already exists
    If DCount("*", "MSysObjects", "([Name] = '" & tempQueryName & "' AND [Type] = 5)") > 0 Then
        ' If it exists, delete it
        CurrentDb.QueryDefs.Delete tempQueryName
    End If

    'RefNo   ReqNo   Customer   Operator   ACType   Vendor   AddedRate   TASPrice   VendorPrice   Estimated
    Total   Validity   Currency   ActualQuantity   EstimatedCost   DepartDate   Airport   ACReg   NextDest
    ' Now you can safely create your query
    Set qdf = CurrentDb.CreateQueryDef(tempQueryName)
    qdf.SQL = "SELECT NewFlightRequestsT.RefNo, FuelReleaseT.[Modified By],FuelReleaseT.Modified, FuelReleaseT.[Created By], NewFlightRequestsT.RegNo, NewFlightRequestsT.OPSDate, NewFlightRequestsT.Customer, NewFlightRequestsT.Operator, NewFlightRequestsT.ACType, " & _
        "FuelBriefT.Vendor, FuelBriefT.AddedRate, FuelBriefT.TASPrice, FuelBriefT.VendorPrice, FuelBriefT.EstimatedTotal, FuelBriefT.Validity, FuelBriefT.Currency, FuelBriefT.EstimatedQuantity, " & _
        "FuelBriefT.EstimatedCost, FuelReleaseT.DepartDate, FuelBriefT.Airport, NewFlightRequestsT.ACReg, FuelReleaseT.NextDest, FuelBriefT.FuelStatus " & _
        "FROM ((NewFlightRequestsT INNER JOIN NewSectorsT ON NewFlightRequestsT.RefNo = NewSectorsT.RefNo)"

```

```

INNER JOIN LocationsT ON NewSectorsT.Sect_ID = LocationsT.Sect_ID) " &
"INNER JOIN (FuelBriefT INNER JOIN FuelReleaseT ON FuelBriefT.Location_ID = FuelReleaseT.Location_
ID) ON LocationsT.ID = FuelBriefT.Location_ID " & _
"WHERE NewFlightRequestsT.RefNo Like '*' & Me.RefNoList & '*' " & _
"AND " & strWhere & _
"ORDER BY FuelReleaseT.DepartDate ASC"

```

```

' Export the temporary query To Excel
DoCmd.TransferSpreadsheet acExport, acSpreadsheetTypeExcel12Xml, tempQueryName, strFilePath, T
rue

```

```

' Delete the temporary query
CurrentDb.QueryDefs.Delete tempQueryName

```

```

' Open the folder directory
Application.FollowHyperlink Environ("USERPROFILE") & "\Documents\", NewWindow:=True

```

```

Set qdf = Nothing
End If

```

```
End Sub
```

```
Private Sub PreformaReportBtn_Click()
```

```

Dim strWhere As String
Dim InLeng As Long
Dim strQuery As String
Dim strFilePath As String
Dim strFileName As String
Dim qdf As QueryDef
Dim tempQueryName As String

```

```
Const conJetDate = "#mm\dd\yyyy\#"
```

```

' Specify the base query name
strQuery = "FlightSupport_FuelPreformaQ_New"

```

```

' Build the file name With a timestamp And customer name
strFileName = Me.CustomerName & " " & Format(Me.StartDate, "dd_mm_yyyy") & "-" & Format(Me.EndDate
, "dd_mm_yyyy") & " Fuel Release Proforma " & Format(Now(), "ddmmyyyy") & ".xlsx"

```

```

' Specify the file path in the current user's Documents directory
strFilePath = Environ("USERPROFILE") & "\Documents\" & strFileName

```

```
' Build the WHERE clause
```

```

If Not IsNull(Me.CustomerName) Then
    strWhere = strWhere & "([Customer] Like ""*"" & Me.CustomerName & ""*) And "
End If

```

```

If Not IsNull(Me.OperatorListCb) Then
    strWhere = strWhere & "([Operator] Like ""*"" & Me.OperatorListCb & ""*) And "
End If

```

```

If Not IsNull(Me.ACRegCmb) Then
    strWhere = strWhere & "([ACReg] Like ""*"" & Me.ACRegCmb & ""*) And "
End If

```

```

'If Not IsNull(Me.RefNoList) Then
    ' strWhere = strWhere & "([RefNo] Like ""*"" & Me.RefNoList & ""*) And "
' End If

```

```

If Not IsNull(Me.RefNoList) Then
    strWhere = strWhere & "(NewFlightRequestsT.RefNo Like '*' & Me.RefNoList & '*') And "
End If

```

```

If Not IsNull(Me.ServiceStatus) Then
    strWhere = strWhere & "([FuelStatus] Like ""*"" & Me.ServiceStatus & ""*) And "
End If

```

```

If Not IsNull(Me.StartDate) Then
    strWhere = strWhere & "([DepartDate] >= " & Format(Me.StartDate, conJetDate) & ") And "
End If

```

```

If Not IsNull(Me.EndDate) Then
    strWhere = strWhere & "([DepartDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
End If

```

```

If Not IsNull(Me.AirportCmb) Then

```

```

        strWhere = strWhere & "([Airport] Like "*" & Me.AirportCmb & "*"") And "
    End If

    ' Trim the trailing " And "
    InLeng = Len(strWhere) - 5
    If InLeng <= 0 Then
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    Else
        'CurrentDb.QueryDefs.Delete tempQueryName
        strWhere = Left$(strWhere, InLeng)
        tempQueryName = "Temp_" & strQuery

        ' Check if the query already exists
        If DCount(";", "MSysObjects", "([Name] = '" & tempQueryName & "' AND [Type] = 5)") > 0 Then
            ' If it exists, delete it
            CurrentDb.QueryDefs.Delete tempQueryName
        End If

'RefNo   ReqNo   Customer   Operator   ACType   Vendor   AddedRate   TASPrice   VendorPrice   Estimated
Total   Validity   Currency   ActualQuantity   EstimatedCost   DepartDate   Airport   ACReg   NextDest
    ' Now you can safely create your query
    Set qdf = CurrentDb.CreateQueryDef(tempQueryName)
    qdf.SQL = "SELECT NewFlightRequestsT.RefNo, FuelReleaseT.[Modified By],FuelReleaseT.Modified, FuelReleaseT.Created,FuelReleaseT.[Created By], NewFlightRequestsT.RegNo, NewFlightRequestsT.OPSDate, NewFlightRequestsT.Customer, NewFlightRequestsT.Operator, NewFlightRequestsT.ACType, " & _
        "FuelBriefT.Vendor, FuelBriefT.AddedRate, FuelBriefT.TASPrice, FuelBriefT.VendorPrice, FuelBriefT.EstimatedTotal, FuelBriefT.Validity, FuelBriefT.Currency, FuelBriefT.EstimatedQuantity, " & _
        "FuelBriefT.EstimatedCost, FuelReleaseT.DepartDate, FuelBriefT.Airport, NewFlightRequestsT.ACReg, FuelReleaseT.NextDest, FuelBriefT.FuelStatus " & _
        "FROM ((NewFlightRequestsT INNER JOIN NewSectorsT ON NewFlightRequestsT.RefNo = NewSectorsT.RefNo) INNER JOIN LocationsT ON NewSectorsT.Sect_ID = LocationsT.Sect_ID) " & _
        "INNER JOIN (FuelBriefT INNER JOIN FuelReleaseT ON FuelBriefT.Location_ID = FuelReleaseT.Location_ID) ON LocationsT.ID = FuelBriefT.Location_ID " & _
        "WHERE NewFlightRequestsT.RefNo Like '*' & Me.RefNoList & '*' " & _
        "AND " & strWhere & _
        "ORDER BY FuelReleaseT.DepartDate ASC"

        ' Export the temporary query To Excel
        DoCmd.TransferSpreadsheet acExport, acSpreadsheetTypeExcel12Xml, tempQueryName, strFilePath, True

        ' Delete the temporary query
        CurrentDb.QueryDefs.Delete tempQueryName

        ' Open the folder directory
        Application.FollowHyperlink Environ("USERPROFILE") & "\Documents\", NewWindow:=True

        Set qdf = Nothing
    End If
End Sub

Private Sub RefNoList_AfterUpdate()
    Dim selectedRefNo As Variant
    Dim query As String

    selectedRefNo = Me.RefNoList.Value ' Get the selected value from RefNo combo box

    ' Construct the dynamic query based on the selected value
    query = "SELECT Location_ID, Location FROM FuelSupport_ReleaseQ WHERE RefNo = '" & selectedRefNo & "'";

    ' Set the RowSource property of the other subform's combo box to the dynamic query

    'Forms("LASTFORM").Controls("LastForm").Form.Controls("PermitBriefF").Controls("Sect_ID").RowSource = query
    Forms("FlightSupport_ReportGeneratorF").Controls("ReleaseID").RowSource = query

    Me.ReleaseID.RowSource = query

    ' Requery the other subform's combo box to reflect the updated options
    Me.ReleaseID.Requery

```

End Sub

Private Sub Reports_Click()

Dim strWehre As String

Dim InLeng As Long

Const conJetDate = "\#mm\dd\yyyy\#"

If Not IsNull(Me.CustomerName) Then

strWhere = strWhere & "([Customer] Like "*" & Me.CustomerName & "*) And "

End If

If Not IsNull(Me.OperatorListCb) Then

strWhere = strWhere & "([Operator] Like "*" & Me.OperatorListCb & "*) And "

End If

If Not IsNull(Me.RefNoList) Then

strWhere = strWhere & "([RefNo] Like "*" & Me.RefNoList & "*) And "

End If

If Not IsNull(Me.ServiceStatus) Then

strWhere = strWhere & "([FuelStatus] Like "*" & Me.ServiceStatus & "*) And "

End If

If Not IsNull(Me.StartDate) Then

strWhere = strWhere & "([ReqDate] >= " & Format(Me.StartDate, conJetDate) & ") And "

End If

If Not IsNull(Me.EndDate) Then

strWhere = strWhere & "([ReqDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "

End If

If Not IsNull(Me.AirportCmb) Then

strWhere = strWhere & "([Airport] Like "*" & Me.AirportCmb & "*) And "

End If

IngLen = Len(strWhere) - 5

If IngLen <= 0 Then

MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"

Else

strWhere = Left\$(strWhere, IngLen)

Me.Filter = strWehre

Me.FilterOn = True

DoCmd.OpenReport "FlightSupport_ListFuelReportByDate", acViewPreview, , strWhere

End If

End Sub

Private Sub TrackFuelReportBtn_Click()

Dim strWehre As String

Dim InLeng As Long

Const conJetDate = "\#mm\dd\yyyy\#"

If Not IsNull(Me.CustomerName) Then

strWhere = strWhere & "([Customer] Like "*" & Me.CustomerName & "*) And "

End If

If Not IsNull(Me.OperatorListCb) Then

strWhere = strWhere & "([Operator] Like "*" & Me.OperatorListCb & "*) And "

End If

If Not IsNull(Me.ACRegCmb) Then

strWhere = strWhere & "([ACReg] Like "*" & Me.ACRegCmb & "*) And "

End If

If Not IsNull(Me.RefNoList) Then

strWhere = strWhere & "([RefNo] Like "*" & Me.RefNoList & "*) And "


```

    End If
If Not IsNull(Me.ServiceStatus) Then

    strWhere = strWhere & "([FuelStatus] Like "*" & Me.ServiceStatus & "*)" And "
End If
If Not IsNull(Me.StartDate) Then
    strWhere = strWhere & "([DepartDate] >= " & Format(Me.StartDate, conJetDate) & ") And "
End If
If Not IsNull(Me.EndDate) Then
    strWhere = strWhere & "([DepartDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
End If
If Not IsNull(Me.AirportCmb) Then

    strWhere = strWhere & "([Airport] Like "*" & Me.AirportCmb & "*)" And "
End If

IngLen = Len(strWhere) - 5
If IngLen <= 0 Then
    MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
Else
    strWhere = Left$(strWhere, IngLen)
    Me.Filter = strWhere
    Me.FilterOn = True
    DoCmd.OpenReport "FlightSupport_TrackFuelReport", acViewPreview, , strWhere
End If

End Sub

```

Option Compare Database

```
Private Sub closeBtn_Click()
    DoCmd.Close acForm, "FlightSupport_ReportGeneratorF_New"
End Sub
```

```
Private Sub Command32_Click()
    Dim strWhere As String
    Dim InLeng As Long

    Const conJetDate = "\#mm\dd\yyyy\#"

    If Not IsNull(Me.RefNoList) Then

        strWhere = strWhere & "([RefNo] Like ""*"" & Me.RefNoList & ""*) And "
    End If

    IngLen = Len(strWhere) - 5
    If IngLen <= 0 Then
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    Else
        strWhere = Left$(strWhere, IngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenForm "Update_FlightSupport_Test", acViewPreview, , strWhere
    End If
End Sub
```

```
Private Sub Form_Load()
    Dim fw As New clFormWindow
```

```
    fw.hWnd = Me.hWnd
    With fw
        .Top = (.Parent.Height - .Height) / 2
        .Left = (.Parent.Width - .Width) / 2
    End With
    Set fw = Nothing
End Sub
```

```
Private Sub FuelReleaseBtn_Click()
    Dim strWhere As String
    Dim InLeng As Long

    Const conJetDate = "\#mm\dd\yyyy\#"

    If Not IsNull(Me.CustomerName) Then

        strWhere = strWhere & "([Customer] Like ""*"" & Me.CustomerName & ""*) And "
    End If
    If Not IsNull(Me.OperatorListCb) Then

        strWhere = strWhere & "([Operator] Like ""*"" & Me.OperatorListCb & ""*) And "
    End If

    If Not IsNull(Me.RefNoList) Then

        strWhere = strWhere & "([RefNo] Like ""*"" & Me.RefNoList & ""*) And "
    End If
    If Not IsNull(Me.ReleaseID) Then
        strWhere = strWhere & "([Location_ID] Like ""*"" & Me.ReleaseID.Column(0) & ""*) And "
    End If

    If Not IsNull(Me.StartDate) Then
        strWhere = strWhere & "([DepartDate] >= " & Format(Me.StartDate, conJetDate) & ") And "
    End If
    If Not IsNull(Me.EndDate) Then
        strWhere = strWhere & "([DepartDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
    End If
    If Not IsNull(Me.AirportCmb) Then
```

```

        strWhere = strWhere & "([Airport] Like ""*"" & Me.AirportCmb & ""*) And "
    End If
    If Not IsNull(Me.ACRegCmb) Then

        strWhere = strWhere & "([ACReg] Like ""*"" & Me.ACRegCmb & ""*) And "
    End If

    IngLen = Len(strWhere) - 5
    If IngLen <= 0 Then
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    Else
        strWhere = Left$(strWhere, IngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenReport "FlightSupport_FuelRelease_New", acViewPreview, , strWhere
    End If
End Sub

Private Sub FuelReportBtn_Click()
    Dim strWhere As String
    Dim lngLen As Long

    Const conJetDate = "\#mm\dd\yyyy\#"

    If Not IsNull(Me.CustomerName) Then

        strWhere = strWhere & "([Customer] Like ""*"" & Me.CustomerName & ""*) And "
    End If
    If Not IsNull(Me.OperatorListCb) Then

        strWhere = strWhere & "([Operator] Like ""*"" & Me.OperatorListCb & ""*) And "
    End If
    If Not IsNull(Me.ACRegCmb) Then

        strWhere = strWhere & "([ACReg] Like ""*"" & Me.ACRegCmb & ""*) And "
    End If

    If Not IsNull(Me.RefNoList) Then

        strWhere = strWhere & "([RefNo] Like ""*"" & Me.RefNoList & ""*) And "
    End If
    If Not IsNull(Me.ServiceStatus) Then

        strWhere = strWhere & "([FuelStatus] Like ""*"" & Me.ServiceStatus & ""*) And "
    End If
    If Not IsNull(Me.StartDate) Then
        strWhere = strWhere & "([ReqDate] >= " & Format(Me.StartDate, conJetDate) & ") And "
    End If
    If Not IsNull(Me.EndDate) Then
        strWhere = strWhere & "([ReqDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
    End If
    If Not IsNull(Me.AirportCmb) Then

        strWhere = strWhere & "([Airport] Like ""*"" & Me.AirportCmb & ""*) And "
    End If

    lngLen = Len(strWhere) - 5
    If lngLen <= 0 Then
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    Else
        strWhere = Left$(strWhere, lngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenReport "FlightSupport_FuelReport", acViewPreview, , strWhere
    End If
End Sub

```

```

Private Sub GenerateINReportBtn_Click()
    Dim strWhere As String
    Dim InLeng As Long

    Const conJetDate = "\#mm\dd\yyyy\#"

    If Not IsNull(Me.CustomerName) Then

        strWhere = strWhere & "([Customer] Like "*" & Me.CustomerName & "*)" And "
    End If

    If Not IsNull(Me.OperatorListCb) Then

        strWhere = strWhere & "([Operator] Like "*" & Me.OperatorListCb & "*)" And "
    End If
    If Not IsNull(Me.ACRegCmb) Then

        strWhere = strWhere & "([ACReg] Like "*" & Me.ACRegCmb & "*)" And "
    End If

    If Not IsNull(Me.RefNoList) Then

        strWhere = strWhere & "([RefNo] Like "*" & Me.RefNoList & "*)" And "
    End If
    If Not IsNull(Me.ServiceStatus) Then

        strWhere = strWhere & "([RequestStatus] Like "*" & Me.ServiceStatus & "*)" And "
    End If
    If Not IsNull(Me.StartDate) Then
        strWhere = strWhere & "([OPSDate] >= " & Format(Me.StartDate, conJetDate) & ") And "
    End If
    If Not IsNull(Me.EndDate) Then
        strWhere = strWhere & "([OPSDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
    End If
    If Not IsNull(Me.AirportCmb) Then

        strWhere = strWhere & "([Airport] Like "*" & Me.AirportCmb & "*)" And "
    End If

    IngLen = Len(strWhere) - 5
    If IngLen <= 0 Then
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    Else
        strWhere = Left$(strWhere, IngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenReport "FlightSupport_InternalReport", acViewPreview, , strWhere
    End If
End Sub

Private Sub GenerateOUTReportBtn_Click()
    Dim strWhere As String
    Dim InLeng As Long

    Const conJetDate = "\#mm\dd\yyyy\#"

    If Not IsNull(Me.CustomerName) Then

        strWhere = strWhere & "([Customer] Like "*" & Me.CustomerName & "*)" And "
    End If
    If Not IsNull(Me.OperatorListCb) Then

        strWhere = strWhere & "([Operator] Like "*" & Me.OperatorListCb & "*)" And "
    End If
    If Not IsNull(Me.ServiceStatus) Then

```

```

        strWhere = strWhere & "([RequestStatus] Like "*" & Me.ServiceStatus & "*) And "
    End If
    If Not IsNull(Me.RefNoList) Then

```

```

        strWhere = strWhere & "([RefNo] Like "*" & Me.RefNoList & "*) And "
    End If
    If Not IsNull(Me.AirportCmb) Then

```

```

        strWhere = strWhere & "(left([Location],8) Like "*" & Me.AirportCmb & "*) And "
    End If
    If Not IsNull(Me.ACRegCmb) Then

```

```

        strWhere = strWhere & "([ACReg] Like "*" & Me.ACRegCmb & "*) And "
    End If

```

```

    If Not IsNull(Me.StartDate) Then
        strWhere = strWhere & "([OPSDate] >= " & Format(Me.StartDate, conJetDate) & ") And "
    End If
    If Not IsNull(Me.EndDate) Then
        strWhere = strWhere & "([OPSDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
    End If

```

```

    IngLen = Len(strWhere) - 5

```

```

    If IngLen <= 0 Then

```

```

        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"

```

```

    Else
        strWhere = Left$(strWhere, IngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenReport "FlightSupport_ExternalReport_New", acViewPreview, , strWhere
    End If

```

```

End Sub

```

```

Private Sub PreformaCreatedBtn_Click()

```

```

    Dim strWhere As String
    Dim InLeng As Long
    Dim strQuery As String
    Dim strFilePath As String
    Dim strFileName As String
    Dim qdf As QueryDef
    Dim tempQueryName As String

```

```

    Const conJetDate = "\#mm\dd\yyyy\#"

```

```

    ' Specify the base query name
    strQuery = "FlightSupport_FuelPreformaQ_New"

```

```

    ' Build the file name With a timestamp And customer name
    strFileName = Me.CustomerName & " " & Format(Me.StartDate, "dd_mm_yyyy") & "-" & Format(Me.EndDate, "dd_mm_yyyy") & " Fuel Release Proforma " & Format(Now(), "ddmmyyyy") & ".xlsx"

```

```

    ' Specify the file path in the current user's Documents directory
    strFilePath = Environ("USERPROFILE") & "\Documents\" & strFileName

```

```

    ' Build the WHERE clause
    If Not IsNull(Me.CustomerName) Then
        strWhere = strWhere & "([Customer] Like "*" & Me.CustomerName & "*) And "
    End If
    If Not IsNull(Me.OperatorListCb) Then
        strWhere = strWhere & "([Operator] Like "*" & Me.OperatorListCb & "*) And "
    End If
    If Not IsNull(Me.ACRegCmb) Then
        strWhere = strWhere & "([ACReg] Like "*" & Me.ACRegCmb & "*) And "
    End If
    If Not IsNull(Me.RefNoList) Then
        strWhere = strWhere & "([RefNo] Like "*" & Me.RefNoList & "*) And "
    End If

```

```

If Not IsNull(Me.RefNoList) Then
    strWhere = strWhere & "(NewFlightRequestsT.RefNo Like '*' & Me.RefNoList & '*') And "
End If
If Not IsNull(Me.ServiceStatus) Then
    strWhere = strWhere & "([FuelStatus] Like ""*"" & Me.ServiceStatus & ""*) And "
End If
If Not IsNull(Me.StartDate) Then
    strWhere = strWhere & "([FuelReleaseT_New].[DepartDate] >= #" & Format(Me.StartDate, "yyyy\mm\dd") & "#) And "
End If
If Not IsNull(Me.EndDate) Then
    strWhere = strWhere & "([FuelReleaseT_New].[DepartDate] < #" & Format(Me.EndDate + 1, "yyyy\mm\dd") & "#) And "
End If
If Not IsNull(Me.AirportCmb) Then
    strWhere = strWhere & "([Airport] Like ""*"" & Me.AirportCmb & ""*) And "
End If
If Not IsNull(Me.AirportCmb) Then
    strWhere = strWhere & "([Airport] Like ""*"" & Me.AirportCmb & ""*) And "
End If

' Trim the trailing " And "
InLeng = Len(strWhere) - 5
If InLeng <= 0 Then
    MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
Else
    'CurrentDb.QueryDefs.Delete tempQueryName
    strWhere = Left$(strWhere, InLeng)
    tempQueryName = "Temp_" & strQuery

    ' Check if the query already exists
    If DCount("","", "MSysObjects", "([Name] = '" & tempQueryName & "' AND [Type] = 5)") > 0 Then
        ' If it exists, delete it
        CurrentDb.QueryDefs.Delete tempQueryName
    End If

'RefNo   ReqNo   Customer   Operator   ACType   Vendor   AddedRate   TASPrice   VendorPrice   Estimated
Total   Validity   Currency   ActualQuantity   EstimatedCost   DepartDate   Airport   ACReg   NextDest
' Now you can safely create your query
Set qdf = CurrentDb.CreateQueryDef(tempQueryName)
qdf.SQL = "SELECT FlightSupport_FlightRequestsT.RefNo, FuelReleaseT_New.[Created By],FuelReleaseT_New.[
[Modified By], FuelReleaseT_New.Created, FlightSupport_FlightRequestsT.RegNo, FlightSupport_FlightRequ
estsT.OPSDate, FlightSupport_SectorsT.Customer, FlightSupport_SectorsT.Operator, FlightSupport_Sectors
T.ACType, FlightSupport_SectorsT.ACReg, " & _
    "FuelBriefT_New.Vendor, FuelBriefT_New.AddedRate, FuelBriefT_New.TASPrice, FuelBriefT_New.VendorPr
ice, FuelBriefT_New.EstimatedTotal, FuelBriefT_New.Validity, FuelBriefT_New.Currency, FuelBriefT_New.E
stimatedQuantity, " & _
    "FuelBriefT_New.EstimatedCost, FuelReleaseT_New.DepartDate, FuelBriefT_New.Airport,FuelReleaseT_Ne
w.NextDest, FuelBriefT_New.FuelStatus " & _
    "FROM ((FlightSupport_FlightRequestsT INNER JOIN FlightSupport_SectorsT ON FlightSupport_FlightReq
uestsT.RefNo = FlightSupport_SectorsT.RequestRefNo) INNER JOIN LocationsT_New ON FlightSupport_Sectors
T.Sect_ID = LocationsT_New.Sect_ID) " & _
    "INNER JOIN (FuelBriefT_New INNER JOIN FuelReleaseT_New ON FuelBriefT_New.Location_ID = FuelReleas
eT_New.Location_ID) ON LocationsT_New.ID = FuelBriefT_New.Location_ID " & _
    "WHERE FlightSupport_FlightRequestsT.RefNo Like '*' & Me.RefNoList & '*' " & _
    "AND " & strWhere & _
    "ORDER BY FuelReleaseT_New.DepartDate ASC"

    ' Export the temporary query To Excel
    DoCmd.TransferSpreadsheet acExport, acSpreadsheetTypeExcel12Xml, tempQueryName, strFilePath, T
rue

    ' Delete the temporary query
    CurrentDb.QueryDefs.Delete tempQueryName

    ' Open the folder directory
    Application.FollowHyperlink Environ("USERPROFILE") & "\Documents\", NewWindow:=True

    Set qdf = Nothing
End If
End Sub

```

```

Private Sub PreformaModifiedBtn_Click()
    Dim strWhere As String
    Dim InLeng As Long
    Dim strQuery As String
    Dim strFilePath As String
    Dim strFileName As String
    Dim qdf As QueryDef
    Dim tempQueryName As String

    Const conJetDate = "\#mm\dd\yyyy\#"

    ' Specify the base query name
    strQuery = "FlightSupport_FuelPreformaQ"

    ' Build the file name With a timestamp And customer name
    strFileName = Me.CustomerName & " " & Format(Me.StartDate, "dd_mm_yyyy") & "-" & Format(Me.EndDate, "dd_mm_yyyy") & " Fuel Release Proforma " & Format(Now(), "ddmmyyyy") & ".xlsx"

    ' Specify the file path in the current user's Documents directory
    strFilePath = Environ("USERPROFILE") & "\Documents\" & strFileName

    ' Build the WHERE clause
    If Not IsNull(Me.CustomerName) Then
        strWhere = strWhere & "([Customer] Like "*" & Me.CustomerName & "*) And "
    End If
    If Not IsNull(Me.OperatorListCb) Then
        strWhere = strWhere & "([Operator] Like "*" & Me.OperatorListCb & "*) And "
    End If
    If Not IsNull(Me.ACRegCmb) Then
        strWhere = strWhere & "([ACReg] Like "*" & Me.ACRegCmb & "*) And "
    End If
    'If Not IsNull(Me.RefNoList) Then
    ' strWhere = strWhere & "([RefNo] Like "*" & Me.RefNoList & "*) And "
    ' End If

    If Not IsNull(Me.RefNoList) Then
        strWhere = strWhere & "(FlightSupport_FlightRequestsT.RefNo Like '" & Me.RefNoList & "') And "
    End If
    If Not IsNull(Me.ServiceStatus) Then
        strWhere = strWhere & "([FuelStatus] Like "*" & Me.ServiceStatus & "*) And "
    End If
    If Not IsNull(Me.StartDate) Then
        strWhere = strWhere & "([FuelReleaseT_New].[DepartDate] >= #" & Format(Me.StartDate, "yyyy\mm\dd") & "#) And "
    End If
    If Not IsNull(Me.EndDate) Then
        strWhere = strWhere & "([FuelReleaseT_New].[DepartDate] < #" & Format(Me.EndDate + 1, "yyyy\mm\dd") & "#) And "
    End If
    If Not IsNull(Me.AirportCmb) Then
        strWhere = strWhere & "([Airport] Like "*" & Me.AirportCmb & "*) And "
    End If
    If Not IsNull(Me.AirportCmb) Then
        strWhere = strWhere & "([Airport] Like "*" & Me.AirportCmb & "*) And "
    End If

    ' Trim the trailing " And "
    InLeng = Len(strWhere) - 5
    If InLeng <= 0 Then
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    Else
        'CurrentDb.QueryDefs.Delete tempQueryName
        strWhere = Left$(strWhere, InLeng)
        tempQueryName = "Temp_" & strQuery

        ' Check if the query already exists
        If DCount("*", "MSysObjects", "([Name] = '" & tempQueryName & "' AND [Type] = 5)") > 0 Then
            ' If it exists, delete it
            CurrentDb.QueryDefs.Delete tempQueryName
        End If
    End If
End Sub

```

```

        End If
'RefNo   ReqNo   Customer   Operator   ACType   Vendor   AddedRate   TASPrice   VendorPrice   Estimated
Total   Validity   Currency   ActualQuantity   EstimatedCost   DepartDate   Airport   ACRag   NextDest
' Now you can safely create your query
Set qdf = CurrentDb.CreateQueryDef(tempQueryName)
    qdf.SQL = "SELECT FlightSupport_FlightRequestsT.RefNo, FuelReleaseT_New.[Modified By],FuelReleaseT
_New.Modified, FuelReleaseT_New.[Created By], FlightSupport_FlightRequestsT.RegNo, FlightSupport_Fligh
tRequestsT.OPSDate, FlightSupport_SectorsT.Customer, FlightSupport_SectorsT.Operator, FlightSupport_S
ectorsT.ACType, FlightSupport_SectorsT.ACRag, " & _
    "FuelBriefT_New.Vendor, FuelBriefT_New.AddedRate, FuelBriefT_New.TASPrice, FuelBriefT_New.VendorPr
ice, FuelBriefT_New.EstimatedTotal, FuelBriefT_New.Validity, FuelBriefT_New.Currency, FuelBriefT_New.E
stimatedQuantity, " & _
    "FuelBriefT_New.EstimatedCost, FuelReleaseT_New.DepartDate, FuelBriefT_New.Airport,FuelReleaseT_Ne
w.NextDest, FuelBriefT_New.FuelStatus " & _
    "FROM ((FlightSupport_FlightRequestsT INNER JOIN FlightSupport_SectorsT ON FlightSupport_FlightReq
uestsT.RefNo = FlightSupport_SectorsT.RequestRefNo) INNER JOIN LocationsT_New ON FlightSupport_Sectors
T.Sect_ID = LocationsT_New.Sect_ID) " & _
    "INNER JOIN (FuelBriefT_New INNER JOIN FuelReleaseT_New ON FuelBriefT_New.Location_ID = FuelReleas
eT_New.Location_ID) ON LocationsT_New.ID = FuelBriefT_New.Location_ID " & _
    "WHERE FlightSupport_FlightRequestsT.RefNo Like '*' & Me.RefNoList & '*' " & _
    "AND " & strWhere & _
    "ORDER BY FuelReleaseT_New.DepartDate ASC"

    ' Export the temporary query To Excel
DoCmd.TransferSpreadsheet acExport, acSpreadsheetTypeExcel12Xml, tempQueryName, strFilePath, T
rue

    ' Delete the temporary query
CurrentDb.QueryDefs.Delete tempQueryName

    ' Open the folder directory
Application.FollowHyperlink Environ("USERPROFILE") & "\Documents\", NewWindow:=True

    Set qdf = Nothing
End If

End Sub

```

```

Private Sub PreformaReportBtn_Click()
    Dim strWhere As String
    Dim InLeng As Long
    Dim strQuery As String
    Dim strFilePath As String
    Dim strFileName As String
    Dim qdf As QueryDef
    Dim tempQueryName As String

    Const conJetDate = "\#mm\dd\yyyy\#"

    ' Specify the base query name
    strQuery = "FlightSupport_FuelPreformaQ_New"

    ' Build the file name With a timestamp And customer name
    strFileName = Me.CustomerName & " " & Format(Me.StartDate, "dd_mm_yyyy") & "-" & Format(Me.EndDate, "dd_mm_yyyy") & " Fuel Release Proforma " & Format(Now(), "ddmmyyyy") & ".xlsx"

    ' Specify the file path in the current user's Documents directory
    strFilePath = Environ("USERPROFILE") & "\Documents\" & strFileName

    ' Build the WHERE clause
    If Not IsNull(Me.CustomerName) Then
        strWhere = strWhere & "([Customer] Like ""*"" & Me.CustomerName & ""*) And "
    End If
    If Not IsNull(Me.OperatorListCb) Then
        strWhere = strWhere & "([Operator] Like ""*"" & Me.OperatorListCb & ""*) And "
    End If
    If Not IsNull(Me.ACRagCmb) Then
        strWhere = strWhere & "([ACRag] Like ""*"" & Me.ACRagCmb & ""*) And "
    End If
    'If Not IsNull(Me.RefNoList) Then

```



```

' strWhere = strWhere & "([RefNo] Like ""*"" & Me.RefNoList & ""*) And "
' End If

If Not IsNull(Me.RefNoList) Then
    strWhere = strWhere & "(FlightSupport_FlightRequestsT.RefNo Like '*' & Me.RefNoList & '*') And "
End If
If Not IsNull(Me.ServiceStatus) Then
    strWhere = strWhere & "([FuelStatus] Like ""*"" & Me.ServiceStatus & ""*) And "
End If
If Not IsNull(Me.StartDate) Then
    strWhere = strWhere & "([FuelReleaseT_New].[DepartDate] >= #" & Format(Me.StartDate, "yyyy\mm\dd") & "#) And "
End If
If Not IsNull(Me.EndDate) Then
    strWhere = strWhere & "([FuelReleaseT_New].[DepartDate] < #" & Format(Me.EndDate + 1, "yyyy\mm\dd") & "#) And "
End If
If Not IsNull(Me.AirportCmb) Then
    strWhere = strWhere & "([Airport] Like ""*"" & Me.AirportCmb & ""*) And "
End If

' Trim the trailing " And "
InLeng = Len(strWhere) - 5
If InLeng <= 0 Then
    MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
Else
    'CurrentDb.QueryDefs.Delete tempQueryName
    strWhere = Left$(strWhere, InLeng)
    tempQueryName = "Temp_" & strQuery

    ' Check if the query already exists
    If DCount(""*, "MSysObjects", "([Name] = '" & tempQueryName & "' AND [Type] = 5)") > 0 Then
        ' If it exists, delete it
        CurrentDb.QueryDefs.Delete tempQueryName
    End If

'RefNo   ReqNo   Customer   Operator   ACType   Vendor   AddedRate   TASPrice   VendorPrice   Estimated
Total   Validity   Currency   ActualQuantity   EstimatedCost   DepartDate   Airport   ACREg   NextDest
' Now you can safely create your query
Set qdf = CurrentDb.CreateQueryDef(tempQueryName)
qdf.SQL = "SELECT FlightSupport_FlightRequestsT.RefNo, FuelReleaseT_New.[Modified By],FuelReleaseT_New.Modified, FuelReleaseT_New.[Created By],FuelReleaseT_New.Created, FlightSupport_FlightRequestsT.RefNo, FlightSupport_FlightRequestsT.OPSDate, FlightSupport_SectorsT.Customer, FlightSupport_SectorsT.Operator, FlightSupport_SectorsT.ACType, FlightSupport_SectorsT.ACREg, " & _
    "FuelBriefT_New.Vendor, FuelBriefT_New.AddedRate, FuelBriefT_New.TASPrice, FuelBriefT_New.VendorPrice, FuelBriefT_New.EstimatedTotal, FuelBriefT_New.Validity, FuelBriefT_New.Currency, FuelBriefT_New.EstimatedQuantity, " & _
    "FuelBriefT_New.EstimatedCost, FuelReleaseT_New.DepartDate, FuelBriefT_New.Airport,FuelReleaseT_New.NextDest, FuelBriefT_New.FuelStatus " & _
    "FROM ((FlightSupport_FlightRequestsT INNER JOIN FlightSupport_SectorsT ON FlightSupport_FlightRequestsT.RefNo = FlightSupport_SectorsT.RequestRefNo) INNER JOIN LocationsT_New ON FlightSupport_SectorsT.Sect_ID = LocationsT_New.Sect_ID) " & _
    "INNER JOIN (FuelBriefT_New INNER JOIN FuelReleaseT_New ON FuelBriefT_New.Location_ID = FuelReleaseT_New.Location_ID) ON LocationsT_New.ID = FuelBriefT_New.Location_ID " & _
    "WHERE FlightSupport_FlightRequestsT.RefNo Like '*' & Me.RefNoList & '*' " & _
    "AND " & strWhere & _
    "ORDER BY FuelReleaseT_New.DepartDate ASC"

    ' Export the temporary query To Excel
    DoCmd.TransferSpreadsheet acExport, acSpreadsheetTypeExcel12Xml, tempQueryName, strFilePath, True

    ' Delete the temporary query
    CurrentDb.QueryDefs.Delete tempQueryName

    ' Open the folder directory
    Application.FollowHyperlink Environ("USERPROFILE") & "\Documents\", NewWindow:=True

    Set qdf = Nothing
End If
End Sub

```

```

Private Sub RefNoList_AfterUpdate()
    Dim selectedRefNo As Variant
    Dim query As String

    selectedRefNo = Me.RefNoList.Value ' Get the selected value from RefNo combo box

    ' Construct the dynamic query based on the selected value
    query = "SELECT Location_ID, Location FROM FuelSupport_ReleaseQ_New WHERE RefNo = '" & selectedRefNo & "'";

    ' Set the RowSource property of the other subform's combo box to the dynamic query
    Forms("LASTFORM").Controls("LastForm").Form.Controls("PermitBriefF").Controls("Sect_ID").RowSource = query
    Forms("FlightSupport_ReportGeneratorF_New").Controls("ReleaseID").RowSource = query

    Me.ReleaseID.RowSource = query

    ' Requery the other subform's combo box to reflect the updated options
    Me.ReleaseID.Requery
End Sub

Private Sub Reports_Click()
    Dim strWhere As String
    Dim lngLen As Long

    Const conJetDate = "\#mm\dd\yyyy\#"

    If Not IsNull(Me.CustomerName) Then
        strWhere = strWhere & "([Customer] Like '" & Me.CustomerName & "') And "
    End If
    If Not IsNull(Me.OperatorListCb) Then
        strWhere = strWhere & "([Operator] Like '" & Me.OperatorListCb & "') And "
    End If

    If Not IsNull(Me.RefNoList) Then
        strWhere = strWhere & "([RefNo] Like '" & Me.RefNoList & "') And "
    End If
    If Not IsNull(Me.ServiceStatus) Then
        strWhere = strWhere & "([FuelStatus] Like '" & Me.ServiceStatus & "') And "
    End If
    If Not IsNull(Me.StartDate) Then
        strWhere = strWhere & "([ReqDate] >= " & Format(Me.StartDate, conJetDate) & ") And "
    End If
    If Not IsNull(Me.EndDate) Then
        strWhere = strWhere & "([ReqDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
    End If
    If Not IsNull(Me.AirportCmb) Then
        strWhere = strWhere & "([Airport] Like '" & Me.AirportCmb & "') And "
    End If
    lngLen = Len(strWhere) - 5
    If lngLen <= 0 Then
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    Else
        strWhere = Left$(strWhere, lngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenReport "FlightSupport_ListFuelReportByDate", acViewPreview, , strWhere
    End If
End Sub

```

```

Private Sub TrackFuelReportBtn_Click()
Dim strWhere As String
Dim lngLen As Long

Const conJetDate = "\"#mm\/dd\/yyyy\#"

If Not IsNull(Me.CustomerName) Then

    strWhere = strWhere & "([Customer] Like "*" & Me.CustomerName & "*)" And "
End If
If Not IsNull(Me.OperatorListCb) Then

    strWhere = strWhere & "([Operator] Like "*" & Me.OperatorListCb & "*)" And "
End If
    If Not IsNull(Me.ACRegCmb) Then

        strWhere = strWhere & "([ACReg] Like "*" & Me.ACRegCmb & "*)" And "
    End If
    If Not IsNull(Me.RefNoList) Then

        strWhere = strWhere & "([RefNo] Like "*" & Me.RefNoList & "*)" And "
    End If
If Not IsNull(Me.ServiceStatus) Then

    strWhere = strWhere & "([FuelStatus] Like "*" & Me.ServiceStatus & "*)" And "
End If
If Not IsNull(Me.StartDate) Then
strWhere = strWhere & "([DepartDate] >= #" & Format(Me.StartDate, "yyyy\mm\dd") & "#) And "
End If
If Not IsNull(Me.EndDate) Then
    strWhere = strWhere & "([DepartDate] < #" & Format(Me.EndDate + 1, "yyyy\mm\dd") & "#) And "
End If
If Not IsNull(Me.AirportCmb) Then
    strWhere = strWhere & "([Airport] Like "*" & Me.AirportCmb & "*)" And "
End If
If Not IsNull(Me.AirportCmb) Then

    strWhere = strWhere & "([Airport] Like "*" & Me.AirportCmb & "*)" And "
End If

lngLen = Len(strWhere) - 5
If lngLen <= 0 Then
    MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
Else
    strWhere = Left$(strWhere, lngLen)
    Me.Filter = strWhere
    Me.FilterOn = True
    DoCmd.OpenReport "FlightSupport_TrackFuelReport", acViewPreview, , strWhere
End If

End Sub

```

Form_FlightSupport_RequestF-- 1

Option Compare Database

Private Sub ACRgCb_Change()

Dim selectedValue As Variant

selectedValue = Me.ACRgCb.Value ' Get the selected value from the combo box

If Not IsNull(selectedValue) Then

Dim rs As DAO.Recordset

Set rs = CurrentDb.OpenRecordset("ACRegT", dbOpenSnapshot)

rs.FindFirst "ACReg = '" & selectedValue & "'"

If Not rs.NoMatch Then

Me.ACType.Value = rs("ACType").Value

Me.ACMTOW.Value = rs("ACMTOW").Value

Me.Operator.Value = rs("Operator").Value

Me.Customer.Value = rs("Customer").Value

Else

Me.ACType.Value = Null

Me.ACMTOW.Value = Null

Me.Operator.Value = Null

Me.Customer.Value = Null

End If

rs.Close

Set rs = Nothing

Else

Me.ACType.Value = Null

Me.ACMTOW.Value = Null

Me.Operator.Value = Null

Me.Customer.Value = Null

End If

Exit Sub

End Sub

Private Sub cmdGenerate_Click()

Dim rst As DAO.Recordset

Dim randomRefValue As Integer

Dim RefNo As String

Dim isUnique As Boolean

Do

' Generate a random number between 1 And 999

randomRefValue = Int((9999 - 1 + 1) * Rnd + 1)

' Check If the generated number is greater than Or equal To 176

If randomRefValue >= 176 Then

' Generate the reference number

RefNo = "TAS-" & Format(randomRefValue, "0000") & "/" & Format(date, "yy")

' Check If the generated reference number already exists in the NewFlightRequestsT table

Set rst = CurrentDb.OpenRecordset("Select RefNo FROM NewFlightRequestsT WHERE RefNo = '" & RefNo & "'", dbOpenSnapshot)

If rst.EOF Then

' If the generated reference number does Not exist, assign it To the form field

Me.RefNo.Value = RefNo

' Set the flag To indicate that a unique reference number has been generated

isUnique = True

End If

rst.Close

Set rst = Nothing

End If

Loop Until isUnique

End Sub

Private Sub AddFlightBtn_Click()

' Check If all the required fields are filled

If IsNull(Me.RefNo.Value) Or IsNull(Me.RegDate.Value) Or IsNull(Me.OPSDate.Value) Or IsNull(Me.Customer.Value) Or IsNull(Me.Operator.Value) _

Form_FlightSupport_RequestF- 2

```
Or IsNull(Me.ACType.Value) Or IsNull(Me.ACMTOW.Value) Or IsNull(Me.ACRegCb.Value) Or IsNull(Me
.PFL.Value) Or IsNull(Me.Schedule.Value) Or IsNull(Me.Route.Value) Or IsNull(Me.RequiredServices.Value
) Then
    MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"
Exit Sub
Else
    ' Add a New record To the table
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    Set db = CurrentDb
    Set rs = db.OpenRecordset("NewFlightRequestsT", dbOpenDynaset)

    rs.AddNew

    ' Assign values To the fields in the table
    With rs
        .Fields("RefNo").Value = Me.RefNo.Value
        .Fields("ReqNo").Value = Me.RegNo.Value
        .Fields("ReqDate").Value = Me.RegDate.Value
        .Fields("OPSDDate").Value = Me.OPSDDate.Value
        .Fields("Customer").Value = Me.Customer.Value
        .Fields("Operator").Value = Me.Operator.Value
        .Fields("ACType").Value = Me.ACType.Value
        .Fields("ACMTOW").Value = Me.ACMTOW.Value
        .Fields("ACReg").Value = Me.ACRegCb.Value
        .Fields("PFL").Value = Me.PFL.Value
        .Fields("Schedule").Value = Me.Schedule.Value
        .Fields("FuelRequest").Value = Me.FuelRequestCb.Value
        .Fields("FlightSupport").Value = Me.FlightSupportCb.Value
        .Fields("RequestStatus").Value = Me.RequestStatus.Value
        .Fields("Route").Value = Me.Route.Value
        .Fields("RequiredServices").Value = Me.RequiredServices.Value

        ' Save the New record
        .Update
    End With

    ' Clean up

    rs.Close
    Set rs = Nothing
    Set db = Nothing

    ' Reset form values
    'DoCmd.RunCommand acCmdRecordsGoToNew
    'DoCmd.GoToRecord , , acNewRec
    Me.Undo
    ' Display a message indicating successful addition
    MsgBox "Request added successfully, Now send request email to the vendor"
End If
Me.Refresh

End Sub
```

```
Private Sub AddUpdateBtn_Click()
DoCmd.OpenForm "FlightSupport_RequestUpdateF", WindowMode:=acWindowNormal
End Sub
```

```
Private Sub RefreshBtn_Click()
    Me.Requery
    Me.Refresh
End Sub
```

```
Private Sub ExtBriefBtn_Click()
    Dim strWehre As String
    Dim InLeng As Long
```

Form_FlightSupport_RequestF- 3

```
If Not IsNull(Me.Customer) Then

    strWhere = strWhere & "([Customer] Like "*" & Me.Customer & "*) And "
End If

If Not IsNull(Me.Operator) Then

    strWhere = strWhere & "([Operator] Like "*" & Me.Operator & "*) And "
End If
If Not IsNull(Me.RefNo) Then
    strWhere = strWhere & "([RefNo] Like "*" & Me.RefNo & "*) And "
End If

IngLen = Len(strWhere) - 5
If IngLen <= 0 Then
    MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
Else
    strWhere = Left$(strWhere, IngLen)
    Me.Filter = strWhere
    Me.FilterOn = True
    DoCmd.OpenReport "FlightSupport_ExternalReport", acViewPreview, , strWhere
End If
End Sub

Private Sub FlightBriefBtn_Click()
    Dim strWhere As String
    Dim IngLen As Long

    If Not IsNull(Me.Customer) Then
        strWhere = strWhere & "([Customer] Like "*" & Me.Customer & "*) And "
    End If

    If Not IsNull(Me.Operator) Then
        strWhere = strWhere & "([Operator] Like "*" & Me.Operator & "*) And "
    End If
    If Not IsNull(Me.RefNo) Then
        strWhere = strWhere & "([RefNo] Like "*" & Me.RefNo & "*) And "
    End If

    IngLen = Len(strWhere) - 5
    If IngLen <= 0 Then
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    Else
        strWhere = Left$(strWhere, IngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenReport "FlightSupport_InternalReport", acViewPreview, , strWhere
    End If
End Sub

Private Sub Form_Load()
    LoadLastRequestBtn_Click
End Sub

Private Sub newRequestBtn_Click()
    ' Clear the form fields To prepare For a New record
    ' Set the default value For the RefNo field

    If IsNull(Me.RefNo) Or Me.RefNo = "" Then
        cmdGenerate_Click
    End If
    ' Set focus To the first field For data entry
    Me.RegNo.SetFocus
End Sub

Private Sub OPSDate_Click()
    InputDateField OPSDate, "Select a date To use this on your form"
End Sub
```

Form_FlightSupport_RequestF-- 4

```
Public Sub TriggerAfterUpdate()  
    Call RefNo2_AfterUpdate  
End Sub
```

```
Private Sub RefNo2_AfterUpdate()  
    Dim selectedRefNo As Variant
```

```
    'Me.RecordSource = "Select * FROM NewFlightRequestsT WHERE RefNo = '" & Me.RefNo2 & "';"  
    Me.RecordSource = "Select RefNo,ReqNo,ReqDate,OPSDate,Customer,Operator,ACType,ACMTOW,ACReg,PFL,Schedule,FuelRequest,FlightSupport,RequestStatus,Route,RequiredServices FROM NewFlightRequestsT WHERE RefNo = '" & Me.RefNo2 & "';"  
    selectedRefNo = Me.RefNo2.Value  
    If Not IsNull(selectedRefNo) Then  
        Forms("FlightSupport_LASTFORM").Controls("FlightSupport_NewAddSectorF").Form.Controls("RefNo").Value = selectedRefNo  
        Me.Refresh  
        Me.Requery  
        RefNo_reselect  
    Else  
        Exit Sub  
    End If
```

```
End Sub
```

```
Private Sub RefNo_reselect()  
    Dim selectedRefNo As Variant  
    Dim query As String  
    'Dim selectedSect_ID As Integer  
    selectedRefNo = Forms("FlightSupport_LASTFORM").Controls("FlightSupport_NewAddSectorF").Form.Controls("RefNo").Value ' Get the selected value from RefNo combo box
```

```
    ' Construct the dynamic query based on the selected value  
    query = "SELECT SectorNo, Sect_ID FROM NewSectorsT WHERE RefNo = '" & selectedRefNo & "' ORDER BY SectorNo ASC;"
```

```
    ' Set the RowSource Property of the other subform's combo box To the dynamic query  
    'selectedSect_ID = Forms("FlightSupport_LASTFORM").Controls("FlightSupport_NewAddSectorF").Form.Controls("Sect_ID").Value  
    Forms("FlightSupport_LASTFORM").Controls("FlightSupport_BriefsF").Form.Controls("PermitBriefF").Controls("Sect_ID").RowSource = query  
    Forms("FlightSupport_LASTFORM").Controls("FlightSupport_NewAddSectorF").Form.Controls("AddLocationF").Controls("Sect_ID").RowSource = query  
    Forms("FlightSupport_LASTFORM").Controls("FlightSupport_NewAddSectorF").Form.Controls("Sect_ID").RowSource = query
```

```
    ' Requery the other subform's combo box To reflect the updated options  
    Me.Requery  
    Me.Refresh
```

```
End Sub
```

```
Public Sub ReqDate_Click()  
    InputDateField ReqDate, "Select a date To use this on your form"  
End Sub
```

```
Private Sub ResetBtn_Click()  
    On Error GoTo ErrorHandler  
  
    Me.Undo  
    DoCmd.CancelEvent  
    DoCmd.GoToRecord , , acNewRec  
  
    Exit Sub
```

```
ErrorHandler:  
    MsgBox "An error occurred: " & err.Description, vbExclamation  
End Sub
```

```
Private Sub LoadLastRequestBtn_Click()  
    Dim MaxID As Long  
    'Dim RefNoDropDownList As String
```

Form_FlightSupport_RequestF- 5

```
    MaxID = DMax("ID", "NewFlightRequestsT")

    'RefNoDropDownList = "Select RefNo, ID FROM NewFlightRequestsT ORDER BY ID DESC;"
    Me.RecordSource = "Select RefNo,ReqNo,ReqDate,OPSDate,Customer,Operator,ACType,ACMTOW,ACReg,PFL,Schedule,FuelRequest,FlightSupport,RequestStatus,Route,RequiredServices FROM NewFlightRequestsT WHERE ID"
= " & MaxID & ";"
    Me.RefNo2 = Me.RefNo
    Me.Requery

'Me.RefNo.Value = M.RefNo2.Value

' Forms!FlightSupport_LASTFORM!FlightSupport_NewAddSectorF!RefNo = Me.RefNo
End Sub
```


Form_FlightSupport_RequestF_New - 1

Option Compare Database

Private Sub cmdGenerate_Click()

Dim rst As DAO.Recordset

Dim randomRefValue As Integer

Dim RefNo As String

Dim isUnique As Boolean

Do

' Generate a random number between 1 And 999

randomRefValue = Int((9999 - 1 + 1) * Rnd + 1)

' Check If the generated number is greater than Or equal To 176

If randomRefValue >= 176 Then

' Generate the reference number

RefNo = "TAS-" & Format(randomRefValue, "0000") & "/" & Format(date, "yy")

' Check If the generated reference number already exists in the NewFlightRequestsT table

' Set rst = CurrentDb.OpenRecordset("Select RefNo FROM FlightSupport_FlightRequestsT WHERE
RefNo = '" & RefNo & "'", dbOpenSnapshot)

' Check If the generated reference number already exists in both tables

Set rst = CurrentDb.OpenRecordset("SELECT RefNo FROM NewFlightRequestsT WHERE RefNo = '" &
RefNo & "' UNION ALL SELECT RefNo FROM FlightSupport_FlightRequestsT WHERE RefNo = '" & RefNo & "'",
dbOpenSnapshot)

If rst.EOF Then

' If the generated reference number does Not exist, assign it To the form field
Me.RefNo.Value = RefNo

' Set the flag To indicate that a unique reference number has been generated
isUnique = True

End If

rst.Close

Set rst = Nothing

End If

Loop Until isUnique

End Sub

Private Sub AddFlightBtn_Click()

newRequestBtn_Click

' Check If all the required fields are filled

If IsNull(Me.RefNo.Value) Or IsNull(Me.RegDate.Value) Or IsNull(Me.OPSDate.Value) Or IsNull(Me.PFL
.Value) Or IsNull(Me.PFL.Value) Or IsNull(Me.InitialRequest.Value) Then

MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"

Exit Sub

Else

' Add a New record To the table

Dim db As DAO.Database

Dim rs As DAO.Recordset

Set db = CurrentDb

Set rs = db.OpenRecordset("FlightSupport_FlightRequestsT", dbOpenDynaset)

rs.AddNew

' Assign values To the fields in the table

With rs

.Fields("RefNo").Value = Me.RefNo.Value

.Fields("ReqNo").Value = Me.RegNo.Value

.Fields("ReqDate").Value = Me.RegDate.Value

.Fields("OPSDate").Value = Me.OPSDate.Value

.Fields("PFL").Value = Me.PFL.Value

.Fields("ScheduleUpdates").Value = Me.ScheduleUpdates.Value

.Fields("FuelRequest").Value = Me.FuelRequestCb.Value

.Fields("FlightSupport").Value = Me.FlightSupportCb.Value

.Fields("RequestStatus").Value = Me.RequestStatus.Value

.Fields("Notes").Value = Me.Notes.Value

.Fields("InitialRequest").Value = Me.InitialRequest.Value

.Fields("Urgent").Value = Me.Urgent.Value

```

        ' Save the New record
        .Update
    End With

    ' Clean up

    rs.Close
    Set rs = Nothing
    Set db = Nothing

    Me.Undo
    ' Display a message indicating successful addition
    LoadLastRequestBtn_Click
    MsgBox "Request added successfully, Now send request email to the vendor"
End If
Me.Refresh

End Sub

Private Sub AddUpdateBtn_Click()
DoCmd.OpenForm "FlightSupport_RequestUpdateF", WindowMode:=acWindowNormal
End Sub

Private Sub Command376_Click()

    Dim strWhere As String
    Dim InLeng As Long
    If Not IsNull(Me.RefNo) Then
        strWhere = strWhere & "([RefNo] Like "*" & Me.RefNo & "*)" And "
    End If

    IngLen = Len(strWhere) - 5
    If IngLen <= 0 Then
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    Else
        strWhere = Left$(strWhere, IngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenReport "FlightSupport_FullExternalReport", acViewPreview, , strWhere
    End If
End Sub

Private Sub FullBriefBtn_Click()

    Dim strWhere As String
    Dim InLeng As Long
    If Not IsNull(Me.RefNo) Then
        strWhere = strWhere & "([RefNo] Like "*" & Me.RefNo & "*)" And "
    End If

    IngLen = Len(strWhere) - 5
    If IngLen <= 0 Then
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    Else
        strWhere = Left$(strWhere, IngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenReport "FlightSupport_FullExternalReport_New", acViewPreview, , strWhere
    End If
End Sub

Private Sub RefreshBtn_Click()
    Me.Requery
    Me.Refresh
End Sub

```

Form_FlightSupport_RequestF_New - 3

```
Private Sub ExtBriefBtn_Click()  
    Dim strWehre As String  
    Dim InLeng As Long  
    If Not IsNull(Me.RefNo) Then  
        strWhere = strWhere & "([RefNo] Like "*" & Me.RefNo & "*)" And "  
    End If  
  
    IngLen = Len(strWhere) - 5  
    If IngLen <= 0 Then  
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"  
    Else  
        strWhere = Left$(strWhere, IngLen)  
        Me.Filter = strWhere  
        Me.FilterOn = True  
        DoCmd.OpenReport "FlightSupport_ExternalReport_New", acViewPreview, , strWhere  
    End If  
End Sub
```

```
Private Sub FlightBriefBtn_Click()  
    Dim strWehre As String  
    Dim InLeng As Long  
  
    If Not IsNull(Me.RefNo) Then  
        strWhere = strWhere & "([RefNo] Like "*" & Me.RefNo & "*)" And "  
    End If  
  
    IngLen = Len(strWhere) - 5  
    If IngLen <= 0 Then  
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"  
    Else  
        strWhere = Left$(strWhere, IngLen)  
        Me.Filter = strWhere  
        Me.FilterOn = True  
        DoCmd.OpenReport "FlightSupport_EnternalReport_New", acViewPreview, , strWhere  
    End If  
End Sub
```

```
Private Sub Form_Load()  
    LoadLastRequestBtn_Click  
    'RefNo2_AfterUpdate  
End Sub
```

```
Private Sub newRequestBtn_Click()  
    ' Clear the form fields To prepare For a New record  
    ' Set the default value For the RefNo field  
  
    If IsNull(Me.RefNo) Or Me.RefNo = "" Then  
        cmdGenerate_Click  
    End If  
    ' Set focus To the first field For data entry  
    Me.ReqNo.SetFocus  
End Sub
```

```
Private Sub OPSDate_Click()  
    InputDateField OPSDate, "Select a date To use this on your form"  
End Sub
```

```
Public Sub TriggerAfterUpdate()  
    Call RefNo2_AfterUpdate  
End Sub
```

```
Private Sub RefNo2_AfterUpdate()  
    Dim selectedRefNo As Variant  
    Dim addSectorsF As Form  
    Me.RecordSource = "Select RefNo,ReqNo,ReqDate,OPSDate,PFL,ScheduleUpdates,FuelRequest,FlightSupport  
t,RequestStatus,Notes,InitialRequest,Urgent FROM FlightSupport_FlightRequestsT WHERE RefNo = '" & Me.R  
efNo2 & "';"  
    selectedRefNo = Me.RefNo2.Value
```

Form_FlightSupport_RequestF_New - 4

```
If Not IsNull(selectedRefNo) Then
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_AddSectorsF").Form.Controls("RequestRefNo").Value = selectedRefNo
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_AddSectorsF").Form.Controls("SectorRefNo").Value = selectedRefNo
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("RequestRefNo_Update").Value = selectedRefNo
    'Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("HandlingSectorCmb").Value = SelectedRefNo
    Reset_DropDowns
    RefNo_reselect
    activeFilter
    Me.Requery
    Me.Refresh
```

```
Else
    Exit Sub
End If
End Sub
```

```
Private Sub RefNo_reselect()
    Dim selectedRefNo As Variant
    Dim query As String
    selectedRefNo = Me.RefNo2.Value
```

```
    ' Construct the dynamic query based on the selected value
    query = "Select SectorNo, Sect_ID FROM FlightSupport_SectorsT_New_V12 WHERE FlightRefNo = '" & selectedRefNo & "' AND SectorStatus = 'Active' ORDER BY SectorNo ASC;"
```

```
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_AddSectorsF").Form.Controls("Sect_IDCmb").RowSource = query
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("PermitBriefF").Controls("Sect_ID").RowSource = query
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("SectorNoCmb").RowSource = query
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("PermitSectorsCmb").RowSource = query
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("HandlingSectorCmb").RowSource = query
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("ConciergeSectorCmb").RowSource = query
    ' Requery the other subform's combo box To reflect the updated options
    Me.Requery
    Me.Refresh
```

```
End Sub
Private Sub Reset_DropDowns()
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("SectorNoCmb").Value = Null
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("PermitSectorsCmb").Value = Null
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("HandlingSectorCmb").Value = Null
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("LocationsCmb").Value = Null
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("ConciergeSectorCmb").Value = Null
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("Con_LocationsCmb").Value = Null
End Sub
```

```
Private Sub activeFilter()
    Dim selectedRefNo As Variant
    Dim query As String
    selectedRefNo = Me.RefNo2.Value
```

```
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("RequestRefNo_Update").Value = selectedRefNo
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("FlightSupport_UpdateSectorsF_New").Form.Filter = "FlightRefNo = '" & selectedRefNo & "'"
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls
```

Form_FlightSupport_RequestF_New - 5

```
("FlightSupport_UpdateSectorsF_New").Form.FilterOn = True
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls
("FlightSupport_SectorsListF_New").Form.Filter = "FlightRefNo = '" & selectedRefNo & "'"
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls
("FlightSupport_SectorsListF_New").Form.FilterOn = True
End Sub

Public Sub ReqDate_Click()
    InputDateField_ReqDate, "Select a date To use this on your form"
End Sub

Private Sub ResetBtn_Click()
    On Error GoTo ErrorHandler

    Me.Undo
    DoCmd.CancelEvent
    DoCmd.GoToRecord , , acNewRec

Exit Sub

ErrorHandler:
    MsgBox "An error occurred: " & err.Description, vbExclamation
End Sub

Private Sub LoadLastRequestBtn_Click()
    Dim MaxID As Long
    MaxID = DMax("ID", "FlightSupport_FlightRequestsT")

    Me.RecordSource = "Select RefNo,ReqNo,ReqDate,OPSDDate,PFL,ScheduleUpdates,FuelRequest,FlightSupport
t,RequestStatus,Notes,InitialRequest,Urgent FROM FlightSupport_FlightRequestsT WHERE ID = " & MaxID &
";"
    Me.RefNo2 = Me.RefNo
    Me.Requery

End Sub
```

Option Compare Database

Private Sub cmdGenerate_Click()

Dim rst As DAO.Recordset

Dim randomRefValue As Integer

Dim RefNo As String

Dim isUnique As Boolean

Do

' Generate a random number between 1 And 999

randomRefValue = Int((9999 - 1 + 1) * Rnd + 1)

' Check If the generated number is greater than Or equal To 176

If randomRefValue >= 176 Then

' Generate the reference number

RefNo = "TAS-" & Format(randomRefValue, "0000") & "/" & Format(date, "yy")

' Check If the generated reference number already exists in the NewFlightRequestsT table

' Set rst = CurrentDb.OpenRecordset("Select RefNo FROM FlightSupport_FlightRequestsT WHERE

RefNo = '" & RefNo & "'", dbOpenSnapshot)

' Check If the generated reference number already exists in both tables

Set rst = CurrentDb.OpenRecordset("Select RefNo FROM NewFlightRequestsT WHERE RefNo = '" &

RefNo & "'" UNION ALL Select RefNo FROM FlightSupport_FlightRequestsT WHERE RefNo = '" & RefNo & "'", dbOpenSnapshot)

If rst.EOF Then

' If the generated reference number does Not exist, assign it To the form field

Me.RefNo.Value = RefNo

' Set the flag To indicate that a unique reference number has been generated

isUnique = True

End If

rst.Close

Set rst = Nothing

End If

Loop Until isUnique

End Sub

Private Sub AddFlightBtn_Click()

newRequestBtn_Click

' Check If all the required fields are filled

If IsNull(Me.RefNo.Value) Or IsNull(Me.RegDate.Value) Or IsNull(Me.OPSDate.Value) Or IsNull(Me.PFL

.Value) Or IsNull(Me.InitialRequest.Value) Then

MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"

Exit Sub

Else

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim currentTimestamp As Variant

Set db = CurrentDb

Set rs = db.OpenRecordset("FlightSupport_FlightRequestsT", dbOpenDynaset)

On Error GoTo ErrorHandler

rs.AddNew

' Assign values To the fields in the table

With rs

.Fields("RefNo").Value = Me.RefNo.Value

.Fields("ReqNo").Value = Me.RegNo.Value

.Fields("ReqDate").Value = Me.RegDate.Value

.Fields("OPSDate").Value = Me.OPSDate.Value

.Fields("PFL").Value = Me.PFL.Value

.Fields("ScheduleUpdates").Value = Me.ScheduleUpdates.Value

.Fields("FuelRequest").Value = Me.FuelRequestCb.Value

.Fields("FlightSupport").Value = Me.FlightSupportCb.Value

.Fields("RequestStatus").Value = Me.RequestStatus.Value

.Fields("Notes").Value = Me.Notes.Value

.Fields("InitialRequest").Value = Me.InitialRequest.Value

.Fields("OVFPermit").Value = Me.OVFPermitCbx.Value

.Fields("Urgent").Value = Me.Urgent.Value

.Fields("Catering").Value = Me.CateringCbx.Value

```

.Fields("Hotel").Value = Me.HotelCbx.Value
.Fields("Transportation").Value = Me.TransportationCbx.Value
.Fields("LandingPermit").Value = Me.LandingPermitCbx.Value
.Fields("GH").Value = Me.GHCbx.Value

' Store the current timestamp For the record
currentTimestamp = Now
.Fields("LastModifiedTimestamp").Value = currentTimestamp
.Update
End With

' Attempt To update the record
'rs.Update

' Display a message indicating successful addition
MsgBox "Request added successfully, Now send request email To the vendor"

rs.Close
Set rs = Nothing
Set db = Nothing

Me.Undo

' Display the last added record
Dim MaxID As Long
MaxID = DMax("ID", "FlightSupport_FlightRequestsT")
Me.RecordSource = "Select RefNo, ReqNo, ReqDate, OPSDate, PFL, ScheduleUpdates, FuelRequest, FlightSupport, RequestStatus, Notes, InitialRequest, Urgent, GH, OVFPPermit, Catering, Hotel, Transportation, LandingPermit FROM FlightSupport_FlightRequestsT WHERE ID = " & MaxID & ";"
Me.Requery

' Clean up

Exit Sub
End If

ErrorHandler:
Dim errorMessage As String
errorMessage = "An error occurred While adding the request:" & vbNewLine
errorMessage = errorMessage & "Error Number: " & err.Number & vbNewLine
errorMessage = errorMessage & "Error Description: " & err.Description & vbNewLine
MsgBox errorMessage, vbExclamation, "Error"

If Not rs Is Nothing Then
rs.Close
Set rs = Nothing
Set db = Nothing

Me.Undo
MsgBox "Failed To add Request successfully"
End If

err.Clear

End Sub
Private Sub FullBriefBtn_Click()

Dim strWehre As String
Dim InLeng As Long
If Not IsNull(Me.RefNo) Then
strWhere = strWhere & "([RefNo] Like ""*"" & Me.RefNo & ""*"") And "
End If

IngLen = Len(strWhere) - 5
If IngLen <= 0 Then
MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
Else
strWhere = Left$(strWhere, IngLen)
Me.Filter = strWhere
Me.FilterOn = True

```

```

        DoCmd.OpenReport "FlightSupport_FullExternalReport_New", acViewPreview, , strWhere
    End If

End Sub

Private Sub RefreshBtn_Click()
    Me.Requery
    Me.Refresh
End Sub

Private Sub ExtBriefBtn_Click()
    Dim strWhere As String
    Dim InLeng As Long
    If Not IsNull(Me.RefNo) Then
        strWhere = strWhere & "([RefNo] Like "*" & Me.RefNo & "*)" And "
    End If

    IngLen = Len(strWhere) - 5
    If IngLen <= 0 Then
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    Else
        strWhere = Left$(strWhere, IngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenReport "FlightSupport_ExternalReport_New", acViewPreview, , strWhere
    End If
End Sub

Private Sub FlightBriefBtn_Click()
    Dim strWhere As String
    Dim InLeng As Long

    If Not IsNull(Me.RefNo) Then
        strWhere = strWhere & "([RefNo] Like "*" & Me.RefNo & "*)" And "
    End If

    IngLen = Len(strWhere) - 5
    If IngLen <= 0 Then
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    Else
        strWhere = Left$(strWhere, IngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenReport "FlightSupport_EnternalReport_New", acViewPreview, , strWhere
    End If
End Sub

Private Sub Form_Load()
    LoadLastRequestBtn_Click
End Sub

Private Sub newRequestBtn_Click()
    ' Clear the form fields To prepare For a New record
    ' Set the default value For the RefNo field

    If IsNull(Me.RefNo) Or Me.RefNo = "" Then
        cmdGenerate_Click
    End If
    ' Set focus To the first field For data entry
    Me.RegNo.SetFocus
End Sub

Private Sub OPSDate_Click()
    InputDateField OPSDate, "Select a date To use this on your form"
End Sub

Public Sub TriggerAfterUpdate()
    Call RefNo2_AfterUpdate
End Sub

```



```

Private Sub RefNo2_AfterUpdate()
    Dim selectedRefNo As Variant
    Dim addSectorsF As Form
    Me.RecordSource = "Select RefNo,ReqNo,ReqDate,OPSDDate,PFL,ScheduleUpdates,FuelRequest,FlightSupport
t,RequestStatus,Notes,InitialRequest,Urgent, GH, OVFPPermit, Catering, Hotel, Transportation, LandingPe
rmit FROM FlightSupport_FlightRequestsT WHERE RefNo = '" & Me.RefNo2 & "';"
    selectedRefNo = Me.RefNo2.Value
    If Not IsNull(selectedRefNo) Then
        Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_AddSectorsF").Form.Controls("R
equestRefNo").Value = selectedRefNo
        Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_AddSectorsF").Form.Controls
s("SectorRefNo").Value = selectedRefNo
        Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").F
orm.Controls("RequestRefNo_Update").Value = selectedRefNo
        'Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").
Form.Controls("HandlingSectorCmb").Value = SelectedRefNo
        Reset_DropDowns
        RefNo_reselect
        activeFilter
        Me.Requery
        Me.Refresh

    Else
        Exit Sub
    End If
End Sub

Private Sub RefNo_reselect()
    Dim selectedRefNo As Variant
    Dim query As String
    selectedRefNo = Me.RefNo2.Value

    ' Construct the dynamic query based on the selected value
    query = "Select SectorNo, Sect_ID FROM FlightSupport_SectorsT WHERE RequestRefNo = '" & selectedRe
fNo & "' And TripStatus = 'Active' ORDER BY SectorNo ASC;"
    ' query = "Select SectorNo, Sect_ID FROM FlightSupport_SectorsT WHERE RequestRefNo = '" & Selected
RefNo & "' ORDER BY SectorNo ASC;"

    ' Set the RowSource Property of the other subform's combo box To the dynamic query
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_AddSectorsF").Form.Controls("Sect
IDCmb").RowSource = query
    ' Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_BriefsF").Form.Controls("Brie
fsTabs").Controls("Sect_ID").RowSource = query
    'Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_AddSectorsF").Controls("Fligh
tSupport_AddLocationF").Form.Controls("Sect_ID").RowSource = query
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Cont
rols("SectorNoCmb").RowSource = query
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.
Controls("PermitSectorsCmb").RowSource = query
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").F
orm.Controls("HandlingSectorCmb").RowSource = query
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT
").Form.Controls("ConcierageSectorCmb").RowSource = query
    ' Requery the other subform's combo box To reflect the updated options
    Me.Requery
    Me.Refresh
End Sub

Private Sub Reset_DropDowns()
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls
("SectorNoCmb").Value = Null
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Cont
rols("PermitSectorsCmb").Value = Null
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.
Controls("HandlingSectorCmb").Value = Null
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").F
orm.Controls("LocationsCmb").Value = Null
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").F
orm.Controls("ConcierageSectorCmb").Value = Null
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT
").Form.Controls("Con_LocationsCmb").Value = Null
End Sub

```

```

Private Sub activeFilter()
    Dim selectedRefNo As Variant
    Dim query As String
    selectedRefNo = Me.RefNo2.Value

    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("RequestRefNo_Update").Value = selectedRefNo

    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("FlightSupport_UpdateSectorsF_New").Form.Filter = "RequestRefNo = '" & selectedRefNo & "'"
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("FlightSupport_UpdateSectorsF_New").Form.FilterOn = True
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("FlightSupport_SectorsListF_New").Form.Filter = "RequestRefNo = '" & selectedRefNo & "'"
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("FlightSupport_SectorsListF_New").Form.FilterOn = True

End Sub

Public Sub ReqDate_Click()
    InputDateField ReqDate, "Select a date To use this on your form"
End Sub

Private Sub ResetBtn_Click()
    On Error GoTo ErrorHandler

    Me.Undo
    DoCmd.CancelEvent
    DoCmd.GoToRecord , , acNewRec

    Exit Sub

ErrorHandler:
    MsgBox "An error occurred: " & err.Description, vbExclamation
End Sub

Private Sub LoadLastRequestBtn_Click()
    Dim MaxID As Long
    MaxID = DMax("ID", "FlightSupport_FlightRequestsT")

    Me.RecordSource = "Select RefNo,ReqNo,ReqDate,OPSDate,PFL,ScheduleUpdates,FuelRequest,FlightSupportPermit,RequestStatus,Notes,InitialRequest,Urgent, GH, OVFPPermit, Catering, Hotel, Transportation, LandingPermit FROM FlightSupport_FlightRequestsT WHERE ID = " & MaxID & ";"
    Me.RefNo2 = Me.RefNo
    Me.Requery

End Sub

Private Sub ScheduleUpdates_Change()
    Me.OPSDate.Value = Format(Now, "dd-MM-yyyy")
End Sub

```

Option Compare Database

Private Sub cmdGenerate_Click()

Dim rst As DAO.Recordset

Dim randomRefValue As Integer

Dim RefNo As String

Dim isUnique As Boolean

Do

' Generate a random number between 1 And 999

randomRefValue = Int((9999 - 1 + 1) * Rnd + 1)

' Check If the generated number is greater than Or equal To 176

If randomRefValue >= 176 Then

' Generate the reference number

RefNo = "TAS-" & Format(randomRefValue, "0000") & "/" & Format(date, "yy")

' Check If the generated reference number already exists in the NewFlightRequestsT table

' Set rst = CurrentDb.OpenRecordset("Select RefNo FROM FlightSupport_FlightRequestsT WHERE

RefNo = '" & RefNo & "'", dbOpenSnapshot)

' Check If the generated reference number already exists in both tables

Set rst = CurrentDb.OpenRecordset("Select RefNo FROM NewFlightRequestsT WHERE RefNo = '" &

RefNo & "'" UNION ALL Select RefNo FROM FlightSupport_FlightRequestsT WHERE RefNo = '" & RefNo & "'", dbOpenSnapshot)

If rst.EOF Then

' If the generated reference number does Not exist, assign it To the form field

Me.RefNo.Value = RefNo

' Set the flag To indicate that a unique reference number has been generated

isUnique = True

End If

rst.Close

Set rst = Nothing

End If

Loop Until isUnique

End Sub

Private Sub AddFlightBtn_Click()

newRequestBtn_Click

' Check If all the required fields are filled

If IsNull(Me.RefNo.Value) Or IsNull(Me.RegDate.Value) Or IsNull(Me.OPSDate.Value) Or IsNull(Me.PFL

.Value) Or IsNull(Me.InitialRequest.Value) Then

MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"

Exit Sub

Else

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim currentTimestamp As Variant

Set db = CurrentDb

Set rs = db.OpenRecordset("FlightSupport_FlightRequestsT", dbOpenDynaset)

On Error GoTo ErrorHandler

rs.AddNew

' Assign values To the fields in the table

With rs

.Fields("RefNo").Value = Me.RefNo.Value

.Fields("ReqNo").Value = Me.RegNo.Value

.Fields("ReqDate").Value = Me.RegDate.Value

.Fields("OPSDate").Value = Me.OPSDate.Value

.Fields("PFL").Value = Me.PFL.Value

.Fields("ScheduleUpdates").Value = Me.ScheduleUpdates.Value

.Fields("FuelRequest").Value = Me.FuelRequestCb.Value

.Fields("FlightSupport").Value = Me.FlightSupportCb.Value

.Fields("RequestStatus").Value = Me.RequestStatus.Value

.Fields("Notes").Value = Me.Notes.Value

.Fields("InitialRequest").Value = Me.InitialRequest.Value

.Fields("OVFPermit").Value = Me.OVFPermitCbx.Value

.Fields("Urgent").Value = Me.Urgent.Value

.Fields("Catering").Value = Me.CateringCbx.Value

```

.Fields("Hotel").Value = Me.HotelCbx.Value
.Fields("Transportation").Value = Me.TransportationCbx.Value
.Fields("LandingPermit").Value = Me.LandingPermitCbx.Value
.Fields("GH").Value = Me.GHCbx.Value

' Store the current timestamp For the record
currentTimestamp = Now
.Fields("LastModifiedTimestamp").Value = currentTimestamp
.Update
End With

' Attempt To update the record
'rs.Update

' Display a message indicating successful addition
MsgBox "Request added successfully, Now send request email To the vendor"

rs.Close
Set rs = Nothing
Set db = Nothing

Me.Undo

' Display the last added record
Dim MaxID As Long
MaxID = DMax("ID", "FlightSupport_FlightRequestsT")
Me.RecordSource = "Select RefNo, ReqNo, ReqDate, OPSDate, PFL, ScheduleUpdates, FuelRequest, FlightSupport, RequestStatus, Notes, InitialRequest, Urgent, GH, OVFPPermit, Catering, Hotel, Transportation, LandingPermit FROM FlightSupport_FlightRequestsT WHERE ID = " & MaxID & ";"
Me.Requery

' Clean up

Exit Sub
End If

ErrorHandler:
Dim errorMessage As String
errorMessage = "An error occurred While adding the request:" & vbCrLf
errorMessage = errorMessage & "Error Number: " & err.Number & vbCrLf
errorMessage = errorMessage & "Error Description: " & err.Description & vbCrLf
MsgBox errorMessage, vbExclamation, "Error"

If Not rs Is Nothing Then
rs.Close
Set rs = Nothing
Set db = Nothing

Me.Undo
MsgBox "Failed To add Request successfully"
End If

err.Clear

End Sub

Private Sub AddUpdateBtn_Click()
DoCmd.OpenForm "FlightSupport_RequestUpdateF", WindowMode:=acWindowNormal
End Sub

Private Sub FullBriefBtn_Click()

Dim strWhere As String
Dim InLeng As Long
If Not IsNull(Me.RefNo) Then
strWhere = strWhere & "([RefNo] Like "*" & Me.RefNo & "*)" And "
End If

InLeng = Len(strWhere) - 5
If InLeng <= 0 Then

```

```

        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    Else
        strWhere = Left$(strWhere, IngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenReport "FlightSupport_FullExternalReport_V12", acViewPreview, , strWhere
    End If
End Sub

Private Sub RefreshBtn_Click()
    Me.Requery
    Me.Refresh
End Sub

Private Sub ExtBriefBtn_Click()
    Dim strWhere As String
    Dim InLen As Long
    If Not IsNull(Me.RefNo) Then
        strWhere = strWhere & "([RefNo] Like "*" & Me.RefNo & "*)" And "
    End If

    IngLen = Len(strWhere) - 5
    If IngLen <= 0 Then
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    Else
        strWhere = Left$(strWhere, IngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenReport "FlightSupport_ExternalReport_New", acViewPreview, , strWhere
    End If
End Sub

Private Sub FlightBriefBtn_Click()
    Dim strWhere As String
    Dim InLen As Long

    If Not IsNull(Me.RefNo) Then
        strWhere = strWhere & "([RefNo] Like "*" & Me.RefNo & "*)" And "
    End If

    IngLen = Len(strWhere) - 5
    If IngLen <= 0 Then
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    Else
        strWhere = Left$(strWhere, IngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenReport "FlightSupport_EnternalReport_New", acViewPreview, , strWhere
    End If
End Sub

Private Sub Form_Load()
    LoadLastRequestBtn_Click
End Sub

Private Sub newRequestBtn_Click()
    ' Clear the form fields To prepare For a New record
    ' Set the default value For the RefNo field

    If IsNull(Me.RefNo) Or Me.RefNo = "" Then
        cmdGenerate_Click
    End If
    ' Set focus To the first field For data entry
    Me.ReqNo.SetFocus
End Sub

Private Sub OPSDate_Click()

```

```

    InputDateField OPDate, "Select a date To use this on your form"
End Sub

```

```

Public Sub TriggerAfterUpdate()
    Call RefNo2_AfterUpdate
End Sub

```

```

Private Sub RefNo2_AfterUpdate()
    Dim selectedRefNo As Variant
    Dim SectorNoCmbQ As String
    Dim CurrentForm As Form

```

```

    ' Get the selected RefNo value
    selectedRefNo = Me.RefNo2.Value

```

```

    ' Reference the subform within the main form
    Set CurrentForm = Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_AddUpdateRequestF").Form.Controls("Add_UpdateRequestF").Form

```

```

    ' Set the record source based on the selected RefNo
    Me.RecordSource = "SELECT RefNo, ReqNo, ReqDate, OPDate, PFL, ScheduleUpdates, FuelRequest, FlightSupport, RequestStatus, Notes, InitialRequest, Urgent, GH, OVFPPermit, Catering, Hotel, Transportation, LandingPermit FROM FlightSupport_FlightRequestsT WHERE RefNo = '" & selectedRefNo & "';"

```

```

    ' Construct the query for SectorNoCmb
    SectorNoCmbQ = "SELECT DISTINCT SectorNo, Sect_ID FROM FlightSupport_SectorsT_New_V12 WHERE FlightRefNo = '" & selectedRefNo & "' AND SectorStatus = 'Active' ORDER BY SectorNo ASC;"

```

```

If Not IsNull(selectedRefNo) Then
    On Error Resume Next
If CurrentForm.Form.Controls("SectorRefNo").ControlType <> acEmpty Then
    ' Update controls in the nested subform with the selected RefNo
    CurrentForm.Controls("RequestRefNo").Value = selectedRefNo
    CurrentForm.Controls("SectorRefNo").Value = selectedRefNo
    CurrentForm.Controls("SectorNoCmb").RowSource = SectorNoCmbQ
Else
    CurrentForm.Controls("RequestRefNo").Value = selectedRefNo
    CurrentForm.Controls("SectorNoCmb").RowSource = SectorNoCmbQ
    MsgBox "The control is Not loaded."
End If

```

```

On Error GoTo 0
    ' Reset dropdowns, reselect, and apply filters
    Reset_DropDowns
    RefNo_reselect
    activeFilter

```

```

    ' Requery and refresh the form
    Me.Requery
    Me.Refresh

```

```

Else
    Exit Sub
End If

```

```

End Sub

```

```

Private Sub RefNo_reselect()
    Dim selectedRefNo As Variant
    Dim SectorNoCmbQ As String
    Dim CurrentForm As Form

```

```

    selectedRefNo = Me.RefNo2.Value
    Set CurrentForm = Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_AddUpdateRequestF").Form.Controls("Add_UpdateRequestF").Form

```

```

    Me.RecordSource = "Select RefNo,ReqNo,ReqDate,OPDate,PFL,ScheduleUpdates,FuelRequest,FlightSupport,RequestStatus,Notes,InitialRequest,Urgent, GH, OVFPPermit, Catering, Hotel, Transportation, LandingPermit FROM FlightSupport_FlightRequestsT WHERE RefNo = '" & selectedRefNo & "';"
    SectorNoCmbQ = "Select DISTINCT SectorNo, Sect_ID FROM FlightSupport_SectorsT_New_V12 WHERE FlightRefNo = '" & selectedRefNo & "' And SectorStatus = 'Active' ORDER BY SectorNo ASC;"

```

```

    On Error Resume Next
    If CurrentForm.Form.Controls("ConcierageSectorCmb").ControlType <> acEmpty Or CurrentForm.Form.Controls("PermitSectorsCmb").ControlType <> acEmpty Or CurrentForm.Form.Controls("HandlingSectorCmb").ControlType <> acEmpty Then

```

```

        CurrentForm.Form.Controls("PermitSectorsCmb").RowSource = SectorNoCmbQ
        CurrentForm.Form.Controls("HandlingSectorCmb").RowSource = SectorNoCmbQ
        CurrentForm.Form.Controls("ConcierageSectorCmb").RowSource = SectorNoCmbQ
        CurrentForm.Form.Controls("FlightSupport_ServicesTabs").Controls("BriefsTabs").Form.Controls("Sect_ID").RowSource = SectorNoCmbQ
    Else
        MsgBox "The control is Not loaded."
    End If

    On Error GoTo 0 ' Disable error handling To return To normal error behavior
    Me.Requery
    Me.Refresh
End Sub

Private Sub Reset_DropDowns()
    Dim CurrentForm As Form
    Set CurrentForm = Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_AddUpdateRequestF").Form.Controls("Add_UpdateRequestF").Form

    On Error Resume Next
    If CurrentForm.Form.Controls("ConcierageSectorCmb").ControlType <> acEmpty Or CurrentForm.Form.Controls("PermitSectorsCmb").ControlType <> acEmpty Or CurrentForm.Form.Controls("HandlingSectorCmb").ControlType <> acEmpty Then
        CurrentForm.Form.Controls("PermitSectorsCmb").Value = Null
        CurrentForm.Form.Controls("HandlingSectorCmb").Value = Null
        CurrentForm.Form.Controls("ConcierageSectorCmb").Value = Null
        CurrentForm.Form.Controls("FlightSupport_ServicesTabs").Controls("BriefsTabs").Form.Controls("Sect_ID").Value = Null
    Else
        CurrentForm.Form.Controls("SectorNoCmb").Value = Null
        MsgBox "The control is Not loaded."
    End If

    On Error GoTo 0 ' Disable error handling To return To normal error behavior
End Sub

Private Sub activeFilter()
    Dim selectedRefNo As Variant
    Dim query As String
    Dim CurrentForm As Form

    Set CurrentForm = Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_AddUpdateRequestF").Form.Controls("Add_UpdateRequestF").Form
    selectedRefNo = Me.RefNo2.Value

    On Error Resume Next
    If CurrentForm.Form.Controls("ConcierageSectorCmb").ControlType <> acEmpty Or CurrentForm.Form.Controls("PermitSectorsCmb").ControlType <> acEmpty Or CurrentForm.Form.Controls("HandlingSectorCmb").ControlType <> acEmpty Then
        CurrentForm.Form.Controls("FlightSupport_UpdateSectorsF_New").Form.Filter = "RequestRefNo = '" & selectedRefNo & "'"
        CurrentForm.Form.Controls("FlightSupport_UpdateSectorsF_New").Form.FilterOn = True
        CurrentForm.Form.Controls("FlightSupport_SectorsListF_New").Form.Filter = "RequestRefNo = '" & selectedRefNo & "'"
        CurrentForm.Form.Controls("FlightSupport_SectorsListF_New").Form.FilterOn = True
    Else
        MsgBox "The control is Not loaded."
    End If
End Sub

Public Sub ReqDate_Click()
    InputDateField ReqDate, "Select a date To use this on your form"
End Sub

Private Sub ResetBtn_Click()
    On Error GoTo ErrorHandler

    Me.Undo
    DoCmd.CancelEvent
    DoCmd.GoToRecord , , acNewRec

```

Exit Sub

ErrorHandler:

MsgBox "An error occurred: " & err.Description, vbExclamation

End Sub

Private Sub LoadLastRequestBtn_Click()

Dim MaxID As Long

MaxID = DMax("ID", "FlightSupport_FlightRequestsT")

Me.RecordSource = "Select RefNo,ReqNo,ReqDate,OPSDDate,PFL,ScheduleUpdates,FuelRequest,FlightSupport
t,RequestStatus,Notes,InitialRequest,Urgent, GH, OVFPPermit, Catering, Hotel, Transportation, LandingPe
rmit FROM FlightSupport_FlightRequestsT WHERE ID = " & MaxID & ";"

Me.RefNo2 = Me.RefNo

Me.Requery

End Sub

Private Sub ScheduleUpdates_Change()

Me.OPSDDate.Value = Format(Now, "dd-MM-yyyy")

End Sub

Form_FlightSupport_RequestF_New1 - 1

Option Compare Database

Private Sub cmdGenerate_Click()

Dim rst As DAO.Recordset

Dim randomRefValue As Integer

Dim RefNo As String

Dim isUnique As Boolean

Do

' Generate a random number between 1 And 999

randomRefValue = Int((9999 - 1 + 1) * Rnd + 1)

' Check If the generated number is greater than Or equal To 176

If randomRefValue >= 176 Then

' Generate the reference number

RefNo = "TAS-" & Format(randomRefValue, "0000") & "/" & Format(date, "yy")

' Check If the generated reference number already exists in the NewFlightRequestsT table

Set rst = CurrentDb.OpenRecordset("Select RefNo FROM FlightSupport_FlightRequestsT WHERE R
efNo = '" & RefNo & "'", dbOpenSnapshot)

If rst.EOF Then

' If the generated reference number does Not exist, assign it To the form field

Me.RefNo.Value = RefNo

' Set the flag To indicate that a unique reference number has been generated

isUnique = True

End If

rst.Close

Set rst = Nothing

End If

Loop Until isUnique

End Sub

Private Sub AddFlightBtn_Click()

newRequestBtn_Click

' Check If all the required fields are filled

If IsNull(Me.RefNo.Value) Or IsNull(Me.RegDate.Value) Or IsNull(Me.OPSDate.Value) Or IsNull(Me.PFL
.Value) Or IsNull(Me.PFL.Value) Or IsNull(Me.InitialRequest.Value) Then

MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"

Exit Sub

Else

' Add a New record To the table

Dim db As DAO.Database

Dim rs As DAO.Recordset

Set db = CurrentDb

Set rs = db.OpenRecordset("FlightSupport_FlightRequestsT", dbOpenDynaset)

rs.AddNew

' Assign values To the fields in the table

With rs

.Fields("RefNo").Value = Me.RefNo.Value

.Fields("ReqNo").Value = Me.RegNo.Value

.Fields("ReqDate").Value = Me.RegDate.Value

.Fields("OPSDate").Value = Me.OPSDate.Value

.Fields("PFL").Value = Me.PFL.Value

.Fields("ScheduleUpdates").Value = Me.ScheduleUpdates.Value

.Fields("FuelRequest").Value = Me.FuelRequestCb.Value

.Fields("FlightSupport").Value = Me.FlightSupportCb.Value

.Fields("RequestStatus").Value = Me.RequestStatus.Value

.Fields("Notes").Value = Me.Notes.Value

.Fields("InitialRequest").Value = Me.InitialRequest.Value

' Save the New record

.Update

End With

```

        ' Clean up

rs.Close
Set rs = Nothing
Set db = Nothing

Me.Undo
' Display a message indicating successful addition
MsgBox "Request added successfully, Now send request email to the vendor"
End If
Me.Refresh

End Sub

Private Sub AddUpdateBtn_Click()
DoCmd.OpenForm "FlightSupport_RequestUpdateF", WindowMode:=acWindowNormal
End Sub

Private Sub RefreshBtn_Click()
Me.Requery
Me.Refresh
End Sub

Private Sub ExtBriefBtn_Click()
Dim strWhere As String
Dim InLeng As Long

'If Not IsNull(Me.Customer) Then

'   strWhere = strWhere & "([Customer] Like ""*" & Me.Customer & ""*)" And "
'End If

'If Not IsNull(Me.Operator) Then

'   strWhere = strWhere & "([Operator] Like ""*" & Me.Operator & ""*)" And "
'   End If
If Not IsNull(Me.RefNo) Then
    strWhere = strWhere & "([RefNo] Like ""*" & Me.RefNo & ""*)" And "
End If

InLeng = Len(strWhere) - 5
If InLeng <= 0 Then
    MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
Else
    strWhere = Left$(strWhere, InLeng)
    Me.Filter = strWhere
    Me.FilterOn = True
    DoCmd.OpenReport "FlightSupport_ExternalReport_New", acViewPreview, , strWhere
End If
End Sub

Private Sub FlightBriefBtn_Click()
Dim strWhere As String
Dim InLeng As Long

If Not IsNull(Me.Customer) Then
    strWhere = strWhere & "([Customer] Like ""*" & Me.Customer & ""*)" And "
End If

If Not IsNull(Me.Operator) Then
    strWhere = strWhere & "([Operator] Like ""*" & Me.Operator & ""*)" And "
End If
If Not IsNull(Me.RefNo) Then
    strWhere = strWhere & "([RefNo] Like ""*" & Me.RefNo & ""*)" And "
End If

InLeng = Len(strWhere) - 5
If InLeng <= 0 Then
    MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"

```

Form_FlightSupport_RequestF_New1 - 3

```
Else
    strWhere = Left$(strWhere, IngLen)
    Me.Filter = strWhere
    Me.FilterOn = True
    DoCmd.OpenReport "FlightSupport_InternalReport", acViewPreview, , strWhere
End If
End Sub
```

```
Private Sub Form_Load()
    LoadLastRequestBtn_Click
End Sub
```

```
Private Sub newRequestBtn_Click()
    ' Clear the form fields To prepare For a New record
    ' Set the default value For the RefNo field

    If IsNull(Me.RefNo) Or Me.RefNo = "" Then
        cmdGenerate_Click
    End If
    ' Set focus To the first field For data entry
    Me.ReqNo.SetFocus
End Sub
```

```
Private Sub OPSDate_Click()
    InputDateField OPSDate, "Select a date To use this on your form"
End Sub
```

```
Public Sub TriggerAfterUpdate()
    Call RefNo2_AfterUpdate
End Sub
```

```
Private Sub RefNo2_AfterUpdate()
    Dim selectedRefNo As Variant
    Dim addSectorsF As Form
    Me.RecordSource = "Select RefNo,ReqNo,ReqDate,OPSDate,PFL,ScheduleUpdates,FuelRequest,FlightSupportRequestStatus,Notes,InitialRequest FROM FlightSupport_FlightRequestsT WHERE RefNo = '" & Me.RefNo2 & "';"
    selectedRefNo = Me.RefNo2.Value
    If Not IsNull(selectedRefNo) Then
        Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_AddSectorsF").Form.Controls("RequestRefNo").Value = selectedRefNo
        Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_AddSectorsF").Form.Controls("SectorRefNo").Value = selectedRefNo
        Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("RequestRefNo_Update").Value = selectedRefNo
        ' Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("HandlingSectorCmb").Value = SelectedRefNo
        RefNo_reselect
        Me.Requery
        Me.Refresh
    End If
End Sub
```

```
Private Sub RefNo_reselect()
    Dim selectedRefNo As Variant
    Dim query As String
    selectedRefNo = Me.RefNo2.Value
    'SelectedRefNo = Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_NewAddSectorsF").Form.Controls("RequestRefNo").Value ' Get the selected value from RefNo combo box

    ' Construct the dynamic query based on the selected value
    query = "Select SectorNo, Sect_ID FROM FlightSupport_SectorsT WHERE RequestRefNo = '" & selectedRefNo & "' ORDER BY SectorNo ASC;"

    ' Set the RowSource Property of the other subform's combo box To the dynamic query
    Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_AddSectorsF").Form.Controls("SectorIDCmb").RowSource = query
    Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_BriefsF").Form.Controls("PermitBriefingCmb").RowSource = query
End Sub
```

Form_FlightSupport_RequestF_New1 - 4

```
efF").Controls("Sect_ID").RowSource = query
    'Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_AddSectorsF").Controls("FlightSupport_AddLocationF").Form.Controls("Sect_ID").RowSource = query
    Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("SectorNoCmb").RowSource = query
    Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("PermitSectorsCmb").RowSource = query
    Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("HandlingSectorCmb").RowSource = query
    ' Requery the other subform's combo box To reflect the updated options
    Me.Requery
    Me.Refresh
End Sub

Public Sub ReqDate_Click()
    InputDateField ReqDate, "Select a date To use this on your form"
End Sub

Private Sub ResetBtn_Click()
    On Error GoTo ErrorHandler

    Me.Undo
    DoCmd.CancelEvent
    DoCmd.GoToRecord , , acNewRec

Exit Sub

ErrorHandler:
    MsgBox "An error occurred: " & err.Description, vbExclamation
End Sub

Private Sub LoadLastRequestBtn_Click()
    Dim MaxID As Long
    MaxID = DMax("ID", "FlightSupport_FlightRequestsT")

    Me.RecordSource = "Select RefNo,ReqNo,ReqDate,OPSDDate,PFL,ScheduleUpdates,FuelRequest,FlightSupportt,RequestStatus,Notes,InitialRequest FROM FlightSupport_FlightRequestsT WHERE ID = " & MaxID & ";"
    Me.RefNo2 = Me.RefNo
    Me.Requery

End Sub
```

Option Compare Database

Private Sub cmdGenerate_Click()

Dim rst As DAO.Recordset

Dim randomRefValue As Integer

Dim RefNo As String

Dim isUnique As Boolean

Do

' Generate a random number between 1 And 999

randomRefValue = Int((9999 - 1 + 1) * Rnd + 1)

' Check If the generated number is greater than Or equal To 176

If randomRefValue >= 176 Then

' Generate the reference number

RefNo = "TAS-" & Format(randomRefValue, "0000") & "/" & Format(date, "yy")

' Check If the generated reference number already exists in the NewFlightRequestsT table

' Set rst = CurrentDb.OpenRecordset("Select RefNo FROM FlightSupport_FlightRequestsT WHERE

RefNo = '" & RefNo & "'", dbOpenSnapshot)

' Check If the generated reference number already exists in both tables

Set rst = CurrentDb.OpenRecordset("Select RefNo FROM NewFlightRequestsT WHERE RefNo = '" &

RefNo & "'" UNION ALL Select RefNo FROM FlightSupport_FlightRequestsT WHERE RefNo = '" & RefNo & "'", dbOpenSnapshot)

If rst.EOF Then

' If the generated reference number does Not exist, assign it To the form field

Me.RefNo.Value = RefNo

' Set the flag To indicate that a unique reference number has been generated

isUnique = True

End If

rst.Close

Set rst = Nothing

End If

Loop Until isUnique

End Sub

Private Sub AddFlightBtn_Click()

newRequestBtn_Click

' Check If all the required fields are filled

If IsNull(Me.RefNo.Value) Or IsNull(Me.RegDate.Value) Or IsNull(Me.OPSDate.Value) Or IsNull(Me.PFL

.Value) Or IsNull(Me.PFL.Value) Or IsNull(Me.InitialRequest.Value) Then

MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"

Exit Sub

Else

' Add a New record To the table

Dim db As DAO.Database

Dim rs As DAO.Recordset

Set db = CurrentDb

Set rs = db.OpenRecordset("FlightSupport_FlightRequestsT", dbOpenDynaset)

rs.AddNew

' Assign values To the fields in the table

With rs

.Fields("RefNo").Value = Me.RefNo.Value

.Fields("ReqNo").Value = Me.RegNo.Value

.Fields("ReqDate").Value = Me.RegDate.Value

.Fields("OPSDate").Value = Me.OPSDate.Value

.Fields("PFL").Value = Me.PFL.Value

.Fields("ScheduleUpdates").Value = Me.ScheduleUpdates.Value

.Fields("FuelRequest").Value = Me.FuelRequestCb.Value

.Fields("FlightSupport").Value = Me.FlightSupportCb.Value

.Fields("RequestStatus").Value = Me.RequestStatus.Value

.Fields("Notes").Value = Me.Notes.Value

.Fields("InitialRequest").Value = Me.InitialRequest.Value

.Fields("Urgent").Value = Me.Urgent.Value

```

        ' Save the New record
        .Update
    End With

    ' Clean up

    rs.Close
    Set rs = Nothing
    Set db = Nothing

    Me.Undo
    ' Display a message indicating successful addition
    LoadLastRequestBtn_Click
    MsgBox "Request added successfully, Now send request email To the vendor"
End If
Me.Refresh

End Sub

Private Sub AddUpdateBtn_Click()
    DoCmd.OpenForm "FlightSupport_RequestUpdateF", WindowMode:=acWindowNormal
End Sub

Private Sub FullBriefBtn_Click()

    Dim strWhere As String
    Dim InLeng As Long
    If Not IsNull(Me.RefNo) Then
        strWhere = strWhere & "([RefNo] Like "*" & Me.RefNo & "*)" And "
    End If

    IngLen = Len(strWhere) - 5
    If IngLen <= 0 Then
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    Else
        strWhere = Left$(strWhere, IngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenReport "FlightSupport_FullExternalReport_New", acViewPreview, , strWhere
    End If

End Sub

Private Sub RefreshBtn_Click()
    Me.Requery
    Me.Refresh
End Sub

Private Sub ExtBriefBtn_Click()
    Dim strWhere As String
    Dim InLeng As Long
    If Not IsNull(Me.RefNo) Then
        strWhere = strWhere & "([RefNo] Like "*" & Me.RefNo & "*)" And "
    End If

    IngLen = Len(strWhere) - 5
    If IngLen <= 0 Then
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    Else
        strWhere = Left$(strWhere, IngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenReport "FlightSupport_ExternalReport_New", acViewPreview, , strWhere
    End If

End Sub

Private Sub FlightBriefBtn_Click()

```

```

Dim strWehre As String
Dim InLeng As Long

If Not IsNull(Me.RefNo) Then
    strWhere = strWhere & "([RefNo] Like "*" & Me.RefNo & "*)" And "
End If

IngLen = Len(strWhere) - 5
If IngLen <= 0 Then
    MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
Else
    strWhere = Left$(strWhere, IngLen)
    Me.Filter = strWhere
    Me.FilterOn = True
    DoCmd.OpenReport "FlightSupport_EnternalReport_New", acViewPreview, , strWhere
End If
End Sub

Private Sub Form_Load()
    LoadLastRequestBtn_Click
End Sub

Private Sub newRequestBtn_Click()
    ' Clear the form fields To prepare For a New record
    ' Set the default value For the RefNo field

    If IsNull(Me.RefNo) Or Me.RefNo = "" Then
        cmdGenerate_Click
    End If
    ' Set focus To the first field For data entry
    Me.RegNo.SetFocus
End Sub

Private Sub OPSDate_Click()
    InputDateField OPSDate, "Select a date To use this on your form"
End Sub

Public Sub TriggerAfterUpdate()
    Call RefNo2_AfterUpdate
End Sub

Private Sub RefNo2_AfterUpdate()
    Dim selectedRefNo As Variant
    Dim addSectorsF As Form
    Me.RecordSource = "Select RefNo,RegNo,ReqDate,OPSDate,PFL,ScheduleUpdates,FuelRequest,FlightSupportRequestStatus,Notes,InitialRequest,Urgent FROM FlightSupport_FlightRequestsT WHERE RefNo = '" & Me.RefNo2 & "';"
    selectedRefNo = Me.RefNo2.Value
    If Not IsNull(selectedRefNo) Then
        Forms("FlightSupport_LASTFORM_V10").Controls("FlightSupport_AddSectorsF").Form.Controls("RequestRefNo").Value = selectedRefNo
        Forms("FlightSupport_LASTFORM_V10").Controls("FlightSupport_AddSectorsF").Form.Controls("SectorRefNo").Value = selectedRefNo
        Forms("FlightSupport_LASTFORM_V10").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("RequestRefNo_Update").Value = selectedRefNo
        'Forms("FlightSupport_LASTFORM_V10").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("HandlingSectorCmb").Value = SelectedRefNo
        Reset_DropDowns
        RefNo_reselect
        activeFilter
        Me.Requery
        Me.Refresh

    Else
        Exit Sub
    End If
End Sub

Private Sub RefNo_reselect()
    Dim selectedRefNo As Variant

```

Form_FlightSupport_RequestF_V10 - 4

```
Dim query As String
selectedRefNo = Me.RefNo2.Value

' Construct the dynamic query based on the selected value
query = "Select SectorNo, Sect_ID FROM FlightSupport_SectorsT WHERE RequestRefNo = '" & selectedRefNo & "' And TripStatus = 'Active' ORDER BY SectorNo ASC;"
' query = "Select SectorNo, Sect_ID FROM FlightSupport_SectorsT WHERE RequestRefNo = '" & SelectedRefNo & "' ORDER BY SectorNo ASC;"

' Set the RowSource Property of the other subform's combo box To the dynamic query
Forms("FlightSupport_LASTFORM_V10").Controls("FlightSupport_AddSectorsF").Form.Controls("Sect_IDCmb").RowSource = query
Forms("FlightSupport_LASTFORM_V10").Controls("FlightSupport_BriefsF").Form.Controls("PermitBriefsF").Controls("Sect_ID").RowSource = query
Forms("FlightSupport_LASTFORM_V10").Controls("FlightSupport_AddSectorsF").Controls("FlightSupport_AddLocationF").Form.Controls("Sect_ID").RowSource = query
Forms("FlightSupport_LASTFORM_V10").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("SectorNoCmb").RowSource = query
Forms("FlightSupport_LASTFORM_V10").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("PermitSectorsCmb").RowSource = query
Forms("FlightSupport_LASTFORM_V10").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("HandlingSectorCmb").RowSource = query
Forms("FlightSupport_LASTFORM_V10").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("ConciergeSectorCmb").RowSource = query
' Requery the other subform's combo box To reflect the updated options
Me.Requery
Me.Refresh

End Sub

Private Sub Reset_DropDowns()
Forms("FlightSupport_LASTFORM_V10").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("SectorNoCmb").Value = Null
Forms("FlightSupport_LASTFORM_V10").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("PermitSectorsCmb").Value = Null
Forms("FlightSupport_LASTFORM_V10").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("HandlingSectorCmb").Value = Null
Forms("FlightSupport_LASTFORM_V10").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("LocationsCmb").Value = Null
Forms("FlightSupport_LASTFORM_V10").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("ConciergeSectorCmb").Value = Null
Forms("FlightSupport_LASTFORM_V10").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("Con_LocationsCmb").Value = Null
End Sub

Private Sub activeFilter()
Dim selectedRefNo As Variant
Dim query As String
selectedRefNo = Me.RefNo2.Value

Forms("FlightSupport_LASTFORM_V10").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("RequestRefNo_Update").Value = selectedRefNo

Forms("FlightSupport_LASTFORM_V10").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("FlightSupport_UpdateSectorsF_New").Form.Filter = "RequestRefNo = '" & selectedRefNo & "'"
Forms("FlightSupport_LASTFORM_V10").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("FlightSupport_UpdateSectorsF_New").Form.FilterOn = True
Forms("FlightSupport_LASTFORM_V10").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("FlightSupport_SectorsListF_New").Form.Filter = "RequestRefNo = '" & selectedRefNo & "'"
Forms("FlightSupport_LASTFORM_V10").Controls("FlightSupport_ServicesUpdateTabT").Form.Controls("FlightSupport_SectorsListF_New").Form.FilterOn = True

End Sub

Public Sub ReqDate_Click()
InputDateField ReqDate, "Select a date To use this on your form"
End Sub

Private Sub ResetBtn_Click()
```


Form_FlightSupport_RequestF_V10 - 5

On Error GoTo ErrorHandler

```
Me.Undo
DoCmd.CancelEvent
DoCmd.GoToRecord , , acNewRec
```

Exit Sub

ErrorHandler:

```
MsgBox "An error occurred: " & err.Description, vbExclamation
```

End Sub

Private Sub LoadLastRequestBtn_Click()

```
Dim MaxID As Long
MaxID = DMax("ID", "FlightSupport_FlightRequestsT")
```

```
Me.RecordSource = "Select RefNo,ReqNo,ReqDate,OPSDDate,PFL,ScheduleUpdates,FuelRequest,FlightSupport  
t,RequestStatus,Notes,InitialRequest,Urgent FROM FlightSupport_FlightRequestsT WHERE ID = " & MaxID &  
";"
```

```
Me.RefNo2 = Me.RefNo
Me.Requery
```

End Sub

Form_FlightSupport_RequestUpdateF - 1

```
Option Compare Database
Dim ButtonPressed As Boolean
Private Sub ACRegCb_Change()
    Dim selectedValue As Variant
    selectedValue = Me.ACRegCb.Value ' Get the selected value from the combo box

    If Not IsNull(selectedValue) Then
        Dim rs As DAO.Recordset
        Set rs = CurrentDb.OpenRecordset("ACRegT", dbOpenSnapshot)

        rs.FindFirst "ACReg = '" & selectedValue & "'"
        If Not rs.NoMatch Then
            Me.ACType.Value = rs("ACType").Value
            Me.ACMTOW.Value = rs("ACMTOW").Value
            Me.Operator.Value = rs("Operator").Value
            Me.Customer.Value = rs("Customer").Value
        Else
            Me.ACType.Value = Null
            Me.ACMTOW.Value = Null
            Me.Operator.Value = Null
            Me.Customer.Value = Null
        End If

        rs.Close
        Set rs = Nothing
    Else
        Me.ACType.Value = Null
        Me.ACMTOW.Value = Null
        Me.Operator.Value = Null
        Me.Customer.Value = Null
    End If

Exit Sub
End Sub

Private Sub Form_Load()
    Dim fw As New clFormWindow
    Dim selectedRefNo As Variant
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    fw.hWnd = Me.hWnd
    With fw
        .Top = (.Parent.Height - .Height) / 2
        .Left = (.Parent.Width - .Width) / 2
    End With
    Set fw = Nothing

    If CurrentProject.AllForms("FlightSupport_LASTFORM").IsLoaded Then
        selectedRefNo = Forms("FlightSupport_LASTFORM").Controls("RequestF").Controls("RefNo").Value

        If Not IsNull(selectedRefNo) Then
            Me.RequestRefNo = selectedRefNo
            RenderRecord
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If

    End If
End Sub

Private Sub RequestRefNo_AfterUpdate()
    RenderRecord
End Sub

Private Sub RenderRecord()
    Dim RequestRefNo As Variant
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
```

```

RequestRefNo = Me.RequestRefNo.Column(1)

Set db = CurrentDb
Set rs = db.OpenRecordset("NewFlightRequestsT", dbOpenDynaset)

rs.FindFirst "ID = " & RequestRefNo

If Not rs.NoMatch Then
    Me.RefNo.Value = rs("RefNo").Value
    Me.ReqNo.Value = rs("ReqNo").Value
    Me.ReqDate.Value = rs("ReqDate").Value
    Me.OPSDate.Value = rs("OPSDate").Value
    Me.Customer.Value = rs("Customer").Value
    Me.Operator.Value = rs("Operator").Value
    Me.ACType.Value = rs("ACType").Value
    Me.ACMTOW.Value = rs("ACMTOW").Value
    Me.ACRRegCb.Value = rs("ACReg").Value
    Me.PFL.Value = rs("PFL").Value
    Me.Schedule.Value = rs("Schedule").Value
    Me.RequestStatus.Value = rs("RequestStatus").Value
    Me.Route.Value = rs("Route").Value
    Me.RequiredServices.Value = rs("RequiredServices").Value
Else
    MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
End If

rs.Close
Set rs = Nothing
Set db = Nothing
End Sub

Private Sub Form_BeforeUpdate(Cancel As Integer)
    ' Cancel the update if the button was not pressed
    If Not ButtonPressed Then
        Cancel = True
    End If
End Sub

Private Sub Form_AfterUpdate()
    ' Reset the flag after the update
    ButtonPressed = False
End Sub

Private Sub AddFlightBtn_Click()
    ' Check If all the required fields are filled
    If IsNull(Me.RefNo.Value) Or IsNull(Me.ReqDate.Value) Or IsNull(Me.OPSDate.Value) Or IsNull(Me.Customer.Value) Or IsNull(Me.Operator.Value) Or IsNull(Me.ACType.Value) Or IsNull(Me.ACMTOW.Value) Or IsNull(Me.ACRRegCb.Value) Or IsNull(Me.PFL.Value) Or IsNull(Me.Schedule.Value) Or IsNull(Me.Route.Value) Or IsNull(Me.RequiredServices.Value) Then
        MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"
        Exit Sub
    Else
        ' Set the flag to indicate button press so data can be saved only if thebutton is clicked
        ButtonPressed = True
        ' Add a New record To the table
        Dim db As DAO.Database
        Dim rs As DAO.Recordset

        Set db = CurrentDb
        Set rs = db.OpenRecordset("FlightRequestUpdatesT", dbOpenDynaset)

        rs.AddNew

        ' Assign values To the fields in the table
        With rs
            .Fields("RefNo").Value = Me.RefNo.Value
            .Fields("ReqNo").Value = Me.ReqNo.Value
            .Fields("ReqDate").Value = Me.ReqDate.Value
            .Fields("OPSDate").Value = Me.OPSDate.Value
            .Fields("Customer").Value = Me.Customer.Value
            .Fields("Operator").Value = Me.Operator.Value

```

```

        .Fields("ACType").Value = Me.ACType.Value
        .Fields("ACMTOW").Value = Me.ACMTOW.Value
        .Fields("ACReg").Value = Me.ACRegCb.Value
        .Fields("PFL").Value = Me.PFL.Value
        .Fields("Schedule").Value = Me.Schedule.Value
        .Fields("RequestStatus").Value = Me.RequestStatus.Value
        .Fields("Route").Value = Me.Route.Value
        .Fields("RequiredServices").Value = Me.RequiredServices.Value

        ' Save the New record
        .Update
    End With

    ' Clean up

    rs.Close
    Set rs = Nothing
    Set db = Nothing

    ' Reset form values
    'DoCmd.RunCommand acCmdRecordsGoToNew
    'DoCmd.GoToRecord , , acNewRec
    Me.Undo
    ' Display a message indicating successful addition
    MsgBox "Request added successfully, Now send request email to the vendor"
End If
Me.Refresh

```

End Sub

Private Sub ExtBriefBtn_Click()

```

    Dim strWhere As String
    Dim InLeng As Long

```

```

    If Not IsNull(Me.Customer) Then

```

```

        strWhere = strWhere & "([Customer] Like ""*"" & Me.Customer & ""*) And "
    End If

```

```

    If Not IsNull(Me.Operator) Then

```

```

        strWhere = strWhere & "([Operator] Like ""*"" & Me.Operator & ""*) And "
    End If

```

```

    If Not IsNull(Me.RefNo) Then

```

```

        strWhere = strWhere & "([RefNo] Like ""*"" & Me.RefNo & ""*) And "
    End If

```

```

    IngLen = Len(strWhere) - 5

```

```

    If IngLen <= 0 Then

```

```

        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    End If

```

```

    Else
        strWhere = Left$(strWhere, IngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenReport "FlightSupport_ExternalReport", acViewPreview, , strWhere
    End If
End Sub

```

End Sub

Private Sub FlightBriefBtn_Click()

```

    Dim strWhere As String
    Dim InLeng As Long

```

```

    If Not IsNull(Me.Customer) Then

```

```

        strWhere = strWhere & "([Customer] Like ""*"" & Me.Customer & ""*) And "
    End If

```

```

    If Not IsNull(Me.Operator) Then

```

```

        strWhere = strWhere & "([Operator] Like ""*"" & Me.Operator & ""*) And "
    End If

```

Form_FlightSupport_RequestUpdateF - 4

```
If Not IsNull(Me.RefNo) Then
    strWhere = strWhere & "([RefNo] Like "*" & Me.RefNo & "*)" And "
End If

IngLen = Len(strWhere) - 5
If IngLen <= 0 Then
    MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
Else
    strWhere = Left$(strWhere, IngLen)
    Me.Filter = strWhere
    Me.FilterOn = True
    DoCmd.OpenReport "FlightSupport_InternalReport", acViewPreview, , strWhere
End If
End Sub

Private Sub OPSDate_Click()
    InputDateField OPSDate, "Select a date To use this on your form"
End Sub

Public Sub ReqDate_Click()
    InputDateField ReqDate, "Select a date To use this on your form"
End Sub

Private Sub RequestRefNo_Click()
    RenderRecord
End Sub

Private Sub ResetBtn_Click()
    On Error GoTo ErrorHandler

    Me.Undo
    DoCmd.CancelEvent
    DoCmd.GoToRecord , , acNewRec

    Exit Sub

ErrorHandler:
    MsgBox "An error occurred: " & err.Description, vbExclamation
End Sub

Private Sub LoadLastRequestBtn_Click()
    Dim MaxID As Long
    'Dim RefNoDropDownList As String
    MaxID = DMax("ID", "FlightRequestUpdatesT")

    'RefNoDropDownList = "Select RefNo, ID FROM NewFlightRequestsT ORDER BY ID DESC;"
    Me.RecordSource = "Select RefNo,ReqNo,ReqDate,OPSDate,Customer,Operator,ACType,ACMTOW,ACReg,PFL,Schedule,FuelRequest,FlightSupport,RequestStatus,Route,RequiredServices FROM FlightRequestUpdatesT WHERE ID = " & MaxID & ";"
    ' Me.RefNo2.RowSource = RefNoDropDownList
    Me.Requery

    'Me.RefNo.Value = M.RefNo2.Value

    ' Forms!FlightSupport_LASTFORM!FlightSupport_NewAddSectorF!RefNo = Me.RefNo
End Sub
```

Option Compare Database

Option Compare Database

Option Compare Database

Option Compare Database

Option Compare Database

```
Private Sub closeBtn_Click()
```

```
'On Error GoTo MyError
```

```
    'Me.Undo
```

```
    'Forms("LASTFORM!RequestF").ResetBtn_Click
```

```
        Me.Undo
```

```
    'DoCmd.CancelEvent
```

```
    DoCmd.Close acForm, "FlightSupport_LASTFORM", acSaveNo
```

```
    'DoCmd.Close acForm, "NewAddSectorF", acSaveNo
```

```
    'DoCmd.Close acForm, "RequestF", acSaveNo
```

```
'Exit Sub
```

```
'MyError:
```

```
'Err.Description
```

```
End Sub
```

```
Private Sub UpdateFormBtn_Click()
```

```
    DoCmd.OpenForm "FlightSupport_UpdateLASTFORM", WindowMode:=acWindowNormal
```

```
End Sub
```

```
Private Sub Handling_Brief_Click()
```

```
Me.Refresh
```

```
End Sub
```

```
Private Sub UpdateFuelReleasebtn_Click()
```

```
DoCmd.OpenForm "FlightSupport_UpdateFuelReleaseF", WindowMode:=acWindowNormal
```

```
End Sub
```

Option Compare Database

```
Private Sub closeBtn_Click()
```

```
'On Error GoTo MyError
```

```
    'Me.Undo
```

```
    'Forms("LASTFORM!RequestF").ResetBtn_Click
```

```
        Me.Undo
```

```
    'DoCmd.CancelEvent
```

```
    DoCmd.Close acForm, "FlightSupport_LASTFORM", acSaveNo
```

```
    'DoCmd.Close acForm, "NewAddSectorF", acSaveNo
```

```
    'DoCmd.Close acForm, "RequestF", acSaveNo
```

```
'Exit Sub
```

```
'MyError:
```

```
'Err.Description
```

```
End Sub
```

```
Private Sub UpdateFormBtn_Click()
```

```
    DoCmd.OpenForm "FlightSupport_UpdateLASTFORM", WindowMode:=acWindowNormal
```

```
End Sub
```

```
Private Sub Handling_Brief_Click()
```

```
Me.Refresh
```

```
End Sub
```

```
Private Sub UpdateFuelReleasebtn_Click()
```

```
DoCmd.OpenForm "FlightSupport_UpdateFuelReleaseF", WindowMode:=acWindowNormal
```

```
End Sub
```

Option Compare Database

Private Sub closeBtn_Click()

'On Error GoTo MyError

 'Me.Undo

 'Forms("LASTFORM!RequestF").ResetBtn_Click

 Me.Undo

 'DoCmd.CancelEvent

 DoCmd.Close acForm, "FlightSupport_LASTFORM", acSaveNo

 'DoCmd.Close acForm, "NewAddSectorF", acSaveNo

 'DoCmd.Close acForm, "RequestF", acSaveNo

'Exit Sub

'MyError:

'Err.Description

End Sub

Private Sub UpdateFormBtn_Click()

 DoCmd.OpenForm "FlightSupport_UpdateLASTFORM", WindowMode:=acWindowNormal

End Sub

Private Sub Handling_Brief_Click()

Me.Refresh

End Sub

Private Sub UpdateFuelReleasebtn_Click()

DoCmd.OpenForm "FlightSupport_UpdateFuelReleaseF", WindowMode:=acWindowNormal

End Sub

Option Compare Database

Private Sub closeBtn_Click()

'On Error GoTo MyError

 'Me.Undo

 'Forms("LASTFORM!RequestF").ResetBtn_Click

 Me.Undo

 'DoCmd.CancelEvent

 DoCmd.Close acForm, "FlightSupport_LASTFORM", acSaveNo

 'DoCmd.Close acForm, "NewAddSectorF", acSaveNo

 'DoCmd.Close acForm, "RequestF", acSaveNo

'Exit Sub

'MyError:

'Err.Description

End Sub

Private Sub UpdateFormBtn_Click()

 DoCmd.OpenForm "FlightSupport_UpdateLASTFORM", WindowMode:=acWindowNormal

End Sub

Private Sub Handling_Brief_Click()

Me.Refresh

End Sub

Private Sub UpdateFuelReleasebtn_Click()

DoCmd.OpenForm "FlightSupport_UpdateFuelReleaseF", WindowMode:=acWindowNormal

End Sub

Option Compare Database

```
Private Sub closeBtn_Click()  
    Me.Undo  
    DoCmd.Close acForm, "LASTFORM", acSaveNo  
End Sub
```

```
Private Sub UpdateFormBtn_Click()  
    DoCmd.OpenForm "UpdateLASTFORM", WindowMode:=acWindowNormal  
End Sub
```

Option Compare Database

Private Sub Con_LocationsCmb_AfterUpdate()

Dim LocationID As Variant

LocationID = Me.Con_LocationsCmb.Column(1)

Me.FlightSupport_ConciergeBriefUpdateF.Form.Filter = "Loc_ID = " & LocationID

Me.FlightSupport_ConciergeBriefUpdateF.Form.FilterOn = True

Me.FlightSupport_ConciergeBriefListF_New.Form.Filter = "Loc_ID = " & LocationID

Me.FlightSupport_ConciergeBriefListF_New.Form.FilterOn = True

End Sub

Private Sub ConcierageSectorCmb_AfterUpdate()

Dim locQuery As String

Dim Sect_IDCmb As Integer

Sect_IDCmb = Me.ConcierageSectorCmb.Column(1)

locQuery = "Select Location, Loc_ID FROM FlightSupport_locationsQ_V12 WHERE Sect_ID = " & Sect_IDCmb
 b & " ORDER BY Loc_ID ASC;"

Me.Con_LocationsCmb.RowSource = locQuery

Me.Requery

End Sub

Private Sub HandlingSectorCmb_AfterUpdate()

Dim locQuery As String

Dim Sect_IDCmb As Integer

Sect_IDCmb = Me.HandlingSectorCmb.Column(1)

locQuery = "Select Location, Loc_ID FROM FlightSupport_locationsQ_V12 WHERE Sect_ID = " & Sect_IDCmb
 b & " ORDER BY Loc_ID ASC;"

Me.LocationsCmb.RowSource = locQuery

Me.Requery

End Sub

Private Sub RequestRefNo_Update_AfterUpdate()

Me.FlightSupport_UpdateSectorsF_New.Form.Filter = "FlightRefNo = '" & Me.RequestRefNo_Update & "'"

Me.FlightSupport_SectorsListF_New.Form.Filter = "FlightRefNo = '" & Me.RequestRefNo_Update & "'"

Me.FlightSupport_SectorsListF_New.Form.FilterOn = True

Me.FlightSupport_UpdateSectorsF_New.Form.FilterOn = True

End Sub

Private Sub RequestRefNo_Update_Change()

RequestRefNo_Update_AfterUpdate

End Sub

Private Sub SectorNoCmb_AfterUpdate()

Dim Loc_ID As String

Dim NextLoc As String

Dim Sect_IDCmb As Integer

Dim RefNo As Variant

RefNo = Me.RequestRefNo_Update.Value

Sect_IDCmb = Me.SectorNoCmb.Column(1)

Loc_ID = "Select Location, Loc_ID FROM FlightSupport_locationsQ_V12 WHERE Sect_ID = " & Sect_IDCmb
 & " ORDER BY Loc_ID ASC;"

NextLoc = "SELECT Location, Loc_ID FROM FlightSupport_locationsQ_V12 WHERE FlightRefNo = '" & RefNo
 o & "' ORDER BY Loc_ID ASC;"

Me.Controls("FlightSupport_UpdateFuelReleaseF_New").Form.Controls("Location").RowSource = Loc_ID

Me.Controls("FlightSupport_UpdateFuelReleaseF_New").Form.Controls("NextDestCmb").RowSource = NextLoc
 oc

Me.FlightSupport_UpdateFuelBriefF.Form.Filter = "Sect_ID = " & Sect_IDCmb

Me.FlightSupport_UpdateFuelBriefF.Form.FilterOn = True

Me.FlightSupport_FuelBriefListF.Form.Filter = "Sect_ID = " & Sect_IDCmb

Me.FlightSupport_FuelBriefListF.Form.FilterOn = True

Me.FlightSupport_FuelSectorsListF_New.Form.Filter = "Sect_ID = " & Sect_IDCmb

Form_FlightSupport_ServicesUpdateTabF_New - 2

```
Me.FlightSupport_FuelSectorsListF_New.Form.FilterOn = True
Me.Requery
```

End Sub

Private Sub PermitSectorsCmb_AfterUpdate()

```
Me.FlightSupport_PermitsUpdateF_New.Form.Filter = "Sect_ID = " & Me.PermitSectorsCmb.Column(1)
Me.FlightSupport_PermitsUpdateF_New.Form.FilterOn = True
Me.FlightSupport_PermitsListF_New.Form.Filter = "Sect_ID = " & Me.PermitSectorsCmb.Column(1)
Me.FlightSupport_PermitsListF_New.Form.FilterOn = True
Me.FlightSupport_PermitSectorsListF_New.Form.Filter = "Sect_ID = " & Me.PermitSectorsCmb.Column(1)
Me.FlightSupport_PermitSectorsListF_New.Form.FilterOn = True
```

End Sub

Option Compare Database

```

Private Sub Con_LocationsCmb_AfterUpdate()
    Dim LocationID As Variant
    LocationID = Me.Con_LocationsCmb.Column(1)
    Me.FlightSupport_ConciergeBriefUpdateF.Form.Filter = "Location_ID = " & LocationID
    Me.FlightSupport_ConciergeBriefUpdateF.Form.FilterOn = True

    Me.FlightSupport_ConciergeBriefListF_New.Form.Filter = "Location_ID = " & LocationID
    Me.FlightSupport_ConciergeBriefListF_New.Form.FilterOn = True
End Sub

Private Sub ConciergeSectorCmb_AfterUpdate()
    Dim locQuery As String
    Dim Sect_IDCmb As Integer

    Sect_IDCmb = Me.ConciergeSectorCmb.Column(1)

    locQuery = "Select Location, ID FROM LocationsT_New WHERE Sect_ID = " & Sect_IDCmb & " ORDER BY ID
ASC;"

    Me.Con_LocationsCmb.RowSource = locQuery
    Me.Requery
End Sub

Private Sub HandlingSectorCmb_AfterUpdate()
    Dim locQuery As String
    Dim Sect_IDCmb As Integer

    Sect_IDCmb = Me.HandlingSectorCmb.Column(1)

    locQuery = "Select Location, ID FROM LocationsT_New WHERE Sect_ID = " & Sect_IDCmb & " ORDER BY ID
ASC;"

    Me.LocationsCmb.RowSource = locQuery
    Me.Requery
End Sub

Private Sub LocationsCmb_AfterUpdate()
    Dim LocationID As Variant

    LocationID = Me.LocationsCmb.Column(1)

    Me.FlightSupport_HandlingListF.Form.Filter = "Location_ID = " & LocationID
    Me.FlightSupport_HandlingUpdateF.Form.Filter = "Location_ID = " & LocationID
    Me.FlightSupport_HandlingListF.Form.FilterOn = True
    Me.FlightSupport_HandlingUpdateF.Form.FilterOn = True
End Sub

Private Sub RequestRefNo_Update_AfterUpdate()
    Me.FlightSupport_UpdateSectorsF_New.Form.Filter = "RequestRefNo = '" & Me.RequestRefNo_Update & "'"
    Me.FlightSupport_SectorsListF_New.Form.Filter = "RequestRefNo = '" & Me.RequestRefNo_Update & "'"
    Me.FlightSupport_SectorsListF_New.Form.FilterOn = True
    Me.FlightSupport_UpdateSectorsF_New.Form.FilterOn = True
End Sub

Private Sub RequestRefNo_Update_Change()
    RequestRefNo_Update_AfterUpdate
End Sub

Private Sub SectorNoCmb_AfterUpdate()
    Dim Loc_ID As String
    Dim Sect_IDCmb As Integer

    Sect_IDCmb = Me.SectorNoCmb.Column(1)

    Loc_ID = "Select Location, ID FROM LocationsT_New WHERE Sect_ID = " & Sect_IDCmb & " ORDER BY ID

```

```
ASC;"
    Me.Controls("FlightSupport_UpdateFuelReleaseF_New").Form.Controls("Location_ID").RowSource = Loc_ID
D

    Me.FlightSupport_UpdateFuelBriefF.Form.Filter = "Sect_ID = " & Sect_IDCmb
    Me.FlightSupport_UpdateFuelBriefF.Form.FilterOn = True
    Me.FlightSupport_FuelBriefListF.Form.Filter = "Sect_ID = " & Sect_IDCmb
    Me.FlightSupport_FuelBriefListF.Form.FilterOn = True
    Me.FlightSupport_FuelSectorsListF_New.Form.Filter = "Sect_ID = " & Sect_IDCmb
    Me.FlightSupport_FuelSectorsListF_New.Form.FilterOn = True
    Me.Requery
```

```
End Sub
```

```
Private Sub PermitSectorsCmb_AfterUpdate()
    Me.FlightSupport_PermitsUpdateF_New.Form.Filter = "Sect_ID = " & Me.PermitSectorsCmb.Column(1)
    Me.FlightSupport_PermitsUpdateF_New.Form.FilterOn = True
    Me.FlightSupport_PermitsListF_New.Form.Filter = "Sect_ID = " & Me.PermitSectorsCmb.Column(1)
    Me.FlightSupport_PermitsListF_New.Form.FilterOn = True
    Me.FlightSupport_PermitSectorsListF_New.Form.Filter = "Sect_ID = " & Me.PermitSectorsCmb.Column(1)
    Me.FlightSupport_PermitSectorsListF_New.Form.FilterOn = True
End Sub
```

Option Compare Database

Private Sub Con_LocationsCmb_AfterUpdate()

Dim LocationID As Integer

LocationID = Me.Con_LocationsCmb.Column(1)

Me.FlightSupport_ConciergeBriefUpdateF.Form.Filter = "Loc_ID = " & LocationID

Me.FlightSupport_ConciergeBriefUpdateF.Form.FilterOn = True

Me.FlightSupport_ConciergeBriefListF_New.Form.Filter = "Loc_ID = " & LocationID

Me.FlightSupport_ConciergeBriefListF_New.Form.FilterOn = True

End Sub

Private Sub ConcierageSectorCmb_AfterUpdate()

Dim locQuery As String

Dim Sect_IDCmb As Integer

Sect_IDCmb = Me.ConcierageSectorCmb.Column(1)

locQuery = "Select DISTINCT Location, Loc_ID FROM FlightSupport_AlllocationsQ_V12 WHERE Sect_ID = " & Sect_IDCmb & " ORDER BY Loc_ID ASC;"

Me.Con_LocationsCmb.RowSource = locQuery

Me.Requery

End Sub

Private Sub Form_Load()

RefNo_reselect

End Sub

Private Sub RefNo_reselect()

Dim selectedRefNo As Variant

Dim SectorNoCmbQ As String

Dim CurrentForm As Form

selectedRefNo = Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_RequestF_New").Form.Controls("RefNo").Value

Set CurrentForm = Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_AddUpdateRequestF").Form.Controls("Add_UpdateRequestF").Form

SectorNoCmbQ = "Select SectorNo, Sect_ID FROM FlightSupport_SectorsT_New_V12 WHERE FlightRefNo = '" & selectedRefNo & "' And SectorStatus = 'Active' ORDER BY SectorNo ASC;"

CurrentForm.Form.Controls("RequestRefNo").Value = selectedRefNo

CurrentForm.Form.Controls("SectorNoCmb").RowSource = SectorNoCmbQ

CurrentForm.Form.Controls("PermitSectorsCmb").RowSource = SectorNoCmbQ

CurrentForm.Form.Controls("HandlingSectorCmb").RowSource = SectorNoCmbQ

CurrentForm.Form.Controls("ConcierageSectorCmb").RowSource = SectorNoCmbQ

Me.Refresh

End Sub

Private Sub HandlingSectorCmb_AfterUpdate()

Dim locQuery As String

Dim Sect_IDCmb As Integer

Sect_IDCmb = Me.HandlingSectorCmb.Column(1)

locQuery = "Select DISTINCT Location, Loc_ID FROM FlightSupport_AlllocationsQ_V12 WHERE Sect_ID = " & Sect_IDCmb & " ORDER BY Loc_ID ASC;"

Me.LocationsCmb.RowSource = locQuery

Me.Requery

End Sub

Private Sub RequestRefNo_Update_AfterUpdate()

Me.FlightSupport_UpdateSectorsF_New.Form.Filter = "FlightRefNo = '" & Me.RequestRefNo_Update & "'"

Me.FlightSupport_SectorsListF_New.Form.Filter = "FlightRefNo = '" & Me.RequestRefNo_Update & "'"

Me.FlightSupport_SectorsListF_New.Form.FilterOn = True

Me.FlightSupport_UpdateSectorsF_New.Form.FilterOn = True

End Sub

```
Private Sub RequestRefNo_Update_Change()
RequestRefNo_Update_AfterUpdate
End Sub
```

```
Private Sub LocationsCmb_AfterUpdate()
    Dim LocationID As Integer

    LocationID = Me.LocationsCmb.Column(1)
    Me.FlightSupport_HandlingUpdateF.Form.Filter = "Loc_ID = " & LocationID
    Me.FlightSupport_HandlingUpdateF.Form.FilterOn = True
    Me.FlightSupport_HandlingListF.Form.Filter = "Loc_ID = " & LocationID
    Me.FlightSupport_HandlingListF.Form.FilterOn = True
End Sub
```

```
Private Sub SectorNoCmb_AfterUpdate()
    Dim Loc_ID As String
    Dim NextLoc As String
    Dim Sect_IDCmb As Integer
    Dim RefNo As Variant
    RefNo = Me.RequestRefNo.Value

    Sect_IDCmb = Me.SectorNoCmb.Column(1)
    Loc_ID = "Select DISTINCT Location, Loc_ID FROM FlightSupport_AlllocationsQ_V12 WHERE Sect_ID = " &
Sect_IDCmb & " ORDER BY Loc_ID ASC;"
    NextLoc = "SELECT DISTINCT Location, Loc_ID FROM FlightSupport_AlllocationsQ_V12 WHERE FlightRefNo
= '" & RefNo & "' ORDER BY Loc_ID ASC;"

    Me.Controls("FlightSupport_UpdateFuelReleaseF_New").Form.Controls("Location").RowSource = Loc_ID

    Me.FlightSupport_UpdateFuelBriefF.Form.Filter = "Sect_ID = " & Sect_IDCmb
    Me.FlightSupport_UpdateFuelBriefF.Form.FilterOn = True
    Me.FlightSupport_FuelBriefListF.Form.Filter = "Sect_ID = " & Sect_IDCmb
    Me.FlightSupport_FuelBriefListF.Form.FilterOn = True
    Me.FlightSupport_FuelSectorsListF_New.Form.Filter = "Sect_ID = " & Sect_IDCmb
    Me.FlightSupport_FuelSectorsListF_New.Form.FilterOn = True
    Me.Requery
End Sub
```

```
Private Sub PermitSectorsCmb_AfterUpdate()
    Me.FlightSupport_PermitsUpdateF_New.Form.Filter = "Sect_ID = " & Me.PermitSectorsCmb.Column(1)
    Me.FlightSupport_PermitsUpdateF_New.Form.FilterOn = True
    Me.FlightSupport_PermitsListF_New.Form.Filter = "Sect_ID = " & Me.PermitSectorsCmb.Column(1)
    Me.FlightSupport_PermitsListF_New.Form.FilterOn = True
    Me.FlightSupport_PermitSectorsListF_New.Form.Filter = "Sect_ID = " & Me.PermitSectorsCmb.Column(1)
    Me.FlightSupport_PermitSectorsListF_New.Form.FilterOn = True
End Sub
```

Form_FlightSupport_UpdateExpiredFuelF - 1

Option Compare Database

Option Explicit

Private Sub closeBtn_Click()

DoCmd.Close acForm, "FlightSupport_UpdateExpiredFuelF", acSaveNo

End Sub

Private Sub RefNoCmb_DblClick(Cancel As Integer)

RefNo2_AfterUpdate

Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_RequestF_New").Form.TriggerAfterUpdate

closeBtn_Click

End Sub

Private Sub SectorNoCmb_AfterUpdate()

Dim Sect_IDCmb As Integer

Sect_IDCmb = Me.SectorNoCmb.Column(1)

Me.FlightSupport_ExpiredFuelReleaseF.Form.Filter = "Location_ID = " & Sect_IDCmb

Me.FlightSupport_ExpiredFuelReleaseF.Form.FilterOn = True

Me.FuelSupport_UpdateFuelExpiredFuel_New.Form.Filter = "Location_ID = " & Sect_IDCmb

Me.FuelSupport_UpdateFuelExpiredFuel_New.Form.FilterOn = True

Me.Requery

Me.Refresh

End Sub

Private Sub RefNoCmb_AfterUpdate()

Dim RefNo_Cmb As Variant

Dim Loc_ID As String

RefNo_Cmb = Me.RefNoCmb.Column(1)

Loc_ID = "Select Airport, Location_ID FROM FlightSupport_ExpiredFuelQ_New WHERE ID = " & RefNo_Cmb & " ORDER BY Location_ID ASC;"

Me.SectorNoCmb.RowSource = Loc_ID

End Sub

Private Sub RefNo2_AfterUpdate()

Dim selectedRefNo As Variant

selectedRefNo = Me.RefNoCmb.Column(0)

If Not IsNull(selectedRefNo) Then

Forms("FlightSupport_LASTFORM_New").Controls("FlightSupport_RequestF_New").Form.Controls("RefNo2").Value = selectedRefNo

'Me.Requery

Else

Exit Sub

End If

End Sub

Private Sub UpdateFuelBtn_Click()

DoCmd.OpenForm "FuelSupport_updateFuel_New", WindowMode:=acWindowNormal

End Sub

Option Compare Database

```
Private Sub AddFuelService_Click()
```

```
    'On Error GoTo ErrorHandler
```

```
    Dim db As DAO.Database
```

```
    Dim rs As DAO.Recordset
```

```
If IsNull(Me.Location_ID) Or IsNull(Me.FuelStatus) Or IsNull(Me.PaymentMethod) Or IsNull(Me.IPA) Or IsNull(Me.Currency) Or IsNull(Me.vendorName) Or IsNull(Me.AddedRate) Or IsNull(Me.TASPrice) Then
```

```
    MsgBox "Add Missing Field.", vbExclamation
```

```
    Exit Sub
```

```
Else
```

```
    Set db = CurrentDb
```

```
    Set rs = db.OpenRecordset("FuelBriefT_New", dbOpenDynaset)
```

```
    rs.AddNew
```

```
    ' Assign values to the fields in the table
```

```
    rs.Fields("Location_ID").Value = Me.Location_ID.Value
```

```
    rs.Fields("FuelType").Value = Me.FuelType.Value
```

```
    rs.Fields("FuelStatus").Value = Me.FuelStatus.Value
```

```
    rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value
```

```
    rs.Fields("IPA").Value = Me.IPA.Value
```

```
    rs.Fields("Quantity").Value = Me.Quantity.Value
```

```
    rs.Fields("VendorPrice").Value = Me.BasePrice.Value
```

```
    rs.Fields("TASPrice").Value = Me.TASPrice.Value
```

```
    rs.Fields("AddedRate").Value = Me.AddedRate.Value
```

```
    rs.Fields("Vendor").Value = Me.vendorName.Value
```

```
    rs.Fields("FBO").Value = Me.FBO.Value
```

```
    rs.Fields("QuoteSent").Value = Me.QuoteSentCb.Value
```

```
    rs.Fields("Taxes").Value = Me.Taxes.Value
```

```
    rs.Fields("Notes").Value = Me.Notes.Value
```

```
    rs.Fields("Validity").Value = Me.Validity.Value
```

```
    rs.Fields("EstimatedTotal").Value = Me.TASEstimatedTotal.Value
```

```
    rs.Fields("Airport").Value = Me.AIRPORT.Value
```

```
    rs.Fields("Currency").Value = Me.Currency.Value
```

```
    rs.Fields("InternalNotes").Value = Me.InternalNotes.Value
```

```
    ' Save the new record
```

```
    rs.Update
```

```
    ' Clean up
```

```
    rs.Close
```

```
    Set rs = Nothing
```

```
    Set db = Nothing
```

```
    ' Reset form values
```

```
    ResetBtn_Click
```

```
    ' Display a message indicating successful addition
```

```
    MsgBox "Service added succssfully, please added fuel release once service is confiremd from the vendor"
```

```
    Me.Undo
```

```
    Exit Sub
```

```
End If
```

```
'ErrorHandler:
```

```
    'MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
```

```
    'Me.Undo
```

```
'Exit Sub
```

```
End Sub
```

```
Private Sub Airport_AfterUpdate()
```

```
    MinPrice_MinVendor
```

```
    Me.Refresh
```

```
End Sub
```

```
Private Sub MinPrice_MinVendor()
```

```
    Dim selectedAirport As Variant
```

```
    Dim airportCode As String
```

```
    Dim LowestPriceQ As String
```

```
    Dim MinVendorPrice As Variant
```

```
    Dim vendorTable As String
```

```
    Dim AirportIDQ As Integer
```

```

selectedAirport = Me.AIRPORT

If Not IsNull(selectedAirport) Then
    airportCode = selectedAirport

    LowestPriceQ = "Select MinVendorPrice, TableName, ID FROM FuelSupport_PriceQ WHERE Airport = '" & airportCode & "'"

    MinVendorPrice = DLookup("MinVendorPrice", "FuelSupport_PriceQ", "Airport = '" & airportCode & "'")

    vendorTable = DLookup("TableName", "FuelSupport_PriceQ", "Airport = '" & airportCode & "'")
    AirportIDQ = DLookup("ID", "FuelSupport_PriceQ", "Airport = '" & airportCode & "'")

    If Not IsNull(MinVendorPrice) Then
        Me.AirportID.Value = AirportIDQ
        Me.LowestVendor.Value = vendorTable
        Me.VendorT.Value = vendorTable
        Me.LowestPriceTxt.Value = MinVendorPrice
        RenderRecord
    Else
        ' Me.LowestPriceTxt.Value = "No data found"
    End If
End If
End Sub

Private Sub RenderRecord()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    selectedVendorTable = Me.VendorT
    'AirportID = Me.AirportID
    selectedAirport = Me.AIRPORT

    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
        Exit Sub
    Else
        'If Not IsNull(selectedAirport) Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)

        ' Find the row that matches the selectedAirport And FlightType
        'rs.FindFirst "ID = " & AirportID & " And FlightType = '" & FlightType & "'"
        rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
        If Not rs.NoMatch Then
            ' Assign values To the fields in the form`
            Me.BasePrice.Value = rs("VendorPrice").Value
            Me.EstimatedTotal.Value = rs("EstimatedTotal").Value
            Me.Validity.Value = rs("Validity").Value
            'Me.VendorCmbPrice.Value = rs("VendorPrice").Value
            Me.IPA.Value = rs("IPA").Value
            Me.FBO.Value = rs("FBO").Value
            Me.Notes.Value = rs("Notes").Value
            Me.Taxes.Value = rs("Taxes").Value
            Me.Currency.Value = rs("Currency").Value
            Me.InternalNotes.Value = rs("InternalNotes").Value
            rs.Close
            Set rs = Nothing
            Set db = Nothing
            Me.Vendor = Left(VendorT, Len(VendorT) - 5)

            'MsgBox "Data rendered successfully."
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    End If

End If

```

End Sub

```
Private Sub ReleaseDate_Click()
InputDateField ReleaseDate, "Select a date To use this on your form"
End Sub
```

```
Private Sub Vendor_AfterUpdate()
'Vendor_Change
RenderRecord
End Sub
```

```
Private Sub Form_Load()
' RowSourceReset
End Sub
```

```
Private Sub RowSourceReset()
Dim AirportQuery As String
AirportQuery = "Select Airport FROM FuelSupport_PriceQ "
Me.RecordSource = AirportQuery
' Set the RowSource Property of the AIRPORT combo box To the dynamic query
Me.AIRPORT.RowSource = AirportQuery

' Requery the AIRPORT combo box To reflect the updated options
Me.AIRPORT.Requery
End Sub
```

```
Private Sub ResetBtn_Click()
Me.Location_ID.Value = Null
Me.FuelStatus.Value = Null
Me.IPA.Value = Null
Me.BasePrice.Value = Null
Me.FBO.Value = Null
Me.Validity.Value = Null
Me.QuoteSentCb.Value = Null
Me.Taxes.Value = Null
Me.Notes.Value = Null
Me.Validity.Value = Null
'Me.TASEstimatedTotal.Value = Null
Me.AIRPORT.Value = Null
RowSourceReset
'Me.Undo
End Sub
```

```
Private Sub openAddReleaseF()
DoCmd.OpenForm "FlightSupport_FuelReleaseF_Seperate", WindowMode:=acWindowNormal
End Sub
```

```
Private Sub FuelStatus_BeforeUpdate(Cancel As Integer)
Dim Loc_ID As Integer
Dim rs As DAO.Recordset
Dim db As DAO.Database
Loc_ID = Me.Location_ID.Value
```

```
If (Me.FuelStatus = "CONFIRMED") Or (Me.FuelStatus = "CONFIRMED - STC") Then
Set db = CurrentDb
Set rs = db.OpenRecordset("FuelReleaseT", dbOpenSnapshot)

rs.FindFirst "Location_ID = " & Loc_ID
```

```
If rs.NoMatch Then
MsgBox "No matching Fuel Release found. Please add a release before changing status To confirmed.", vbExclamation + vbOKOnly, "Record Not Found"
'Me.Undo
Cancel = True ' Cancel the update
rs.Close
Set rs = Nothing
```



```
        openAddReleaseF
        Exit Sub

    ' Exit the procedure
Else
    MsgBox "Status changed successfully."
    Me.FuelStatus.BackColor = RGB(0, 255, 0) ' Green color

End If

Else
    Me.FuelStatus.BackColor = vbWindowFrame
    Exit Sub

End If

End Sub
```

Option Compare Database

```
Private Sub AddFuelService_Click()
```

```
'On Error GoTo ErrorHandler
```

```
Dim db As DAO.Database
```

```
Dim rs As DAO.Recordset
```

```
If IsNull(Me.Location_ID) Or IsNull(Me.FuelStatus) Or IsNull(Me.PaymentMethod) Or IsNull(Me.IPA) Or IsNull(Me.Currency) Or IsNull(Me.vendorName) Or IsNull(Me.AddedRate) Or IsNull(Me.TASPrice) Then
```

```
MsgBox "Add Missing Field.", vbExclamation
```

```
Exit Sub
```

```
Else
```

```
Set db = CurrentDb
```

```
Set rs = db.OpenRecordset("FuelBriefT_New", dbOpenDynaset)
```

```
rs.AddNew
```

```
' Assign values to the fields in the table
```

```
rs.Fields("Location_ID").Value = Me.Location_ID.Value
```

```
rs.Fields("FuelType").Value = Me.FuelType.Value
```

```
rs.Fields("FuelStatus").Value = Me.FuelStatus.Value
```

```
rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value
```

```
rs.Fields("IPA").Value = Me.IPA.Value
```

```
rs.Fields("Quantity").Value = Me.Quantity.Value
```

```
rs.Fields("VendorPrice").Value = Me.BasePrice.Value
```

```
rs.Fields("TASPrice").Value = Me.TASPrice.Value
```

```
rs.Fields("AddedRate").Value = Me.AddedRate.Value
```

```
rs.Fields("Vendor").Value = Me.vendorName.Value
```

```
rs.Fields("FBO").Value = Me.FBO.Value
```

```
rs.Fields("QuoteSent").Value = Me.QuoteSentCb.Value
```

```
rs.Fields("Taxes").Value = Me.Taxes.Value
```

```
rs.Fields("Notes").Value = Me.Notes.Value
```

```
rs.Fields("Validity").Value = Me.Validity.Value
```

```
rs.Fields("EstimatedTotal").Value = Me.TASEstimatedTotal.Value
```

```
rs.Fields("Airport").Value = Me.AIRPORT.Value
```

```
rs.Fields("Currency").Value = Me.Currency.Value
```

```
rs.Fields("InternalNotes").Value = Me.InternalNotes.Value
```

```
' Save the new record
```

```
rs.Update
```

```
' Clean up
```

```
rs.Close
```

```
Set rs = Nothing
```

```
Set db = Nothing
```

```
' Reset form values
```

```
ResetBtn_Click
```

```
' Display a message indicating successful addition
```

```
MsgBox "Service added succssfully, please added fuel release once service is confiremd from the vendor"
```

```
Me.Undo
```

```
Exit Sub
```

```
End If
```

```
'ErrorHandler:
```

```
'MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
```

```
'Me.Undo
```

```
'Exit Sub
```

```
End Sub
```

```
Private Sub Airport_AfterUpdate()
```

```
MinPrice_MinVendor
```

```
Me.Refresh
```

```
End Sub
```

```
Private Sub MinPrice_MinVendor()
```

```
Dim selectedAirport As Variant
```

```
Dim airportCode As String
```

```
Dim LowestPriceQ As String
```

```
Dim MinVendorPrice As Variant
```

```
Dim vendorTable As String
```

```
Dim AirportIDQ As Integer
```

```

selectedAirport = Me.AIRPORT

If Not IsNull(selectedAirport) Then
    airportCode = selectedAirport

    LowestPriceQ = "Select MinVendorPrice, TableName, ID FROM FuelSupport_PriceQ WHERE Airport = '" & airportCode & "'"

    MinVendorPrice = DLookup("MinVendorPrice", "FuelSupport_PriceQ", "Airport = '" & airportCode & "'")

    vendorTable = DLookup("TableName", "FuelSupport_PriceQ", "Airport = '" & airportCode & "'")
    AirportIDQ = DLookup("ID", "FuelSupport_PriceQ", "Airport = '" & airportCode & "'")

    If Not IsNull(MinVendorPrice) Then
        Me.AirportID.Value = AirportIDQ
        Me.LowestVendor.Value = vendorTable
        Me.VendorT.Value = vendorTable
        Me.LowestPriceTxt.Value = MinVendorPrice
        RenderRecord
    Else
        ' Me.LowestPriceTxt.Value = "No data found"
    End If
End If
End Sub

Private Sub RenderRecord()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    selectedVendorTable = Me.VendorT
    'AirportID = Me.AirportID
    selectedAirport = Me.AIRPORT

    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
        Exit Sub
    Else
        'If Not IsNull(selectedAirport) Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)

        ' Find the row that matches the selectedAirport And FlightType
        'rs.FindFirst "ID = " & AirportID & " And FlightType = '" & FlightType & "'"
        rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
        If Not rs.NoMatch Then
            ' Assign values To the fields in the form`
            Me.BasePrice.Value = rs("VendorPrice").Value
            Me.EstimatedTotal.Value = rs("EstimatedTotal").Value
            Me.Validity.Value = rs("Validity").Value
            'Me.VendorCmbPrice.Value = rs("VendorPrice").Value
            Me.IPA.Value = rs("IPA").Value
            Me.FBO.Value = rs("FBO").Value
            Me.Notes.Value = rs("Notes").Value
            Me.Taxes.Value = rs("Taxes").Value
            Me.Currency.Value = rs("Currency").Value
            Me.InternalNotes.Value = rs("InternalNotes").Value
            rs.Close
            Set rs = Nothing
            Set db = Nothing
            Me.Vendor = Left(VendorT, Len(VendorT) - 5)

            'MsgBox "Data rendered successfully."
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    End If

End If

```

End Sub

```
Private Sub ReleaseDate_Click()
InputDateField.ReleaseDate, "Select a date To use this on your form"
End Sub
```

```
Private Sub Vendor_AfterUpdate()
'Vendor_Change
RenderRecord
End Sub
```

```
Private Sub Form_Load()
' RowSourceReset
End Sub
```

```
Private Sub RowSourceReset()
Dim AirportQuery As String
AirportQuery = "Select Airport FROM FuelSupport_PriceQ "
Me.RecordSource = AirportQuery
' Set the RowSource Property of the AIRPORT combo box To the dynamic query
Me.AIRPORT.RowSource = AirportQuery

' Requery the AIRPORT combo box To reflect the updated options
Me.AIRPORT.Requery
End Sub
```

```
Private Sub ResetBtn_Click()
Me.Location_ID.Value = Null
Me.FuelStatus.Value = Null
Me.IPA.Value = Null
Me.BasePrice.Value = Null
Me.FBO.Value = Null
Me.Validity.Value = Null
Me.QuoteSentCb.Value = Null
Me.Taxes.Value = Null
Me.Notes.Value = Null
Me.Validity.Value = Null
'Me.TASEstimatedTotal.Value = Null
Me.AIRPORT.Value = Null
RowSourceReset
'Me.Undo
End Sub
```

```
Private Sub Form_Open(Cancel As Integer)
Me.Form.FilterOn = False
End Sub
```

```
Private Sub openAddReleaseF()
DoCmd.OpenForm "FlightSupport_FuelReleaseF_Seperate_New", WindowMode:=acWindowNormal
End Sub
```

```
Private Sub FuelStatus_BeforeUpdate(Cancel As Integer)
Dim Loc_ID As Integer
Dim rs As DAO.Recordset
Dim db As DAO.Database
```

```
Loc_ID = Me.Location_ID.Value
```

```
If (Me.FuelStatus = "CONFIRMED") Or (Me.FuelStatus = "CONFIRMED - STC") Then
Set db = CurrentDb
Set rs = db.OpenRecordset("FuelReleaseT_New", dbOpenSnapshot)
```

```
rs.FindFirst "Location_ID = " & Loc_ID
```

```
If rs.NoMatch Then
```

```
        MsgBox "No matching Fuel Release found. Please add a release before changing status To confirmed.", vbExclamation + vbOKOnly, "Record Not Found"
        'Me.Undo
        Cancel = True ' Cancel the update
        rs.Close
        Set rs = Nothing
        openAddReleaseF
        Exit Sub

    ' Exit the procedure
Else
    MsgBox "Status changed successfully."
    Me.FuelStatus.BackColor = RGB(0, 255, 0) ' Green color

End If

Else
Me.FuelStatus.BackColor = vbWindowFrame
Exit Sub

End If

End Sub
```

Option Compare Database

```
Private Sub Command52_Click()
Me.Refresh
```

```
End Sub
```

```
Private Sub LoadLastBtn_Click()
    Me.Sect_ID.DefaultValue = "" & GetLastSect_ID() & ""
    Me.RefNo.DefaultValue = "" & GetLastRefNo() & ""
End Sub
```

```
Private Function GetLastRefNo() As Variant
```

```
    ' Get the latest RefNo value from NewFlightRequestsT table
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim strSQL As String
    Dim LastRefNo As Variant
```

```
    Set db = CurrentDb
    strSQL = "SELECT TOP 1 RefNo FROM NewFlightRequestsT ORDER BY AddedTime DESC"
    Set rs = db.OpenRecordset(strSQL)
```

```
    ' Check if a record was found
    If Not rs.EOF Then
        LastRefNo = rs.Fields("RefNo").Value
    End If
```

```
    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing
```

```
    GetLastRefNo = LastRefNo
```

```
End Function
```

```
Private Sub newSectorBtn_Click()
    ' Clear the form fields To prepare For a New record
    Me.Sect_ID.Value = GenerateNewSect_ID
    Me.RefNo.Value = GetLastRefNo
    Me.SectorNo.Value = ""
    Me.SectorRoute.Value = ""
    Me.Location.Value = ""
    Me.A_ETA.Value = ""
    Me.A_ETD.Value = ""
    Me.A_ATA.Value = ""
    Me.A_ATD.Value = ""
End Sub
```

```
Private Function ValidateFormFields() As Boolean
    ' Check if any required fields are empty
```

```
    If Me.SectorNo.Value = "" Then
        MsgBox "Sector Number is required.", vbExclamation
        ' Me.SectorNo.SetFocus
```

```
        ValidateFormFields = False
        Exit Function
    End If
```

```
    If Me.SectorRoute.Value = "" Then
        MsgBox "Route is required.", vbExclamation
        ' Me.SectorRoute.SetFocus
        ValidateFormFields = False
        Exit Function
    End If
```

```
    If Me.Location.Value = "" Then
        MsgBox "Location is required.", vbExclamation
        'Me.Location.SetFocus
        ValidateFormFields = False
    End If
```

```

        Exit Function
    End If

    ' Add more field validations as needed

    ' If all validations pass, return True
    ValidateFormFields = True
End Function

Private Function GenerateNewSect_ID() As String
    ' Calculate the New Sect_ID value based on existing records
    Dim lastSect_ID As Variant
    Dim newSect_ID As Integer

    lastSect_ID = DMax("Sect_ID", "NewSectorsT", "IsNumeric(Sect_ID) = True")

    If IsNull(lastSect_ID) Then
        ' If the table is empty, set the initial Sect_ID to 1
        newSect_ID = 1
    Else
        ' Increment the last Sect_ID value by 1
        newSect_ID = CInt(lastSect_ID) + 1
    End If

    ' Return the New Sect_ID value
    GenerateNewSect_ID = Format(newSect_ID, "0000")
End Function

Private Function GetLastSect_ID() As Variant

    ' Get the latest RefNo value from NewFlightRequestsT table
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim strSQL As String
    'Dim lastRefNo As Variant
    Dim MaxID As Long
    MaxID = DMax("ID", "LocationsT")
    ' Me.RecordSource = "SELECT * FROM NewSectorsT WHERE ID = " & MaxID & ";"

    Set db = CurrentDb
    strSQL = "SELECT * FROM LocationsT WHERE ID = " & MaxID & ";"
    Set rs = db.OpenRecordset(strSQL)

    ' Check if a record was found
    If Not rs.EOF Then
        lastSect_ID = rs.Fields("Sect_ID").Value
    End If

    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing

    GetLastSect_ID = lastSect_ID
End Function

Private Sub addSectorBtn_Click()
    ' Check if all required fields are filled in
    If Not ValidateFormFields() Then
        Exit Sub
    End If

    ' Open the main table's recordset
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Set db = CurrentDb
    Set rs = db.OpenRecordset("NewSectorsT", dbOpenDynaset)

```

```

' Add a new record
With rs
    .AddNew
    !Sect_ID = Me.Sect_ID.Value
    !RefNo = Me.RefNo.Value
    !SectorNo = Me.SectorNo.Value
    !SectorRoute = Me.SectorRoute.Value
    !Location = Me.Location.Value
    !A_ETA = Me.A_ETA.Value
    !A_ETD = Me.A_ETD.Value
    !A_ATA = Me.A_ATA.Value
    !A_ATD = Me.A_ATD.Value

    ' Attempt to update the recordset

    .Update
End With

' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing

' Reset the form fields
Me.Sect_ID.Value = GenerateNewSect_ID
Me.RefNo.Value = GetLastRefNo
Me.SectorNo.Value = ""
Me.SectorRoute.Value = ""
Me.Location.Value = ""
Me.A_ETA.Value = ""
Me.A_ETD.Value = ""
Me.A_ATA.Value = ""
Me.A_ATD.Value = ""
' Me.SectorNo.SetFocus

' Optional: Display a message indicating successful addition
MsgBox "Sector added successfully.", vbInformation

Exit Sub

End Sub

Private Sub RefNo_AfterUpdate()
    Dim selectedRefNo As Variant
    Dim query As String

    selectedRefNo = Me.RefNo.Value ' Get the selected value from RefNo combo box

    ' Construct the dynamic query based on the selected value
    query = "SELECT Sect_ID FROM NewSectorsT WHERE RefNo = '" & selectedRefNo & "';"

    ' Set the RowSource property of Sect_ID to the dynamic query
    Me.Sect_ID.RowSource = query

    ' Requery Sect_ID to reflect the updated options
    Me.Sect_ID.Requery
End Sub

Private Sub Sect_ID_AfterUpdate()
    Dim selectedSect_ID As Integer
    Dim query As String

    selectedSect_ID = Me.Sect_ID.Value ' Get the selected value from Sect_ID combo box

    ' Construct the dynamic query based on the selected value
    query = "SELECT ID FROM LocationsT WHERE Sect_ID = '" & selectedSect_ID & "';"

    ' Set the RowSource property of Loc_ID to the dynamic query
    Me.ID.RowSource = query

    ' Requery Loc_ID to reflect the updated options
    Me.ID.Requery

```


End Sub

Option Compare Database

```

Private Sub UpdateFuelRelease_Click()
    Dim SelectedLocation_ID As Integer
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    SelectedLocation_ID = Me.Location_ID.Value

    Set db = CurrentDb
    Set rs = db.OpenRecordset("FuelReleaseT", dbOpenDynaset)

    If Not rs.EOF Then
        rs.MoveFirst ' Move To the first record in the recordset

        ' Loop through the recordset
        Do Until rs.EOF
            If rs("Location_ID").Value = SelectedLocation_ID Then
                rs.Edit
                rs.Fields("NextDest").Value = Me.NextDestCmb.Value
                rs.Fields("ReleaseETD").Value = Me.ReleaseETD.Value
                rs.Fields("ReleaseETA").Value = Me.ReleaseETA.Value
                rs.Fields("ArrivalDate").Value = Me.ArrivalDate.Value
                rs.Fields("DepartDate").Value = Me.DepartDate.Value
                rs.Update
            End If

            rs.MoveNext ' Move To the Next record
        Loop

        rs.Close
        Set rs = Nothing
        Set db = Nothing

        Me.Requery
        Reset
        MsgBox "Data updated successfully."
    Else
        MsgBox "No records found.", vbExclamation + vbOKOnly, "Update Failed"
    End If
End Sub

```

```

Private Sub ArrivalDate_Click()
    InputDateField ArrivalDate, "Select a date To use this on your form"
End Sub

Private Sub DepartDate_Click()
    InputDateField DepartDate, "Select a date To use this on your form"
End Sub

```

```

Private Sub Location_ID_AfterUpdate()
    RenderRecord
End Sub

```

```

Private Sub PrintRelease_Click()
    If Not IsNull(Me.Location_ID) Then

        Dim strWhere As String
        Dim InLeng As Long

        If Not IsNull(Me.Location_ID) Then

            strWhere = strWhere & "([Location_ID] Like ""*"" & Me.Location_ID & ""*") And "
        End If
    End If

```

```

    IngLen = Len(strWhere) - 5
    If IngLen <= 0 Then
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight
App"
    Else
        strWhere = Left$(strWhere, IngLen)
        Me.Filter = strWhe
        Me.FilterOn = True
        DoCmd.OpenReport "FlightSupport_FuelReleaseWithoutVendor", acViewPreview, , strWhere
    End If
Else
    DoCmd.OpenForm "FuelSupport_ReportGeneratorF", WindowMode:=acWindowNormal
End If
End Sub
Private Sub Reset()
    Me.NextDestCmb.Value = Null
    Me.ReleaseETD.Value = Null
    Me.ReleaseETA.Value = Null
    Me.ArrivalDate.Value = Null
    Me.DepartDate.Value = Null
End Sub
Private Sub RenderRecord()
    Dim SelectedLocation_ID As Integer
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    SelectedLocation_ID = Me.Location_ID.Value

    If Not IsNull(SelectedLocation_ID) Then

        Set db = CurrentDb
        Set rs = db.OpenRecordset("FuelReleaseT", dbOpenDynaset)
        ' Find the row that matches the selectedAirport And FlightType
        rs.FindFirst "Location_ID = " & SelectedLocation_ID

        If Not rs.NoMatch Then
            ' Assign values To the fields in the form
            Me.NextDestCmb.Value = rs("NextDest").Value
            Me.ReleaseETD.Value = rs("ReleaseETD").Value
            Me.ReleaseETA.Value = rs("ReleaseETA").Value
            Me.ArrivalDate.Value = rs("ArrivalDate").Value
            Me.DepartDate.Value = rs("DepartDate").Value
            rs.Close
            Set rs = Nothing
            Set db = Nothing
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    Else
        MsgBox "Please Select Location_ID.", vbExclamation + vbOKOnly, "Airport Selection"
    End If
End Sub

```

Option Compare Database

```

Private Sub UpdateFuelRelease_Click()
    Dim SelectedLocation_ID As Integer
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    SelectedLocation_ID = Me.Location_ID.Column(1)

    Set db = CurrentDb
    Set rs = db.OpenRecordset("FuelReleaseT_New", dbOpenDynaset)

    If Not rs.EOF Then
        rs.MoveFirst ' Move To the first record in the recordset

        ' Loop through the recordset
        Do Until rs.EOF
            If rs("Location_ID").Value = SelectedLocation_ID Then
                rs.Edit
                rs.Fields("NextDest").Value = Me.NextDestCmb.Value
                rs.Fields("ReleaseETD").Value = Me.ReleaseETD.Value
                rs.Fields("ReleaseETA").Value = Me.ReleaseETA.Value
                rs.Fields("ArrivalDate").Value = Me.ArrivalDate.Value
                rs.Fields("DepartDate").Value = Me.DepartDate.Value
                rs.Update
            End If

            rs.MoveNext ' Move To the Next record
        Loop

        rs.Close
        Set rs = Nothing
        Set db = Nothing

        Me.Requery
        Reset
        MsgBox "Data updated successfully."
    Else
        MsgBox "No records found.", vbExclamation + vbOKOnly, "Update Failed"
    End If
End Sub

```

```

Private Sub ArrivalDate_Click()
    InputDateField ArrivalDate, "Select a date To use this on your form"
End Sub

Private Sub DepartDate_Click()
    InputDateField DepartDate, "Select a date To use this on your form"
End Sub

```

```

Private Sub Location_ID_AfterUpdate()
    RenderRecord
End Sub

```

```

Private Sub PrintRelease_Click()
    Dim strWhere As String
    Dim lngLen As Long
    Dim Loc_ID As Integer

    Loc_ID = Me.Location_ID.Column(1)
    ' Initialize strWhere
    strWhere = ""

    If Not IsNull(Loc_ID) Then
        ' Build the WHERE clause
        strWhere = strWhere & "([Location_ID] = " & Loc_ID & ")"
    End If

```

```

End If

' Check if there's a WHERE clause
IngLen = Len(strWhere)
If IngLen > 0 Then
    ' Apply the filter and open the report
    Me.Filter = strWhere
    Me.FilterOn = True
    DoCmd.OpenReport "FlightSupport_FuelReleaseWithoutVendor_New", acViewPreview, , strWhere
Else
    ' No filter, open the report generator form
    DoCmd.OpenForm "FuelSupport_ReportGeneratorF", WindowMode:=acWindowNormal
End If

End Sub

Private Sub Reset()
    Me.NextDestCmb.Value = Null
    Me.ReleaseETD.Value = Null
    Me.ReleaseETA.Value = Null
    Me.ArrivalDate.Value = Null
    Me.DepartDate.Value = Null
End Sub

Private Sub RenderRecord()
    Dim SelectedLocation_ID As Integer
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    SelectedLocation_ID = Me.Location_ID.Column(1)

    If Not IsNull(SelectedLocation_ID) Then

        Set db = CurrentDb
        Set rs = db.OpenRecordset("FuelReleaseT_New", dbOpenDynaset)
        ' Find the row that matches the selectedAirport And FlightType
        rs.FindFirst "Location_ID = " & SelectedLocation_ID

        If Not rs.NoMatch Then
            ' Assign values To the fields in the form
            Me.NextDestCmb.Value = rs("NextDest").Value
            Me.ReleaseETD.Value = rs("ReleaseETD").Value
            Me.ReleaseETA.Value = rs("ReleaseETA").Value
            Me.ArrivalDate.Value = rs("ArrivalDate").Value
            Me.DepartDate.Value = rs("DepartDate").Value
            rs.Close
            Set rs = Nothing
            Set db = Nothing
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    Else
        MsgBox "Please Select Location_ID.", vbExclamation + vbOKOnly, "Airport Selection"
    End If
End Sub

```

Option Compare Database

```

Private Sub UpdateFuelRelease_Click()
    Dim SelectedLocation_ID As Integer
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    SelectedLocation_ID = Me.Location_ID.Column(1)

    Set db = CurrentDb
    Set rs = db.OpenRecordset("FuelReleaseT_New", dbOpenDynaset)

    If Not rs.EOF Then
        rs.MoveFirst ' Move To the first record in the recordset

        ' Loop through the recordset
        Do Until rs.EOF
            If rs("Location_ID").Value = SelectedLocation_ID Then
                rs.Edit
                rs.Fields("NextDest").Value = Me.NextDestCmb.Value
                rs.Fields("ReleaseETD").Value = Me.ReleaseETD.Value
                rs.Fields("ReleaseETA").Value = Me.ReleaseETA.Value
                rs.Fields("ArrivalDate").Value = Me.ArrivalDate.Value
                rs.Fields("DepartDate").Value = Me.DepartDate.Value
                rs.Update
            End If

            rs.MoveNext ' Move To the Next record
        Loop

        rs.Close
        Set rs = Nothing
        Set db = Nothing

        Me.Requery
        Reset
        MsgBox "Data updated successfully."
    Else
        MsgBox "No records found.", vbExclamation + vbOKOnly, "Update Failed"
    End If
End Sub

Private Sub ArrivalDate_Click()
    InputDateField ArrivalDate, "Select a date To use this on your form"
End Sub

Private Sub DepartDate_Click()
    InputDateField DepartDate, "Select a date To use this on your form"
End Sub

Private Sub Location_ID_AfterUpdate()
    RenderRecord
End Sub

Private Sub PrintRelease_Click()
    Dim strWhere As String
    Dim lngLen As Long
    Dim Loc_ID As Integer

    Loc_ID = Me.Location_ID.Column(1)
    ' Initialize strWhere
    strWhere = ""

    If Not IsNull(Loc_ID) Then
        ' Build the WHERE clause
        strWhere = strWhere & "([Location_ID] = " & Loc_ID & ")"
    End If

    ' Check if there's a WHERE clause
    lngLen = Len(strWhere)

```

```
If IngLen > 0 Then
    ' Apply the filter and open the report
    Me.Filter = strWhere
    Me.FilterOn = True
    DoCmd.OpenReport "FlightSupport_FuelReleaseWithoutVendor_New", acViewPreview, , strWhere
Else
    ' No filter, open the report generator form
    DoCmd.OpenForm "FuelSupport_ReportGeneratorF", WindowMode:=acWindowNormal
End If

End Sub

Private Sub Reset()
    Me.NextDestCmb.Value = Null
    Me.ReleaseETD.Value = Null
    Me.ReleaseETA.Value = Null
    Me.ArrivalDate.Value = Null
    Me.DepartDate.Value = Null
End Sub

Private Sub RenderRecord()
    Dim SelectedLocation_ID As Integer
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    SelectedLocation_ID = Me.Location_ID.Column(1)

    If Not IsNull(SelectedLocation_ID) Then

        Set db = CurrentDb
        Set rs = db.OpenRecordset("FuelReleaseT_New", dbOpenDynaset)
        ' Find the row that matches the selectedAirport And FlightType
        rs.FindFirst "Location_ID = " & SelectedLocation_ID

        If Not rs.NoMatch Then
            ' Assign values To the fields in the form
            Me.NextDestCmb.Value = rs("NextDest").Value
            Me.ReleaseETD.Value = rs("ReleaseETD").Value
            Me.ReleaseETA.Value = rs("ReleaseETA").Value
            Me.ArrivalDate.Value = rs("ArrivalDate").Value
            Me.DepartDate.Value = rs("DepartDate").Value
            rs.Close
            Set rs = Nothing
            Set db = Nothing
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    Else
        MsgBox "Please Select Location_ID.", vbExclamation + vbOKOnly, "Airport Selection"
    End If
End Sub
```

Option Compare Database

Option Explicit

Private Sub UpdateFuelRelease_Click()

Dim SelectedLocation_ID As Integer

Dim db As DAO.Database

Dim rs As DAO.Recordset

SelectedLocation_ID = Me.Location.Column(1)

Set db = CurrentDb

Set rs = db.OpenRecordset("FuelReleaseT_New_V12", dbOpenDynaset)

If Not rs.EOF Then

rs.MoveFirst ' Move To the first record in the recordset

' Loop through the recordset

Do Until rs.EOF

If rs("Location_ID").Value = SelectedLocation_ID Then

rs.Edit

rs.Fields("NextDest").Value = Me.NextDestCmb.Value

rs.Fields("ReleaseETD").Value = Me.ReleaseETD.Value

rs.Fields("ReleaseETA").Value = Me.ReleaseETA.Value

rs.Fields("ArrivalDate").Value = Me.ArrivalDate.Value

rs.Fields("DepartDate").Value = Me.DepartDate.Value

rs.Fields("FR_SENT_CLIENT").Value = Me.FR_SENT_CLIENTtxt.Value

rs.Fields("FR_SENT_HANDLER").Value = Me.FR_SENT_HANDLERtxt.Value

rs.Fields("UPDATED_FR_SENT_CLIENT").Value = Me.UPDATED_FR_SENT_CLIENTtxt.Value

rs.Fields("UPDATED_FR_SENT_HANDLER").Value = Me.UPDATED_FR_SENT_HANDLERtxt.Value

rs.Fields("VENDOR_COORDINATED").Value = Me.VENDOR_COORDINATEDtxt.Value

rs.Fields("PRICE_SENT").Value = Me.PRICE_SENTtxt.Value

rs.Update

End If

rs.MoveNext ' Move To the Next record

Loop

rs.Close

Set rs = Nothing

Set db = Nothing

Me.Requery

Reset

MsgBox "Data updated successfully."

Else

MsgBox "No records found.", vbExclamation + vbOKOnly, "Update Failed"

End If

End Sub

Private Sub ArrivalDate_Click()

'InputDateField ArrivalDate, "Select a date To use this on your form"

End Sub

Private Sub DepartDate_Click()

'InputDateField DepartDate, "Select a date To use this on your form"

End Sub

Private Sub PrintRelease_Click()

Dim strWhere As String

Dim lngLen As Long

Dim Loc_ID As Integer

Loc_ID = Me.Location.Column(1)

' Initialize strWhere

strWhere = ""

If Not IsNull(Loc_ID) Then

' Build the WHERE clause

strWhere = strWhere & "([Location_ID] = " & Loc_ID & ")"

End If

' Check if there's a WHERE clause

lngLen = Len(strWhere)


```

If IngLen > 0 Then
    ' Apply the filter and open the report
    Me.Filter = strWhere
    Me.FilterOn = True
    DoCmd.OpenReport "FlightSupport_FuelReleaseWithoutVendor_New_V12", acViewPreview, , strWhere
Else
    ' No filter, open the report generator form
    DoCmd.OpenForm "FuelSupport_ReportGeneratorF", WindowMode:=acWindowNormal
End If

End Sub

Private Sub Reset()
    Me.NextDestCmb.Value = Null
    Me.ReleaseETD.Value = Null
    Me.ReleaseETA.Value = Null
    Me.ArrivalDate.Value = Null
    Me.DepartDate.Value = Null
    Me.FR_SENT_CLIENTtxt.Value = Null
    Me.FR_SENT_HANDLERtxt.Value = Null
    Me.UPDATED_FR_SENT_CLIENTtxt.Value = Null
    Me.UPDATED_FR_SENT_HANDLERtxt.Value = Null
    Me.VENDOR_COORDINATEDtxt.Value = Null
    Me.PRICE_SENTtxt.Value = Null
End Sub

Private Sub Location_AfterUpdate()
    TestParameterizedQuery
    RenderRecord
    RenderCheckboxes
End Sub

Private Sub TestParameterizedQuery()
    Dim selectedSect_ID As Integer
    Dim FlightRefNo As Variant

    selectedSect_ID = Me.Location.Column(1)

    ' Use DLookup to directly retrieve the FlightRefNo value
    FlightRefNo = DLookup("FlightRefNo", "FlightSupport_AlllocationsQ_V12", "Loc_ID = " & selectedSect_ID)

    If Not IsNull(FlightRefNo) Then
        Me!RefNo.Value = FlightRefNo
    Else
        MsgBox "No FlightRefNo found for Loc_ID " & selectedSect_ID
    End If
End Sub

Private Sub RenderRecord()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim RefNo As Variant
    Dim SelectedLocation As Integer
    Dim SectorNumber As Integer
    Dim selectedAirport As Variant

    RefNo = Me.RefNo.Value
    selectedAirport = Me.Location.Column(0)
    SelectedLocation = Me.Location.Column(1)

    If Not IsNull(SelectedLocation) Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset("Select * FROM FlightSupport_SectorsQ WHERE FlightRefNo = '" & RefNo & "'", dbOpenSnapshot)

        If Not rs.EOF Then
            rs.MoveFirst
            Do Until rs.EOF
                If (SelectedLocation = rs("Origin_Location_ID").Value And selectedAirport = rs("Origin_Location_ID").Value) Or (SelectedLocation = rs("Dest_Location_ID").Value And selectedAirport = rs("Destination").Value) Then
                    If SelectedLocation = rs("Origin_Location_ID").Value And selectedAirport = rs("Origin_Location_ID").Value Then
                        SectorNumber = rs("SectorNo").Value
                    End If
                End If
                rs.MoveNext
            Loop
        End If
    End If
End Sub

```

```

        If SectorNumber = 1 Then
            'MsgBox "This is origin And SectorNo = 1"
            Me.ReleaseETA.Value = "00:01"
            Me.ArrivalDate.Value = rs("Origin_DepartDate").Value
            Me.ReleaseETD.Value = rs("Origin_ETD").Value
            Me.DepartDate.Value = rs("Origin_DepartDate").Value
            Me.NextDestCmb.Value = rs("Destination").Value
        ElseIf SectorNumber > 1 Then
            ' MsgBox "This is origin And SectorNo > 1"
            Me.ReleaseETD.Value = rs("Origin_ETD").Value
            Me.DepartDate.Value = rs("Origin_DepartDate").Value
            Me.NextDestCmb.Value = rs("Destination").Value
            rs.MovePrevious
            Me.ArrivalDate.Value = rs("Dest_ArrivalDate").Value
            Me.ReleaseETA.Value = rs("Dest_ETA").Value
        End If
    ElseIf SelectedLocation = rs("Dest_Location_ID").Value And selectedAirport = rs("Destination").Value Then
        ' MsgBox "This is destination"
        Me.ReleaseETA.Value = rs("Dest_ETA").Value
        Me.ArrivalDate.Value = rs("Dest_ArrivalDate").Value
        rs.MoveNext
        Me.ReleaseETD.Value = rs("Origin_ETD").Value
        Me.DepartDate.Value = rs("Origin_DepartDate").Value
        Me.NextDestCmb.Value = rs("Destination").Value
    End If
    Exit Do
End If
rs.MoveNext
Loop
End If

rs.Close
Set rs = Nothing
Set db = Nothing
End If
End Sub

Private Sub RenderCheckboxes()
    Dim SelectedLocation_ID As Integer
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    SelectedLocation_ID = Me.Location.Column(1)

    If Not IsNull(SelectedLocation_ID) Then

        Set db = CurrentDb
        Set rs = db.OpenRecordset("FuelReleaseT_New_V12", dbOpenDynaset)
        ' Find the row that matches the selectedAirport And FlightType
        rs.FindFirst "Location_ID = " & SelectedLocation_ID

        If Not rs.NoMatch Then
            ' Assign values To the fields in the form
            Me.FR_SENT_CLIENTtxt.Value = rs("FR_SENT_CLIENT").Value
            Me.FR_SENT_HANDLERtxt.Value = rs("FR_SENT_HANDLER").Value
            Me.UPDATED_FR_SENT_CLIENTtxt.Value = rs("UPDATED_FR_SENT_CLIENT").Value
            Me.UPDATED_FR_SENT_HANDLERtxt.Value = rs("UPDATED_FR_SENT_HANDLER").Value
            Me.VENDOR_COORDINATEDtxt.Value = rs("VENDOR_COORDINATED").Value
            Me.PRICE_SENTtxt.Value = rs("PRICE_SENT").Value

            rs.Close
            Set rs = Nothing
            Set db = Nothing
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    Else
        MsgBox "Please Select Location_ID.", vbExclamation + vbOKOnly, "Airport Selection"
    End If
End Sub

```

Option Compare Database

```
Private Sub closeBtn_Click()
    DoCmd.Close acForm, "FlightSupport_UpdateLASTFORM"
End Sub
```

```
Private Sub Form_Load()
    Dim fw As New clFormWindow
    Dim selectedRefNo As Variant

    fw.hWnd = Me.hWnd
    With fw
        .Top = (.Parent.Height - .Height) / 2
        .Left = (.Parent.Width - .Width) / 2
    End With
    Set fw = Nothing
    If CurrentProject.AllForms("FlightSupport_LASTFORM").IsLoaded Then
        selectedRefNo = Forms("FlightSupport_LASTFORM").Controls("RequestF").Controls("RefNo").Value
        If Not IsNull(selectedRefNo) Then
            Me.RefNo = selectedRefNo
            RefNo_AfterUpdate
        Else
            Exit Sub
        End If
    End If
End Sub
```

```
'updateFlightbtn_Click
End Sub
```

```
Private Sub OPSDate_Click()
    InputDateField OPSDate, "Select a date to use this on your form"
End Sub
```

```
Private Sub RefNo_AfterUpdate()
    Dim UpdateRefNo As Variant
    Dim selectedRefNo As Variant
    Me.RecordSource = "SELECT RefNo, ReqDate, ReqNo, Customer, Operator, ACType, ACMTOW, ACRag, PFL, S
chedule, OPSDate, RequestStatus, Route, RequiredServices, FuelRequest, FlightSupport FROM NewFlightReq
uestsT WHERE RefNo = '" & Me.RefNo & "';"
```

```
    selectedRefNo = Me.RefNo.Value ' Get the selected value from RefNo combo box
    UpdateRefNo = selectedRefNo
```

```
    Forms("FlightSupport_UpdateLASTFORM").Controls("UpdateNewAddSectorF").Controls("RefNo").Value = Up
dateRefNo
```

```
    Forms("FlightSupport_UpdateLASTFORM").Controls("UpdateNewAddSectorF").Controls("FlightSupport_Upda
teSectorsF").Form.Controls("RefNo").Value = UpdateRefNo
    Forms("FlightSupport_UpdateLASTFORM").Controls("UpdateNewAddSectorF").Controls("FlightSupport_Upda
teFuelHandlingConciergeF").Controls("RefNo") = UpdateRefNo
    RefNo_reselect
    Me.Requery
End Sub
```

```
Private Sub RefNo_reselect()
    Dim selectedRefNo As Variant
    Dim query As String
    'Dim selectedSect_ID As Integer
    selectedRefNo = Forms("FlightSupport_UpdateLASTFORM").Controls("UpdateNewAddSectorF").Form.Control
s("RefNo").Value ' Get the selected value from RefNo combo box
```

```
    ' Construct the dynamic query based on the selected value
    query = "SELECT SectorNo, Sect_ID FROM NewSectorsT WHERE RefNo = '" & selectedRefNo & "' ORDER BY S
ectorNo ASC;"
```

```
    ' Set the RowSource Property of the other subform's combo box To the dynamic query
    'selectedSect_ID = Forms("FlightSupport_LASTFORM").Controls("FlightSupport_NewAddSectorF").Form.Co
ntrols("Sect_ID").Value
```

```

Forms("FlightSupport_UpdateLASTFORM").Controls("UpdateNewAddSectorF").Controls("FlightSupport_UpdateSectorsF").Form.Controls("Sect_ID").RowSource = query
Forms("FlightSupport_UpdateLASTFORM").Controls("UpdateNewAddSectorF").Controls("FlightSupport_UpdateFuelHandlingConciergeF").Controls("Sect_ID").RowSource = query

' Requery the other subform's combo box To reflect the updated options
Me.Requery
Me.Refresh
End Sub

```

```

Private Sub Sect_ID_AfterUpdate()
Dim selectedSect_ID As Integer
Dim query As String
Dim locSect_ID As Integer

selectedSect_ID = Me.Sect_ID.Value ' Get the selected value from RefNo combo box

' Construct the dynamic query based on the selected value
query = "SELECT ID FROM LocationsT WHERE Sect_ID = " & selectedSect_ID & ";"

' Set the RowSource property of the other subform's combo box to the dynamic query
Forms("FlightSupport_LASTFORM").Controls("LastForm").Form.Controls("HandlingF").Controls("Location_ID1").RowSource = query
Forms("FlightSupport_LASTFORM").Controls("LastForm").Form.Controls("HandlingF").Controls("Location_ID2").RowSource = query
Forms("FlightSupport_LASTFORM").Controls("LastForm").Form.Controls("HandlingF").Controls("Location_ID3").RowSource = query
Forms("FlightSupport_LASTFORM").Controls("LastForm").Form.Controls("HandlingF").Controls("Location_ID4").RowSource = query
Forms("FlightSupport_LASTFORM").Controls("LastForm").Form.Controls("HandlingF").Controls("Location_ID5").RowSource = query
Forms("FlightSupport_LASTFORM").Controls("LastForm").Form.Controls("HandlingF").Controls("Location_ID6").RowSource = query
Forms("FlightSupport_LASTFORM").Controls("LastForm").Form.Controls("FuelF").Controls("Location_ID").RowSource = query
Forms("FlightSupport_LASTFORM").Controls("LastForm").Form.Controls("ConciergeBriefF").Controls("Location_ID").RowSource = query

' Requery the other subform's combo box to reflect the updated options
Me.Requery
' Assign selectedSect_ID to locSect_ID
locSect_ID = selectedSect_ID

' Update the value of Sect_ID in the other subform
Forms("LASTFORM").Controls("NewAddSectorF").Controls("AddLocationF").Controls("Sect_ID").Value = locSect_ID
End Sub

```

```

Private Sub updateFlightbtn_Click()
Dim MaxID As Long
MaxID = DMax("ID", "NewFlightRequestsT")
Me.RecordSource = "SELECT RefNo, ReqDate, ReqNo, Customer, Operator, ACType, ACMTOW, ACREg, PFL, Schedule, OPSDate, RequestStatus, Route, RequiredServices, FuelRequest, FlightSupport FROM NewFlightRequestsT WHERE ID = " & MaxID & ";"
' Forms!LASTFORM!NewAddSectorF!RefNo = Me.RefNo
End Sub

```

```

Private Sub ReqDate_Click()
InputDateField ReqDate, "Select a date to use this on your form"
End Sub

```

Form_FlightSupport_UpdateLASTFORM_New - 1

Option Compare Database

```
Private Sub closeBtn_Click()  
    DoCmd.Close acForm, "FlightSupport_UpdateLASTFORM"  
End Sub
```

```
Private Sub Form_Load()  
    Dim fw As New clFormWindow  
    Dim selectedRefNo As Variant  
  
    fw.hWnd = Me.hWnd  
    With fw  
        .Top = (.Parent.Height - .Height) / 2  
        .Left = (.Parent.Width - .Width) / 2  
    End With  
    Set fw = Nothing  
    If CurrentProject.AllForms("FlightSupport_LASTFORM").IsLoaded Then  
        selectedRefNo = Forms("FlightSupport_LASTFORM").Controls("RequestF").Controls("RefNo").Value  
        If Not IsNull(selectedRefNo) Then  
            Me.RefNo = selectedRefNo  
            RefNo_AfterUpdate  
        Else  
            Exit Sub  
        End If  
    End If  
End Sub
```

```
'updateFlightbtn_Click  
End Sub
```

```
Private Sub OPSDate_Click()  
    InputDateField OPSDate, "Select a date to use this on your form"  
End Sub
```

```
Private Sub RefNo_AfterUpdate()  
    Dim UpdateRefNo As Variant  
    Dim selectedRefNo As Variant  
    Me.RecordSource = "SELECT RefNo, ReqDate, ReqNo, Customer, Operator, ACType, ACMTOW, ACRag, PFL, S  
chedule, OPSDate, RequestStatus, Route, RequiredServices, FuelRequest, FlightSupport FROM NewFlightReq  
uestsT WHERE RefNo = '" & Me.RefNo & "';"  
  
    selectedRefNo = Me.RefNo.Value ' Get the selected value from RefNo combo box  
    UpdateRefNo = selectedRefNo  
  
    Forms("FlightSupport_UpdateLASTFORM").Controls("UpdateNewAddSectorF").Controls("RefNo").Value = Up  
dateRefNo  
  
    Forms("FlightSupport_UpdateLASTFORM").Controls("UpdateNewAddSectorF").Controls("FlightSupport_Upda  
teSectorsF").Form.Controls("RefNo").Value = UpdateRefNo  
    Forms("FlightSupport_UpdateLASTFORM").Controls("UpdateNewAddSectorF").Controls("FlightSupport_Upda  
teFuelHandlingConciergeF").Controls("RefNo") = UpdateRefNo  
    RefNo_reselect  
    Me.Requery  
End Sub
```

```
Private Sub RefNo_reselect()  
    Dim selectedRefNo As Variant  
    Dim query As String  
    'Dim selectedSect_ID As Integer  
    selectedRefNo = Forms("FlightSupport_UpdateLASTFORM").Controls("UpdateNewAddSectorF").Form.Control  
s("RefNo").Value ' Get the selected value from RefNo combo box  
  
    ' Construct the dynamic query based on the selected value  
    query = "SELECT SectorNo, Sect_ID FROM NewSectorsT WHERE RefNo = '" & selectedRefNo & "' ORDER BY S  
ectorNo ASC;"  
  
    ' Set the RowSource Property of the other subform's combo box To the dynamic query  
    'selectedSect_ID = Forms("FlightSupport_LASTFORM").Controls("FlightSupport_NewAddSectorF").Form.Co  
ntrols("Sect_ID").Value
```

Form_FlightSupport_UpdateLASTFORM_New - 2

```
Forms("FlightSupport_UpdateLASTFORM").Controls("UpdateNewAddSectorF").Controls("FlightSupport_UpdateNewAddSectorF").Form.Controls("Sect_ID").RowSource = query
Forms("FlightSupport_UpdateLASTFORM").Controls("UpdateNewAddSectorF").Controls("FlightSupport_UpdateNewAddSectorF").Controls("Sect_ID").RowSource = query

' Requery the other subform's combo box To reflect the updated options
Me.Requery
Me.Refresh

End Sub
```

```
Private Sub Sect_ID_AfterUpdate()
    Dim selectedSect_ID As Integer
    Dim query As String
    Dim locSect_ID As Integer

    selectedSect_ID = Me.Sect_ID.Value ' Get the selected value from RefNo combo box

    ' Construct the dynamic query based on the selected value
    query = "SELECT ID FROM LocationsT WHERE Sect_ID = " & selectedSect_ID & ";"

    ' Set the RowSource property of the other subform's combo box to the dynamic query
    Forms("FlightSupport_LASTFORM").Controls("LastForm").Form.Controls("HandlingF").Controls("Location_ID1").RowSource = query
    Forms("FlightSupport_LASTFORM").Controls("LastForm").Form.Controls("HandlingF").Controls("Location_ID2").RowSource = query
    Forms("FlightSupport_LASTFORM").Controls("LastForm").Form.Controls("HandlingF").Controls("Location_ID3").RowSource = query
    Forms("FlightSupport_LASTFORM").Controls("LastForm").Form.Controls("HandlingF").Controls("Location_ID4").RowSource = query
    Forms("FlightSupport_LASTFORM").Controls("LastForm").Form.Controls("HandlingF").Controls("Location_ID5").RowSource = query
    Forms("FlightSupport_LASTFORM").Controls("LastForm").Form.Controls("HandlingF").Controls("Location_ID6").RowSource = query
    Forms("FlightSupport_LASTFORM").Controls("LastForm").Form.Controls("FuelF").Controls("Location_ID").RowSource = query
    Forms("FlightSupport_LASTFORM").Controls("LastForm").Form.Controls("ConciergeBriefF").Controls("Location_ID").RowSource = query

    ' Requery the other subform's combo box to reflect the updated options
    Me.Requery
    ' Assign selectedSect_ID to locSect_ID
    locSect_ID = selectedSect_ID

    ' Update the value of Sect_ID in the other subform
    Forms("LASTFORM").Controls("NewAddSectorF").Controls("AddLocationF").Controls("Sect_ID").Value = locSect_ID
End Sub
```

```
Private Sub updateFlightbtn_Click()
    Dim MaxID As Long
    MaxID = DMax("ID", "NewFlightRequestsT")
    Me.RecordSource = "SELECT RefNo, ReqDate, ReqNo, Customer, Operator, ACType, ACMTOW, ACREg, PFL, Schedule, OPSDate, RequestStatus, Route, RequiredServices, FuelRequest, FlightSupport FROM NewFlightRequestsT WHERE ID = " & MaxID & ";"
    ' Forms!LASTFORM!NewAddSectorF!RefNo = Me.RefNo
End Sub
```

```
Private Sub ReqDate_Click()
    InputDateField ReqDate, "Select a date to use this on your form"

End Sub
```

Option Compare Database

Private Sub Airport_AfterUpdate()

RenderAirportNotes

End Sub

Private Sub Form_Load()

Dim fw As New clFormWindow

fw.hWnd = Me.hWnd

With fw

.Top = (.Parent.Height - .Height) / 2

.Left = (.Parent.Width - .Width) / 2

End With

Set fw = Nothing

End Sub

Private Sub NotesReset()

Me.OVFProcedures.Value = Null

Me.OperationalProcedures.Value = Null

Me.RecommendedVendorCmb.Value = Null

Me.AIRPORT.Value = Null

CountryAirportsQuery

End Sub

Private Sub ResetBtn_Click()

Me.OVFProcedures.Value = Null

Me.OperationalProcedures.Value = Null

Me.RecommendedVendorCmb.Value = Null

Me.CountryCmb.Value = Null

Me.AIRPORT.Value = Null

Me.Undo

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "FlightSupport_UpdateOperationalProcedures", acSaveNo

End Sub

Private Sub CountryCmb_AfterUpdate()

CountryAirportsQuery

RenderCountryNotes

End Sub

Private Sub CountryAirportsQuery()

Dim SelectedCountry As String

Dim CountryAirports As String

SelectedCountry = Me.CountryCmb.Value

CountryAirports = "SELECT DISTINCT Location,ID FROM OperationalProceduresT WHERE Country IS NOT NULL AND Country = '" & SelectedCountry & "'"

Me.AIRPORT.RowSource = CountryAirports

Me.AIRPORT.Requery

End Sub

Private Sub RenderAirportNotes()

Dim rs As DAO.Recordset

Dim db As DAO.Database

Dim selectedAirport As Integer

selectedAirport = Me.AIRPORT.Column(1)

If Not IsNull(selectedAirport) Then

Set db = CurrentDb

Set rs = db.OpenRecordset("OperationalProceduresT", dbOpenSnapshot)

' Find the row that matches the selectedAirport and FlightType

rs.FindFirst "ID = " & selectedAirport

If Not rs.NoMatch Then

' Assign values to the fields in the form

```

        Me.OperationalProcedures.Value = rs("OperationalProcedures").Value
        Me.RecommendedVendorCmb.Value = rs("RecommendedVendor").Value
        rs.Close
        Set rs = Nothing
        Set db = Nothing
        'MsgBox "Data rendered successfully."
    Else
        MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
    End If
Else
    MsgBox "Please select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
End If
End Sub

Private Sub RenderCountryNotes()
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    Dim SelectedCountry As String

    SelectedCountry = Me.CountryCmb.Value

    If Not IsNull(SelectedCountry) Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset("OperationalProceduresT", dbOpenSnapshot)

        ' Find the row that matches the selectedAirport and FlightType
        rs.FindFirst "Country = '" & SelectedCountry & "'"

        If Not rs.NoMatch Then
            ' Assign values to the fields in the form
            Me.OVFProcedures.Value = rs("OVFProcedures").Value
            rs.Close
            Set rs = Nothing
            Set db = Nothing
            'MsgBox "Data rendered successfully."
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    Else
        MsgBox "Please select a country.", vbExclamation + vbOKOnly, "Airport Selection"
    End If
End Sub

Private Sub UpdateAirportNotes_Click()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim SelectedCountry As String
    Dim selectedAirport As Integer

    SelectedCountry = Me.CountryCmb.Value
    selectedAirport = Me.AIRPORT.Column(1)

    Set db = CurrentDb
    Set rs = db.OpenRecordset("OperationalProceduresT", dbOpenDynaset)

    If Not rs.EOF Then
        rs.MoveFirst ' Move to the first record in the recordset

        ' Loop through the recordset
        Do Until rs.EOF
            If rs("ID").Value = selectedAirport Then
                rs.Edit
                rs.Fields("OVFProcedures").Value = Me.OVFProcedures.Value
                rs.Fields("OperationalProcedures").Value = Me.OperationalProcedures.Value
                rs.Fields("RecommendedVendor").Value = Me.RecommendedVendorCmb.Value
                rs.Fields("Country").Value = Me.CountryCmb.Value
                rs.Fields("Location").Value = Me.AIRPORT.Column(0)
                rs.Update
            End If

            rs.MoveNext ' Move to the next record
        Loop
    End If

```



```
        rs.Close
        Set rs = Nothing
        Set db = Nothing

        Me.Requery
        NotesReset
        MsgBox "Data updated successfully."
    Else
        MsgBox "No records found.", vbExclamation + vbOKOnly, "Update Failed"
    End If
End Sub
```

Option Compare Database

```
Private Sub Command52_Click()
Me.Refresh
```

```
End Sub
```

```
Private Sub LoadLastBtn_Click()
    Me.RefNo.DefaultValue = "" & GetLastRefNo() & ""
End Sub
```

```
Private Sub newSectorBtn_Click()
    ' Clear the form fields To prepare For a New record
    Me.Sect_ID.Value = GenerateNewSect_ID
    Me.RefNo.Value = GetLastRefNo
    Me.SectorNo.Value = ""
    Me.SectorRoute.Value = ""
    Me.Location.Value = ""
    Me.A_ETA.Value = ""
    Me.A_ETD.Value = ""
    Me.A_ATA.Value = ""
    Me.A_ATD.Value = ""
```

```
End Sub
```

```
Private Function ValidateFormFields() As Boolean
    ' Check if any required fields are empty
    If Me.SectorNo.Value = "" Then
        MsgBox "Sector Number is required.", vbExclamation
        ' Me.SectorNo.SetFocus

        ValidateFormFields = False
        Exit Function
    End If
```

```
    If Me.SectorRoute.Value = "" Then
        MsgBox "Route is required.", vbExclamation
        ' Me.SectorRoute.SetFocus
        ValidateFormFields = False
        Exit Function
    End If
```

```
    If Me.Location.Value = "" Then
        MsgBox "Location is required.", vbExclamation
        'Me.Location.SetFocus
        ValidateFormFields = False
        Exit Function
    End If
```

```
    ' Add more field validations as needed
```

```
    ' If all validations pass, return True
    ValidateFormFields = True
```

```
End Function
```

```
Private Function GenerateNewSect_ID() As String
    ' Calculate the New Sect_ID value based on existing records
    Dim lastSect_ID As Variant
    Dim newSect_ID As Integer

    lastSect_ID = DMax("Sect_ID", "NewSectorsT", "IsNumeric(Sect_ID) = True")

    If IsNull(lastSect_ID) Then
        ' If the table is empty, set the initial Sect_ID to 1
        newSect_ID = 1
    Else
        ' Increment the last Sect_ID value by 1
        newSect_ID = CInt(lastSect_ID) + 1
    End If

    ' Return the New Sect_ID value
    GenerateNewSect_ID = Format(newSect_ID, "0000")
```

End Function

Private Function GetLastRefNo() As Variant

' Get the latest RefNo value from NewFlightRequestsT table

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim strSQL As String

Dim LastRefNo As Variant

Set db = CurrentDb

strSQL = "SELECT TOP 1 RefNo FROM NewFlightRequestsT ORDER BY AddedTime DESC"

Set rs = db.OpenRecordset(strSQL)

' Check if a record was found

If Not rs.EOF Then

LastRefNo = rs.Fields("RefNo").Value

End If

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

GetLastRefNo = LastRefNo

End Function

Private Sub addSectorBtn_Click()

' Check if all required fields are filled in

If Not ValidateFormFields() Then

Exit Sub

End If

' Open the main table's recordset

Dim db As DAO.Database

Dim rs As DAO.Recordset

Set db = CurrentDb

Set rs = db.OpenRecordset("NewSectorsT", dbOpenDynaset)

' Add a new record

With rs

.AddNew

!Sect_ID = Me.Sect_ID.Value

!RefNo = Me.RefNo.Value

!SectorNo = Me.SectorNo.Value

!SectorRoute = Me.SectorRoute.Value

!Location = Me.Location.Value

!A_ETA = Me.A_ETA.Value

!A_ETD = Me.A_ETD.Value

!A_ATA = Me.A_ATA.Value

!A_ATD = Me.A_ATD.Value

' Attempt to update the recordset

.Update

End With

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset the form fields

Me.Sect_ID.Value = GenerateNewSect_ID

Me.RefNo.Value = GetLastRefNo

Me.SectorNo.Value = ""

Me.SectorRoute.Value = ""

Me.Location.Value = ""

Me.A_ETA.Value = ""

Me.A_ETD.Value = ""

Me.A_ATA.Value = ""

```
Me.A_ATD.Value = ""
' Me.SectorNo.SetFocus

' Optional: Display a message indicating successful addition
MsgBox "Sector added successfully.", vbInformation

Exit Sub

End Sub

Private Sub RefNo_AfterUpdate()
    Dim selectedRefNo As Variant
    Dim query As String

    selectedRefNo = Me.RefNo.Value ' Get the selected value from RefNo combo box

    ' Construct the dynamic query based on the selected value
    query = "SELECT Sect_ID FROM NewSectorsT WHERE RefNo = '" & selectedRefNo & "';"

    ' Set the RowSource property of Sect_ID to the dynamic query
    Me.Sect_ID.RowSource = query

    ' Requery Sect_ID to reflect the updated options
    Me.Sect_ID.Requery
End Sub

Private Sub Sect_ID_AfterUpdate()
    Dim selectedSect_ID As Integer
    Dim query As String

    selectedSect_ID = Me.Sect_ID.Value ' Get the selected value from Sect_ID combo box

    ' Construct the dynamic query based on the selected value
    query = "SELECT ID FROM LocationsT WHERE Sect_ID = '" & selectedSect_ID & "';"

    ' Set the RowSource property of Loc_ID to the dynamic query
    Me.ID.RowSource = query

    ' Requery Loc_ID to reflect the updated options
    Me.ID.Requery
End Sub
```

Form_FlightSupport_UpdateSectorsF_New - 1

Option Compare Database

Private Sub Form_Open(Cancel As Integer)

Me.FilterOn = False

End Sub

Private Sub ACRegCb_Change()

Dim selectedValue As Variant

selectedValue = Me.ACRegCb.Value ' Get the selected value from the combo box

If Not IsNull(selectedValue) Then

Dim rs As DAO.Recordset

Set rs = CurrentDb.OpenRecordset("ACRegT", dbOpenSnapshot)

rs.FindFirst "ACReg = '" & selectedValue & "'"

If Not rs.NoMatch Then

Me.ACType.Value = rs("ACType").Value

Me.MTOW.Value = rs("ACMTOW").Value

Me.Operator.Value = rs("Operator").Value

Me.Customer.Value = rs("Customer").Value

Else

Me.ACType.Value = Null

Me.MTOW.Value = Null

Me.Operator.Value = Null

Me.Customer.Value = Null

End If

rs.Close

Set rs = Nothing

Else

Me.ACType.Value = Null

Me.MTOW.Value = Null

Me.Operator.Value = Null

Me.Customer.Value = Null

End If

Exit Sub

End Sub

Private Sub UpdateUser1()

Dim UserID As Integer

UserID = Forms!loggedInUser!txtUserID

'UserID = 1

Me.User1 = DLookup("UserName", "UsersT", "ID =" & UserID & "")

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "FlightSupport_AddSectorsF", acSaveNo

End Sub

Public Sub DepartDate_Click()

InputDateField DepartDate, "Select a date To use this on your form"

End Sub

Public Sub ArrivalDate_Click()

InputDateField ArrivalDate, "Select a date To use this on your form"

End Sub

Private Sub TripStatuscmb_AfterUpdate()

change_PermitServices

change_LocationServices

End Sub

Private Sub change_PermitServices()

On Error GoTo ErrorHandler

Dim strSQL As String

Dim rs As DAO.Recordset

Dim db As DAO.Database

Dim sectID As Long

Dim newStatus As String

```
' Check If TripStatuscmb is Not null
If Not IsNull(Me.TripStatuscmb) Then
```

```
    ' Determine the New status based on TripStatuscmb
    Select Case Me.TripStatuscmb
    Case "CANCELED"
        newStatus = "CANCELED"
    Case "ACTIVE"
        newStatus = "CONFIRMED"
    Case "CONFIRMED"
        newStatus = "CONFIRMED"
    Case "IN PROGRESS"
        newStatus = "IN PROGRESS"
    Case Else
        MsgBox "Error: Invalid TripStatus.", vbCritical
        Exit Sub
    End Select
```

```
    sectID = Me.Sect_ID
    If IsNull(sectID) Or Not IsNumeric(sectID) Then
        MsgBox "Error: Sect_ID is invalid.", vbCritical
        Exit Sub
    End If
```

```
    Set db = CurrentDb
```

```
    ' Update PermitBriefT_New
```

```
    Set rs = db.OpenRecordset("SELECT Sect_ID FROM PermitBriefT_New WHERE Sect_ID = " & sectID
```

```
    Do While Not rs.EOF
```

```
        ' Debugging message
```

```
        Debug.Print "Sect_ID: " & sectID
```

```
        strSQL = "UPDATE PermitBriefT_New Set PermitStatus = '" & newStatus & "' WHERE Sect_ID
```

```
= " & sectID
```

```
        Debug.Print "Executing SQL: " & strSQL
```

```
        db.Execute strSQL
```

```
        rs.MoveNext
```

```
    Loop
```

```
    rs.Close
```

```
    Set rs = Nothing
```

```
    Set db = Nothing
```

```
End If
```

```
Cleanup:
```

```
    On Error Resume Next
```

```
    If Not rs Is Nothing Then rs.Close
```

```
    Set rs = Nothing
```

```
    Set db = Nothing
```

```
    Exit Sub
```

```
ErrorHandler:
```

```
    MsgBox "Error: " & err.Description, vbCritical
```

```
    Resume Cleanup
```

```
End Sub
```

```
Private Sub change_LocationServices()
```

```
    On Error GoTo ErrorHandler
```

```
    Dim strSQL As String
```

```
    Dim rs As DAO.Recordset
```

```
    Dim db As DAO.Database
```

```
    Dim sectID As Long
```

```
    Dim locID As Long
```

```
    Dim newStatus As String
```

```
    ' Check If TripStatuscmb is Not null
```

```
    If Not IsNull(Me.TripStatuscmb) Then
```

```
        ' Determine the New status based on TripStatuscmb
```

```

Select Case Me.TripStatuscmb
    Case "CANCELED"
        newStatus = "CANCELED"
    Case "ACTIVE"
        newStatus = "CONFIRMED"
    Case "CONFIRMED"
        newStatus = "CONFIRMED"
    Case "IN PROGRESS"
        newStatus = "IN PROGRESS"
    Case Else
        MsgBox "Error: Invalid TripStatus.", vbCritical
        Exit Sub
End Select

```

```

sectID = Me.Sect_ID
If IsNull(sectID) Or Not IsNumeric(sectID) Then
    MsgBox "Error: Sect_ID is invalid.", vbCritical
    Exit Sub
End If

```

```

Set db = CurrentDb
' Open recordset For LocationsT_New
' Use dbOpenDynaset for a dynamic recordset (allows updates)
Set rs = db.OpenRecordset("SELECT ID FROM LocationsT_New WHERE Sect_ID = " & sectID)

```

```

' Loop through each record in LocationsT_New where Sect_ID matches
Do While Not rs.EOF

```

```

    ' Ensure Location_ID is valid
    If IsNull(rs!ID) Or Not IsNumeric(rs!ID) Then
        MsgBox "Error: Location_ID is invalid For Sect_ID: " & sectID, vbCritical
        Exit Sub
    End If

```

```

    locID = CLng(rs!ID)

```

```

    ' Debugging message
    Debug.Print "Location_ID: " & locID

```

```

    ' Update HandlingT_New
    strSQL = "UPDATE HandlingT_New Set ServiceStatus = '" & newStatus & "' WHERE Location_ID = "
    " & locID

```

```

    Debug.Print "Executing SQL: " & strSQL
    db.Execute strSQL

```

```

    ' Update FuelBriefT_New
    strSQL = "UPDATE FuelBriefT_New Set FuelStatus = '" & newStatus & "' WHERE Location_ID = "
    " & locID

```

```

    Debug.Print "Executing SQL: " & strSQL
    db.Execute strSQL

```

```

    ' Update ConciergeBriefT_New
    strSQL = "UPDATE ConciergeBriefT_New Set ServiceStatus = '" & newStatus & "' WHERE Location_ID = "
    " & locID
    Debug.Print "Executing SQL: " & strSQL
    db.Execute strSQL

```

```

    rs.MoveNext

```

```

Loop
rs.Close
End If

```

```

Me.Requery

```

```

Cleanup:
On Error Resume Next
If Not rs Is Nothing Then rs.Close
Set rs = Nothing
Set db = Nothing
Exit Sub

```

Form_FlightSupport_UpdateSectorsF_New - 4

ErrorHandler:

 MsgBox "Error: " & err.Description, vbCritical

 Resume Cleanup

End Sub

Option Compare Database

```

Private Sub DepartDate_GotFocus()
InputDateField DepartDate, "Select a date To use this on your form"
End Sub

Private Sub ArrivalDate_GotFocus()
InputDateField ArrivalDate, "Select a date To use this on your form"
End Sub

Private Sub Form_Open(Cancel As Integer)
    Me.FilterOn = False
End Sub

Private Sub ACREgCb_Change()
    Dim selectedValue As Variant
    selectedValue = Me.ACREgCb.Value ' Get the selected value from the combo box

    If Not IsNull(selectedValue) Then
        Dim rs As DAO.Recordset
        Set rs = CurrentDb.OpenRecordset("ACRegT", dbOpenSnapshot)

        rs.FindFirst "ACReg = '" & selectedValue & "'"
        If Not rs.NoMatch Then
            Me.ACType.Value = rs("ACType").Value
            Me.MTOW.Value = rs("ACMTOW").Value
            Me.Operator.Value = rs("Operator").Value
            Me.Customer.Value = rs("Customer").Value
        Else
            Me.ACType.Value = Null
            Me.MTOW.Value = Null
            Me.Operator.Value = Null
            Me.Customer.Value = Null
        End If

        rs.Close
        Set rs = Nothing
    Else
        Me.ACType.Value = Null
        Me.MTOW.Value = Null
        Me.Operator.Value = Null
        Me.Customer.Value = Null
    End If

Exit Sub

End Sub

Private Sub updateUser1()
    Dim UserID As Integer
    UserID = Forms!loggedInUser!txtUserID
    'UserID = 1
    Me.User1 = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FlightSupport_AddSectorsF", acSaveNo
End Sub

Public Sub DepartDate_Click()
    InputDateField DepartDate, "Select a date To use this on your form"
End Sub

Public Sub ArrivalDate_Click()
    InputDateField ArrivalDate, "Select a date To use this on your form"
End Sub

Private Sub TripStatuscmb_AfterUpdate()
    Dim newStatus As String
    Dim sectID As Long
    Dim locID As Long

    If Not IsNull(Me.TripStatuscmb) Then
        newStatus = Me.TripStatuscmb
    End If

```

```

        sectID = Nz (Me.Sect_ID, 0)

    If sectID = 0 Then
        MsgBox "Error: Sect_ID is invalid.", vbCritical
        Exit Sub
    End If

    UpdatePermitServices newStatus, sectID
    UpdateLocationServices newStatus, sectID
    Me.Requery
End If
End Sub

Private Sub UpdatePermitServices(newStatus As String, sectID As Long)
    Dim strSQL As String
    Dim db As DAO.Database

    Set db = CurrentDb
    strSQL = "UPDATE PermitBriefT_New SET PermitStatus = '" & newStatus & "' WHERE Sect_ID = " & sectID

    db.Execute strSQL
    Set db = Nothing
End Sub

Private Sub UpdateLocationServices(newStatus As String, sectID As Long)
    Dim strSQL As String
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim locID As Long

    Set db = CurrentDb
    Set rs = db.OpenRecordset("SELECT ID FROM LocationsT_New WHERE Sect_ID = " & sectID)

    Do While Not rs.EOF
        locID = rs!ID
        If Not IsNull(locID) And IsNumeric(locID) Then
            strSQL = "UPDATE HandlingT_New SET ServiceStatus = '" & newStatus & "' WHERE Location_ID = " & locID
            db.Execute strSQL

            strSQL = "UPDATE FuelBriefT_New SET FuelStatus = '" & newStatus & "' WHERE Location_ID = " & locID
            db.Execute strSQL

            strSQL = "UPDATE ConciergeBriefT_New SET ServiceStatus = '" & newStatus & "' WHERE Location_ID = " & locID
            db.Execute strSQL
        End If

        rs.MoveNext
    Loop

    rs.Close
    Set rs = Nothing
    Set db = Nothing
End Sub

```

Option Compare Database

Private Sub Form_Open(Cancel As Integer)

 Me.FilterOn = False

End Sub

Private Sub ACRgCb_Change()

 Dim selectedValue As Variant

 selectedValue = Me.ACRgCb.Value ' Get the selected value from the combo box

 If Not IsNull(selectedValue) Then

 Dim rs As DAO.Recordset

 Set rs = CurrentDb.OpenRecordset("ACRegT", dbOpenSnapshot)

 rs.FindFirst "ACReg = '" & selectedValue & "'"

 If Not rs.NoMatch Then

 Me.ACType.Value = rs("ACType").Value

 Me.MTOW.Value = rs("ACMTOW").Value

 Me.Operator.Value = rs("Operator").Value

 Me.Customer.Value = rs("Customer").Value

 Else

 Me.ACType.Value = Null

 Me.MTOW.Value = Null

 Me.Operator.Value = Null

 Me.Customer.Value = Null

 End If

 rs.Close

 Set rs = Nothing

 Else

 Me.ACType.Value = Null

 Me.MTOW.Value = Null

 Me.Operator.Value = Null

 Me.Customer.Value = Null

 End If

Exit Sub

End Sub

Private Sub UpdateUser1()

 Dim UserID As Integer

 UserID = Forms!loggedInUser!txtUserID

 'UserID = 1

 Me.User1 = DLookup("UserName", "UsersT", "ID =" & UserID & "")

End Sub

Private Sub closeBtn_Click()

 Me.Undo

 DoCmd.Close acForm, "FlightSupport_AddSectorsF", acSaveNo

End Sub

Public Sub DepartDate_Click()

 InputDateField DepartDate, "Select a date To use this on your form"

End Sub

Public Sub ArrivalDate_Click()

 InputDateField ArrivalDate, "Select a date To use this on your form"

End Sub

Private Sub TripStatuscmb_AfterUpdate()

 Dim newStatus As String

 Dim sectID As Long

 Dim locID As Long

 If Not IsNull(Me.TripStatuscmb) Then

 newStatus = Me.TripStatuscmb

 sectID = Nz(Me.Sect_ID, 0)

 If sectID = 0 Then

 MsgBox "Error: Sect_ID is invalid.", vbCritical

 Exit Sub

 End If

```

        UpdatePermitServices newStatus, sectID
        UpdateLocationServices newStatus, sectID
        Me.Requery
    End If
End Sub

Private Sub UpdatePermitServices(newStatus As String, sectID As Long)
    Dim strSQL As String
    Dim db As DAO.Database

    Set db = CurrentDb
    strSQL = "UPDATE PermitBriefT_New SET PermitStatus = '" & newStatus & "' WHERE Sect_ID = " & sectID

    db.Execute strSQL
    Set db = Nothing
End Sub

Private Sub UpdateLocationServices(newStatus As String, sectID As Long)
    Dim strSQL As String
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim locID As Long

    Set db = CurrentDb
    Set rs = db.OpenRecordset("SELECT ID FROM LocationsT_New WHERE Sect_ID = " & sectID)

    Do While Not rs.EOF
        locID = rs!ID
        If Not IsNull(locID) And IsNumeric(locID) Then
            strSQL = "UPDATE HandlingT_New SET ServiceStatus = '" & newStatus & "' WHERE Location_ID = " & locID
            db.Execute strSQL

            strSQL = "UPDATE FuelBriefT_New SET FuelStatus = '" & newStatus & "' WHERE Location_ID = " & locID
            db.Execute strSQL

            strSQL = "UPDATE ConciergeBriefT_New SET ServiceStatus = '" & newStatus & "' WHERE Location_ID = " & locID
            db.Execute strSQL
        End If

        rs.MoveNext
    Loop

    rs.Close
    Set rs = Nothing
    Set db = Nothing
End Sub

Private Sub change_PermitServices()

    On Error GoTo ErrorHandler
    Dim strSQL As String
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    Dim sectID As Long

    Dim newStatus As String

    ' Check If TripStatuscmb is Not null
    If Not IsNull(Me.TripStatuscmb) Then

        ' Determine the New status based on TripStatuscmb
        Select Case Me.TripStatuscmb
            Case "CANCELED"
                newStatus = "CANCELED"
            Case "ACTIVE"
                newStatus = "CONFIRMED"
            Case "CONFIRMED"
                newStatus = "CONFIRMED"
        End Select
    End If
End Sub

```

```

        Case "IN PROGRESS"
            newStatus = "IN PROGRESS"
        Case Else
            MsgBox "Error: Invalid TripStatus.", vbCritical
            Exit Sub
        End Select

        sectID = Me.Sect_ID
        If IsNull(sectID) Or Not IsNumeric(sectID) Then
            MsgBox "Error: Sect_ID is invalid.", vbCritical
            Exit Sub
        End If

        Set db = CurrentDb

        ' Update PermitBriefT_New
        Set rs = db.OpenRecordset("SELECT Sect_ID FROM PermitBriefT_New WHERE Sect_ID = " & sectID
    )

        Do While Not rs.EOF
            ' Debugging message
            Debug.Print "Sect_ID: " & sectID

            strSQL = "UPDATE PermitBriefT_New Set PermitStatus = '" & newStatus & "' WHERE Sect_ID
= " & sectID

            Debug.Print "Executing SQL: " & strSQL
            db.Execute strSQL
            rs.MoveNext
        Loop
        rs.Close
        Set rs = Nothing
        Set db = Nothing
    End If

Cleanup:
    On Error Resume Next
    If Not rs Is Nothing Then rs.Close
    Set rs = Nothing
    Set db = Nothing
    Exit Sub

ErrorHandler:
    MsgBox "Error: " & err.Description, vbCritical
    Resume Cleanup

End Sub

Private Sub change_LocationServices()

    On Error GoTo ErrorHandler
    Dim strSQL As String
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    Dim sectID As Long
    Dim locID As Long
    Dim newStatus As String

    ' Check If TripStatuscmb is Not null
    If Not IsNull(Me.TripStatuscmb) Then

        ' Determine the New status based on TripStatuscmb
        Select Case Me.TripStatuscmb
            Case "CANCELED"
                newStatus = "CANCELED"
            Case "ACTIVE"
                newStatus = "CONFIRMED"
            Case "CONFIRMED"
                newStatus = "CONFIRMED"
            Case "IN PROGRESS"
                newStatus = "IN PROGRESS"
            Case Else
                MsgBox "Error: Invalid TripStatus.", vbCritical
                Exit Sub
        End Select
    End If

```

```

        End Select

sectID = Me.Sect_ID
If IsNull(sectID) Or Not IsNumeric(sectID) Then
    MsgBox "Error: Sect_ID is invalid.", vbCritical
    Exit Sub
End If

Set db = CurrentDb
' Open recordset For LocationsT_New
' Use dbOpenDynaset for a dynamic recordset (allows updates)
Set rs = db.OpenRecordset("SELECT ID FROM LocationsT_New WHERE Sect_ID = " & sectID)

' Loop through each record in LocationsT_New where Sect_ID matches
Do While Not rs.EOF

    ' Ensure Location_ID is valid
    If IsNull(rs!ID) Or Not IsNumeric(rs!ID) Then
        MsgBox "Error: Location_ID is invalid For Sect_ID: " & sectID, vbCritical
        Exit Sub
    End If

    locID = CLng(rs!ID)

    ' Debugging message
    Debug.Print "Location_ID: " & locID

    ' Update HandlingT_New
    strSQL = "UPDATE HandlingT_New Set ServiceStatus = '" & newStatus & "' WHERE Location_ID = " & locID
    Debug.Print "Executing SQL: " & strSQL
    db.Execute strSQL

    ' Update FuelBriefT_New
    strSQL = "UPDATE FuelBriefT_New Set FuelStatus = '" & newStatus & "' WHERE Location_ID = " & locID
    Debug.Print "Executing SQL: " & strSQL
    db.Execute strSQL

    ' Update ConciergeBriefT_New
    strSQL = "UPDATE ConciergeBriefT_New Set ServiceStatus = '" & newStatus & "' WHERE Location_ID = " & locID
    Debug.Print "Executing SQL: " & strSQL
    db.Execute strSQL

    rs.MoveNext
Loop
rs.Close
End If

Me.Requery

Cleanup:
On Error Resume Next
If Not rs Is Nothing Then rs.Close
Set rs = Nothing
Set db = Nothing
Exit Sub

ErrorHandler:
MsgBox "Error: " & err.Description, vbCritical
Resume Cleanup

End Sub

```

Option Compare Database

Option Compare Database

Option Compare Database

Form_FlightSupport_UpdateShiftInfo - 1

Option Compare Database

Private Sub AddHandover_Click()

 If Not IsNull(Me.TasksCompleted.Value) Or Not IsNull(Me.TasksPending.Value) Or Not IsNull(Me.UserIDList.Value) Or Not IsNull(Me.FollowupActionsRequired.Value) Then

 AddHandover

 Else

 MsgBox "Please fill in the empty fields"

 Exit Sub

End If

End Sub

Private Sub Form_Load()

 Dim fw As New clFormWindow

 fw.hWnd = Me.hWnd

 With fw

 .Top = (.Parent.Height - .Height) / 2

 .Left = (.Parent.Width - .Width) / 2

 End With

 Set fw = Nothing

 AddUserName

End Sub

Private Sub AddUserName()

Dim AddUser As Boolean

Dim UserID As Integer

UserID = Forms!loggedInUser!txtUserID

AddUser = DLookup("CreateUser", "UsersT", "ID =" & UserID & "")

Me.SubmittedBytxt = DLookup("UserName", "UsersT", "ID =" & UserID & "")

End Sub

Private Sub AddHandover()

 On Error GoTo ErrorHandler

 Dim db As DAO.Database

 Dim rs As DAO.Recordset

 Set db = CurrentDb

 Set rs = db.OpenRecordset("ShiftsHandoverT", dbOpenDynaset)

 rs.AddNew

 ' Assign values To the fields in the table

 rs.Fields("OVFProcedures").Value = Me.OVFProcedures.Value

 rs.Fields("OperationalProcedures").Value = Me.OperationalProcedures.Value

 rs.Fields("RecommendedVendor").Value = Me.RecommendedVendorCmb.Value

 rs.Fields("Country").Value = Me.CountryCmb.Value

 rs.Fields("Location").Value = Me.AIRPORT.Value

 ' Save the New record

 rs.Update

 ' Clean up

 rs.Close

 Set rs = Nothing

 Set db = Nothing

 ' Reset the form fields

 NotesReset

 MsgBox "Data added successfully."

 Me.Undo

Exit Sub

ErrorHandler:

 MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"

 Me.Undo

Exit Sub

```
End Sub
Private Sub ShiftReset()
    Me.OVFProcedures.Value = Null
    Me.OperationalProcedures.Value = Null
    Me.RecommendedVendorCmb.Value = Null
    Me.AIRPORT.Value = Null
    CountryAirportsQuery
End Sub
Private Sub ResetBtn_Click()
    Me.OVFProcedures.Value = Null
    Me.OperationalProcedures.Value = Null
    Me.RecommendedVendorCmb.Value = Null
    Me.CountryCmb.Value = Null
    Me.AIRPORT.Value = Null
    Me.Undo
End Sub
Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FlightSupport_AddShiftInfo", acSaveNo
End Sub

Private Sub UpdateHandoverBtn_Click()
DoCmd.OpenForm "FlightSupport_UpdateShiftInfo", WindowMode:=acWindowNormal
End Sub
```

Form_FlightSupport_UrgentRequests - 1

Option Compare Database

```
Private Sub closeBtn_Click()  
    DoCmd.Close acForm, "FlightSupport_UrgentRequests"  
End Sub
```

```
Private Sub Form_Load()
```

```
    LoadUrgentRequests
```

```
End Sub
```

```
Private Sub LoadUrgentRequests()  
    Dim FirstDayNextMonth As Date  
    Dim LastDayNextMonth As Date  
    Dim UrgentQuery As String
```

```
    ' Calculate the first and last day of the next month  
    FirstDayNextMonth = DateSerial(Year(date), Month(date) + 1, 1)  
    LastDayNextMonth = DateSerial(Year(date), Month(date) + 2, 0)
```

```
    UrgentQuery = "SELECT RefNo, OPSDate, ReqDate, Customer, RequestStatus, ACREg, ReqNo FROM NewFlightRequestsT " &  
    "WHERE (RequestStatus <> 'CONFIRMED' AND RequestStatus <> 'CANCELED' AND RequestStatus <> 'MERGED') " &  
    "ORDER BY OPSDate DESC;"
```

```
    'UrgentQuery = "SELECT RefNo, OPSDate, Customer, RequestStatus, ACREg, FuelRequest, FlightSupport FROM  
    NewFlightRequestsT " &  
    "WHERE (RequestStatus <> 'CONFIRMED' AND RequestStatus <> 'CANCELED' AND RequestStatus <> 'MERGED') AND  
    D " &  
    "(OPSDate >= DateSerial(Year(Date()), Month(Date()), 1) AND OPSDate < DateAdd('m', 2, DateSerial(Year(  
    Date()), Month(Date()), 1))) " &  
    "ORDER BY OPSDate ASC;"
```

```
Me.RecordSource = UrgentQuery
```

```
End Sub
```

```
Private Sub RefNo_DblClick(Cancel As Integer)  
    RefNo2_AfterUpdate  
    Forms("FlightSupport_LASTFORM").Controls("RequestF").Form.TriggerAfterUpdate  
    closeBtn_Click  
End Sub
```

```
Private Sub RefNo2_AfterUpdate()  
    Dim selectedRefNo As Variant  
    selectedRefNo = Me.RefNo.Value  
  
    If Not IsNull(selectedRefNo) Then  
        Forms("FlightSupport_LASTFORM").Controls("RequestF").Form.Controls("RefNo2").Value = selectedRefNo  
        'Me.Requery  
    Else  
        Exit Sub  
    End If
```

```
End Sub
```

Form_FlightSupport_UrgentRequests_New - 1

Option Compare Database

```
Private Sub closeBtn_Click()  
    DoCmd.Close acForm, "FlightSupport_UrgentRequests_New"  
End Sub
```

```
Private Sub Form_Load()
```

```
    LoadUrgentRequests
```

```
End Sub
```

```
Private Sub LoadUrgentRequests()  
    Dim FirstDayNextMonth As Date  
    Dim LastDayNextMonth As Date  
    Dim UrgentQuery As String
```

```
    ' Calculate the first and last day of the next month  
    FirstDayNextMonth = DateSerial(Year(date), Month(date) + 1, 1)  
    LastDayNextMonth = DateSerial(Year(date), Month(date) + 2, 0)
```

```
    UrgentQuery = "SELECT RefNo, OPSDate,ReqDate, Customer, RequestStatus, ACREg, ReqNo, Urgent, TripStatus,  
s, Notes FROM FlightSupport_UrgentRequestsQ " & _  
    "WHERE (RequestStatus <> 'CONFIRMED' AND RequestStatus <> 'CANCELED' AND RequestStatus <> 'MERGED' AND  
    TripStatus <> 'CANCELED' AND TripStatus <> 'CONFIRMED') " & _  
    "ORDER BY OPSDate DESC;"  
    Me.RecordSource = UrgentQuery
```

```
End Sub
```

```
Private Sub RefNo_DblClick(Cancel As Integer)  
    RefNo2_AfterUpdate  
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_RequestF_New").Form.TriggerAfterUpdate  
e  
    closeBtn_Click  
End Sub
```

```
Private Sub RefNo2_AfterUpdate()  
    Dim selectedRefNo As Variant  
    selectedRefNo = Me.RefNo.Value  
  
    If Not IsNull(selectedRefNo) Then  
        Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_RequestF_New").Form.Controls("RefNo2").Value = selectedRefNo  
        'Me.Requery  
    Else  
        Exit Sub  
    End If
```

```
End Sub
```

Form_FlightSupport_UrgentRequests_New_V12 - 1

Option Compare Database

```
Private Sub closeBtn_Click()  
    DoCmd.Close acForm, "FlightSupport_UrgentRequests_New_V12"  
End Sub
```

```
Private Sub Form_Load()
```

```
    LoadUrgentRequests
```

```
End Sub
```

```
Private Sub LoadUrgentRequests()  
    Dim FirstDayNextMonth As Date  
    Dim LastDayNextMonth As Date  
    Dim UrgentQuery As String
```

```
    UrgentQuery = "SELECT DISTINCT ReqDate, OPSDate, ReqNo, RequestStatus, Urgent, Notes, Customer, Se  
ctorStatus, ACREg, FlightRefNo " & _  
        "FROM FlightSupport_UrgentRequestsQ_V12 " & _  
        "WHERE SectorStatus = 'ACTIVE';"
```

```
Me.RecordSource = UrgentQuery
```

```
End Sub
```

```
Private Sub RefNo_DblClick(Cancel As Integer)  
    RefNo2_AfterUpdate  
    Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_RequestF_New").Form.TriggerAfterUpdat  
e  
    closeBtn_Click  
End Sub
```

```
Private Sub RefNo2_AfterUpdate()  
    Dim selectedRefNo As Variant  
    selectedRefNo = Me.RefNo.Value  
  
    If Not IsNull(selectedRefNo) Then  
        Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_RequestF_New").Form.Controls("R  
efNo2").Value = selectedRefNo  
        'Me.Requery  
    Else  
        Exit Sub  
    End If
```

```
End Sub
```

Option Compare Database

Form_frmDatePicker - 1

```
' Form_frmDatePicker
```

```
' This modal dialog box prompts for a date. See documentation in modDatePicker.
```

```
Option Compare Database
```

```
Option Explicit
```

```
Private myDate As Date      ' current date
Private myYear As Integer   ' current year
Private myMonth As Integer  ' current month
Private myDay As Integer    ' current day of month
```

```
Private SelectedDate As Date      ' selected date
Private SelectedYear As Integer   ' selected year
Private SelectedMonth As Integer  ' selected month
Private SelectedDay As Integer    ' selected day
```

```
Private cmdCurrentDay As CommandButton ' day button corresponding to myDay
```

```
Sub SetDayCaptions()
```

```
'set day captions
    Me.Label19.Caption = WeekdayName(1, True)
    Me.Label20.Caption = WeekdayName(2, True)
    Me.Label21.Caption = WeekdayName(3, True)
    Me.Label22.Caption = WeekdayName(4, True)
    Me.Label23.Caption = WeekdayName(5, True)
    Me.Label24.Caption = WeekdayName(6, True)
    Me.Label25.Caption = WeekdayName(7, True)
```

```
End Sub
```

```
Sub SetMonthNames()
```

```
'set combo row source
```

```
    Me.cboMonth.RowSourceType = "Value List"
```

```
    Dim strMonths As String
    strMonths = "1;" & MonthName(1) & ";2;" & MonthName(2) & ";3;" & MonthName(3) & ";4;" & MonthName(
4) & ";5;" & MonthName(5) & ";6;" & MonthName(6) & ";" &
    "7;" & MonthName(7) & ";8;" & MonthName(8) & ";9;" & MonthName(9) & ";10;" & MonthName(10) & "
;11;" & MonthName(11) & ";12;" & MonthName(12) & ";"
    Me.cboMonth.RowSource = strMonths
End Sub
```

```
Private Sub cmdToday_Click()
```

```
On Error GoTo Err_Handler
```

```
'modified v1.4 to return to current date
```

```
    myDate = date
    Me.txtSelectedDate.Visible = False
```

```
    SelectedYear = Year(myDate)
    SelectedMonth = Month(myDate)
    SelectedDay = Day(myDate)
```

```
' Set myYear, myMonth, and myDay according to myDate and draw calendar grid.
    DateToElements
```

```
' If possible, set focus on the date button corresponding to myDay.
    If Not cmdCurrentDay Is Nothing Then cmdCurrentDay.SetFocus
```

```
    Me.Repaint
```

```
    Me.cmdCancel.SetFocus
```



```

Form_frmDatePicker - 2

Exit_Handler:
    Exit Sub

Err_Handler:
    MsgBox "Error " & err.Number & " in cmdToday_Click procedure : " & err.Description
    Resume Exit_Handler

End Sub

Private Sub Form_Load()

    On Error GoTo Err_Handler

    'set day captions (in local language)
    SetDayCaptions

    'set month names (in local language)
    SetMonthNames

    ' initialize null return value
    modDatePicker.ReturnValue = Null

    If modDatePicker.Running Then
        'normal mode for form - use to select dates
        'set dialog box caption
        Me.LblHeader.Caption = modDatePicker.Prompt
        'Me.LblHeader.visible = True
        Me.cmdCancel.Caption = "&Cancel"
    Else
        'use to display calendar only
        Me.Caption = " "
        Me.LblHeader.Caption = "Calendar"
        Me.cmdCancel.Caption = "&Close"
        'Me.LblHeader.visible = False
    End If

    ' if there is a valid date to initialize to, use it.
    ' otherwise, default to current date
    If IsDate(modDatePicker.InitDate) Then
        myDate = modDatePicker.InitDate
        Me.txtSelectedDate = myDate
        Me.txtSelectedDate.Visible = True
    Else
        myDate = date
        Me.txtSelectedDate.Visible = False
    End If

    SelectedYear = Year(myDate)
    SelectedMonth = Month(myDate)
    SelectedDay = Day(myDate)

    ' Set myYear, myMonth, and myDay according to myDate and draw calendar grid.
    DateToElements

    ' If possible, set focus on the date button corresponding to myDay.
    If Not cmdCurrentDay Is Nothing Then cmdCurrentDay.SetFocus

    Me.Repaint

Exit_Handler:
    Exit Sub

Err_Handler:
    MsgBox "Error " & err.Number & " in Form_Load procedure : " & err.Description
    Resume Exit_Handler

End Sub

' Set return value and close dialog box (allow calling
' procedure to continue.
Private Sub Done(Optional Cancel As Boolean = False)

```

```

On Error GoTo Err_Handler
    If Not Cancel Then
        modDatePicker.ReturnValue = myDate
    End If
    Me.Visible = False

Exit_Handler:
    Exit Sub

Err_Handler:
    MsgBox "Error " & err.Number & " in 'Done' procedure : " & err.Description
    Resume Exit_Handler
End Sub

' Cancel button quits without returning a value
Private Sub cmdCancel_Click()

On Error GoTo Err_Handler

    Done Cancel:=True

Exit_Handler:
    Exit Sub

Err_Handler:
    MsgBox "Error " & err.Number & " in cmdCancel_Click procedure : " & err.Description
    Resume Exit_Handler

End Sub

' House-keeping methods

' This method is called when myDate has been changed. It
' reflects that change in myYear, myMonth, and myDay.
Private Sub DateToElements()

On Error GoTo Err_Handler

    myYear = Year(myDate)
    myMonth = Month(myDate)
    myDay = Day(myDate)

    txtYear = myYear
    cboMonth = myMonth

    DrawDateButtons

Exit_Handler:
    Exit Sub

Err_Handler:
    MsgBox "Error " & err.Number & " in DateToElements procedure : " & err.Description
    Resume Exit_Handler
End Sub

' This method is called when myYear, myMonth, or myDay have
' been changed. It reflects that change in myDate.
Private Sub ElementsToDate()

On Error GoTo Err_Handler

    myDate = DateSerial(myYear, myMonth, myDay)
    DrawDateButtons

Exit_Handler:
    Exit Sub

Err_Handler:
    If err = 2165 Then Resume Next
    MsgBox "Error " & err.Number & " in ElementsToDate procedure : " & err.Description

```

Form_frmDatePicker - 4

```
Resume Exit_Handler  
End Sub
```

' This method draws the date buttons on the 7 x 6 grid.

```
Private Sub DrawDateButtons()
```

```
'On Error GoTo Err_Handler
```

```
Dim MonthDayOne As Date, MonthDayLast As Date, MonthLength As Integer, DayOfWeek As Integer  
Dim I As Integer, Y As Integer, x As Integer, btn As CommandButton
```

```
Dim OutOfCurrentMonth As Boolean  
Dim OutOfDate As Date  
Dim intMaxWeek As Integer
```

```
'first day of this month:
```

```
MonthDayOne = DateSerial(myYear, myMonth, 1)
```

```
' day of week on which the first of the month falls:
```

```
DayOfWeek = DatePart("w", MonthDayOne, vbUseSystemDayOfWeek)
```

```
' length of this month:
```

```
MonthLength = DatePart("d", DateAdd("d", -1, DateAdd("m", 1, MonthDayOne)))
```

```
' Initialize i to be what day of the month button (0, 0) will be on.
```

```
'If the first of the month is Sun, start with i = 1.
```

```
' If the first of the month is Mon or Tue, start with i = 0 or
```

```
' i = -1, respectively.
```

```
' y and x count the current row and column where we are on the grid.
```

```
Set cmdCurrentDay = Nothing
```

```
'set visibility of day buttons
```

```
'all current month visible + days from previous / following month in same weeks
```

```
I = 2 - DayOfWeek
```

```
For Y = 0 To 5
```

```
For x = 0 To 6
```

```
Set btn = Me.Controls("d" & Y & x)
```

```
btn.Visible = True
```

```
' If i falls within legal days for this month, show this button.
```

```
If (I > 0) And (I <= MonthLength) Then
```

```
OutOfCurrentMonth = False
```

```
btn.Caption = I
```

```
btn.Tag = I
```

```
'get row value for final day of selected month
```

```
If I = MonthLength Then intMaxWeek = Y
```

```
Else
```

```
'enable next line if out of month dates not required
```

```
' btn.visible = False
```

```
'code to enable dates from previous or following month
```

```
'disable if feature not required
```

```
'adapted from code suggested by Kitayama at Access World Forums
```

```
OutOfCurrentMonth = True
```

```
OutOfDate = DateAdd("d", I - 1, DateSerial(Year(myDate), Month(myDate), 1))
```

```
btn.Caption = Day(OutOfDate)
```

```
btn.Tag = btn.Caption
```

```
If I > MonthLength And Y > intMaxWeek Then btn.Visible = False
```

```
End If
```

```
'format day colour
```

```
If I = SelectedDay And txtYear = SelectedYear And cboMonth = SelectedMonth Then
```

```
'current date - highlight it
```

```
Set cmdCurrentDay = btn
```

```
btn.BackColor = ColLemon
```

```
btn.ForeColor = ColDarkRed
```

```
btn.FontWeight = 600
```

```
btn.FontSize = 10
```

```
Else 'other dates
```

```
btn.BackColor = ColPaleGrey
```

```
'currently selected month in blue
```

Form_frmDatePicker - 5

```
        btn.ForeColor = ColDarkBlue
        btn.FontWeight = 400
        btn.FontSize = 8

        'previous/following month in dark grey
        'disable if out of month dates not required
        If OutOfCurrentMonth Then btn.ForeColor = ColDarkGrey
    End If
    ' Advance to next day.
    I = I + 1
Next
Next

Exit_Handler:
Exit Sub

Err_Handler:
MsgBox "Error " & err.Number & " in DrawDateButtons procedure : " & err.Description
Resume Exit_Handler

End Sub

' handle on on-screen year and month controls

' Year control: previous button, textbox, and next button
Private Sub cmdPrevYear_Click()

On Error GoTo Err_Handler

myDate = DateAdd("yyyy", -1, myDate) 'go back one year
DateToElements
DoEvents

Exit_Handler:
Exit Sub

Err_Handler:
MsgBox "Error " & err.Number & " in cmdPrevYear_Click procedure : " & err.Description
Resume Exit_Handler

End Sub

Private Sub lblMDS_Click()
Application.FollowHyperlink "https://isladogs.co.uk/better-date-picker/"
End Sub

Private Sub txtYear_AfterUpdate()

On Error GoTo Err_Handler
myYear = txtYear.Value
ElementsToDate

Exit_Handler:
Exit Sub

Err_Handler:
MsgBox "Error " & err.Number & " in txtYear_AfterUpdate procedure : " & err.Description
Resume Exit_Handler
End Sub

Private Sub cmdNextYear_Click()

On Error GoTo Err_Handler
myDate = DateAdd("yyyy", 1, myDate) 'go forward one year
DateToElements
DoEvents

Exit_Handler:
Exit Sub

Err_Handler:
```

```

    MsgBox "Error " & err.Number & " in cmdNextYear_Click procedure : " & err.Description
    Resume Exit_Handler
End Sub

' Month control: previous button, textbox, and next button
Private Sub cmdPrevMonth_Click()

On Error GoTo Err_Handler
    myDate = DateAdd("m", -1, myDate) 'go back one month
    DateToElements
    DoEvents

Exit_Handler:
    Exit Sub

Err_Handler:
    MsgBox "Error " & err.Number & " in cmdPrevMonth_Click procedure : " & err.Description
    Resume Exit_Handler
End Sub

Private Sub cboMonth_AfterUpdate()

On Error GoTo Err_Handler
    myMonth = cboMonth.Value
    ElementsToDate

Exit_Handler:
    Exit Sub

Err_Handler:
    MsgBox "Error " & err.Number & " in cboMonth_AfterUpdate procedure : " & err.Description
    Resume Exit_Handler
End Sub

Private Sub cmdNextMonth_Click()

On Error GoTo Err_Handler
    myDate = DateAdd("m", 1, myDate) 'go forward one month
    DateToElements
    DoEvents

Exit_Handler:
    Exit Sub

Err_Handler:
    MsgBox "Error " & err.Number & " in cmdNextMonth_Click procedure : " & err.Description
    Resume Exit_Handler
End Sub

' handle the buttons on the calendar grid

Private Sub DateClick(Num As String)

On Error GoTo Err_Handler

    myDay = Me.Controls("d" & Num).Tag

    'Debug.Print Me.Controls("d" & num).ForeColor

    'v1.4 - added code to handle out of month dates
    Select Case Me.Controls("d" & Num).ForeColor

    Case 9868950 'ColDarkGrey
        If myDay < 7 Then 'following month
            myMonth = Me.cboMonth + 1
        Else 'previous month
            myMonth = Me.cboMonth - 1
        End If

    Case Else 'selected month
        myMonth = Me.cboMonth

```

Form_frmDatePicker - 7

End Select

ElementsToDate

Done ' return to the procedure that called the calendar form

Exit_Handler:

Exit Sub

Err_Handler:

MsgBox "Error " & err.Number & " in DateClick procedure : " & err.Description

Resume Exit_Handler

End Sub

' date picker buttons

Private Sub d00_Click()

DateClick "00"

End Sub

Private Sub d01_Click()

DateClick "01"

End Sub

Private Sub d02_Click()

DateClick "02"

End Sub

Private Sub d03_Click()

DateClick "03"

End Sub

Private Sub d04_Click()

DateClick "04"

End Sub

Private Sub d05_Click()

DateClick "05"

End Sub

Private Sub d06_Click()

DateClick "06"

End Sub

Private Sub d10_Click()

DateClick "10"

End Sub

Private Sub d11_Click()

DateClick "11"

End Sub

Private Sub d12_Click()

DateClick "12"

End Sub

Private Sub d13_Click()

DateClick "13"

End Sub

Private Sub d14_Click()

Form_frmDatePicker - 8

DateClick "14"

End Sub

Private Sub d15_Click()

DateClick "15"

End Sub

Private Sub d16_Click()

DateClick "16"

End Sub

Private Sub d20_Click()

DateClick "20"

End Sub

Private Sub d21_Click()

DateClick "21"

End Sub

Private Sub d22_Click()

DateClick "22"

End Sub

Private Sub d23_Click()

DateClick "23"

End Sub

Private Sub d24_Click()

DateClick "24"

End Sub

Private Sub d25_Click()

DateClick "25"

End Sub

Private Sub d26_Click()

DateClick "26"

End Sub

Private Sub d30_Click()

DateClick "30"

End Sub

Private Sub d31_Click()

DateClick "31"

End Sub

Private Sub d32_Click()

DateClick "32"

End Sub

Private Sub d33_Click()

DateClick "33"

End Sub

```
Form_frmDatePicker - 9
Private Sub d34_Click()
    DateClick "34"
End Sub

Private Sub d35_Click()
    DateClick "35"
End Sub

Private Sub d36_Click()
    DateClick "36"
End Sub

Private Sub d40_Click()
    DateClick "40"
End Sub

Private Sub d41_Click()
    DateClick "41"
End Sub

Private Sub d42_Click()
    DateClick "42"
End Sub

Private Sub d43_Click()
    DateClick "43"
End Sub

Private Sub d44_Click()
    DateClick "44"
End Sub

Private Sub d45_Click()
    DateClick "45"
End Sub

Private Sub d46_Click()
    DateClick "46"
End Sub

Private Sub d50_Click()
    DateClick "50"
End Sub

Private Sub d51_Click()
    DateClick "51"
End Sub

Private Sub d52_Click()
    DateClick "52"
End Sub

Private Sub d53_Click()
```


Form_frmDatePicker - 10

DateClick "53"

End Sub

Private Sub d54_Click()

DateClick "54"

End Sub

Private Sub d55_Click()

DateClick "55"

End Sub

Private Sub d56_Click()

DateClick "56"

End Sub

Form_frmMain - 1

Option Compare Database
Option Explicit

```
Private Sub cmdExit_Click()  
    Application.Quit  
End Sub
```

```
Private Sub Form_Load()  
    cmdExit.SetFocus  
End Sub
```

```
Private Sub lblMDS_Click()  
    Application.FollowHyperlink "https://isladogs.co.uk/better-date-picker/"  
End Sub
```

```
Private Sub txtDate_Click()  
    InputDateField txtDate, "Select a date to use this on your form"  
End Sub
```

Form_FuelQuotationF - 1

Option Compare Database

Private Sub AddFuelService_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Set db = CurrentDb

Set rs = db.OpenRecordset("FuelBriefT", dbOpenDynaset)

rs.AddNew

' Assign values to the fields in the table

rs.Fields("Location_ID").Value = Me.Location_ID.Value

rs.Fields("FuelType").Value = Me.FuelType.Value

rs.Fields("FuelStatus").Value = Me.ServiceStatus.Value

rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value

rs.Fields("IPA").Value = Me.IPA.Value

rs.Fields("Quantity").Value = Me.Quantity.Value

rs.Fields("VendorPrice").Value = Me.VendorPrice.Value

rs.Fields("TASPrice").Value = Me.TASPrice.Value

rs.Fields("Vendor").Value = Me.Vendor.Value

rs.Fields("FBO").Value = Me.FBO.Value

' Save the new record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values

ResetBtn_Click

' Display a message indicating successful addition

MsgBox "Data added successfully."

Me.Undo

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "FuelF", acSaveNo

End Sub

Private Sub Form_GotFocus()

Me.Location_ID = GetLastLocID

End Sub

Private Sub ResetBtn_Click()

Me.Location_ID.Value = Null

Me.FuelType.Value = "Jet-A1"

Me.ServiceStatus.Value = Null

Me.PaymentMethod.Value = Null

Me.IPA.Value = Null

Me.FBO.Value = Null

Me.Quantity.Value = "As Per Captain Request"

Me.VendorPrice.Value = Null

' Me.TASPrice.Value = Null

Me.FuelVendor.Value = Null

'Me.VendorLoc.Value = Null

Me.Undo

End Sub

Private Sub VendorLocCmb_Change()

Dim selectedValue As Variant

selectedValue = Me.VendorLocCmb.Value ' Get the selected value from the combo box

If Not IsNull(selectedValue) Then

Dim rs As DAO.Recordset

Set rs = CurrentDb.OpenRecordset("FuelSupplierT", dbOpenSnapshot)

rs.FindFirst "ICAO = '" & selectedValue & "'"

If Not rs.NoMatch Then

```

        Me.Validity.Value = rs("Validity").Value
        Me.FBO.Value = rs("FBO").Value
        Me.LowestSupplier.Value = rs("LowestSupplier").Value
        Me.Location_ID.Value = rs("Location_ID").Value
        Me.LowestPrice.Value = rs("LowestPrice").Value
    Else
        Me.Validity.Value = Null
        Me.LowestSupplier.Value = Null
        Me.Location_ID.Value = Null
        Me.LowestPrice.Value = Null
        Me.FBO.Value = Null
    End If

    rs.Close
    Set rs = Nothing
Else
    Me.Validity.Value = Null
    Me.LowestSupplier.Value = Null
    Me.Location_ID.Value = Null
    Me.LowestPrice.Value = Null
    Me.FBO.Value = Null
End If

Exit Sub
End Sub

Private Sub FuelVendorsCmb_Change()
Dim selectedColumn As Variant
Dim ICAO As Variant
ICAO = Me.VendorLocCmb.Value
selectedColumn = Me.FuelVendorsCmb.Value ' Get the selected column name from the combo box

If Not IsNull(selectedColumn) Then
    Dim rs As DAO.Recordset
    Set rs = CurrentDb.OpenRecordset("FuelSupplierT", dbOpenSnapshot)

    rs.FindFirst "ICAO = '" & ICAO & "'"

    If Not rs.NoMatch Then
        Dim columnName As DAO.Field
        Set columnName = rs.Fields(selectedColumn)

        If Not columnName Is Nothing Then
            Me.VendorPrice.Value = columnName.Value
            Me.Validity.Value = rs("Validity").Value
        Else
            Me.VendorPrice.Value = Null
            Me.Validity.Value = Null
        End If

    Else
        Me.VendorPrice.Value = Null
        Me.Validity.Value = Null

    End If

    rs.Close
    Set rs = Nothing
Else
    Me.VendorPrice.Value = Null
    Me.Validity.Value = Null

End If

Exit Sub
End Sub

Private Function GetLastLocID() As Variant

    ' Get the latest RefNo value from NewFlightRequestsT table
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

```

Form_FuelQuotationF - 3

```
Dim strSQL As String
'Dim lastRefNo As Variant
Dim MaxID As Long
MaxID = DMax("ID", "LocationsT")
' Me.RecordSource = "Select * FROM NewSectorST WHERE ID = " & MaxID & ";"

Set db = CurrentDb
strSQL = "Select * FROM LocationsT WHERE ID = " & MaxID & ";"
Set rs = db.OpenRecordset(strSQL)

' Check If a record was found
If Not rs.EOF Then
    LastLocID = rs.Fields("ID").Value
End If

' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing

GetLastLocID = LastLocID
End Function
Private Sub Form_Load()

Me.closeBtn.Visible = False
Me.Location_ID = GetLastLocID

End Sub
```

Form_FuelSupport_AddFuel -1

Option Compare Database

Private Sub Form_Load()

Dim fw As New clFormWindow

fw.hWnd = Me.hWnd

With fw

.Top = (.Parent.Height - .Height) / 2

.Left = (.Parent.Width - .Width) / 2

End With

Set fw = Nothing

End Sub

Private Sub AddFuelService_Click()

Dim selectedVendorTable As Variant

selectedVendorTable = Me.Vendor.Value ' Get the selected column name from the combo box

If Not IsNull(selectedVendorTable) Then

AddFuel

Else

MsgBox "Data Not added."

Exit Sub

End If

End Sub

Private Sub AddFuel()

On Error GoTo ErrorHandler

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim selectedVendorTable As String

Dim selectedAirport As String

Dim selectedFlightType As String

selectedVendorTable = Me.Vendor.Value

selectedAirport = Me.AIRPORT.Value

selectedFlightType = Me.FlightType.Value

Set db = CurrentDb

Set rs = db.OpenRecordset(selectedVendorTable, dbOpenDynaset)

' Check If the record already exists

rs.FindFirst "AIRPORT = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'

If Not rs.NoMatch Then

MsgBox "Record already exists."

Exit Sub

End If

If IsNull(Me.BasePrice) Or IsNull(Me.FuelType) Or IsNull(Me.FlightType) Or IsNull(Me.Currency)

Or IsNull(Me.Unit) Or IsNull(Me.EstimatedTotal) Or IsNull(Me.Validity) Then

MsgBox "Add missing fields " & err.Description, vbCritical, "Error"

Exit Sub

Else

rs.AddNew

' Assign values To the fields in the table

rs.Fields("VendorPrice").Value = Me.BasePrice.Value

rs.Fields("Notes").Value = Me.Notes.Value

rs.Fields("Taxes").Value = Me.Taxes.Value

rs.Fields("EstimatedTotal").Value = Me.EstimatedTotal.Value

rs.Fields("IPA").Value = Me.IPA.Value

rs.Fields("FuelType").Value = Me.FuelType.Value

rs.Fields("FlightType").Value = Me.FlightType.Value

rs.Fields("FBO").Value = Me.FBO.Value

rs.Fields("Airport").Value = Me.AIRPORT.Value

rs.Fields("Validity").Value = Me.Validity.Value

rs.Fields("Currency").Value = Me.Currency.Value

rs.Fields("Unit").Value = Me.Unit.Value

rs.Fields("InternalNotes").Value = Me.InternalNotes.Value

rs.Fields("STC").Value = Me.STC.Value

' Save the New record

rs.Update

Form_FuelSupport_AddFuel -2

```
        ' Clean up
        rs.Close
        Set rs = Nothing
        Set db = Nothing

        ' Reset the form fields
        FuelReset

        MsgBox "Data added successfully."
        Me.Undo
    End If
Exit Sub
```

ErrorHandler:

```
        MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
        Me.Undo
```

End Sub

Private Sub FuelReset()

```
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.EstimatedTotal.Value = 0
    Me.IPA.Value = Null
    Me.FBO.Value = Null
    Me.InternalNotes.Value = Null
    Me.STC.Value = Null
```

End Sub

Private Sub ResetBtn_Click()

```
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.EstimatedTotal.Value = Null
    Me.IPA.Value = Null
    Me.FuelType.Value = Null
    Me.FlightType.Value = Null
    Me.FBO.Value = Null
    Me.AIRPORT.Value = Null
    Me.Validity.Value = Null
    Me.Vendor.Value = Null
    Me.STC.Value = Null
    Me.Undo
```

End Sub

Private Sub UpdateFuel_Click()

```
DoCmd.OpenForm "FuelSupport_updateFuel", WindowMode:=acWindowNormal
End Sub
```

Private Sub Validity_Click()

```
    InputDateField Validity, "Select a date To use this on your form"
```

End Sub

Private Sub closeBtn_Click()

```
    Me.Undo
    DoCmd.Close acForm, "FuelSupport_AddFuel", acSaveNo
```

End Sub

Private Sub Vendor_AfterUpdate()

```
    Dim selectedVendorTable As String
    selectedVendorTable = Me.Vendor.Value
```

```
    Dim vendorTable As String
```

```
    vendorTable = "SELECT DISTINCT IPA FROM " & selectedVendorTable & " WHERE IPA IS NOT NULL AND IPA"
<> ""
```

```
    Me.IPA.RowSource = vendorTable
```

End Sub

Form_FuelSupport_AddFuel_New- 1

Option Compare Database

Private Sub Form_Load()

Dim fw As New clFormWindow

fw.hWnd = Me.hWnd

With fw

.Top = (.Parent.Height - .Height) / 2

.Left = (.Parent.Width - .Width) / 2

End With

Set fw = Nothing

End Sub

Private Sub AddFuelService_Click()

Dim selectedVendorTable As Variant

selectedVendorTable = Me.Vendor.Value ' Get the selected column name from the combo box

If Not IsNull(selectedVendorTable) Then

AddFuel

Else

MsgBox "Data Not added."

Exit Sub

End If

End Sub

Private Sub AddFuel()

On Error GoTo ErrorHandler

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim selectedVendorTable As String

Dim selectedAirport As String

Dim selectedFlightType As String

selectedVendorTable = Me.Vendor.Value

selectedAirport = Me.AIRPORT.Value

selectedFlightType = Me.FlightType.Value

Set db = CurrentDb

Set rs = db.OpenRecordset(selectedVendorTable, dbOpenDynaset)

' Check If the record already exists

rs.FindFirst "AIRPORT = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'

If Not rs.NoMatch Then

MsgBox "Record already exists."

Exit Sub

End If

If IsNull(Me.BasePrice) Or IsNull(Me.FuelType) Or IsNull(Me.FlightType) Or IsNull(Me.Currency)

Or IsNull(Me.Unit) Or IsNull(Me.EstimatedTotal) Or IsNull(Me.Validity) Then

MsgBox "Add missing fields " & err.Description, vbCritical, "Error"

Exit Sub

Else

rs.AddNew

' Assign values To the fields in the table

rs.Fields("VendorPrice").Value = Me.BasePrice.Value

rs.Fields("Notes").Value = Me.Notes.Value

rs.Fields("Taxes").Value = Me.Taxes.Value

rs.Fields("EstimatedTotal").Value = Me.EstimatedTotal.Value

rs.Fields("IPA").Value = Me.IPA.Value

rs.Fields("FuelType").Value = Me.FuelType.Value

rs.Fields("FlightType").Value = Me.FlightType.Value

rs.Fields("FBO").Value = Me.FBO.Value

rs.Fields("Airport").Value = Me.AIRPORT.Value

rs.Fields("Validity").Value = Me.Validity.Value

rs.Fields("Currency").Value = Me.Currency.Value

rs.Fields("Unit").Value = Me.Unit.Value

rs.Fields("InternalNotes").Value = Me.InternalNotes.Value

rs.Fields("STC").Value = Me.STC.Value

' Save the New record

rs.Update


```

        ' Clean up
        rs.Close
        Set rs = Nothing
        Set db = Nothing

        ' Reset the form fields
        FuelReset

        MsgBox "Data added successfully."
        Me.Undo
    End If
Exit Sub

ErrorHandler:
    MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
    Me.Undo
End Sub

Private Sub FuelReset()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.EstimatedTotal.Value = 0
    Me.IPA.Value = Null
    Me.FBO.Value = Null
    Me.InternalNotes.Value = Null
    Me.STC.Value = Null
End Sub

Private Sub ResetBtn_Click()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.EstimatedTotal.Value = Null
    Me.IPA.Value = Null
    Me.FuelType.Value = Null
    Me.FlightType.Value = Null
    Me.FBO.Value = Null
    Me.AIRPORT.Value = Null
    Me.Validity.Value = Null
    Me.Vendor.Value = Null
    Me.STC.Value = Null
    Me.Undo
End Sub

Private Sub UpdateFuel_Click()
DoCmd.OpenForm "FuelSupport_updateFuel", WindowMode:=acWindowNormal
End Sub

Private Sub Validity_Click()
    InputDateField Validity, "Select a date To use this on your form"
End Sub

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FuelSupport_AddFuel", acSaveNo
End Sub

Private Sub Vendor_AfterUpdate()
    Dim selectedVendorTable As String
    selectedVendorTable = Me.Vendor.Value

    Dim vendorTable As String
    vendorTable = "SELECT DISTINCT IPA FROM " & selectedVendorTable & " WHERE IPA IS NOT NULL AND IPA
<> ''"

    Me.IPA.RowSource = vendorTable
End Sub

```

Form_FuelSupport_CargoPriceF- 1

Option Compare Database

Option Explicit

Private Sub AddFuelPriceBtn_Click()

Dim selectedVendorTable As Variant

selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value

If Not IsNull(selectedVendorTable) Then

AddFuel

Else

MsgBox "Data Not added."

Exit Sub

End If

End Sub

Private Sub AddFuel()

'On Error Goto ErrorHandler

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim selectedVendorTable As String

Dim selectedAirport As String

Dim selectedFlightType As String

selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value

selectedAirport = Forms("FuelSupport_UpdateFuel_New").AIRPORT.Column(0)

selectedFlightType = Me.FlightType.Value

Set db = CurrentDb

Set rs = db.OpenRecordset(selectedVendorTable, dbOpenDynaset)

' Check If the record already exists

rs.FindFirst "AIRPORT = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'"

If Not rs.NoMatch Then

MsgBox "Record already exists."

Exit Sub

End If

If IsNull(Me.BasePrice) Or IsNull(Me.FuelType) Or IsNull(Me.FlightType) Or IsNull(Me.Currency) Or IsNull(Me.Unit) Or IsNull(Me.EstimatedTotaltxt) Or IsNull(Me.Validity) Then

MsgBox "Add missing fields " & err.Description, vbCritical, "Error"

Exit Sub

Else

rs.AddNew

' Assign values To the fields in the table

rs.Fields("Airport").Value = selectedAirport

rs.Fields("VendorPrice").Value = Me.BasePrice.Value

rs.Fields("Notes").Value = Me.Notes.Value

rs.Fields("Taxes").Value = Me.Taxes.Value

rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value

rs.Fields("IPA").Value = Me.IPA.Value

rs.Fields("FuelType").Value = Me.FuelType.Value

rs.Fields("FlightType").Value = selectedFlightType

rs.Fields("FBO").Value = Me.FBO.Value

rs.Fields("Validity").Value = Me.Validity.Value

rs.Fields("Currency").Value = Me.Currency.Value

rs.Fields("Unit").Value = Me.Unit.Value

rs.Fields("InternalNotes").Value = Me.InternalNotes.Value

rs.Fields("STC").Value = Me.STC.Value

rs.Fields("ChangeCycle").Value = Me.ChangeCyclebx.Value

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset the form fields

FuelReset

Forms("FuelSupport_UpdateFuel_New").AIRPORT.Value = Null

MsgBox "Data added successfully."

Me.Undo

End If

```

Exit Sub

'ErrorHandler:
'    MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
'    Me.Undo
End Sub

Private Sub CreatedBy_AfterUpdate()
    CreatedBy_Change
End Sub

Private Sub CreatedBy_Change()
    If Me.CreatedBy.Value = 63 Then
        Me.PersonCreated.Value = "Abdu"
    End If
End Sub

Private Sub Modifiedby_AfterUpdate()
    Modifiedby_Change
End Sub

Private Sub Modifiedby_Change()
    If Me.Modifiedby.Value = 63 Then
        Me.PersonModified.Value = "Abdu"
    End If
End Sub

Private Sub RenderFlightTypeRecord()
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim selectedFlightType As Variant

    selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value
    selectedAirport = Forms("FuelSupport_UpdateFuel_New").AIRPORT.Column(0)
    selectedFlightType = Me.FlightType.Value
    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
        Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
        ' Find the row that matches the selectedAirport
        rs.FindFirst "AIRPORT = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'
        If Not rs.NoMatch Then
            ' Assign values To the fields in the form`
            Me.BasePrice.Value = rs("VendorPrice").Value
            Me.Airport_ID.Value = rs("ID").Value
            Me.Notes.Value = rs("Notes").Value
            Me.Taxes.Value = rs("Taxes").Value
            Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
            Me.IPA.Value = rs("IPA").Value
            Me.FBO.Value = rs("FBO").Value
            Me.FuelType.Value = rs("FuelType").Value
            Me.Validity.Value = rs("Validity").Value
            Me.Currency.Value = rs("Currency").Value
            Me.Unit.Value = rs("Unit").Value
            Me.InternalNotes.Value = rs("InternalNotes").Value
            Me.Modifiedby.Value = rs("Modified By").Value
            Me.CreatedBy.Value = rs("Created By").Value
            Me.STC.Value = rs("STC").Value
            Me.ChangeCyclebx.Value = rs("ChangeCycle").Value

            If Me.Validity < date Then
                Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
                Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
            Else
                Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
                Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
            End If
        End If
    End Sub

```

```

        End If
    Else
        MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
    End If
    rs.Close
    Set rs = Nothing
    Set db = Nothing
End If
End Sub

Private Sub FuelReset()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.EstimatedTotaltxt.Value = 0
    Me.IPA.Value = Null
    Me.FBO.Value = Null
    Me.InternalNotes.Value = Null
End Sub

Private Sub RemoveBtn_Click()
    RemoveFuel
End Sub

Private Sub ResetBtn_Click()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.EstimatedTotaltxt.Value = Null
    Me.IPA.Value = Null
    Me.FBO.Value = Null
    Me.Validity.Value = Null
    Me.Modifiedby.Value = Null
    Me.CreatedBy.Value = Null
    Me.InternalNotes.Value = Null
    Me.STC.Value = Null
End Sub

Private Sub FlightType_DblClick(Cancel As Integer)
    RenderFlightTypeRecord
End Sub

Private Sub Validity_Click()
    InputDateField Validity, "Select a date To use this on your form"
End Sub

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FuelSupport_UpdateFuel", acSaveNo
End Sub

Private Sub Vendor_AfterUpdate()
    Dim selectedVendorTable As String
    Dim query As String
    Dim RecordQuery As String
    selectedVendorTable = Me.Vendor.Value ' Get the selected value from Vendor combo box

    RecordQuery = "Select Airport, ID, VendorPrice, Validity, Notes, Taxes, FBO, IPA, EstimatedTotal, FlightType, FuelType FROM " & selectedVendorTable
    Me.RecordSource = RecordQuery

    ' Construct the dynamic query based on the selected vendor table
    query = "Select    Airport,ID FROM " & selectedVendorTable

    ' Set the RowSource Property of the AIRPORT combo box To the dynamic query
    Me.AIRPORT.RowSource = query

    ' Requery the AIRPORT combo box To reflect the updated options
    Me.AIRPORT.Requery

    Debug.Print "Record Query: " & RecordQuery
End Sub

```

```

Private Sub UpdateFuelprice_Click()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim selectedFlightType As Variant
    Dim AirportID As Integer

    AirportID = Me.Airport_ID.Value
    selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value
    selectedAirport = Forms("FuelSupport_UpdateFuel_New").AIRPORT.Column(0)
    selectedFlightType = Me.FlightType.Value

    If IsNull(selectedAirport) Or IsNull(Me.BasePrice) Or IsNull(Me.FuelType) Or IsNull(Me.FuelType) Or IsNull(selectedFlightType) Or IsNull(Me.Currency) Or IsNull(Me.Unit) Or IsNull(Me.EstimatedTotaltxt) Or IsNull(Me.Validity) Then
        MsgBox "Add missing fields " & err.Description, vbCritical, "Error"
        Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenDynaset)

        ' Find the record to update
        'rs.FindFirst "AIRPORT = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'"
        rs.FindFirst "AIRPORT = '" & selectedAirport & "' AND ID = " & AirportID & ""
        If Not rs.NoMatch Then
            rs.Edit
            ' Update fields
            rs.Fields("VendorPrice").Value = Me.BasePrice.Value
            rs.Fields("Notes").Value = Me.Notes.Value
            rs.Fields("Taxes").Value = Me.Taxes.Value
            rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value
            rs.Fields("IPA").Value = Me.IPA.Value
            rs.Fields("FuelType").Value = Me.FuelType.Value
            rs.Fields("FlightType").Value = selectedFlightType
            rs.Fields("FBO").Value = Me.FBO.Value
            rs.Fields("Validity").Value = Me.Validity.Value
            rs.Fields("Currency").Value = Me.Currency.Value
            rs.Fields("Unit").Value = Me.Unit.Value
            rs.Fields("InternalNotes").Value = Me.InternalNotes.Value
            rs.Fields("STC").Value = Me.STC.Value
            rs.Fields("ChangeCycle").Value = Me.ChangeCyclebx.Value
            rs.Update

            Me.Requery
            'Me.FlightType.Value = "CARGO"
            ResetBtn_Click
            Forms("FuelSupport_UpdateFuel_New").AIRPORT.Value = Null
            MsgBox "Data updated successfully."
        Else
            MsgBox "No records found.", vbExclamation + vbOKOnly, "Update Failed"
        End If
        rs.Close
        Set rs = Nothing
        Set db = Nothing
    End If
End Sub

```

Option Compare Database

Option Explicit

Private Sub AddFuelPriceBtn_Click()

Dim selectedVendorTable As Variant

selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value

If Not IsNull(selectedVendorTable) Then

AddFuel

Else

MsgBox "Data Not added."

Exit Sub

End If

End Sub

Private Sub AddFuel()

'On Error Goto ErrorHandler

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim selectedVendorTable As String

Dim selectedAirport As Variant

Dim selectedFlightType As Variant

selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value

selectedAirport = Forms("FuelSupport_UpdateFuel_New").AIRPORT.Column(0)

selectedFlightType = Me.FlightType.Value

Set db = CurrentDb

Set rs = db.OpenRecordset(selectedVendorTable, dbOpenDynaset)

' Check If the record already exists

rs.FindFirst "AIRPORT = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'"

If Not rs.NoMatch Then

MsgBox "Record already exists."

Exit Sub

End If

If IsNull(Me.BasePrice) Or IsNull(Me.FuelType) Or IsNull(Me.FlightType) Or IsNull(Me.Currency) Or IsNull(Me.Unit) Or IsNull(Me.EstimatedTotaltxt) Or IsNull(Me.Validity) Then

MsgBox "Add missing fields " & err.Description, vbCritical, "Error"

Exit Sub

Else

rs.AddNew

' Assign values To the fields in the table

rs.Fields("Airport").Value = selectedAirport

rs.Fields("VendorPrice").Value = Me.BasePrice.Value

rs.Fields("Notes").Value = Me.Notes.Value

rs.Fields("Taxes").Value = Me.Taxes.Value

rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value

rs.Fields("IPA").Value = Me.IPA.Value

rs.Fields("FuelType").Value = Me.FuelType.Value

rs.Fields("FlightType").Value = selectedFlightType

rs.Fields("FBO").Value = Me.FBO.Value

rs.Fields("Validity").Value = Me.Validity.Value

rs.Fields("Currency").Value = Me.Currency.Value

rs.Fields("Unit").Value = Me.Unit.Value

rs.Fields("InternalNotes").Value = Me.InternalNotes.Value

rs.Fields("STC").Value = Me.STC.Value

rs.Fields("ChangeCycle").Value = Me.ChangeCyclebx.Value

' Save the New record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset the form fields

FuelReset

Forms("FuelSupport_UpdateFuel_New").AIRPORT.Value = Null

MsgBox "Data added successfully."

```

        Me.Undo
    End If
Exit Sub

'ErrorHandler:
'    MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
'    Me.Undo
End Sub

Private Sub RemoveFuel()

    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim selectedFlightType As Variant
    Dim AirportID As Integer

    AirportID = Me.Airport_ID.Value
    ' Get form control values
    selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value
    selectedAirport = Forms("FuelSupport_UpdateFuel_New").AIRPORT.Column(0)
    selectedFlightType = Me.FlightType.Value

    ' Open a recordset
    Set db = CurrentDb
    Set rs = db.OpenRecordset(selectedVendorTable, dbOpenDynaset)

    ' Find the record to delete
    rs.FindFirst "AIRPORT = '" & selectedAirport & "' AND ID = " & AirportID & " AND FlightType = '" & selectedFlightType & "'"

    ' Check if record exists
    If Not rs.NoMatch Then
        ' Confirm deletion with user
        If MsgBox("Are you sure you want to delete this record?", vbYesNo + vbQuestion) = vbYes Then
            ' Delete the record
            rs.Delete
            MsgBox "Record deleted successfully."
            ' Reset the form (optional)
            FuelReset
            'Forms!FuelSupport_UpdateFuel_New!AIRPORT.Value = Null
        End If
    Else
        MsgBox "Record not found."
    End If

    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing

End Sub

Private Sub CreatedBy_AfterUpdate()
    CreatedBy_Change
End Sub

Private Sub CreatedBy_Change()
    If Me.CreatedBy.Value = 63 Then
        Me.PersonCreated.Value = "Abdu"
    End If
End Sub

Private Sub Form_Load()
    Me.FlightType.Value = "Commercial & Private/Domestic"
End Sub

Private Sub Modifiedby_AfterUpdate()
    Modifiedby_Change
End Sub

```

```

Private Sub Modifiedby_Change()
    If Me.Modifiedby.Value = 63 Then
        Me.PersonModified.Value = "Abdu"
    End If
End Sub

Private Sub RenderFlightTypeRecord()
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim selectedFlightType As Variant

    selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value
    selectedAirport = Forms("FuelSupport_UpdateFuel_New").AIRPORT.Column(0)
    selectedFlightType = Me.FlightType.Value
    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
        Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
        ' Find the row that matches the selectedAirport
        rs.FindFirst "AIRPORT = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'"
        If Not rs.NoMatch Then
            ' Assign values To the fields in the form`
            Me.BasePrice.Value = rs("VendorPrice").Value
            Me.Airport_ID.Value = rs("ID").Value
            Me.Notes.Value = rs("Notes").Value
            Me.Taxes.Value = rs("Taxes").Value
            Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
            Me.IPA.Value = rs("IPA").Value
            Me.FBO.Value = rs("FBO").Value
            Me.FuelType.Value = rs("FuelType").Value
            Me.Validity.Value = rs("Validity").Value
            Me.Currency.Value = rs("Currency").Value
            Me.Unit.Value = rs("Unit").Value
            Me.InternalNotes.Value = rs("InternalNotes").Value
            Me.Modifiedby.Value = rs("Modified By").Value
            Me.CreatedBy.Value = rs("Created By").Value
            Me.STC.Value = rs("STC").Value
            Me.ChangeCyclebx.Value = rs("ChangeCycle").Value

            If Me.Validity < date Then
                Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
                Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
            Else
                Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
                Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
            End If
        End If
    Else
        MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
    End If
    rs.Close
    Set rs = Nothing
    Set db = Nothing
End If
End Sub

Private Sub FuelReset()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.EstimatedTotaltxt.Value = 0
    Me.IPA.Value = Null
    Me.FBO.Value = Null
    Me.InternalNotes.Value = Null
End Sub

Private Sub RemoveBtn_Click()

```



```
RemoveFuel
End Sub
```

```
Private Sub ResetBtn_Click()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.EstimatedTotaltxt.Value = Null
    Me.IPA.Value = Null
    Me.FBO.Value = Null
    Me.Validity.Value = Null
    Me.Modifiedby.Value = Null
    Me.CreatedBy.Value = Null
    Me.InternalNotes.Value = Null
    Me.STC.Value = Null
End Sub
```

```
Private Sub FlightType_DblClick(Cancel As Integer)
    RenderFlightTypeRecord
End Sub
```

```
Private Sub Validity_Click()
    InputDateField Validity, "Select a date To use this on your form"
End Sub
```

```
Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FuelSupport_UpdateFuel", acSaveNo
End Sub
```

```
Private Sub Vendor_AfterUpdate()
    Dim selectedVendorTable As String
    Dim query As String
    Dim RecordQuery As String
    selectedVendorTable = Me.Vendor.Value ' Get the selected value from Vendor combo box

    RecordQuery = "Select Airport, ID, VendorPrice, Validity, Notes, Taxes, FBO, IPA, EstimatedTotal,
FlightType, FuelType FROM " & selectedVendorTable
    Me.RecordSource = RecordQuery

    ' Construct the dynamic query based on the selected vendor table
    query = "Select    Airport,ID FROM " & selectedVendorTable

    ' Set the RowSource Property of the AIRPORT combo box To the dynamic query
    Me.AIRPORT.RowSource = query

    ' Requery the AIRPORT combo box To reflect the updated options
    Me.AIRPORT.Requery
```

```
Debug.Print "Record Query: " & RecordQuery
End Sub
```

```
Private Sub RenderRecord()
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim selectedFlightType As String

    selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value
    selectedAirport = Forms("FuelSupport_UpdateFuel_New").AIRPORT.Column(0)
    selectedFlightType = Me.FlightType.Value
```

```
If Not IsNull(selectedAirport) Then
    Set db = CurrentDb
    Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
```

```
    ' Find the row that matches the selectedAirport And FlightType
    rs.FindFirst "AIRPORT = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'"
```

```

If Not rs.NoMatch Then
    ' Assign values To the fields in the form
    Me.BasePrice.Value = rs("VendorPrice").Value
    Me.Airport_ID.Value = rs("ID").Value
    Me.Notes.Value = rs("Notes").Value
    Me.Taxes.Value = rs("Taxes").Value
    Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
    Me.IPA.Value = rs("IPA").Value
    Me.FBO.Value = rs("FBO").Value
    Me.FuelType.Value = rs("FuelType").Value
    Me.Validity.Value = rs("Validity").Value
    Me.Currency.Value = rs("Currency").Value
    Me.Unit.Value = rs("Unit").Value
    Me.InternalNotes.Value = rs("InternalNotes").Value
    Me.Modifiedby.Value = rs("Modified By").Value
    Me.CreatedBy.Value = rs("Created By").Value
    Me.STC.Value = rs("STC").Value
    Me.ChangeCyclebx.Value = rs("ChangeCycle").Value

Else
    MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
End If
rs.Close
Set rs = Nothing
Set db = Nothing

Else
    MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
End If
End Sub

Private Sub UpdateFuelprice_Click()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim selectedFlightType As Variant
    Dim AirportID As Integer

    AirportID = Me.Airport_ID.Value
    selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value
    selectedAirport = Forms("FuelSupport_UpdateFuel_New").AIRPORT.Column(0)
    selectedFlightType = Me.FlightType.Value

    If IsNull(selectedAirport) Or IsNull(Me.BasePrice) Or IsNull(Me.FuelType) Or IsNull(Me.FuelType) Or IsNull(selectedFlightType) Or IsNull(Me.Currency) Or IsNull(Me.Unit) Or IsNull(Me.EstimatedTotaltxt) Or IsNull(Me.Validity) Then
        MsgBox "Add missing fields " & err.Description, vbCritical, "Error"
        Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenDynaset)

        ' Find the record to update
        'rs.FindFirst "AIRPORT = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'"
        rs.FindFirst "AIRPORT = '" & selectedAirport & "' AND ID = '" & AirportID & "'"
        If Not rs.NoMatch Then
            rs.Edit
            ' Update fields
            rs.Fields("VendorPrice").Value = Me.BasePrice.Value
            rs.Fields("Notes").Value = Me.Notes.Value
            rs.Fields("Taxes").Value = Me.Taxes.Value
            rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value
            rs.Fields("IPA").Value = Me.IPA.Value
            rs.Fields("FuelType").Value = Me.FuelType.Value
            rs.Fields("FlightType").Value = selectedFlightType
            rs.Fields("FBO").Value = Me.FBO.Value
            rs.Fields("Validity").Value = Me.Validity.Value
            rs.Fields("Currency").Value = Me.Currency.Value
            rs.Fields("Unit").Value = Me.Unit.Value
            rs.Fields("InternalNotes").Value = Me.InternalNotes.Value

```

```
        rs.Fields("STC").Value = Me.STC.Value
        rs.Fields("ChangeCycle").Value = Me.ChangeCyclebx.Value
    rs.Update

    Me.Requery
    Me.FlightType.Value = "Commercial & Private/Domestic"
    ResetBtn_Click
    Forms("FuelSupport_UpdateFuel_New").AIRPORT.Value = Null
    MsgBox "Data updated successfully."
Else
    MsgBox "Record not found for update.", vbExclamation + vbOKOnly, "Update Failed"
End If
rs.Close
Set rs = Nothing
Set db = Nothing
End If
End Sub
```

Form_FuelSupport_Commercia_Private1PriceF - 1

Option Compare Database

Option Explicit

Private Sub AddFuelPriceBtn_Click()

Dim selectedVendorTable As Variant

selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value

If Not IsNull(selectedVendorTable) Then

AddFuel

Else

MsgBox "Data Not added."

Exit Sub

End If

End Sub

Private Sub AddFuel()

'On Error Goto ErrorHandler

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim selectedVendorTable As String

Dim selectedAirport As Variant

Dim selectedFlightType As Variant

selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value

selectedAirport = Forms("FuelSupport_UpdateFuel_New").AIRPORT.Column(0)

selectedFlightType = Me.FlightType.Value

Set db = CurrentDb

Set rs = db.OpenRecordset(selectedVendorTable, dbOpenDynaset)

' Check If the record already exists

rs.FindFirst "AIRPORT = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'"

If Not rs.NoMatch Then

MsgBox "Record already exists."

Exit Sub

End If

If IsNull(Me.BasePrice) Or IsNull(Me.FuelType) Or IsNull(Me.FlightType) Or IsNull(Me.Currency) Or IsNull(Me.Unit) Or IsNull(Me.EstimatedTotaltxt) Or IsNull(Me.Validity) Then

MsgBox "Add missing fields " & err.Description, vbCritical, "Error"

Exit Sub

Else

rs.AddNew

' Assign values To the fields in the table

rs.Fields("Airport").Value = selectedAirport

rs.Fields("VendorPrice").Value = Me.BasePrice.Value

rs.Fields("Notes").Value = Me.Notes.Value

rs.Fields("Taxes").Value = Me.Taxes.Value

rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value

rs.Fields("IPA").Value = Me.IPA.Value

rs.Fields("FuelType").Value = Me.FuelType.Value

rs.Fields("FlightType").Value = selectedFlightType

rs.Fields("FBO").Value = Me.FBO.Value

rs.Fields("Validity").Value = Me.Validity.Value

rs.Fields("Currency").Value = Me.Currency.Value

rs.Fields("Unit").Value = Me.Unit.Value

rs.Fields("InternalNotes").Value = Me.InternalNotes.Value

rs.Fields("STC").Value = Me.STC.Value

rs.Fields("ChangeCycle").Value = Me.ChangeCyclebx.Value

' Save the New record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset the form fields

FuelReset

Forms("FuelSupport_UpdateFuel_New").AIRPORT.Value = Null

MsgBox "Data added successfully."

Me.Undo

```

    End If
Exit Sub

'ErrorHandler:
'    MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
'    Me.Undo
End Sub

Private Sub RemoveFuel()

    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim selectedFlightType As Variant
    Dim AirportID As Integer

    AirportID = Me.Airport_ID.Value
    ' Get form control values
    selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value
    selectedAirport = Forms("FuelSupport_UpdateFuel_New").AIRPORT.Column(0)
    selectedFlightType = Me.FlightType.Value

    ' Open a recordset
    Set db = CurrentDb
    Set rs = db.OpenRecordset(selectedVendorTable, dbOpenDynaset)

    ' Find the record to delete
    rs.FindFirst "AIRPORT = '" & selectedAirport & "' AND ID = " & AirportID & " AND FlightType = '" & s
selectedFlightType & "'"

    ' Check if record exists
    If Not rs.NoMatch Then
        ' Confirm deletion with user
        If MsgBox("Are you sure you want to delete this record?", vbYesNo + vbQuestion) = vbYes Then
            ' Delete the record
            rs.Delete
            MsgBox "Record deleted successfully."
            ' Reset the form (optional)
            FuelReset
            'Forms!FuelSupport_UpdateFuel_New!AIRPORT.Value = Null
        End If
    Else
        MsgBox "Record not found."
    End If

    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing

End Sub

Private Sub CreatedBy_AfterUpdate()
    CreatedBy_Change
End Sub

Private Sub CreatedBy_Change()
    If Me.CreatedBy.Value = 63 Then
        Me.PersonCreated.Value = "Abdu"
    End If
End Sub

Private Sub Form_Load()
    Me.FlightType.Value = "Commercial & Private/International"
End Sub

Private Sub Modifiedby_AfterUpdate()
    Modifiedby_Change
End Sub

Private Sub Modifiedby_Change()

```

Form_FuelSupport_Commercia_PrivatelPriceF - 3

```
If Me.Modifiedby.Value = 63 Then
    Me.PersonModified.Value = "Abdu"
End If
End Sub

Private Sub RenderFlightTypeRecord()
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim selectedFlightType As Variant

    selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value
    selectedAirport = Forms("FuelSupport_UpdateFuel_New").AIRPORT.Column(0)
    selectedFlightType = Me.FlightType.Value
    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
        Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
        ' Find the row that matches the selectedAirport
        rs.FindFirst "AIRPORT = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'
        If Not rs.NoMatch Then
            ' Assign values To the fields in the form`
            Me.BasePrice.Value = rs("VendorPrice").Value
            Me.Airport_ID.Value = rs("ID").Value
            Me.Notes.Value = rs("Notes").Value
            Me.Taxes.Value = rs("Taxes").Value
            Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
            Me.IPA.Value = rs("IPA").Value
            Me.FBO.Value = rs("FBO").Value
            Me.FuelType.Value = rs("FuelType").Value
            Me.Validity.Value = rs("Validity").Value
            Me.Currency.Value = rs("Currency").Value
            Me.Unit.Value = rs("Unit").Value
            Me.InternalNotes.Value = rs("InternalNotes").Value
            Me.Modifiedby.Value = rs("Modified By").Value
            Me.CreatedBy.Value = rs("Created By").Value
            Me.STC.Value = rs("STC").Value
            Me.ChangeCyclebx.Value = rs("ChangeCycle").Value

            If Me.Validity < date Then
                Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
                Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
            Else
                Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
                Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
            End If
        End If
    Else
        MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
    End If
    rs.Close
    Set rs = Nothing
    Set db = Nothing
End If
End Sub

Private Sub FuelReset()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.EstimatedTotaltxt.Value = 0
    Me.IPA.Value = Null
    Me.FBO.Value = Null
    Me.InternalNotes.Value = Null
End Sub

Private Sub RemoveBtn_Click()
    RemoveFuel
End Sub
```

End Sub

```
Private Sub ResetBtn_Click()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.EstimatedTotaltxt.Value = Null
    Me.IPA.Value = Null
    Me.FBO.Value = Null
    Me.Validity.Value = Null
    Me.Modifiedby.Value = Null
    Me.CreatedBy.Value = Null
    Me.InternalNotes.Value = Null
    Me.STC.Value = Null
End Sub
```

```
Private Sub FlightType_DblClick(Cancel As Integer)
    RenderFlightTypeRecord
End Sub
```

```
Private Sub Validity_Click()
    InputDateField Validity, "Select a date To use this on your form"
End Sub
```

```
Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FuelSupport_UpdateFuel", acSaveNo
End Sub
```

```
Private Sub Vendor_AfterUpdate()
    Dim selectedVendorTable As String
    Dim query As String
    Dim RecordQuery As String
    selectedVendorTable = Me.Vendor.Value ' Get the selected value from Vendor combo box

    RecordQuery = "Select Airport, ID, VendorPrice, Validity, Notes, Taxes, FBO, IPA, EstimatedTotal,
FlightType, FuelType FROM " & selectedVendorTable
    Me.RecordSource = RecordQuery

    ' Construct the dynamic query based on the selected vendor table
    query = "Select    Airport,ID FROM " & selectedVendorTable

    ' Set the RowSource Property of the AIRPORT combo box To the dynamic query
    Me.AIRPORT.RowSource = query

    ' Requery the AIRPORT combo box To reflect the updated options
    Me.AIRPORT.Requery
```

```
    Debug.Print "Record Query: " & RecordQuery
End Sub
```

```
Private Sub RenderRecord()
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim selectedFlightType As String

    selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value
    selectedAirport = Forms("FuelSupport_UpdateFuel_New").AIRPORT.Column(0)
    selectedFlightType = Me.FlightType.Value
```

```
If Not IsNull(selectedAirport) Then
    Set db = CurrentDb
    Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
```

```
    ' Find the row that matches the selectedAirport And FlightType
    rs.FindFirst "AIRPORT = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "
```

```
If Not rs.NoMatch Then
```

```

' Assign values To the fields in the form
rs.Fields("VendorPrice").Value = Me.BasePrice.Value
rs.Fields("Notes").Value = Me.Notes.Value
rs.Fields("Taxes").Value = Me.Taxes.Value
rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value
rs.Fields("IPA").Value = Me.IPA.Value
rs.Fields("FuelType").Value = Me.FuelType.Value
rs.Fields("FlightType").Value = selectedFlightType
rs.Fields("FBO").Value = Me.FBO.Value
rs.Fields("Validity").Value = Me.Validity.Value
rs.Fields("Currency").Value = Me.Currency.Value
rs.Fields("Unit").Value = Me.Unit.Value
rs.Fields("InternalNotes").Value = Me.InternalNotes.Value
rs.Fields("STC").Value = Me.STC.Value
rs.Fields("ChangeCycle").Value = Me.ChangeCyclebx.Value
rs.Update

Else
    MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
End If
rs.Close
Set rs = Nothing
Set db = Nothing

Else
    MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
End If
End Sub

Private Sub UpdateFuelprice_Click()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim selectedFlightType As Variant
    Dim AirportID As Integer

    AirportID = Me.Airport_ID.Value
    selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value
    selectedAirport = Forms("FuelSupport_UpdateFuel_New").AIRPORT.Column(0)
    selectedFlightType = Me.FlightType.Value

    If IsNull(selectedAirport) Or IsNull(Me.BasePrice) Or IsNull(Me.FuelType) Or IsNull(Me.FuelType) Or IsNull(selectedFlightType) Or IsNull(Me.Currency) Or IsNull(Me.Unit) Or IsNull(Me.EstimatedTotaltxt) Or IsNull(Me.Validity) Then
        MsgBox "Add missing fields " & err.Description, vbCritical, "Error"
        Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenDynaset)

        ' Find the record to update
        'rs.FindFirst "AIRPORT = '" & selectedAirport & "'" And FlightType = '" & selectedFlightType & "'"
        rs.FindFirst "AIRPORT = '" & selectedAirport & "'" AND ID = '" & AirportID & "'"
        If Not rs.NoMatch Then
            rs.Edit
            ' Update fields
            rs.Fields("VendorPrice").Value = Me.BasePrice.Value
            rs.Fields("Notes").Value = Me.Notes.Value
            rs.Fields("Taxes").Value = Me.Taxes.Value
            rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value
            rs.Fields("IPA").Value = Me.IPA.Value
            rs.Fields("FuelType").Value = Me.FuelType.Value
            rs.Fields("FlightType").Value = selectedFlightType
            rs.Fields("FBO").Value = Me.FBO.Value
            rs.Fields("Validity").Value = Me.Validity.Value
            rs.Fields("Currency").Value = Me.Currency.Value
            rs.Fields("Unit").Value = Me.Unit.Value
            rs.Fields("InternalNotes").Value = Me.InternalNotes.Value
            rs.Fields("STC").Value = Me.STC.Value
            rs.Update

```



```
Me.Requery
Me.FlightType.Value = "Commercial & Private/International"
ResetBtn_Click
Forms("FuelSupport_UpdateFuel_New").AIRPORT.Value = Null
MsgBox "Data updated successfully."
Else
    MsgBox "Record not found for update.", vbExclamation + vbOKOnly, "Update Failed"
End If
rs.Close
Set rs = Nothing
Set db = Nothing
End If
End Sub
```

Option Compare Database

Private Sub AddFuelPriceBtn_Click()

Dim selectedVendorTable As Variant

selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value

If Not IsNull(selectedVendorTable) Then

AddFuel

Else

MsgBox "Data Not added."

Exit Sub

End If

End Sub

Private Sub AddFuel()

'On Error Goto ErrorHandler

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim selectedVendorTable As String

Dim selectedAirport As String

Dim selectedFlightType As String

selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value

selectedAirport = Forms("FuelSupport_UpdateFuel_New").AIRPORT.Column(0)

selectedFlightType = Me.FlightType.Value

Set db = CurrentDb

Set rs = db.OpenRecordset(selectedVendorTable, dbOpenDynaset)

' Check If the record already exists

rs.FindFirst "AIRPORT = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'"

If Not rs.NoMatch Then

MsgBox "Record already exists."

Exit Sub

End If

If IsNull(Me.BasePrice) Or IsNull(Me.FuelType) Or IsNull(Me.FlightType) Or IsNull(Me.Currency) Or IsNull(Me.Unit) Or IsNull(Me.EstimatedTotaltxt) Or IsNull(Me.Validity) Then

MsgBox "Add missing fields " & err.Description, vbCritical, "Error"

Exit Sub

Else

rs.AddNew

' Assign values To the fields in the table

rs.Fields("Airport").Value = selectedAirport

rs.Fields("VendorPrice").Value = Me.BasePrice.Value

rs.Fields("Notes").Value = Me.Notes.Value

rs.Fields("Taxes").Value = Me.Taxes.Value

rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value

rs.Fields("IPA").Value = Me.IPA.Value

rs.Fields("FuelType").Value = Me.FuelType.Value

rs.Fields("FlightType").Value = selectedFlightType

rs.Fields("FBO").Value = Me.FBO.Value

rs.Fields("Validity").Value = Me.Validity.Value

rs.Fields("Currency").Value = Me.Currency.Value

rs.Fields("Unit").Value = Me.Unit.Value

rs.Fields("InternalNotes").Value = Me.InternalNotes.Value

rs.Fields("STC").Value = Me.STC.Value

rs.Fields("ChangeCycle").Value = Me.ChangeCyclebx.Value

' Save the New record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset the form fields

FuelReset

Forms("FuelSupport_UpdateFuel_New").AIRPORT.Value = Null

MsgBox "Data added successfully."

Me.Undo

End If

Exit Sub

```

'ErrorHandler:
'    MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
'    Me.Undo
End Sub

Private Sub CreatedBy_AfterUpdate()
    CreatedBy_Change
End Sub

Private Sub CreatedBy_Change()
    If Me.CreatedBy.Value = 63 Then
        Me.PersonCreated.Value = "Abdu"
    End If
End Sub

Private Sub Modifiedby_AfterUpdate()
    Modifiedby_Change
End Sub

Private Sub Modifiedby_Change()
    If Me.Modifiedby.Value = 63 Then
        Me.PersonModified.Value = "Abdu"
    End If
End Sub

Private Sub RenderFlightTypeRecord()
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim selectedFlightType As Variant

    selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value
    selectedAirport = Forms("FuelSupport_UpdateFuel_New").AIRPORT.Column(0)
    selectedFlightType = Me.FlightType.Value
    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
        Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
        ' Find the row that matches the selectedAirport
        rs.FindFirst "AIRPORT = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'"
        If Not rs.NoMatch Then
            ' Assign values To the fields in the form`
            Me.BasePrice.Value = rs("VendorPrice").Value
            Me.Airport_ID.Value = rs("ID").Value
            Me.Notes.Value = rs("Notes").Value
            Me.Taxes.Value = rs("Taxes").Value
            Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
            Me.IPA.Value = rs("IPA").Value
            Me.FBO.Value = rs("FBO").Value
            Me.FuelType.Value = rs("FuelType").Value
            Me.Validity.Value = rs("Validity").Value
            Me.Currency.Value = rs("Currency").Value
            Me.Unit.Value = rs("Unit").Value
            Me.InternalNotes.Value = rs("InternalNotes").Value
            Me.Modifiedby.Value = rs("Modified By").Value
            Me.CreatedBy.Value = rs("Created By").Value
            Me.STC.Value = rs("STC").Value
            Me.ChangeCyclebx.Value = rs("ChangeCycle").Value

            If Me.Validity < date Then
                Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
                Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
            Else
                Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
                Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
            End If
        Else
    
```

```

        MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
    End If
    rs.Close
    Set rs = Nothing
    Set db = Nothing

End If
End Sub

Private Sub FuelReset()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.EstimatedTotaltxt.Value = 0
    Me.IPA.Value = Null
    Me.FBO.Value = Null
    Me.InternalNotes.Value = Null
End Sub

Private Sub ResetBtn_Click()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.EstimatedTotaltxt.Value = Null
    Me.IPA.Value = Null
    Me.FBO.Value = Null
    Me.Validity.Value = Null
    Me.Modifiedby.Value = Null
    Me.CreatedBy.Value = Null
    Me.InternalNotes.Value = Null
    Me.STC.Value = Null
End Sub

Private Sub FlightType_DblClick(Cancel As Integer)
    RenderFlightTypeRecord
End Sub

Private Sub Validity_Click()
    InputDateField Validity, "Select a date To use this on your form"
End Sub

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FuelSupport_UpdateFuel", acSaveNo
End Sub

Private Sub Vendor_AfterUpdate()
    Dim selectedVendorTable As String
    Dim query As String
    Dim RecordQuery As String
    selectedVendorTable = Me.Vendor.Value ' Get the selected value from Vendor combo box

    RecordQuery = "Select Airport, ID, VendorPrice, Validity, Notes, Taxes, FBO, IPA, EstimatedTotal, FlightType, FuelType FROM " & selectedVendorTable
    Me.RecordSource = RecordQuery

    ' Construct the dynamic query based on the selected vendor table
    query = "Select    Airport,ID FROM " & selectedVendorTable

    ' Set the RowSource Property of the AIRPORT combo box To the dynamic query
    Me.AIRPORT.RowSource = query

    ' Requery the AIRPORT combo box To reflect the updated options
    Me.AIRPORT.Requery

    Debug.Print "Record Query: " & RecordQuery
End Sub

Private Sub UpdateFuelprice_Click()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    Dim selectedVendorTable As String
    Dim selectedAirport As Variant

```

```

Dim selectedFlightType As Variant
Dim AirportID As Integer

AirportID = Me.Airport_ID.Value
selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value
selectedAirport = Forms("FuelSupport_UpdateFuel_New").AIRPORT.Column(0)
selectedFlightType = Me.FlightType.Value

If IsNull(selectedAirport) Or IsNull(Me.BasePrice) Or IsNull(Me.FuelType) Or IsNull(Me.FuelType) Or IsNull(selectedFlightType) Or IsNull(Me.Currency) Or IsNull(Me.Unit) Or IsNull(Me.EstimatedTotaltxt) Or IsNull(Me.Validity) Then
    MsgBox "Add missing fields " & err.Description, vbCritical, "Error"
    Exit Sub
Else
    Set db = CurrentDb
    Set rs = db.OpenRecordset(selectedVendorTable, dbOpenDynaset)

    ' Find the record to update
    'rs.FindFirst "AIRPORT = '" & selectedAirport & "'" And FlightType = '" & selectedFlightType & "'"
    rs.FindFirst "AIRPORT = '" & selectedAirport & "'" AND ID = '" & AirportID & "'"
    If Not rs.NoMatch Then
        rs.Edit
        ' Update fields
        rs.Fields("VendorPrice").Value = Me.BasePrice.Value
        rs.Fields("Notes").Value = Me.Notes.Value
        rs.Fields("Taxes").Value = Me.Taxes.Value
        rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value
        rs.Fields("IPA").Value = Me.IPA.Value
        rs.Fields("FuelType").Value = Me.FuelType.Value
        rs.Fields("FlightType").Value = selectedFlightType
        rs.Fields("FBO").Value = Me.FBO.Value
        rs.Fields("Validity").Value = Me.Validity.Value
        rs.Fields("Currency").Value = Me.Currency.Value
        rs.Fields("Unit").Value = Me.Unit.Value
        rs.Fields("InternalNotes").Value = Me.InternalNotes.Value
        rs.Fields("STC").Value = Me.STC.Value
        rs.Fields("ChangeCycle").Value = Me.ChangeCyclebx.Value
        rs.Update

        Me.Requery
        ' Me.FlightType.Value = "COMMERCIAL"
        ResetBtn_Click
        Forms("FuelSupport_UpdateFuel_New").AIRPORT.Value = Null
        MsgBox "Data updated successfully."
    Else
        MsgBox "Record not found for update.", vbExclamation + vbOKOnly, "Update Failed"
    End If
    rs.Close
    Set rs = Nothing
    Set db = Nothing
End If

End Sub

```

Form_FuelSupport_FuelQuote-- 1

Option Compare Database

Private Sub ShowCountry()

Dim selectedValue As Variant

selectedValue = Me.AIRPORT.Value ' Get the selected value from the combo box

If Not IsNull(selectedValue) Then

Dim rs As DAO.Recordset

Set rs = CurrentDb.OpenRecordset("Airports_DataT", dbOpenSnapshot)

rs.FindFirst "AIRPORT_DETAILS = '" & selectedValue & "'"

If Not rs.NoMatch Then

Me.Country.Value = rs("Country").Value

Else

Me.Country.Value = Null

End If

rs.Close

Set rs = Nothing

Else

Me.Country.Value = Null

End If

Exit Sub

End Sub

Private Sub Airport_AfterUpdate()

MinPrice_MinVendor

ShowCountry

End Sub

Private Sub MinPrice_MinVendor()

Dim selectedAirport As Variant

'Dim airportCode As String

Dim LowestPriceQ As String

Dim MinVendorPrice As Variant

Dim AirportIDQ As Integer

Dim db As DAO.Database

Dim rs As DAO.Recordset

selectedAirport = Me.AIRPORT

If Not IsNull(selectedAirport) Then

' airportCode = selectedAirport

Set db = CurrentDb

Set rs = db.OpenRecordset("Select * FROM FuelSupport_NewFuelQ WHERE Airport = '" & selectedAirport & "'", dbOpenSnapshot)

If Not rs.EOF Then

Me.AirportID.Value = rs!ID

Me.LowestVendor.Value = rs!TableName

Me.Vendor.Value = rs!TableName

Me.LowestPriceTxt.Value = rs!MinVendorPrice

Me.HADIDBasePrice.Value = rs!Hadid_BasePrice

Me.HADIDTotal.Value = rs!Hadid_EstimatedTotal

Me.HADIDCurrency.Value = rs!Hadid_Currency

Me.HADIDFlightType.Value = rs!Hadid_FlightType

Me.UCIGBasePrice.Value = rs!UCIG_BasePrice

Me.UCIGTotal.Value = rs!UCIG_EstimatedTotal

Me.UCIGCurrency.Value = rs!UCIG_Currency

Me.UCIGFlightType.Value = rs!UCIG_FlightType

Me.AURORBasePrice.Value = rs!AUROR_VendorPrice

Me.AURORTotel.Value = rs!AUROR_EstimatedTotal

Me.AURORCurrency.Value = rs!AUROR_Currency

Me.AURORFlightType.Value = rs!AUROR_FlightType

Me.MIXJETBasePrice.Value = rs!MIXJET_VendorPrice

Me.MIXJETTotal.Value = rs!MIXJET_EstimatedTotal

Me.MIXJETCurrency.Value = rs!MIXJET_Currency

Me.MIXJETFlightType.Value = rs!MIXJET_FlightType

```

Me.ASMBasePrice.Value = rs!ASM_BasePrice
Me.ASMTotal.Value = rs!ASM_EstimatedTotal
Me.ASMCurrency.Value = rs!ASM_Currency
Me.ASMFlightType.Value = rs!ASM_FlightType

Me.MASBasePrice.Value = rs!MAS_BasePrice
Me.MASTotal.Value = rs!MAS_EstimatedTotal
Me.MASCurrency.Value = rs!MAS_Currency
Me.MASFlightType.Value = rs!MAS_FlightType

Me.AEGBasePrice.Value = rs!AEG_BasePrice
Me.AEGTotal.Value = rs!AEG_EstimatedTotal
Me.AEGCurrency.Value = rs!AEG_Currency
Me.AEGFlightType.Value = rs!AEG_FlightType
RenderRecord
Else
    MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
End If
End If
End Sub

Private Sub RenderRecord()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim rs As DAO.Recordset
    Dim db As DAO.Database

    selectedVendorTable = Me.Vendor
    selectedAirport = Me.AIRPORT

    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
        Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
        ' Find the row that matches the selectedAirport
        'rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
        rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
        If Not rs.NoMatch Then
            ' Assign values To the fields in the form`
            Me.BasePrice.Value = rs("VendorPrice").Value
            Me.Notes.Value = rs("Notes").Value
            Me.Taxes.Value = rs("Taxes").Value
            Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
            Me.IPA.Value = rs("IPA").Value
            Me.FuelType.Value = rs("FuelType").Value
            Me.FlightType.Value = rs("FlightType").Value
            Me.Validity.Value = rs("Validity").Value
            Me.VendorCmbPrice.Value = rs("VendorPrice").Value
            Me.Currency.Value = rs("Currency").Value
            Me.Unit.Value = rs("Unit").Value
            Me.InternalNotes.Value = rs("InternalNotes").Value
            Me.ChangeCyclebx.Value = rs("ChangeCycle").Value
            rs.Close
            Set rs = Nothing
            Set db = Nothing

            If Me.Validity < date Then
                Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
                Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
            Else
                Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
                Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
            End If
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    End Sub

```

```

        End If
    End If
End Sub

Private Sub MinPrice_MinVendor_FlightType()
    Dim selectedAirport As Variant
    Dim LowestPriceQ As String
    Dim selectedFlightType As String
    Dim MinVendorPrice As Variant
    Dim AirportIDQ As Integer
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    selectedAirport = Me.AIRPORT
    selectedFlightType = Me.FlightType
    If Not IsNull(selectedAirport) Then
        ' airportCode = selectedAirport
        Set db = CurrentDb
        Set rs = db.OpenRecordset("Select * FROM FuelSupport_NewFuelQ WHERE FlightType = '" & selectedFlightType & "' And AIRPORT = '" & selectedAirport & "'", dbOpenSnapshot)
        If Not rs.EOF Then
            Me.AirportID.Value = rs!ID
            Me.LowestVendor.Value = rs!TableName
            Me.Vendor.Value = rs!TableName
            Me.LowestPriceTxt.Value = rs!MinVendorPrice

            Me.HADIDBasePrice.Value = rs!Hadid_BasePrice
            Me.HADIDTotal.Value = rs!Hadid_EstimatedTotal
            Me.HADIDCurrency.Value = rs!Hadid_Currency
            Me.HADIDFlightType.Value = rs!Hadid_FlightType

            Me.UCIGBasePrice.Value = rs!UCIG_BasePrice
            Me.UCIGTotal.Value = rs!UCIG_EstimatedTotal
            Me.UCIGCurrency.Value = rs!UCIG_Currency
            Me.UCIGFlightType.Value = rs!UCIG_FlightType

            Me.AURORBasePrice.Value = rs!AUROR_VendorPrice
            Me.AURORTotel.Value = rs!AUROR_EstimatedTotal
            Me.AURORCurrency.Value = rs!AUROR_Currency
            Me.AURORFlightType.Value = rs!AUROR_FlightType

            Me.MIXJETBasePrice.Value = rs!MIXJET_VendorPrice
            Me.MIXJETTotal.Value = rs!MIXJET_EstimatedTotal
            Me.MIXJETCurrency.Value = rs!MIXJET_Currency
            Me.MIXJETFlightType.Value = rs!MIXJET_FlightType

            Me.ASMBasePrice.Value = rs!ASM_BasePrice
            Me.ASMTTotal.Value = rs!ASM_EstimatedTotal
            Me.ASMCurrency.Value = rs!ASM_Currency
            Me.ASMFlightType.Value = rs!ASM_FlightType

            Me.MASBasePrice.Value = rs!MAS_BasePrice
            Me.MASTotal.Value = rs!MAS_EstimatedTotal
            Me.MASCurrency.Value = rs!MAS_Currency
            Me.MASFlightType.Value = rs!MAS_FlightType

            Me.AEGBasePrice.Value = rs!AEG_BasePrice
            Me.AEGTotal.Value = rs!AEG_EstimatedTotal
            Me.AEGCurrency.Value = rs!AEG_Currency
            Me.AEGFlightType.Value = rs!AEG_FlightType
            RenderRecord_FlightType
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    End If
End Sub

Private Sub Command35_Click()
    DoCmd.OpenForm "FuelSupport_AddFuel", WindowMode:=acWindowNormal
End Sub

Private Sub Command36_Click()

```


Form_FuelSupport_FuelQuote--4

```
DoCmd.OpenForm "FuelSupport_updateFuel_New", WindowMode:=acWindowNormal
End Sub
```

```
Private Sub FlightType_AfterUpdate()
    MinPrice_MinVendor_FlightType
End Sub
```

```
Private Sub PrintQuote_Click()
    If Not IsNull(Me.Quote_RefNotxt) Then
        Dim strWhere As String
        Dim InLeng As Long

        Const conJetDate = "\#dd\/mm\/yyyy\#"

        If Not IsNull(Me.Quote_RefNotxt) Then
            strWhere = strWhere & "([Quote_RefNo] Like '*' & Me.Quote_RefNotxt & '*') And "
        End If

        InLeng = Len(strWhere) - 5
        If InLeng <= 0 Then
            MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight
App"
        Else
            strWhere = Left$(strWhere, InLeng)
            Me.Filter = strWhere
            Me.FilterOn = True
            DoCmd.OpenReport "FuelSupport_FuelQuote", acViewPreview, , strWhere
        End If
    Else
        DoCmd.OpenForm "FuelSupport_ReportGeneratorF", WindowMode:=acWindowNormal
    End If
End Sub
```

```
Private Sub Command659_Click()
    Me.Refresh
End Sub
```

```
Private Sub RenderRecord_Two()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    Dim selectedFlightType As String

    selectedVendorTable = Me.Vendor
    selectedAirport = Me.AIRPORT
    selectedFlightType = Me.FlightType
```

```
If IsNull(selectedAirport) Or selectedAirport = "" Then
    MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
Exit Sub
```

```
Else
    Set db = CurrentDb
    Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
    ' Find the row that matches the selectedAirport
    'rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
    rs.FindFirst "FlightType = '" & selectedFlightType & "'" And AIRPORT = '" & selectedAirport & "'
    ,,"
```

```
If Not rs.NoMatch Then
    Me.ChangeCyclebx.Value = rs("ChangeCycle").Value
    Me.BasePrice.Value = rs("VendorPrice").Value
    Me.Notes.Value = rs("Notes").Value
    Me.Taxes.Value = rs("Taxes").Value
    Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
    Me.IPA.Value = rs("IPA").Value
    Me.FuelType.Value = rs("FuelType").Value
    Me.FlightType.Value = rs("FlightType").Value
    Me.Validity.Value = rs("Validity").Value
    Me.VendorCmbPrice.Value = rs("VendorPrice").Value
    Me.Currency.Value = rs("Currency").Value
    Me.Unit.Value = rs("Unit").Value
    Me.InternalNotes.Value = rs("InternalNotes").Value
```

```

        rs.Close
        Set rs = Nothing
        Set db = Nothing

    If Me.Validity < date Then
        Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
        Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
    Else
        Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
        Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
    End If
Else
    MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
End If
End If
End Sub

Private Sub RenderRecord_FlightType()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim selectedFlightType As String
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    selectedVendorTable = Me.Vendor
    selectedAirport = Me.AIRPORT
    selectedFlightType = Me.FlightType

    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
        Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
        ' Find the row that matches the selectedAirport
        'rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
        rs.FindFirst "FlightType = '" & selectedFlightType & "'" And AIRPORT = '" & selectedAirport & "'"

        If Not rs.NoMatch Then
            ' Assign values To the fields in the form`
            Me.ChangeCyclebx.Value = rs("ChangeCycle").Value
            Me.BasePrice.Value = rs("VendorPrice").Value
            Me.Notes.Value = rs("Notes").Value
            Me.Taxes.Value = rs("Taxes").Value
            Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
            Me.IPA.Value = rs("IPA").Value
            Me.FuelType.Value = rs("FuelType").Value
            Me.FlightType.Value = rs("FlightType").Value
            Me.Validity.Value = rs("Validity").Value
            Me.VendorCmbPrice.Value = rs("VendorPrice").Value
            Me.Currency.Value = rs("Currency").Value
            Me.Unit.Value = rs("Unit").Value
            Me.InternalNotes.Value = rs("InternalNotes").Value

            rs.Close
            Set rs = Nothing
            Set db = Nothing

            If Me.Validity < date Then
                Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
                Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
            Else
                Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
                Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
            End If
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    End If
End Sub

Private Sub cmdGenerate_Click()
    Dim RefValue As Integer

```

Form_FuelSupport_FuelQuote- 6

```
Dim rst As DAO.Recordset
RefValue = Nz(DLookup("Quote_ID", "TRefNo"), 0)

Me.Quote_RefNotxt = "TAS_FQ-" & Format(RefValue + 7, "0000") & "/" & Format(date, "yy")
Set rst = CurrentDb.OpenRecordset("TRefNo", dbOpenDynaset, dbSeeChanges)

With rst
    .Edit
    ![Quote_ID] = ![Quote_ID] + 7
    .Update
End With

rst.Close
Set rst = Nothing

End Sub

Private Sub newQuoteBtn_Click()
    If IsNull(Me.Quote_RefNotxt) Or Me.Quote_RefNotxt = "" Then
        cmdGenerate_Click
    End If
    ' Set focus To the first field For data entry
    Me.AIRPORT.SetFocus
End Sub

Private Sub QoutedActualListbtn_Click()
    DoCmd.OpenForm "FuelSupport_QuoteActualPrice_V12", WindowMode:=acWindowNormal
End Sub

Private Sub Vendor_AfterUpdate()
    RenderRecord_Two
End Sub

Private Sub Form_Load()
    Dim fw As New clFormWindow

    fw.hWnd = Me.hWnd
    With fw
        .Top = (.Parent.Height - .Height) / 2
        .Left = (.Parent.Width - .Width) / 2
    End With
    Set fw = Nothing

    RowSourceReset
End Sub

Private Sub QuoteReset()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.IPA.Value = Null
    Me.AIRPORT.Value = Null
    Me.ChangeCyclebx.Value = Null

    RowSourceReset
End Sub

Private Sub RowSourceReset()
    Dim AirportQuery As String

    AirportQuery = "Select Airport FROM FuelSupport_PriceQ "

    Me.RecordSource = AirportQuery

    ' Set the RowSource Property of the AIRPORT combo box To the dynamic query
    Me.AIRPORT.RowSource = AirportQuery

    ' Requery the AIRPORT combo box To reflect the updated options
    Me.AIRPORT.Requery
End Sub

Private Sub ResetBtn_Click()
    Me.BasePrice.Value = Null
```

```

Me.Notes.Value = Null
Me.Taxes.Value = Null
Me.IPA.Value = Null
Me.FlightType.Value = Null
Me.AIRPORT.Value = Null
Me.QuoteRefnotxt.Value = Null
Me.ChangeCyclebx.Value = Null
RowSourceReset

```

End Sub

```

Private Sub Validity_Click()
    InputDateField Validity, "Select a date To use this on your form"

```

End Sub

```

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FuelSupport_FuelQuote", acSaveNo

```

End Sub

```

Private Sub AddFuelQuote_Click()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

```

```

    If IsNull(Me.BasePrice.Value) Or IsNull(Me.Validity.Value) Or IsNull(Me.Client.Value) Or IsNull(Me
.AIRPORT.Value)

```

```

        Or IsNull(Me.TASPrice.Value) Or IsNull(Me.AddedRate.Value) Then
            MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"
        Exit Sub
    End If

```

```

    If IsNull(Me.Quote_RefNotxt.Value) Then
        newQuoteBtn_Click
    End If

```

```

    If CheckIFQuoteIsAlreadyAdded() Then
        MsgBox "Quote For the same airport already exists."
        Exit Sub
    End If

```

```

Set db = CurrentDb
Set rs = db.OpenRecordset("FuelSupport_FuelQuotationsT", dbOpenDynaset)

```

```

rs.AddNew
rs.Fields("VendorPrice").Value = Me.BasePrice.Value
rs.Fields("Notes").Value = Me.Notes.Value
rs.Fields("LowCurrency").Value = Me.LowCurrency.Value
rs.Fields("LowUplift").Value = Me.LowUplift.Value
rs.Fields("Taxes").Value = Me.Taxes.Value
rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value
rs.Fields("TASEstimatedTotal").Value = Me.TASEstimatedTotal.Value
rs.Fields("IPA").Value = Me.IPA.Value
rs.Fields("FuelType").Value = Me.FuelType.Value
rs.Fields("FlightType").Value = Me.FlightType.Value
rs.Fields("Airport").Value = Me.AIRPORT.Value
rs.Fields("Currency").Value = Me.Currency.Value
rs.Fields("Unit").Value = Me.Unit.Value
rs.Fields("Country").Value = Me.Country.Value
rs.Fields("EffDate").Value = Me.EffDate.Value
rs.Fields("Customer").Value = Me.Client.Value
rs.Fields("Q_TASPrice").Value = Me.TASPrice.Value
rs.Fields("Quote_RefNo").Value = Me.Quote_RefNotxt.Value
rs.Fields("AddedRate").Value = Me.AddedRate.Value
rs.Fields("Vendor").Value = Me.vendorName.Value ' Add this line
rs.Fields("Validity").Value = Me.Validity.Value
rs.Fields("ChangeCycle").Value = Me.ChangeCyclebx.Value
rs.Fields("FlightRequest_RefNo").Value = Me.R_RefNo.Value

```

```

' Save the New record
rs.Update

```

```

' Clean up

```

Form_FuelSupport_FuelQuote-- 8

```
rs.Close
Set rs = Nothing
Set db = Nothing

' Reset the form fields
QuoteReset

MsgBox "Data added successfully.", vbInformation, "Success"
Me.Undo
End Sub

Private Function CheckIFQuoteIsAlreadyAdded() As Boolean
Dim db As DAO.Database
Dim rs As DAO.Recordset
Dim currentQuoteRefNo As Variant
Dim selectedAirport As Variant

currentQuoteRefNo = Me.Quote_RefNotxt.Value
selectedAirport = Me.AIRPORT.Value

Set db = CurrentDb
Set rs = db.OpenRecordset("FuelSupport_FuelQuotationsT", dbOpenDynaset)

If Not rs.EOF Then
rs.MoveFirst ' Move To the first record in the recordset

' Loop through the recordset
Do Until rs.EOF
If rs("Quote_RefNo").Value = currentQuoteRefNo And rs("Airport").Value = selectedAirport And rs("FlightType").Value = Me.FlightType.Value Then
rs.Close
Set rs = Nothing
Set db = Nothing
CheckIFQuoteIsAlreadyAdded = True ' Return True If matching quote is found
Exit Function ' Exit the Function If a matching quote is found
End If

rs.MoveNext ' Move To the Next record
Loop

rs.Close
Set rs = Nothing
Set db = Nothing

Me.Requery
End If

CheckIFQuoteIsAlreadyAdded = False ' Return False If no matching quote is found
End Function
```

Option Compare Database

```

Private Sub ShowCountry()
    Dim selectedValue As Variant
    selectedValue = Me.AIRPORT.Value ' Get the selected value from the combo box

    If Not IsNull(selectedValue) Then
        Dim rs As DAO.Recordset
        Set rs = CurrentDb.OpenRecordset("Airports_DataT", dbOpenSnapshot)

        rs.FindFirst "AIRPORT_DETAILS = '" & selectedValue & "'"
        If Not rs.NoMatch Then
            Me.Country.Value = rs("Country").Value
        Else
            Me.Country.Value = Null
        End If

        rs.Close
        Set rs = Nothing
    Else
        Me.Country.Value = Null
    End If

Exit Sub

End Sub

Private Sub Airport_AfterUpdate()
    MinPrice_MinVendor
    ShowCountry
End Sub

Private Sub MinPrice_MinVendor()
    Dim selectedAirport As Variant
    'Dim airportCode As String
    Dim LowestPriceQ As String
    Dim MinVendorPrice As Variant
    Dim AirportIDQ As Integer
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    selectedAirport = Me.AIRPORT

    If Not IsNull(selectedAirport) Then
        ' airportCode = selectedAirport
        Set db = CurrentDb
        Set rs = db.OpenRecordset("Select * FROM FuelSupport_NewFuelQ WHERE Airport = '" & selectedAirport & "'", dbOpenSnapshot)
        If Not rs.EOF Then
            Me.AirportID.Value = rs!ID
            Me.LowestVendor.Value = rs!TableName
            Me.Vendor.Value = rs!TableName
            Me.LowestPriceTxt.Value = rs!MinVendorPrice

            Me.HADIDBasePrice.Value = rs!Hadid_BasePrice
            Me.HADIDTotal.Value = rs!Hadid_EstimatedTotal
            Me.HADIDCurrency.Value = rs!Hadid_Currency
            Me.HADIDFlightType.Value = rs!Hadid_FlightType

            Me.UCIGBasePrice.Value = rs!UCIG_BasePrice
            Me.UCIGTotal.Value = rs!UCIG_EstimatedTotal
            Me.UCIGCurrency.Value = rs!UCIG_Currency
            Me.UCIGFlightType.Value = rs!UCIG_FlightType

            Me.LINKAEROBasePrice.Value = rs!LINKAERO_BasePrice
            Me.LINKAEROTotal.Value = rs!LINKAERO_EstimatedTotal
            Me.LINKAEROCurrency.Value = rs!LINKAERO_Currency
            Me.LINKAEROFlightType.Value = rs!LINKAERO_FlightType

            Me.ASMBasePrice.Value = rs!ASM_BasePrice
            Me.ASMTTotal.Value = rs!ASM_EstimatedTotal
            Me.ASMCurrency.Value = rs!ASM_Currency

```

```

        Me.ASMFlightType.Value = rs!ASM_FlightType

        Me.MASBasePrice.Value = rs!MAS_BasePrice
        Me.MASTotal.Value = rs!MAS_EstimatedTotal
        Me.MASCurrency.Value = rs!MAS_Currency
        Me.MASFlightType.Value = rs!MAS_FlightType

        Me.AEGBasePrice.Value = rs!AEG_BasePrice
        Me.AEGTotal.Value = rs!AEG_EstimatedTotal
        Me.AEGCurrency.Value = rs!AEG_Currency
        Me.AEGFlightType.Value = rs!AEG_FlightType
        RenderRecord
    Else
        MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
    End If
End If
End Sub

Private Sub RenderRecord()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim rs As DAO.Recordset
    Dim db As DAO.Database

    selectedVendorTable = Me.Vendor
    selectedAirport = Me.AIRPORT

    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
        Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
        ' Find the row that matches the selectedAirport
        'rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
        rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
        If Not rs.NoMatch Then
            ' Assign values To the fields in the form`

            If rs("STC").Value = True Then
                Me.ChangeCyclebx.Value = "Subject To Change"
            Else
                Me.ChangeCyclebx.Value = "Select the ChangeCycle"
            End If
            Me.BasePrice.Value = rs("VendorPrice").Value
            Me.Notes.Value = rs("Notes").Value
            Me.Taxes.Value = rs("Taxes").Value
            Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
            Me.IPA.Value = rs("IPA").Value
            Me.FuelType.Value = rs("FuelType").Value
            Me.FlightType.Value = rs("FlightType").Value
            Me.Validity.Value = rs("Validity").Value
            Me.VendorCmbPrice.Value = rs("VendorPrice").Value
            Me.Currency.Value = rs("Currency").Value
            Me.Unit.Value = rs("Unit").Value
            Me.InternalNotes.Value = rs("InternalNotes").Value
            rs.Close
            Set rs = Nothing
            Set db = Nothing

            If Me.Validity < date Then
                Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
                Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
            Else
                Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
                Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
            End If
        Else
    
```

```

        MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
    End If
End If
End Sub

Private Sub MinPrice_MinVendor_FlightType()
    Dim selectedAirport As Variant
    Dim LowestPriceQ As String
    Dim selectedFlightType As String
    Dim MinVendorPrice As Variant
    Dim AirportIDQ As Integer
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    selectedAirport = Me.AIRPORT
    selectedFlightType = Me.FlightType
    If Not IsNull(selectedAirport) Then
        ' airportCode = selectedAirport
        Set db = CurrentDb
        Set rs = db.OpenRecordset("Select * FROM FuelSupport_NewFuelQ WHERE Airport = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'", dbOpenSnapshot)
        If Not rs.EOF Then
            Me.AirportID.Value = rs!ID
            Me.LowestVendor.Value = rs!TableName
            Me.Vendor.Value = rs!TableName
            Me.LowestPriceTxt.Value = rs!MinVendorPrice

            Me.HADIDBasePrice.Value = rs!Hadid_BasePrice
            Me.HADIDTotal.Value = rs!Hadid_EstimatedTotal
            Me.HADIDCurrency.Value = rs!Hadid_Currency
            Me.HADIDFlightType.Value = rs!Hadid_FlightType

            Me.UCIGBasePrice.Value = rs!UCIG_BasePrice
            Me.UCIGTotal.Value = rs!UCIG_EstimatedTotal
            Me.UCIGCurrency.Value = rs!UCIG_Currency
            Me.UCIGFlightType.Value = rs!UCIG_FlightType

            Me.LINKAEROBasePrice.Value = rs!LINKAERO_BasePrice
            Me.LINKAEROTotal.Value = rs!LINKAERO_EstimatedTotal
            Me.LINKAEROCurrency.Value = rs!LINKAERO_Currency
            Me.LINKAEROFlightType.Value = rs!LINKAERO_FlightType

            Me.ASMBasePrice.Value = rs!ASM_BasePrice
            Me.ASMTTotal.Value = rs!ASM_EstimatedTotal
            Me.ASMCurrency.Value = rs!ASM_Currency
            Me.ASMFlightType.Value = rs!ASM_FlightType

            Me.MASBasePrice.Value = rs!MAS_BasePrice
            Me.MASTotal.Value = rs!MAS_EstimatedTotal
            Me.MASCurrency.Value = rs!MAS_Currency
            Me.MASFlightType.Value = rs!MAS_FlightType

            Me.AEGBasePrice.Value = rs!AEG_BasePrice
            Me.AEGTotal.Value = rs!AEG_EstimatedTotal
            Me.AEGCurrency.Value = rs!AEG_Currency
            Me.AEGFlightType.Value = rs!AEG_FlightType
            RenderRecord_FlightType
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    End If
End Sub

Private Sub Command35_Click()
    DoCmd.OpenForm "FuelSupport_AddFuel", WindowMode:=acWindowNormal
End Sub

Private Sub Command36_Click()
    DoCmd.OpenForm "FuelSupport_updateFuel_New", WindowMode:=acWindowNormal
End Sub

Private Sub FlightType_AfterUpdate()

```


Form_FuelSupport_FuelQuote_ex - 4

MinPrice_MinVendor_FlightType
End Sub

Private Sub PrintQuote_Click()
If Not IsNull(Me.QuoteRefNo) Then

Dim strWhere As String
Dim InLeng As Long

Const conJetDate = "\#dd\/mm\/yyyy\#"

If Not IsNull(Me.Client) Then

strWhere = strWhere & "([Customer] Like ""*"" & Me.Client & ""*) And "
End If

If Not IsNull(Me.QuoteRefNo) Then

strWhere = strWhere & "([Quote_RefNo] Like ""*"" & Me.QuoteRefNo & ""*) And "
End If

InLeng = Len(strWhere) - 5

If InLeng <= 0 Then

MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight

App"

Else

strWhere = Left\$(strWhere, InLeng)

Me.Filter = strWhere

Me.FilterOn = True

DoCmd.OpenReport "FuelSupport_FuelQuote", acViewPreview, , strWhere

End If

Else

DoCmd.OpenForm "FuelSupport_ReportGeneratorF", WindowMode:=acWindowNormal

End If

End Sub

Private Sub Command659_Click()

Me.Refresh

End Sub

Private Sub RenderRecord_Two()

Dim selectedVendorTable As String

Dim selectedAirport As Variant

Dim rs As DAO.Recordset

Dim db As DAO.Database

Dim selectedFlightType As String

selectedVendorTable = Me.Vendor

selectedAirport = Me.AIRPORT

selectedFlightType = Me.FlightType

If IsNull(selectedAirport) Or selectedAirport = "" Then

MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"

Exit Sub

Else

Set db = CurrentDb

Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)

' Find the row that matches the selectedAirport

'rs.FindFirst "AIRPORT = '" & selectedAirport & "'"

rs.FindFirst "AIRPORT = '" & selectedAirport & "'" And FlightType = '" & selectedFlightType & '"

,"

If Not rs.NoMatch Then

' Assign values To the fields in the form`

If rs("STC").Value = True Then

Me.ChangeCyclebx.Value = "Subject To Change"

Else

Me.ChangeCyclebx.Value = "Select the ChangeCycle"

End If

Me.BasePrice.Value = rs("VendorPrice").Value

```

Me.Notes.Value = rs("Notes").Value
Me.Taxes.Value = rs("Taxes").Value
Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
Me.IPA.Value = rs("IPA").Value
Me.FuelType.Value = rs("FuelType").Value
Me.FlightType.Value = rs("FlightType").Value
Me.Validity.Value = rs("Validity").Value
Me.VendorCmbPrice.Value = rs("VendorPrice").Value
Me.Currency.Value = rs("Currency").Value
Me.Unit.Value = rs("Unit").Value
Me.InternalNotes.Value = rs("InternalNotes").Value
rs.Close
Set rs = Nothing
Set db = Nothing

If Me.Validity < date Then
    Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
    Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
Else
    Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
    Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
End If
Else
    MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
End If
End If
End Sub

Private Sub RenderRecord_FlightType()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim selectedFlightType As String
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    selectedVendorTable = Me.Vendor
    selectedAirport = Me.AIRPORT
    selectedFlightType = Me.FlightType

    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
    Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
        ' Find the row that matches the selectedAirport
        'rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
        rs.FindFirst "AIRPORT = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'"

    If Not rs.NoMatch Then
        ' Assign values To the fields in the form`
        If rs("STC").Value = True Then
            Me.ChangeCyclebx.Value = "Subject To Change"
        Else
            Me.ChangeCyclebx.Value = "Select the ChangeCycle"
        End If
        Me.BasePrice.Value = rs("VendorPrice").Value
        Me.Notes.Value = rs("Notes").Value
        Me.Taxes.Value = rs("Taxes").Value
        Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
        Me.IPA.Value = rs("IPA").Value
        Me.FuelType.Value = rs("FuelType").Value
        Me.FlightType.Value = rs("FlightType").Value
        Me.Validity.Value = rs("Validity").Value
        Me.VendorCmbPrice.Value = rs("VendorPrice").Value
        Me.Currency.Value = rs("Currency").Value
        Me.Unit.Value = rs("Unit").Value
        Me.InternalNotes.Value = rs("InternalNotes").Value

        rs.Close
        Set rs = Nothing
        Set db = Nothing
    End If
End Sub

```

```

        If Me.Validity < date Then
            Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
            Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
        Else
            Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
            Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
        End If
    Else
        MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
    End If
End If
End Sub

Private Sub cmdGenerate_Click()
    Dim RefValue As Integer
    Dim rst As DAO.Recordset
    RefValue = Nz(DLookup("Quote_ID", "TRefNo"), 0)

    Me.QuoteRefNo = "TAS_FQ-" & Format(RefValue + 7, "0000") & "/" & Format(date, "yy")
    Set rst = CurrentDb.OpenRecordset("TRefNo", dbOpenDynaset, dbSeeChanges)

    With rst
        .Edit
        ![Quote_ID] = ![Quote_ID] + 7
        .Update
    End With

    rst.Close
    Set rst = Nothing
End Sub

Private Sub newQuoteBtn_Click()
    If IsNull(Me.QuoteRefNo) Or Me.QuoteRefNo = "" Then
        cmdGenerate_Click
    End If
    ' Set focus To the first field For data entry
    Me.AIRPORT.SetFocus
End Sub

Private Sub Vendor_AfterUpdate()
    RenderRecord_Two
End Sub

Private Sub Form_Load()
    Dim fw As New clFormWindow

    fw.hWnd = Me.hWnd
    With fw
        .Top = (.Parent.Height - .Height) / 2
        .Left = (.Parent.Width - .Width) / 2
    End With
    Set fw = Nothing

    RowSourceReset
End Sub

Private Sub QuoteReset()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.IPA.Value = Null
    Me.AIRPORT.Value = Null
    Me.ChangeCyclebx.Value = Null

    RowSourceReset
End Sub

Private Sub RowSourceReset()
    Dim AirportQuery As String

    AirportQuery = "Select Airport FROM FuelSupport_PriceQ "

```

Form_FuelSupport_FuelQuote_ex - 7

```
Me.RecordSource = AirportQuery

' Set the RowSource Property of the AIRPORT combo box To the dynamic query
Me.AIRPORT.RowSource = AirportQuery

' Requery the AIRPORT combo box To reflect the updated options
Me.AIRPORT.Requery
End Sub

Private Sub ResetBtn_Click()
Me.BasePrice.Value = Null
Me.Notes.Value = Null
Me.Taxes.Value = Null
Me.IPA.Value = Null
Me.FlightType.Value = Null
Me.AIRPORT.Value = Null
Me.QuoteRefNo.Value = Null
RowSourceReset
End Sub

Private Sub Validity_Click()
    InputDateField Validity, "Select a date To use this on your form"
End Sub

Private Sub closeBtn_Click()
Me.Undo
DoCmd.Close acForm, "FuelSupport_FuelQuote", acSaveNo
End Sub

Private Sub AddFuelQuote_Click()
    If IsNull(Me.BasePrice.Value) Or IsNull(Me.Validity.Value) Or IsNull(Me.Client.Value) Or IsNull(Me.AIRPORT.Value) Or IsNull(Me.QuoteRefNo.Value) Or IsNull(Me.TASPrice.Value) Or IsNull(Me.AddedRate.Value) Then
        MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"
    Exit Sub
End If

If CheckIFQuoteIsAlreadyAdded() Then
    MsgBox "Quote For the same airport already exists."
    Exit Sub
End If

Dim db As DAO.Database
Dim rs As DAO.Recordset
Set db = CurrentDb
Set rs = db.OpenRecordset("FuelSupport_FuelQuotationsT", dbOpenDynaset)

rs.AddNew
rs.Fields("VendorPrice").Value = Me.BasePrice.Value
rs.Fields("Notes").Value = Me.Notes.Value
rs.Fields("LowCurrency").Value = Me.LowCurrency.Value
rs.Fields("LowUplift").Value = Me.LowUplift.Value
rs.Fields("Taxes").Value = Me.Taxes.Value
rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value
rs.Fields("TASEstimatedTotal").Value = Me.TASEstimatedTotal.Value
rs.Fields("IPA").Value = Me.IPA.Value
rs.Fields("FuelType").Value = Me.FuelType.Value
rs.Fields("FlightType").Value = Me.FlightType.Value
rs.Fields("Airport").Value = Me.AIRPORT.Value
rs.Fields("Currency").Value = Me.Currency.Value
rs.Fields("Unit").Value = Me.Unit.Value
rs.Fields("Country").Value = Me.Country.Value
rs.Fields("EffDate").Value = Me.EffDate.Value
rs.Fields("Customer").Value = Me.Client.Value
rs.Fields("Q_TASPrice").Value = Me.TASPrice.Value
rs.Fields("QuoteRefNo").Value = Me.QuoteRefNo.Value
rs.Fields("AddedRate").Value = Me.AddedRate.Value
rs.Fields("Vendor").Value = Me.vendorName.Value ' Add this line
rs.Fields("Validity").Value = Me.Validity.Value
rs.Fields("ChangeCycle").Value = Me.ChangeCyclebx.Value
rs.Fields("FlightRequest_RefNo").Value = Me.R_RefNo.Value
```

Form_FuelSupport_FuelQuote_ex - 8

```
' Save the New record
rs.Update

' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing

' Reset the form fields
QuoteReset

MsgBox "Data added successfully.", vbInformation, "Success"
Me.Undo
End Sub

Private Function CheckIFQuoteIsAlreadyAdded() As Boolean
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim currentQuoteRefNo As Variant
    Dim selectedAirport As Variant

    currentQuoteRefNo = Me.QuoteRefNo.Value
    selectedAirport = Me.AIRPORT.Value

    Set db = CurrentDb
    Set rs = db.OpenRecordset("FuelSupport_FuelQuotationsT", dbOpenDynaset)

    If Not rs.EOF Then
        rs.MoveFirst ' Move To the first record in the recordset

        ' Loop through the recordset
        Do Until rs.EOF
            If rs("QuoteRefNo").Value = currentQuoteRefNo And rs("Airport").Value = selectedAirport And rs("FlightType").Value = Me.FlightType.Value Then
                rs.Close
                Set rs = Nothing
                Set db = Nothing
                CheckIFQuoteIsAlreadyAdded = True ' Return True If matching quote is found
                Exit Function ' Exit the Function If a matching quote is found
            End If

            rs.MoveNext ' Move To the Next record
        Loop

        rs.Close
        Set rs = Nothing
        Set db = Nothing

        Me.Requery
    End If

    CheckIFQuoteIsAlreadyAdded = False ' Return False If no matching quote is found
End Function
```

Form_FuelSupport_FuelQuote_New - 1

Option Compare Database

Private Sub Airport_AfterUpdate()

MinPrice_MinVendor

End Sub

Private Sub MinPrice_MinVendor()

Dim selectedAirport As Variant

'Dim airportCode As String

Dim LowestPriceQ As String

Dim MinVendorPrice As Variant

Dim AirportIDQ As Integer

Dim db As DAO.Database

Dim rs As DAO.Recordset

selectedAirport = Me.AIRPORT.Column(0)

If Not IsNull(selectedAirport) Then

' airportCode = selectedAirport

Set db = CurrentDb

Set rs = db.OpenRecordset("Select * FROM FuelSupport_NewFuelQ WHERE Airport = '" & selectedAirport & "'", dbOpenSnapshot)

If Not rs.EOF Then

Me.AirportID.Value = rs!ID

Me.LowestVendor.Value = rs!TableName

Me.Vendor.Value = rs!TableName

Me.LowestPriceTxt.Value = rs!MinVendorPrice

Me.LowCurrency.Value = rs!LowCurrency

RenderRecord

Else

MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"

End If

End If

End Sub

Private Sub MinPrice_MinVendor_FlightType()

Dim selectedAirport As Variant

Dim LowestPriceQ As String

Dim selectedFlightType As String

Dim MinVendorPrice As Variant

Dim AirportIDQ As Integer

Dim db As DAO.Database

Dim rs As DAO.Recordset

selectedAirport = Me.AIRPORT.Column(0)

selectedFlightType = Me.FlightType

If Not IsNull(selectedAirport) Then

' airportCode = selectedAirport

Set db = CurrentDb

Set rs = db.OpenRecordset("Select * FROM FuelSupport_NewFuelQ WHERE Airport = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'", dbOpenSnapshot)

If Not rs.EOF Then

Me.AirportID.Value = rs!ID

Me.LowestVendor.Value = rs!TableName

Me.Vendor.Value = rs!TableName

Me.LowestPriceTxt.Value = rs!MinVendorPrice

RenderRecord_FlightType

Else

MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"

End If

End If

End Sub

Private Sub Command35_Click()

DoCmd.OpenForm "FuelSupport_AddFuel", WindowMode:=acWindowNormal

End Sub

Private Sub Command36_Click()

DoCmd.OpenForm "FuelSupport_updateFuel", WindowMode:=acWindowNormal

End Sub

Private Sub FlightType_AfterUpdate()

MinPrice_MinVendor_FlightType

End Sub

```
Private Sub Command659_Click()
```

```
    Me.Refresh
```

```
End Sub
```

```
Private Sub RenderRecord()
```

```
    Dim selectedVendorTable As String
```

```
    Dim selectedAirport As Variant
```

```
    Dim rs As DAO.Recordset
```

```
    Dim db As DAO.Database
```

```
    selectedVendorTable = Me.Vendor
```

```
    selectedAirport = Me.AIRPORT.Column(0)
```

```
    If IsNull(selectedAirport) Or selectedAirport = "" Then
```

```
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
```

```
    Exit Sub
```

```
Else
```

```
    Set db = CurrentDb
```

```
    Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
```

```
    ' Find the row that matches the selectedAirport
```

```
    rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
```

```
    If Not rs.NoMatch Then
```

```
        ' Assign values To the fields in the form`
```

```
        Me.BasePrice.Value = rs("VendorPrice").Value
```

```
        Me.Notes.Value = rs("Notes").Value
```

```
        Me.Taxes.Value = rs("Taxes").Value
```

```
        Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
```

```
    ' Me.IPA.Value = rs("IPA").Value
```

```
    Me.FuelType.Value = rs("FuelType").Value
```

```
    Me.FlightType.Value = rs("FlightType").Value
```

```
    Me.Validity.Value = rs("Validity").Value
```

```
    Me.BasePrice.Value = rs("VendorPrice").Value
```

```
    Me.Currency.Value = rs("Currency").Value
```

```
    Me.Unit.Value = rs("Unit").Value
```

```
    Me.InternalNotes.Value = rs("InternalNotes").Value
```

```
    rs.Close
```

```
    Set rs = Nothing
```

```
    Set db = Nothing
```

```
    If Me.Validity < date Then
```

```
        Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
```

```
        Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
```

```
    Else
```

```
        Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
```

```
        Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
```

```
    End If
```

```
Else
```

```
    MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
```

```
End If
```

```
End If
```

```
End Sub
```

```
Private Sub RenderRecord_FlightType()
```

```
    Dim selectedVendorTable As String
```

```
    Dim selectedAirport As Variant
```

```
    Dim selectedFlightType As String
```

```
    Dim rs As DAO.Recordset
```

```
    Dim db As DAO.Database
```

```
    selectedVendorTable = Me.Vendor
```

```
    selectedAirport = Me.AIRPORT.Column(0)
```

```
    selectedFlightType = Me.FlightType
```

```
    If IsNull(selectedAirport) Or selectedAirport = "" Then
```

```
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
```

```
    Exit Sub
```

```
Else
```

```
    Set db = CurrentDb
```

```
    Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
```

```

' Find the row that matches the selectedAirport
'rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
rs.FindFirst "AIRPORT = '" & selectedAirport & "'" And FlightType = '" & selectedFlightType & "'
''

If Not rs.NoMatch Then
    ' Assign values To the fields in the form`
    Me.BasePrice.Value = rs("VendorPrice").Value
    Me.Notes.Value = rs("Notes").Value
    Me.Taxes.Value = rs("Taxes").Value
    Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
    'Me.IPA.Value = rs("IPA").Value
    Me.FuelType.Value = rs("FuelType").Value
    Me.FlightType.Value = rs("FlightType").Value
    Me.Validity.Value = rs("Validity").Value
    Me.BasePrice.Value = rs("VendorPrice").Value
    Me.Currency.Value = rs("Currency").Value
    Me.Unit.Value = rs("Unit").Value
    Me.InternalNotes.Value = rs("InternalNotes").Value
    rs.Close
    Set rs = Nothing
    Set db = Nothing

    If Me.Validity < date Then
        Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
        Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
    Else
        Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
        Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
    End If
Else
    MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
End If
End If
End Sub

Private Sub openAddReleaseF()
    DoCmd.OpenForm "FlightSupport_FuelReleaseF_Seperate_New", WindowMode:=acWindowNormal
End Sub

Private Sub FuelStatus_BeforeUpdate(Cancel As Integer)
    Dim Loc_ID As Integer
    Dim rs As DAO.Recordset
    Dim db As DAO.Database

    Loc_ID = Me.AIRPORT.Column(1)

    If (Me.FuelStatus = "CONFIRMED") Or (Me.FuelStatus = "CONFIRMED - STC") Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset("FuelReleaseT_New", dbOpenSnapshot)

        rs.FindFirst "Location_ID = " & Loc_ID

        If rs.NoMatch Then
            MsgBox "No matching Fuel Release found. Please add a release before changing status To confirmed.", vbExclamation + vbOKOnly, "Record Not Found"
            'Me.Undo
            Cancel = True ' Cancel the update
            rs.Close
            Set rs = Nothing
            openAddReleaseF
            Exit Sub

            ' Exit the procedure
        Else
            MsgBox "Status changed successfully."
            Me.FuelStatus.BackColor = RGB(0, 255, 0) ' Green color
        End If
    End If

```


Form_FuelSupport_FuelQuote_New - 4

```
Else
Me.FuelStatus.BackColor = RGB(255, 255, 255)
Exit Sub

End If
```

End Sub

```
Private Sub Vendor_AfterUpdate()
RenderRecord
End Sub
```

```
Private Sub QuoteReset()
Me.BasePrice.Value = Null
Me.Notes.Value = Null
Me.Taxes.Value = Null
' Me.IPA.Value = Null
Me.AIRPORT.Value = Null
```

```
RowSourceReset
End Sub
```

```
Private Sub RowSourceReset()
Dim AirportQuery As String
```

```
AirportQuery = "Select Airport FROM FuelSupport_PriceQ "
```

```
Me.RecordSource = AirportQuery
```

```
' Set the RowSource Property of the AIRPORT combo box To the dynamic query
Me.AIRPORT.RowSource = AirportQuery
```

```
' Requery the AIRPORT combo box To reflect the updated options
Me.AIRPORT.Requery
End Sub
```

```
Private Sub ResetBtn_Click()
Me.BasePrice.Value = Null
Me.Notes.Value = Null
Me.Taxes.Value = Null
Me.IPA.Value = Null
Me.FlightType.Value = Null
Me.AIRPORT.Value = Null
Me.Location_ID.Value = Null
Me.FuelType.Value = Null
Me.FuelStatus.Value = Null
Me.QuoteSentCb.Value = Null
Me.EstimatedTotaltxt.Value = Null
```

```
RowSourceReset
```

End Sub

```
Private Sub Validity_Click()
InputDateField Validity, "Select a date To use this on your form"
End Sub
```

```
Private Sub closeBtn_Click()
Me.Undo
DoCmd.Close acForm, "FuelSupport_FuelQuote", acSaveNo
End Sub
```

```
Private Sub AddFuelService_Click()
'On Error Goto ErrorHandler
Dim db As DAO.Database
Dim rs As DAO.Recordset
```

```
If IsNull(Me.AIRPORT) Or IsNull(Me.FuelStatus) Or IsNull(Me.PaymentMethod) Or IsNull(Me.Currency)
Or IsNull(Me.vendorName) Or IsNull(Me.AddedRate) Or IsNull(Me.TASPrice) Then
MsgBox "Add Missing Field.", vbExclamation
Exit Sub
Else
```

```
Set db = CurrentDb
Set rs = db.OpenRecordset("FuelBriefT_New", dbOpenDynaset)
```

```
' Find the existing record based on Location_ID And vendorName
```

```
rs.FindFirst "Location_ID = " & Me.AIRPORT.Column(1) & " And Vendor = '" & Me.vendorName.Value
```

```
If rs.NoMatch Then ' No existing record found
    rs.AddNew
```

```
    ' Assign values To the fields in the table
    rs.Fields("Location_ID").Value = Me.AIRPORT.Column(1)
    rs.Fields("FuelType").Value = Me.FuelType.Value
    rs.Fields("FuelStatus").Value = Me.FuelStatus.Value
    rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value
    rs.Fields("IPA").Value = Me.IPA.Value
    rs.Fields("Quantity").Value = Me.Quantity.Value
    rs.Fields("VendorPrice").Value = Me.BasePrice.Value
    rs.Fields("TASPrice").Value = Me.TASPrice.Value
    rs.Fields("AddedRate").Value = Me.AddedRate.Value
    rs.Fields("Vendor").Value = Me.vendorName.Value
    rs.Fields("FBO").Value = Me.FBO.Value
    rs.Fields("QuoteSent").Value = Me.QuoteSentCb.Value
    rs.Fields("Taxes").Value = Me.Taxes.Value
    rs.Fields("Notes").Value = Me.Notes.Value
    rs.Fields("Validity").Value = Me.Validity.Value
    rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value
    rs.Fields("Airport").Value = Me.AIRPORT.Column(0)
    rs.Fields("Currency").Value = Me.Currency.Value
    rs.Fields("InternalNotes").Value = Me.InternalNotes.Value
    rs.Fields("FlightType").Value = Me.FlightType.Value
    ' Save the New record
    rs.Update
```

```
    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing
```

```
    ' Reset form values
    ResetBtn_Click
```

```
    ' Display a message indicating successful addition
```

```
    MsgBox "Service added successfully. Please add fuel release once service is confirmed from
```

```
the vendor."
```

```
    Me.Undo
```

```
Else
```

```
    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing
```

```
    MsgBox "Vendor already exists For the same Location_ID.", vbExclamation
```

```
End If
```

```
Exit Sub
```

```
End If
```

```
'ErrorHandler:
```

```
'MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
```

```
'Me.Undo
```

```
'Exit Sub
```

```
End Sub
```

Form_FuelSupport_FuelQuote_New_V11 - 1

Option Compare Database

Option Explicit

Private Sub Form_GotFocus()

Form_Load

End Sub

Private Sub Form_Load()

Dim selectedSect_ID As Integer

Dim LocationsQuery As String

Dim Sect_ID As Variant ' Use Variant data type to handle Null values

Dim subformControl As SubForm

Sect_ID = Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_AddSectorsF").Form.Controls("Sect_IDCmb").Value

If IsNull(Sect_ID) Then

Exit Sub

Else

selectedSect_ID = Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_AddSectorsF").Form.Controls("Sect_IDCmb").Column(1)

LocationsQuery = "SELECT ID, Location FROM LocationsT_New WHERE Sect_ID = " & selectedSect_ID

Me.Location_ID.RowSource = LocationsQuery

' Reference the subform control

Set subformControl = Me.Controls("FlightSupport_FuelReleaseF")

' Reference the control within the subform

subformControl.Form.Controls("Location_ID").RowSource = LocationsQuery

Me.Requery

End If

End Sub

Private Sub Airport_AfterUpdate()

MinPrice_MinVendor

End Sub

Private Sub MinPrice_MinVendor()

Dim selectedAirport As Variant

'Dim airportCode As String

Dim LowestPriceQ As String

Dim MinVendorPrice As Variant

Dim AirportIDQ As Integer

Dim db As DAO.Database

Dim rs As DAO.Recordset

selectedAirport = Me.AIRPORT

If Not IsNull(selectedAirport) Then

' airportCode = selectedAirport

Set db = CurrentDb

Set rs = db.OpenRecordset("Select ID, TableName, MinVendorPrice,LowCurrency FROM FuelSupport_NewFuelQ WHERE Airport = '" & selectedAirport & "'", dbOpenSnapshot)

If Not rs.EOF Then

Me.AirportID.Value = rs!ID

Me.LowestVendor.Value = rs!TableName

Me.Vendor.Value = rs!TableName

Me.LowestPriceTxt.Value = rs!MinVendorPrice

Me.LowCurrency.Value = rs!LowCurrency

RenderRecord

Else

MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"

End If

rs.Close

Set rs = Nothing

Set db = Nothing

End If

End Sub

Private Sub MinPrice_MinVendor_FlightType()

Dim selectedAirport As Variant

Dim LowestPriceQ As String

Dim selectedFlightType As String

Dim MinVendorPrice As Variant

Dim AirportIDQ As Integer

```

Dim db As DAO.Database
Dim rs As DAO.Recordset

selectedAirport = Me.AIRPORT.Column(0)
selectedFlightType = Me.FlightType
If Not IsNull(selectedAirport) Then
    ' airportCode = selectedAirport
    Set db = CurrentDb
    Set rs = db.OpenRecordset("Select ID, TableName,MinVendorPrice FROM FuelSupport_NewFuelQ WHERE Airport = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'", dbOpenSnapshot)
    If Not rs.EOF Then
        Me.AirportID.Value = rs!ID
        Me.LowestVendor.Value = rs!TableName
        Me.Vendor.Value = rs!TableName
        Me.LowestPriceTxt.Value = rs!MinVendorPrice

        RenderRecord_FlightType
    Else
        MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
    End If
End If
End Sub

Private Sub Command35_Click()
    DoCmd.OpenForm "FuelSupport_AddFuel", WindowMode:=acWindowNormal
End Sub

Private Sub Command36_Click()
    DoCmd.OpenForm "FuelSupport_updateFuel", WindowMode:=acWindowNormal
End Sub

Private Sub FlightType_AfterUpdate()
    MinPrice_MinVendor_FlightType
End Sub

Private Sub Command659_Click()
    Me.Refresh
End Sub

Private Sub RenderRecord()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    selectedVendorTable = Me.Vendor
    selectedAirport = Me.AIRPORT.Value

    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
        Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
        ' Find the row that matches the selectedAirport
        rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
        If Not rs.NoMatch Then
            ' Assign values To the fields in the form`
            Me.BasePrice.Value = rs("VendorPrice").Value
            Me.Notes.Value = rs("Notes").Value
            Me.Taxes.Value = rs("Taxes").Value
            Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
            ' Me.IPA.Value = rs("IPA").Value
            Me.FuelType.Value = rs("FuelType").Value
            Me.FlightType.Value = rs("FlightType").Value
            Me.Validity.Value = rs("Validity").Value
            Me.BasePrice.Value = rs("VendorPrice").Value
            Me.Currency.Value = rs("Currency").Value
            Me.Unit.Value = rs("Unit").Value
        End If
    End If
End Sub

```

```

        Me.InternalNotes.Value = rs("InternalNotes").Value
        rs.Close
        Set rs = Nothing
        Set db = Nothing

    If Me.Validity < date Then
        Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
        Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
    Else
        Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
        Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
    End If
Else
    MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
End If
End If
End Sub

Private Sub RenderRecord_FlightType()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim selectedFlightType As String
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    selectedVendorTable = Me.Vendor
    selectedAirport = Me.AIRPORT
    selectedFlightType = Me.FlightType

    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
        Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
        ' Find the row that matches the selectedAirport
        'rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
        rs.FindFirst "AIRPORT = '" & selectedAirport & "'" And FlightType = '" & selectedFlightType & "'"

        If Not rs.NoMatch Then
            ' Assign values To the fields in the form`
            Me.BasePrice.Value = rs("VendorPrice").Value
            Me.Notes.Value = rs("Notes").Value
            Me.Taxes.Value = rs("Taxes").Value
            Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
            'Me.IPA.Value = rs("IPA").Value
            Me.FuelType.Value = rs("FuelType").Value
            Me.FlightType.Value = rs("FlightType").Value
            Me.Validity.Value = rs("Validity").Value
            Me.BasePrice.Value = rs("VendorPrice").Value
            Me.Currency.Value = rs("Currency").Value
            Me.Unit.Value = rs("Unit").Value
            Me.InternalNotes.Value = rs("InternalNotes").Value
            rs.Close
            Set rs = Nothing
            Set db = Nothing

            If Me.Validity < date Then
                Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
                Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
            Else
                Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
                Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
            End If
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    End If
End Sub

Private Sub cmdGenerate_Click()
    Dim RefValue As Integer

```

Form_FuelSupport_FuelQuote_New_V11 - 4

```
Dim rst As DAO.Recordset
RefValue = Nz(DLookup("Quote_ID", "TRefNo"), 0)

Me.QuoteRefNo = "TAS_FQ-" & Format(RefValue + 7, "0000") & "/" & Format(date, "yy")
Set rst = CurrentDb.OpenRecordset("TRefNo", dbOpenDynaset, dbSeeChanges)

With rst
    .Edit
    ![Quote_ID] = ![Quote_ID] + 7
    .Update
End With

rst.Close
Set rst = Nothing
```

End Sub

```
Private Sub openAddReleaseF()
    DoCmd.OpenForm "FlightSupport_FuelReleaseF_Seperate_New", WindowMode:=acWindowNormal
```

End Sub

```
Private Sub FuelStatus_BeforeUpdate(Cancel As Integer)
    Dim Loc_ID As Integer
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
```

```
Loc_ID = Me.Location_ID.Value
```

```
If (Me.FuelStatus = "CONFIRMED") Or (Me.FuelStatus = "CONFIRMED - STC") Then
    Set db = CurrentDb
    Set rs = db.OpenRecordset("FuelReleaseT_New", dbOpenSnapshot)

    rs.FindFirst "Location_ID = " & Loc_ID

    If rs.NoMatch Then
        MsgBox "No matching Fuel Release found. Please add a release before changing status To confirmed.", vbExclamation + vbOKOnly, "Record Not Found"
        'Me.Undo
        Cancel = True ' Cancel the update
        rs.Close
        Set rs = Nothing
        openAddReleaseF
        Exit Sub

        ' Exit the procedure
    Else
        MsgBox "Status changed successfully."
        Me.FuelStatus.BackColor = RGB(0, 255, 0) ' Green color

    End If

Else
    Me.FuelStatus.BackColor = RGB(255, 255, 255)
    Exit Sub

End If
```

End Sub

```
Private Sub Vendor_AfterUpdate()
    'RenderRecord
    RenderRecord_Two
End Sub

Private Sub RenderRecord_Two()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
```

```

Dim rs As DAO.Recordset
Dim db As DAO.Database
Dim selectedFlightType As String

selectedVendorTable = Me.Vendor
selectedAirport = Me.AIRPORT
selectedFlightType = Me.FlightType

If IsNull(selectedAirport) Or selectedAirport = "" Then
    MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
    Exit Sub
Else
    Set db = CurrentDb
    Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
    ' Find the row that matches the selectedAirport
    'rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
    rs.FindFirst "AIRPORT = '" & selectedAirport & "'" And FlightType = '" & selectedFlightType & '"
    ',"

    If Not rs.NoMatch Then
        ' Assign values To the fields in the form`
        Me.BasePrice.Value = rs("VendorPrice").Value
        Me.Notes.Value = rs("Notes").Value
        Me.Taxes.Value = rs("Taxes").Value
        Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
        'Me.IPA.Value = rs("IPA").Value
        Me.FuelType.Value = rs("FuelType").Value
        Me.FlightType.Value = rs("FlightType").Value
        Me.Validity.Value = rs("Validity").Value
        Me.BasePrice.Value = rs("VendorPrice").Value
        Me.Currency.Value = rs("Currency").Value
        Me.Unit.Value = rs("Unit").Value
        Me.InternalNotes.Value = rs("InternalNotes").Value

        If Me.Validity < date Then
            Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
            Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
        Else
            Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
            Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
        End If
    Else
        MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
    End If
    rs.Close
    Set rs = Nothing
    Set db = Nothing
End If
End Sub

Private Sub QuoteReset()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    ' Me.IPA.Value = Null
    Me.AIRPORT.Value = Null

    RowSourceReset
End Sub

Private Sub RowSourceReset()
    Dim AirportQuery As String

    AirportQuery = "Select Airport FROM FuelSupport_PriceQ "

    Me.RecordSource = AirportQuery

    ' Set the RowSource Property of the AIRPORT combo box To the dynamic query
    Me.AIRPORT.RowSource = AirportQuery

    ' Requery the AIRPORT combo box To reflect the updated options

```

```

    Me.AIRPORT.Requery
End Sub

```

```

Private Sub ResetBtn_Click()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.IPA.Value = Null
    Me.FlightType.Value = Null
    Me.AIRPORT.Value = Null
    Me.Location_ID.Value = Null
    Me.FuelType.Value = Null
    Me.FuelStatus.Value = Null
    Me.QuoteSentCb.Value = Null
    Me.EstimatedTotaltxt.Value = Null

    RowSourceReset

```

```

End Sub

```

```

Private Sub Validity_Click()
    InputDateField Validity, "Select a date To use this on your form"
End Sub

```

```

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FuelSupport_FuelQuote", acSaveNo
End Sub

```

```

Private Sub AddFuelService_Click()
    'On Error Goto ErrorHandler
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

```

```

    If IsNull(Me.Location_ID) Or IsNull(Me.FuelStatus) Or IsNull(Me.PaymentMethod) Or IsNull(Me.Currency) Or IsNull(Me.vendorName) Or IsNull(Me.AddedRate) Or IsNull(Me.TASPrice) Then
        MsgBox "Add Missing Field.", vbExclamation
    Exit Sub
Else

```

```

    Set db = CurrentDb
    Set rs = db.OpenRecordset("FuelBriefT_New", dbOpenDynaset)

```

```

    ' Find the existing record based on Location_ID And vendorName
    rs.FindFirst "Location_ID = " & Me.Location_ID.Value & " And Vendor = '" & Me.vendorName.Value & "'"

```

```

    If rs.NoMatch Then ' No existing record found
        rs.AddNew

```

```

        ' Assign values To the fields in the table
        rs.Fields("Location_ID").Value = Me.Location_ID.Column(1)
        rs.Fields("FuelType").Value = Me.FuelType.Value
        rs.Fields("FuelStatus").Value = Me.FuelStatus.Value
        rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value
        rs.Fields("IPA").Value = Me.IPA.Value
        rs.Fields("Quantity").Value = Me.Quantity.Value
        rs.Fields("VendorPrice").Value = Me.BasePrice.Value
        rs.Fields("TASPrice").Value = Me.TASPrice.Value
        rs.Fields("AddedRate").Value = Me.AddedRate.Value
        rs.Fields("Vendor").Value = Me.vendorName.Value
        rs.Fields("FBO").Value = Me.FBO.Value
        rs.Fields("QuoteSent").Value = Me.QuoteSentCb.Value
        rs.Fields("Taxes").Value = Me.Taxes.Value
        rs.Fields("Notes").Value = Me.Notes.Value
        rs.Fields("Validity").Value = Me.Validity.Value
        rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value
        rs.Fields("Airport").Value = Me.AIRPORT.Value
        rs.Fields("Currency").Value = Me.Currency.Value
        rs.Fields("InternalNotes").Value = Me.InternalNotes.Value
        rs.Fields("FlightType").Value = Me.FlightType.Value
        ' Save the New record
        rs.Update

```



```

        ' Clean up
        rs.Close
        Set rs = Nothing
        Set db = Nothing

        ' Reset form values
        ResetBtn_Click
        ' Display a message indicating successful addition
        MsgBox "Service added successfully. Please add fuel release once service is confirmed from
the vendor."
        Me.Undo
    Else
        ' Clean up
        rs.Close
        Set rs = Nothing
        Set db = Nothing

        MsgBox "Vendor already exists For the same Location_ID.", vbExclamation
    End If

Exit Sub
End If

'ErrorHandler:
'MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
'Me.Undo
'Exit Sub
End Sub

Private Function CheckIFQuoteIsAlreadyAdded() As Boolean
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim currentQuoteRefNo As Variant
    Dim selectedAirport As Variant

    currentQuoteRefNo = Me.QuoteRefNo.Value
    selectedAirport = Me.AIRPORT.Value

    Set db = CurrentDb
    Set rs = db.OpenRecordset("FuelSupport_FuelQuotationsT", dbOpenDynaset)

    If Not rs.EOF Then
        rs.MoveFirst ' Move To the first record in the recordset

        ' Loop through the recordset
        Do Until rs.EOF
            If rs("QuoteRefNo").Value = currentQuoteRefNo And rs("Airport").Value = selectedAirport Then
                rs.Close
                Set rs = Nothing
                Set db = Nothing
                CheckIFQuoteIsAlreadyAdded = True ' Return True If matching quote is found
                Exit Function ' Exit the Function If a matching quote is found
            End If

            rs.MoveNext ' Move To the Next record
        Loop

        rs.Close
        Set rs = Nothing
        Set db = Nothing

        Me.Requery
    End If

    CheckIFQuoteIsAlreadyAdded = False ' Return False If no matching quote is found
End Function

```

Form_FuelSupport_FuelQuote_New_V12 - 1

Option Compare Database

Option Explicit

Private Sub Form_GotFocus()

Form_Load

End Sub

Private Sub Form_Load()

Dim selectedSect_ID As Integer

Dim LocationsQuery As String

Dim Sect_ID As Variant ' Use Variant data type to handle Null values

Dim subformControl As SubForm

Sect_ID = Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_AddUpdateRequestF").Controls("Add_UpdateRequestF").Form.Controls("SectorNocmb").Value

If IsNull(Sect_ID) Then

Exit Sub

Else

selectedSect_ID = Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_AddUpdateRequestF").Controls("Add_UpdateRequestF").Form.Controls("SectorNocmb").Column(1)

LocationsQuery = "SELECT DISTINCT Location, Loc_ID FROM FlightSupport_locationsQ_V12 WHERE Sect_ID = " & selectedSect_ID

Me.AIRPORT.RowSource = LocationsQuery

' Reference the subform control

Set subformControl = Me.Controls("FlightSupport_FuelReleaseF")

' Reference the control within the subform

subformControl.Form.Controls("Location").RowSource = LocationsQuery

Me.Requery

End If

End Sub

Private Sub LookupQoutedVendors()

Dim selectedAirport As Variant

Dim QoutedVendorsQ As String

Dim CurrentDate As String

' Format the current date as a string

CurrentDate = Format(Now(), "dd/mm/yyyy")

' Get the selected Airport value

selectedAirport = Me.AIRPORT.Column(0)

' Construct the SQL query

QoutedVendorsQ = "SELECT Vendor, Quote_RefNo FROM FuelSupport_FuelQuotationsT WHERE Airport = '" & selectedAirport & "' AND Validity > #" & CurrentDate & "# ORDER BY ID DESC;"

' Set the RowSource of the Qouted_Vendor control to the query

Me.Qouted_Vendor.RowSource = QoutedVendorsQ

Me.Qouted_Vendor.Requery

End Sub

Private Sub Airport_AfterUpdate()

MinPrice_MinVendor

End Sub

Private Sub MinPrice_MinVendor()

Dim selectedAirport As Variant

'Dim airportCode As String

Dim LowestPriceQ As String

Dim MinVendorPrice As Variant

Dim AirportIDQ As Integer

Dim db As DAO.Database

Dim rs As DAO.Recordset

selectedAirport = Me.AIRPORT.Column(0)

If Not IsNull(selectedAirport) Then

' airportCode = selectedAirport

Set db = CurrentDb

Set rs = db.OpenRecordset("Select * FROM FuelSupport_NewFuelQ WHERE Airport = '" & selectedAirport & "'", dbOpenSnapshot)

If Not rs.EOF Then

```

        Me.AirportID.Value = rs!ID
        Me.LowestVendor.Value = rs!TableName
        Me.Vendor.Value = rs!TableName
        Me.LowestPriceTxt.Value = rs!MinVendorPrice
        Me.LowCurrency.Value = rs!LowCurrency
        LookupQoutedVendors
        RenderRecord
    Else
        MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
    End If
End If
End Sub

Private Sub MinPrice_MinVendor_FlightType()
    Dim selectedAirport As Variant
    Dim LowestPriceQ As String
    Dim selectedFlightType As String
    Dim MinVendorPrice As Variant
    Dim AirportIDQ As Integer
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    selectedAirport = Me.AIRPORT.Column(0)
    selectedFlightType = Me.FlightType
    If Not IsNull(selectedAirport) Then
        ' airportCode = selectedAirport
        Set db = CurrentDb
        Set rs = db.OpenRecordset("Select * FROM FuelSupport_NewFuelQ WHERE FlightType = '" & selectedFlightType & "' And Airport = '" & selectedAirport & "'", dbOpenSnapshot)
        If Not rs.EOF Then
            Me.AirportID.Value = rs!ID
            Me.LowestVendor.Value = rs!TableName
            Me.Vendor.Value = rs!TableName
            Me.LowestPriceTxt.Value = rs!MinVendorPrice
            LookupQoutedVendors
            RenderRecord_FlightType
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    End If
End Sub

Private Sub Command35_Click()
    DoCmd.OpenForm "FuelSupport_AddFuel", WindowMode:=acWindowNormal
End Sub

Private Sub Command36_Click()
    DoCmd.OpenForm "FuelSupport_updateFuel", WindowMode:=acWindowNormal
End Sub

Private Sub FlightType_AfterUpdate()
    MinPrice_MinVendor_FlightType
End Sub

Private Sub Command659_Click()
    Me.Refresh
End Sub

Private Sub RenderRecord()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    selectedVendorTable = Me.Vendor
    selectedAirport = Me.AIRPORT.Column(0)

    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
    Exit Sub

```

```

Else
    Set db = CurrentDb
    Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
    ' Find the row that matches the selectedAirport
    rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
    If Not rs.NoMatch Then
        ' Assign values To the fields in the form`
        Me.BasePrice.Value = rs("VendorPrice").Value
        Me.Notes.Value = rs("Notes").Value
        Me.Taxes.Value = rs("Taxes").Value
        Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
        ' Me.IPA.Value = rs("IPA").Value
        Me.FuelType.Value = rs("FuelType").Value
        Me.FlightType.Value = rs("FlightType").Value
        Me.Validity.Value = rs("Validity").Value
        Me.BasePrice.Value = rs("VendorPrice").Value
        Me.Currency.Value = rs("Currency").Value
        Me.Unit.Value = rs("Unit").Value
        Me.InternalNotes.Value = rs("InternalNotes").Value
        rs.Close
        Set rs = Nothing
        Set db = Nothing

        If Me.Validity < date Then
            Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
            Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
        Else
            Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
            Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
        End If
    Else
        MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
    End If
End If
End Sub

Private Sub RenderRecord_FlightType()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim selectedFlightType As String
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    selectedVendorTable = Me.Vendor
    selectedAirport = Me.AIRPORT.Column(0)
    selectedFlightType = Me.FlightType

    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
        Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
        ' Find the row that matches the selectedAirport
        'rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
        rs.FindFirst "AIRPORT = '" & selectedAirport & "'" And FlightType = '" & selectedFlightType & "'

        If Not rs.NoMatch Then
            ' Assign values To the fields in the form`
            Me.BasePrice.Value = rs("VendorPrice").Value
            Me.Notes.Value = rs("Notes").Value
            Me.Taxes.Value = rs("Taxes").Value
            Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
            'Me.IPA.Value = rs("IPA").Value
            Me.FuelType.Value = rs("FuelType").Value
            Me.FlightType.Value = rs("FlightType").Value
            Me.Validity.Value = rs("Validity").Value
            Me.BasePrice.Value = rs("VendorPrice").Value
            Me.Currency.Value = rs("Currency").Value
            Me.Unit.Value = rs("Unit").Value
            Me.InternalNotes.Value = rs("InternalNotes").Value
            rs.Close

```

```

        Set rs = Nothing
        Set db = Nothing

        If Me.Validity < date Then
            Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
            Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
        Else
            Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
            Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
        End If
    Else
        MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
    End If
End If
End Sub

Private Sub openAddReleaseF()
    DoCmd.OpenForm "FlightSupport_FuelReleaseF_Seperate_New", WindowMode:=acWindowNormal
End Sub

Private Sub FuelStatus_BeforeUpdate(Cancel As Integer)
    Dim Loc_ID As Integer
    Dim rs As DAO.Recordset
    Dim db As DAO.Database

    Loc_ID = Me.AIRPORT.Column(1)

    If (Me.FuelStatus = "CONFIRMED") Or (Me.FuelStatus = "CONFIRMED - STC") Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset("FuelReleaseT_New", dbOpenSnapshot)

        rs.FindFirst "Location_ID = " & Loc_ID

        If rs.NoMatch Then
            MsgBox "No matching Fuel Release found. Please add a release before changing status To confirmed.", vbExclamation + vbOKOnly, "Record Not Found"
            'Me.Undo
            Cancel = True ' Cancel the update
            rs.Close
            Set rs = Nothing
            openAddReleaseF
            Exit Sub

            ' Exit the procedure
        Else
            MsgBox "Status changed successfully."
            Me.FuelStatus.BackColor = RGB(0, 255, 0) ' Green color

        End If

    Else
        Me.FuelStatus.BackColor = RGB(255, 255, 255)
        Exit Sub
    End If

End Sub

Private Sub Vendor_AfterUpdate()
    RenderRecord_Two
End Sub

Private Sub RenderRecord_Two()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    Dim selectedFlightType As String

```

```

selectedVendorTable = Me.Vendor
selectedAirport = Me.AIRPORT.Column(0)
selectedFlightType = Me.FlightType

```

```

If IsNull(selectedAirport) Or selectedAirport = "" Then
    MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
Exit Sub

```

```

Else
    Set db = CurrentDb
    Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
    ' Find the row that matches the selectedAirport
    'rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
    rs.FindFirst "AIRPORT = '" & selectedAirport & "'" And FlightType = '" & selectedFlightType & '"

```

```

If Not rs.NoMatch Then
    ' Assign values To the fields in the form`
    Me.BasePrice.Value = rs("VendorPrice").Value
    Me.Notes.Value = rs("Notes").Value
    Me.Taxes.Value = rs("Taxes").Value
    Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
    'Me.IPA.Value = rs("IPA").Value
    Me.FuelType.Value = rs("FuelType").Value
    Me.FlightType.Value = rs("FlightType").Value
    Me.Validity.Value = rs("Validity").Value
    Me.BasePrice.Value = rs("VendorPrice").Value
    Me.Currency.Value = rs("Currency").Value
    Me.Unit.Value = rs("Unit").Value
    Me.InternalNotes.Value = rs("InternalNotes").Value

```

```

If Me.Validity < date Then
    Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
    Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
Else
    Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
    Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color

```

```
End If
```

```

Else
    MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
End If

```

```

rs.Close
Set rs = Nothing
Set db = Nothing

```

```
End If
```

```
End Sub
```

```

Private Sub QuoteReset()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.IPA.Value = Null
    Me.Qouted_Vendor.Value = Null
    Me.Vendor.Value = Null
    Me.EstimatedTotaltxt.Value = Null
    Me.FlightType.Value = Null
    Me.Validity.Value = Null
    Me.Currency.Value = Null
    Me.Unit.Value = Null
    Me.InternalNotes.Value = Null

```

```
RowSourceReset
```

```
End Sub
```

```

Private Sub RowSourceReset()
    Dim selectedSect_ID As Integer
    Dim LocationsQuery As String

```

```

If IsNull(Sect_ID) Then

```

```
Exit Sub
```

```
Else
```

```

        selectedSect_ID = Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_AddUpdateReq
uestF").Controls("Add_UpdateRequestF").Form.Controls("SectorNocmb").Column(1)
        LocationsQuery = "SELECT DISTINCT Location, Loc_ID FROM FlightSupport_locationsQ_V12 WHERE Sec
t_ID = " & selectedSect_ID
        Me.AIRPORT.RowSource = LocationsQuery
        Me.AIRPORT.Requery
    End If

```

```

End Sub

```

```

Private Sub ResetBtn_Click()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.IPA.Value = Null
    Me.FlightType.Value = Null
    Me.AIRPORT.Value = Null
    Me.Location_ID.Value = Null
    Me.FuelType.Value = Null
    Me.FuelStatus.Value = Null
    Me.QuoteSentCb.Value = Null
    Me.EstimatedTotaltxt.Value = Null
' not needed
'RowSourceReset

```

```

End Sub

```

```

Private Sub Validity_Click()
    InputDateField Validity, "Select a date To use this on your form"
End Sub

```

```

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FuelSupport_FuelQuote", acSaveNo
End Sub

```

```

Private Sub AddFuelService_Click()
    'On Error Goto ErrorHandler
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

```

```

    If IsNull(Me.AIRPORT) Or IsNull(Me.FuelStatus) Or IsNull(Me.PaymentMethod) Or IsNull(Me.Currency)
Or IsNull(Me.vendorName) Or IsNull(Me.AddedRate) Or IsNull(Me.TASPrice) Then
        MsgBox "Add Missing Field.", vbExclamation
    Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset("FuelBriefT_New", dbOpenDynaset)

```

```

        ' Find the existing record based on Location_ID And vendorName
        rs.FindFirst "Location_ID = " & Me.AIRPORT.Column(1) & " And Vendor = '" & Me.vendorName.Value
& "'"

```

```

    If rs.NoMatch Then ' No existing record found
        rs.AddNew

```

```

        ' Assign values To the fields in the table
        rs.Fields("Location_ID").Value = Me.AIRPORT.Column(1)
        rs.Fields("FuelType").Value = Me.FuelType.Value
        rs.Fields("FuelStatus").Value = Me.FuelStatus.Value
        rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value
        rs.Fields("IPA").Value = Me.IPA.Value
        rs.Fields("Quantity").Value = Me.Quantity.Value
        rs.Fields("VendorPrice").Value = Me.BasePrice.Value
        rs.Fields("TASPrice").Value = Me.TASPrice.Value
        rs.Fields("AddedRate").Value = Me.AddedRate.Value
        rs.Fields("Vendor").Value = Me.vendorName.Value
        rs.Fields("FBO").Value = Me.FBO.Value
        rs.Fields("QuoteSent").Value = Me.QuoteSentCb.Value
        rs.Fields("Taxes").Value = Me.Taxes.Value
        rs.Fields("Notes").Value = Me.Notes.Value
        rs.Fields("Validity").Value = Me.Validity.Value
        rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value

```

```
rs.Fields("Airport").Value = Me.AIRPORT.Column(0)
rs.Fields("Currency").Value = Me.Currency.Value
rs.Fields("InternalNotes").Value = Me.InternalNotes.Value
rs.Fields("FlightType").Value = Me.FlightType.Value
' Save the New record
rs.Update

' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing

' Reset form values
QuoteReset
' Display a message indicating successful addition
MsgBox "Service added successfully. Please add fuel release once service is confirmed from
the vendor."
Me.Undo
Else
' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing

MsgBox "Vendor already exists For the same Location_ID.", vbExclamation
End If

Exit Sub
End If

'ErrorHandler:
'MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
'Me.Undo
'Exit Sub
End Sub
```


Form_FuelSupport_FuelQuotesList - 1

Option Compare Database

Option Explicit

Private Sub closeBtn_Click()

DoCmd.Close acForm, "FuelSupport_FuelQuotesList_V11"

End Sub

Private Sub Form_Load()

LoadFuelQuotesList

End Sub

Private Sub LoadFuelQuotesList()

Dim LoadFuelQuotesListQ As String

LoadFuelQuotesListQ = "SELECT " &
 "Airport, " &
 "Validity, " &
 "Customer, " &
 "Quote_Refno, " &
 "Vendor, " &
 "EffDate, " &
 "FlightRequest_RefNo " &
 "FROM FuelSupport_FuelQuotationsT ORDER BY ID DESC;"

Me.RecordSource = LoadFuelQuotesListQ

End Sub

Private Sub LoadQuoteRefnoReport()

If Not IsNull(Me.QuoteRefnotxt) Then

Dim strWhere As String

Dim InLeng As Long

Const conJetDate = "\#dd\/mm\/yyyy\#"

' If Not IsNull(Me.Customertxt) Then

 'strWhere = strWhere & "([Customer] Like ""*"" & Me.Customertxt & ""*) And "

' End If

If Not IsNull(Me.QuoteRefnotxt) Then

 strWhere = strWhere & "([QuoteRefno] Like ""*"" & Me.QuoteRefnotxt & ""*) And "

End If

InLeng = Len(strWhere) - 5

If InLeng <= 0 Then

 MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight

App"

Else

 strWhere = Left\$(strWhere, InLeng)

 Me.Filter = strWhere

 Me.FilterOn = True

 DoCmd.OpenReport "FuelSupport_FuelQuote", acViewPreview, , strWhere

End If

End If

End Sub

Private Sub QuoteRefnotxt_DblClick(Cancel As Integer)

LoadQuoteRefnoReport

LoadFuelQuotesList

End Sub

Private Sub RefNo_DblClick(Cancel As Integer)

If Not IsNull(Me.RefNo.Value) Then

RefNo2_AfterUpdate

Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_RequestF_New").Form.TriggerAfterUp
date

closeBtn_Click

Else

Exit Sub

End If

End Sub

Private Sub RefNo2_AfterUpdate()

Form_FuelSupport_FuelQuotesList - 2

```
Dim selectedRefNo As Variant  
selectedRefNo = Me.RefNo.Value
```

```
If Not IsNull(selectedRefNo) Then  
    Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_RequestF_New").Form.Controls("RefNo2").Value = selectedRefNo  
    'Me.Requery  
Else  
    Exit Sub  
End If
```

```
End Sub
```

Form_FuelSupport_PrivatePriceF - 1

Option Compare Database

Option Explicit

Private Sub AddFuelPriceBtn_Click()

Dim selectedVendorTable As Variant

selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value

If Not IsNull(selectedVendorTable) Then

AddFuel

Else

MsgBox "Data Not added."

Exit Sub

End If

End Sub

Private Sub AddFuel()

'On Error Goto ErrorHandler

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim selectedVendorTable As String

Dim selectedAirport As String

Dim selectedFlightType As String

selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value

selectedAirport = Forms("FuelSupport_UpdateFuel_New").AIRPORT.Column(0)

selectedFlightType = Me.FlightType.Value

Set db = CurrentDb

Set rs = db.OpenRecordset(selectedVendorTable, dbOpenDynaset)

' Check If the record already exists

rs.FindFirst "AIRPORT = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'"

If Not rs.NoMatch Then

MsgBox "Record already exists."

Exit Sub

End If

If IsNull(Me.BasePrice) Or IsNull(Me.FuelType) Or IsNull(Me.FlightType) Or IsNull(Me.Currency) Or IsNull(Me.Unit) Or IsNull(Me.EstimatedTotaltxt) Or IsNull(Me.Validity) Then

MsgBox "Add missing fields " & err.Description, vbCritical, "Error"

Exit Sub

Else

rs.AddNew

' Assign values To the fields in the table

rs.Fields("Airport").Value = selectedAirport

rs.Fields("VendorPrice").Value = Me.BasePrice.Value

rs.Fields("Notes").Value = Me.Notes.Value

rs.Fields("Taxes").Value = Me.Taxes.Value

rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value

rs.Fields("IPA").Value = Me.IPA.Value

rs.Fields("FuelType").Value = Me.FuelType.Value

rs.Fields("FlightType").Value = selectedFlightType

rs.Fields("FBO").Value = Me.FBO.Value

rs.Fields("Validity").Value = Me.Validity.Value

rs.Fields("Currency").Value = Me.Currency.Value

rs.Fields("Unit").Value = Me.Unit.Value

rs.Fields("InternalNotes").Value = Me.InternalNotes.Value

rs.Fields("STC").Value = Me.STC.Value

rs.Fields("ChangeCycle").Value = Me.ChangeCyclebx.Value

' Save the New record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset the form fields

FuelReset

Forms("FuelSupport_UpdateFuel_New").AIRPORT.Value = Null

MsgBox "Data added successfully."

Me.Undo

Form_FuelSupport_PrivatePriceF - 2

```
End If
Exit Sub

'ErrorHandler:
'    MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
'    Me.Undo
End Sub
```

```
Private Sub CreatedBy_AfterUpdate()
    CreatedBy_Change
End Sub
```

```
Private Sub CreatedBy_Change()
    If Me.CreatedBy.Value = 63 Then
        Me.PersonCreated.Value = "Abdu"
    End If
End Sub
```

```
Private Sub Modifiedby_AfterUpdate()
    Modifiedby_Change
End Sub
```

```
Private Sub Modifiedby_Change()
    If Me.Modifiedby.Value = 63 Then
        Me.PersonModified.Value = "Abdu"
    End If
End Sub
```

```
Private Sub RenderFlightTypeRecord()
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim selectedFlightType As Variant

    selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value
    selectedAirport = Forms("FuelSupport_UpdateFuel_New").AIRPORT.Column(0)
    selectedFlightType = Me.FlightType.Value
    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
        Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
        ' Find the row that matches the selectedAirport
        rs.FindFirst "AIRPORT = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'
        If Not rs.NoMatch Then
            ' Assign values To the fields in the form`
            Me.BasePrice.Value = rs("VendorPrice").Value
            Me.Airport_ID.Value = rs("ID").Value
            Me.Notes.Value = rs("Notes").Value
            Me.Taxes.Value = rs("Taxes").Value
            Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
            Me.IPA.Value = rs("IPA").Value
            Me.FBO.Value = rs("FBO").Value
            Me.FuelType.Value = rs("FuelType").Value
            Me.Validity.Value = rs("Validity").Value
            Me.Currency.Value = rs("Currency").Value
            Me.Unit.Value = rs("Unit").Value
            Me.InternalNotes.Value = rs("InternalNotes").Value
            Me.Modifiedby.Value = rs("Modified By").Value
            Me.CreatedBy.Value = rs("Created By").Value
            Me.STC.Value = rs("STC").Value
            Me.ChangeCyclebx.Value = rs("ChangeCycle").Value
        End If
    End If
End Sub
```

```
If Me.Validity < date Then
    Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
End If
```

```

        Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
    Else
        Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
        Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
    End If
Else
    MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
End If
rs.Close
Set rs = Nothing
Set db = Nothing
End If
End Sub

Private Sub FuelReset()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.EstimatedTotaltxt.Value = 0
    Me.IPA.Value = Null
    Me.FBO.Value = Null
    Me.InternalNotes.Value = Null
End Sub

Private Sub RemoveBtn_Click()
    RemoveFuel
End Sub

Private Sub ResetBtn_Click()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.EstimatedTotaltxt.Value = Null
    Me.IPA.Value = Null
    Me.FBO.Value = Null
    Me.Validity.Value = Null
    Me.Modifiedby.Value = Null
    Me.CreatedBy.Value = Null
    Me.InternalNotes.Value = Null
    Me.STC.Value = Null
End Sub

Private Sub FlightType_DblClick(Cancel As Integer)
    RenderFlightTypeRecord
End Sub

Private Sub Validity_Click()
    InputDateField Validity, "Select a date To use this on your form"
End Sub

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FuelSupport_UpdateFuel", acSaveNo
End Sub

Private Sub Vendor_AfterUpdate()
    Dim selectedVendorTable As String
    Dim query As String
    Dim RecordQuery As String
    selectedVendorTable = Me.Vendor.Value ' Get the selected value from Vendor combo box

    RecordQuery = "Select Airport, ID, VendorPrice, Validity, Notes, Taxes, FBO, IPA, EstimatedTotal, FlightType, FuelType FROM " & selectedVendorTable
    Me.RecordSource = RecordQuery

    ' Construct the dynamic query based on the selected vendor table
    query = "Select    Airport,ID FROM " & selectedVendorTable

    ' Set the RowSource Property of the AIRPORT combo box To the dynamic query
    Me.AIRPORT.RowSource = query

    ' Requery the AIRPORT combo box To reflect the updated options
    Me.AIRPORT.Requery

```

```

    Debug.Print "Record Query: " & RecordQuery
End Sub

Private Sub UpdateFuelprice_Click()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim selectedFlightType As Variant
    Dim AirportID As Integer

    AirportID = Me.Airport_ID.Value
    selectedVendorTable = Forms("FuelSupport_UpdateFuel_New").Vendor.Value
    selectedAirport = Forms("FuelSupport_UpdateFuel_New").AIRPORT.Column(0)
    selectedFlightType = Me.FlightType.Value

    If IsNull(selectedAirport) Or IsNull(Me.BasePrice) Or IsNull(Me.FuelType) Or IsNull(Me.FuelType) Or IsNull(selectedFlightType) Or IsNull(Me.Currency) Or IsNull(Me.Unit) Or IsNull(Me.EstimatedTotaltxt) Or IsNull(Me.Validity) Then
        MsgBox "Add missing fields " & err.Description, vbCritical, "Error"
        Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenDynaset)

        ' Find the record to update
        'rs.FindFirst "AIRPORT = '" & selectedAirport & "'" And FlightType = '" & selectedFlightType & "'"
        rs.FindFirst "AIRPORT = '" & selectedAirport & "'" AND ID = " & AirportID & "'"
        If Not rs.NoMatch Then
            rs.Edit
            ' Update fields
            rs.Fields("VendorPrice").Value = Me.BasePrice.Value
            rs.Fields("Notes").Value = Me.Notes.Value
            rs.Fields("Taxes").Value = Me.Taxes.Value
            rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value
            rs.Fields("IPA").Value = Me.IPA.Value
            rs.Fields("FuelType").Value = Me.FuelType.Value
            rs.Fields("FlightType").Value = selectedFlightType
            rs.Fields("FBO").Value = Me.FBO.Value
            rs.Fields("Validity").Value = Me.Validity.Value
            rs.Fields("Currency").Value = Me.Currency.Value
            rs.Fields("Unit").Value = Me.Unit.Value
            rs.Fields("InternalNotes").Value = Me.InternalNotes.Value
            rs.Fields("STC").Value = Me.STC.Value
            rs.Fields("ChangeCycle").Value = Me.ChangeCyclebx.Value
            rs.Update
            'Me.FlightType.Value = "PRIVATE"
            ResetBtn_Click
            Forms("FuelSupport_UpdateFuel_New").AIRPORT.Value = Null
            MsgBox "Data updated successfully."
        Else
            MsgBox "No records found.", vbExclamation + vbOKOnly, "Update Failed"
        End If
        rs.Close
        Set rs = Nothing
        Set db = Nothing
        Me.Requery
    End If
End Sub
End Sub

```

Form_FuelSupport_QuoteActualPrice_V11 - 1

Option Compare Database

Option Explicit

Private Sub closeBtn_Click()

DoCmd.Close acForm, "FuelSupport_QuoteActualPrice_V11"

End Sub

Private Sub Command717_Click()

DoCmd.OpenForm "FuelSupport_FuelQuotesList_V11", WindowMode:=acWindowNormal

End Sub

Private Sub Form_Load()

LoadQuotedActualVendors

End Sub

Private Sub LoadQuotedActualVendors()

Dim QuotedActualVendorsQuery As String

```
QuotedActualVendorsQuery = "SELECT " & _
    "FuelSupport_QuoteActual_FuelPriceQ.RefNo, " & _
    "FuelSupport_QuoteActual_FuelPriceQ.DepartDate, " & _
    "FuelSupport_QuoteActual_FuelPriceQ.Vendor, " & _
    "FuelSupport_QuoteActual_FuelPriceQ.Q_Vendor, " & _
    "FuelSupport_QuoteActual_FuelPriceQ.QuoteSent, " & _
    "FuelSupport_QuoteActual_FuelPriceQ.Q_TASPrice, " & _
    "FuelSupport_QuoteActual_FuelPriceQ.TASPrice, " & _
    "FuelSupport_QuoteActual_FuelPriceQ.Airport, " & _
    "FuelSupport_QuoteActual_FuelPriceQ.ACReg, " & _
    "FuelSupport_QuoteActual_FuelPriceQ.Customer, " & _
    "FuelSupport_QuoteActual_FuelPriceQ.Operator, " & _
    "FuelSupport_QuoteActual_FuelPriceQ.Margin, " & _
    "FuelSupport_QuoteActual_FuelPriceQ.QuoteRefno " & _
    "FROM FuelSupport_QuoteActual_FuelPriceQ;"
```

Me.RecordSource = QuotedActualVendorsQuery

End Sub

Private Sub LoadQuoteRefnoReport()

If Not IsNull(Me.QuoteRefnotxt) Then

Dim strWhere As String

Dim InLeng As Long

Const conJetDate = "\#dd\/mm\/yyyy\#"

' If Not IsNull(Me.Customertxt) Then

' strWhere = strWhere & "([Customer] Like "*" & Me.Customertxt & "*)" And "

' End If

If Not IsNull(Me.QuoteRefnotxt) Then

strWhere = strWhere & "([QuoteRefno] Like "*" & Me.QuoteRefnotxt & "*)" And "

End If

InLeng = Len(strWhere) - 5

If InLeng <= 0 Then

MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight

App"

Else

strWhere = Left\$(strWhere, InLeng)

Me.Filter = strWhere

Me.FilterOn = True

DoCmd.OpenReport "FuelSupport_FuelQuote", acViewPreview, , strWhere

End If

End If

End Sub

Private Sub QuoteRefnotxt_DblClick(Cancel As Integer)

LoadQuoteRefnoReport

LoadQuotedActualVendors

End Sub

Private Sub RefNo_DblClick(Cancel As Integer)

Form_FuelSupport_QuoteActualPrice_V11 - 2

```
RefNo2_AfterUpdate
Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_RequestF_New").Form.TriggerAfterUpdate
e
closeBtn_Click
End Sub
```

```
Private Sub RefNo2_AfterUpdate()
    Dim selectedRefNo As Variant
    selectedRefNo = Me.RefNo.Value

    If Not IsNull(selectedRefNo) Then
        Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_RequestF_New").Form.Controls("RefNo2").Value = selectedRefNo
        'Me.Requery
    Else
        Exit Sub
    End If
End Sub
```


Form_FuelSupport_QuoteActualPrice_V12 - 1

Option Compare Database

Option Explicit

Private Sub closeBtn_Click()

DoCmd.Close acForm, "FuelSupport_QuoteActualPrice_V12"

End Sub

Private Sub Command717_Click()

DoCmd.OpenForm "FuelSupport_FuelQuotesList", WindowMode:=acWindowNormal

End Sub

Private Sub Form_Load()

LoadQuotedActualVendors

End Sub

Private Sub LoadQuotedActualVendors()

Dim QuotedActualVendorsQuery As String

QuotedActualVendorsQuery = "SELECT " & _
"RefNo, " & _
"DepartDate, " & _
"Vendor, " & _
"Q_Vendor, " & _
"QuoteSent, " & _
"Q_TASPrice, " & _
"TASPrice, " & _
"Airport, " & _
"ACReg, " & _
"Customer, " & _
"Operator, " & _
"Margin, " & _
"Quote_Refno " & _
"FROM FuelSupport_QuoteActual_FuelPriceQ_V12;"

Me.RecordSource = QuotedActualVendorsQuery

End Sub

Private Sub LoadQuoteRefnoReport()

If Not IsNull(Me.QuoteRefnotxt) Then

Dim strWhere As String

Dim InLeng As Long

Const conJetDate = "\#dd\/mm\/yyyy\#"

' If Not IsNull(Me.Customertxt) Then

'strWhere = strWhere & "([Customer] Like "*" & Me.Customertxt & "*)" And "

' End If

If Not IsNull(Me.QuoteRefnotxt) Then

strWhere = strWhere & "([QuoteRefno] Like "*" & Me.QuoteRefnotxt & "*)" And "

End If

InLeng = Len(strWhere) - 5

If InLeng <= 0 Then

MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight

App"

Else

strWhere = Left\$(strWhere, InLeng)

Me.Filter = strWhere

Me.FilterOn = True

DoCmd.OpenReport "FuelSupport_FuelQuote", acViewPreview, , strWhere

End If

End If

End Sub

Private Sub QuoteRefnotxt_DblClick(Cancel As Integer)

LoadQuoteRefnoReport

LoadQuotedActualVendors

End Sub

Private Sub RefNo_DblClick(Cancel As Integer)

Form_FuelSupport_QuoteActualPrice_V12 - 2

```
RefNo2_AfterUpdate
Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_RequestF_New").Form.TriggerAfterUpdate
e
closeBtn_Click
End Sub
```

```
Private Sub RefNo2_AfterUpdate()
    Dim selectedRefNo As Variant
    selectedRefNo = Me.RefNo.Value

    If Not IsNull(selectedRefNo) Then
        Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_RequestF_New").Form.Controls("RefNo2").Value = selectedRefNo
        'Me.Requery
    Else
        Exit Sub
    End If
End Sub
```

```
End Sub
Private Sub Vendortxt_DblClick(Cancel As Integer)
    LoadActualQuoteRefnoReport
    LoadQuotedActualVendors
End Sub
```

```
Private Sub LoadActualQuoteRefnoReport()
    Dim selectedRefNo As Variant
    selectedRefNo = Me.RefNo.Value

    If Not IsNull(selectedRefNo) Then

        Dim strWhere As String
        Dim InLeng As Long

        Const conJetDate = "\#dd\/mm\/yyyy\#"

        ' If Not IsNull(Me.Customertxt) Then
        ' strWhere = strWhere & "([Customer] Like "*" & Me.Customertxt & "*)" And "
        ' End If

        If Not IsNull(selectedRefNo) Then

            strWhere = strWhere & "([Refno] Like "*" & selectedRefNo & "*)" And "
        End If

        InLeng = Len(strWhere) - 5
        If InLeng <= 0 Then
            MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight
App"
        Else
            strWhere = Left$(strWhere, InLeng)
            Me.Filter = strWhere
            Me.FilterOn = True
            DoCmd.OpenReport "FuelSupport_ActualFuelQuote", acViewPreview, , strWhere
        End If
    End If
End Sub
```

Option Compare Database

```
Private Sub closeBtn_Click()
    DoCmd.Close acForm, "FuelSupport_ReportGeneratorF"
End Sub
```

```
Private Sub Form_Load()
    Dim fw As New clFormWindow
```

```
    fw.hWnd = Me.hWnd
    With fw
        .Top = (.Parent.Height - .Height) / 2
        .Left = (.Parent.Width - .Width) / 2
    End With
    Set fw = Nothing
End Sub
```

```
Private Sub FuelReportBtn_Click()
```

```
    Dim strWhere As String
    Dim InLeng As Long
```

```
    Const conJetDate = "\#mm\dd\yyyy\#"
```

```
    If Not IsNull(Me.CustomerName) Then
```

```
        strWhere = strWhere & "([Customer] Like "*" & Me.CustomerName & "*) And "
```

```
    End If
    If Not IsNull(Me.OperatorListCb) Then
```

```
        strWhere = strWhere & "([Operator] Like "*" & Me.OperatorListCb & "*) And "
```

```
    End If
```

```
    If Not IsNull(Me.RefNoList) Then
```

```
        strWhere = strWhere & "([RefNo] Like "*" & Me.RefNoList & "*) And "
```

```
    End If
```

```
    If Not IsNull(Me.StartDate) Then
```

```
        strWhere = strWhere & "([ReqDate] >= " & Format(Me.StartDate, conJetDate) & ") And "
```

```
    End If
```

```
    If Not IsNull(Me.EndDate) Then
```

```
        strWhere = strWhere & "([ReqDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
```

```
    End If
```

```
    IngLen = Len(strWhere) - 5
```

```
    If IngLen <= 0 Then
```

```
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
```

```
    Else
```

```
        strWhere = Left$(strWhere, IngLen)
```

```
        Me.Filter = strWhere
```

```
        Me.FilterOn = True
```

```
        DoCmd.OpenReport "FlightSupport_FuelReport", acViewPreview, , strWhere
```

```
    End If
```

```
End Sub
```

```
Private Sub GenerateINReportBtn_Click()
```

```
    Dim strWhere As String
```

```
    Dim InLeng As Long
```

```
    Const conJetDate = "\#mm\dd\yyyy\#"
```

```
    If Not IsNull(Me.CustomerName) Then
```

```
        strWhere = strWhere & "([Customer] Like "*" & Me.CustomerName & "*) And "
```

```
    End If
```

```
    If Not IsNull(Me.OperatorListCb) Then
```

```
        strWhere = strWhere & "([Operator] Like "*" & Me.OperatorListCb & "*) And "
```

```

End If
If Not IsNull(Me.AirportCmb) Then

    strWhere = strWhere & "([Location] Like ""*"" & Me.AirportCmb & ""*) And "
End If

If Not IsNull(Me.RefNoList) Then

    strWhere = strWhere & "([RefNo] Like ""*"" & Me.RefNoList & ""*) And "
End If

If Not IsNull(Me.StartDate) Then
    strWhere = strWhere & "([OPSDate] >= " & Format(Me.StartDate, conJetDate) & ") And "
End If
If Not IsNull(Me.EndDate) Then
    strWhere = strWhere & "([OPSDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
End If

IngLen = Len(strWhere) - 5
If IngLen <= 0 Then
    MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
Else
    strWhere = Left$(strWhere, IngLen)
    Me.Filter = strWhere
    Me.FilterOn = True
    DoCmd.OpenReport "FlightSupport_InternalReport", acViewPreview, , strWhere
End If

End Sub

```

```

Private Sub GenerateOUTReportBtn_Click()
    Dim strWhere As String
    Dim InLeng As Long

    Const conJetDate = "\#dd\/mm\/yyyy\#"

    If Not IsNull(Me.OperatorListCb) Then

        strWhere = strWhere & "([Client] Like ""*"" & Me.OperatorListCb & ""*) And "
    End If

    If Not IsNull(Me.RefNoList) Then

        strWhere = strWhere & "([QuoteRefNo] Like ""*"" & Me.RefNoList & ""*) And "
    End If

    If Not IsNull(Me.StartDate) Then
        strWhere = strWhere & "([EffDate] >= " & Format(Me.StartDate, conJetDate) & ") And "
    End If
    If Not IsNull(Me.EndDate) Then
        strWhere = strWhere & "([EffDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
    End If

    IngLen = Len(strWhere) - 5
    If IngLen <= 0 Then
        MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
    Else
        strWhere = Left$(strWhere, IngLen)
        Me.Filter = strWhere
        Me.FilterOn = True
        DoCmd.OpenReport "FuelSupport_FuelQuote", acViewPreview, , strWhere
    End If

End Sub

```


Form_FuelSupport_UpdateFuel - 1

Option Compare Database

```
Private Sub Airport_AfterUpdate()  
    'RenderRecord  
End Sub
```

```
Private Sub FlightType_AfterUpdate()  
    RenderFlightTypeRecord  
End Sub
```

```
Private Sub RenderFlightTypeRecord()  
    Dim selectedVendorTable As String  
    Dim selectedAirport As Variant  
    Dim rs As DAO.Recordset  
    Dim db As DAO.Database  
    Dim selectedFlightType As String  
  
    selectedVendorTable = Me.Vendor  
    selectedAirport = Me.AIRPORT.Column(0)  
    selectedFlightType = Me.FlightType
```

```
If IsNull(selectedAirport) Or selectedAirport = "" Then  
    MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"  
    Exit Sub  
Else
```

```
    Set db = CurrentDb  
    Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)  
    ' Find the row that matches the selectedAirport  
    rs.FindFirst "AIRPORT = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'"
```

```
    If Not rs.NoMatch Then  
        ' Assign values To the fields in the form`  
        Me.BasePrice.Value = rs("VendorPrice").Value  
        Me.Notes.Value = rs("Notes").Value  
        Me.Taxes.Value = rs("Taxes").Value  
        Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value  
        Me.IPA.Value = rs("IPA").Value  
        Me.FuelType.Value = rs("FuelType").Value  
        Me.FlightTypecmb.Value = rs("FlightType").Value  
        Me.Validity.Value = rs("Validity").Value  
        Me.Currency.Value = rs("Currency").Value  
        Me.Unit.Value = rs("Unit").Value  
        Me.InternalNotes.Value = rs("InternalNotes").Value  
        Me.Modifiedby.Value = rs("Modified By").Value  
        Me.CreatedBy.Value = rs("Created By").Value  
        Me.STC.Value = rs("STC").Value  
        rs.Close  
        Set rs = Nothing  
        Set db = Nothing
```

```
        If Me.Validity < date Then  
            Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color  
            Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color  
        Else  
            Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color  
            Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color  
        End If
```

```
    Else  
        MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"  
    End If  
End Sub
```

```
Private Sub Form_Load()  
    Dim fw As New clFormWindow
```

```
    fw.hWnd = Me.hWnd  
    With fw  
        .Top = (.Parent.Height - .Height) / 2  
        .Left = (.Parent.Width - .Width) / 2  
    End With
```

Form_FuelSupport_UpdateFuel - 2

```
Set fw = Nothing
End Sub
```

```
Private Sub FuelReset()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.EstimatedTotaltxt.Value = 0
    Me.IPA.Value = Null
    Me.FBO.Value = Null
End Sub
```

```
Private Sub ResetBtn_Click()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.EstimatedTotaltxt.Value = Null
    Me.IPA.Value = Null
    Me.FuelType.Value = Null
    Me.FlightTypecmb.Value = Null
    Me.FBO.Value = Null
    Me.AIRPORT.Value = Null
    Me.Validity.Value = Null
    Me.Modifiedby.Value = Null
    Me.CreatedBy.Value = Null
    Me.InternalNotes.Value = Null
    Me.STC.Value = Null
    Me.Undo
End Sub
```

```
Private Sub Validity_Click()
    InputDateField Validity, "Select a date To use this on your form"
End Sub
```

```
Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FuelSupport_UpdateFuel", acSaveNo
End Sub
```

```
Private Sub Vendor_AfterUpdate()
    Dim selectedVendorTable As String
    Dim query As String
    Dim RecordQuery As String
    selectedVendorTable = Me.Vendor.Value ' Get the selected value from Vendor combo box

    RecordQuery = "Select Airport, ID, VendorPrice, Validity, Notes, Taxes, FBO, IPA, EstimatedTotal, FlightType, FuelType FROM " & selectedVendorTable
    Me.RecordSource = RecordQuery

    ' Construct the dynamic query based on the selected vendor table
    query = "Select    Airport,ID FROM " & selectedVendorTable

    ' Set the RowSource Property of the AIRPORT combo box To the dynamic query
    Me.AIRPORT.RowSource = query

    ' Requery the AIRPORT combo box To reflect the updated options
    Me.AIRPORT.Requery

    Debug.Print "Record Query: " & RecordQuery
End Sub
```

```
Private Sub RenderRecord()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim rs As DAO.Recordset
    Dim db As DAO.Database

    selectedVendorTable = Me.Vendor.Value
```

```

selectedAirport = Me.AIRPORT.Column(0)

If Not IsNull(selectedAirport) Then
    Set db = CurrentDb
    Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)

    ' Find the row that matches the selectedAirport And FlightType
    rs.FindFirst "AIRPORT = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'
'''

If Not rs.NoMatch Then
    ' Assign values To the fields in the form
    Me.BasePrice.Value = rs("VendorPrice").Value
    Me.Notes.Value = rs("Notes").Value
    Me.Taxes.Value = rs("Taxes").Value
    Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
    Me.IPA.Value = rs("IPA").Value
    Me.FuelType.Value = rs("FuelType").Value
    'Me.FlightType.Value = rs("FlightType").Value
    Me.FBO.Value = rs("FBO").Value
    Me.Validity.Value = rs("Validity").Value
    Me.Currency.Value = rs("Currency").Value
    Me.Unit.Value = rs("Unit").Value
    Me.Modifiedby.Value = rs("Modified By").Value
    Me.CreatedBy.Value = rs("Created By").Value
    Me.InternalNotes.Value = rs("InternalNotes").Value
    Me.STC.Value = rs("STC").Value
    rs.Close
    Set rs = Nothing
    Set db = Nothing
Else
    MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
End If
Else
    MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
End If
End Sub

Private Sub UpdateFuelprice_Click()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim selectedFlightType As Variant

    selectedVendorTable = Me.Vendor.Value
    selectedAirport = Me.AIRPORT.Column(0)
    selectedFlightType = Me.FlightType

    If IsNull(Me.BasePrice) Or IsNull(Me.FuelType) Or IsNull(Me.FuelType) Or IsNull(Me.FlightType) Or IsNull(Me.Currency) Or IsNull(Me.Unit) Or IsNull(Me.EstimatedTotaltxt) Or IsNull(Me.Validity) Then
        MsgBox "Add missing fields " & err.Description, vbCritical, "Error"
    Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenDynaset)

        If Not rs.EOF Then
            rs.MoveFirst ' Move To the first record in the recordset

            ' Loop through the recordset
            Do Until rs.EOF
                If rs("AIRPORT") = selectedAirport And rs("FlightType") = selectedFlightType Then
                    rs.Edit
                    rs.Fields("VendorPrice").Value = Me.BasePrice.Value
                    rs.Fields("Notes").Value = Me.Notes.Value
                    rs.Fields("Taxes").Value = Me.Taxes.Value
                    rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value
                    rs.Fields("IPA").Value = Me.IPA.Value
                    rs.Fields("FuelType").Value = Me.FuelType.Value
                    rs.Fields("FlightType").Value = Me.FlightTypepcmb.Value
                End If
            Loop
        End If
    End If
End Sub

```



```
        rs.Fields("FBO").Value = Me.FBO.Value
        rs.Fields("Validity").Value = Me.Validity.Value
        rs.Fields("Currency").Value = Me.Currency.Value
        rs.Fields("Unit").Value = Me.Unit.Value
        rs.Fields("InternalNotes").Value = Me.InternalNotes.Value
        rs.Fields("STC").Value = Me.STC.Value
        rs.Update
    End If

    rs.MoveNext ' Move To the Next record
Loop

rs.Close
Set rs = Nothing
Set db = Nothing

Me.Requery
ResetBtn_Click
MsgBox "Data updated successfully."
Else
    MsgBox "No records found.", vbExclamation + vbOKOnly, "Update Failed"
End If

End If

End Sub
```

Form_FuelSupport_UpdateFuel_New - 1

Option Compare Database

Private Sub FlightType_AfterUpdate()

RenderFlightTypeRecord

End Sub

Private Sub RenderFlightTypeRecord()

Dim selectedVendorTable As String

Dim selectedAirport As Variant

Dim rs As DAO.Recordset

Dim db As DAO.Database

Dim selectedFlightType As String

selectedVendorTable = Me.Vendor

selectedAirport = Me.AIRPORT.Column(0)

selectedFlightType = Me.FlightType

If IsNull(selectedAirport) Or selectedAirport = "" Then

MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"

Exit Sub

Else

Set db = CurrentDb

Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)

' Find the row that matches the selectedAirport

rs.FindFirst "AIRPORT = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'"

If Not rs.NoMatch Then

' Assign values To the fields in the form`

Me.BasePrice.Value = rs("VendorPrice").Value

Me.Notes.Value = rs("Notes").Value

Me.Taxes.Value = rs("Taxes").Value

Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value

Me.IPA.Value = rs("IPA").Value

Me.FuelType.Value = rs("FuelType").Value

Me.FlightTypecmb.Value = rs("FlightType").Value

Me.Validity.Value = rs("Validity").Value

Me.Currency.Value = rs("Currency").Value

Me.Unit.Value = rs("Unit").Value

Me.InternalNotes.Value = rs("InternalNotes").Value

Me.Modifiedby.Value = rs("Modified By").Value

Me.CreatedBy.Value = rs("Created By").Value

Me.STC.Value = rs("STC").Value

rs.Close

Set rs = Nothing

Set db = Nothing

If Me.Validity < date Then

Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color

Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color

Else

Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color

Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color

End If

Else

MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"

End If

End If

End Sub

Private Sub Form_Load()

Dim fw As New clFormWindow

fw.hWnd = Me.hWnd

With fw

.Top = (.Parent.Height - .Height) / 2

.Left = (.Parent.Width - .Width) / 2

End With

Set fw = Nothing

AirportRowSource_Reset

End Sub

```

Private Sub AirportRowSource_Reset()
    Dim sqlQuery As String
    sqlQuery = "SELECT DISTINCT Airports_DataT.AIRPORT_DETAILS, ID" & vbCrLf & _
        "FROM Airports_DataT" & vbCrLf & _
        "WHERE (((Airports_DataT.AIRPORT_DETAILS) <> ''))" & vbCrLf & _
        "ORDER BY Airports_DataT.AIRPORT_DETAILS;"
    Me.AIRPORT.RowSource = sqlQuery
    Me.AIRPORT.Requery
End Sub

```

```

Private Sub FuelReset()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.EstimatedTotaltxt.Value = 0
    Me.IPA.Value = Null
    Me.FBO.Value = Null
End Sub

```

```

Private Sub Reset()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.EstimatedTotaltxt.Value = Null
    Me.IPA.Value = Null
    Me.FuelType.Value = Null
    Me.FBO.Value = Null
    Me.Validity.Value = Null
    Me.Modifiedby.Value = Null
    Me.CreatedBy.Value = Null
    Me.InternalNotes.Value = Null
    Me.STC.Value = Null
    Me.Undo
End Sub

```

```

Private Sub Validity_Click()
    InputDateField Validity, "Select a date To use this on your form"
End Sub

```

```

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FuelSupport_UpdateFuel_New", acSaveNo
End Sub

```

```

Private Sub ResetBtn_Click()
    Me.AIRPORT.Value = Null
    Me.Vendor.Value = Null
    AirportRowSource_Reset
End Sub

```

```

Private Sub Vendor_AfterUpdate()
    Dim selectedVendorTable As String
    Dim query As String

    If IsNull(Me.AIRPORT.Value) Or Me.AIRPORT.Value = "" Then
        selectedVendorTable = Me.Vendor.Value ' Get the selected value from Vendor combo box

        ' Construct the dynamic query based on the selected vendor table
        query = "Select    Airport,ID FROM " & selectedVendorTable

        ' Set the RowSource Property of the AIRPORT combo box To the dynamic query
        Me.AIRPORT.RowSource = query

        ' Requery the AIRPORT combo box To reflect the updated options
        Me.AIRPORT.Requery
        Debug.Print "Record Query: "
    Else

    Exit Sub

End If

```

End Sub

Private Sub RenderRecord()

```
Dim selectedVendorTable As String
Dim selectedAirport As Variant
Dim rs As DAO.Recordset
Dim db As DAO.Database
```

```
selectedVendorTable = Me.Vendor.Value
selectedAirport = Me.AIRPORT.Column(0)
```

If Not IsNull(selectedAirport) Then

```
Set db = CurrentDb
Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
```

' Find the row that matches the selectedAirport And FlightType

```
rs.FindFirst "AIRPORT = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "
```

,"

If Not rs.NoMatch Then

' Assign values To the fields in the form

```
Me.BasePrice.Value = rs("VendorPrice").Value
```

```
Me.Notes.Value = rs("Notes").Value
```

```
Me.Taxes.Value = rs("Taxes").Value
```

```
Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
```

```
Me.IPA.Value = rs("IPA").Value
```

```
Me.FuelType.Value = rs("FuelType").Value
```

```
'Me.FlightType.Value = rs("FlightType").Value
```

```
Me.FBO.Value = rs("FBO").Value
```

```
Me.Validity.Value = rs("Validity").Value
```

```
Me.Currency.Value = rs("Currency").Value
```

```
Me.Unit.Value = rs("Unit").Value
```

```
Me.Modifiedby.Value = rs("Modified By").Value
```

```
Me.CreatedBy.Value = rs("Created By").Value
```

```
Me.InternalNotes.Value = rs("InternalNotes").Value
```

```
Me.STC.Value = rs("STC").Value
```

```
rs.Close
```

```
Set rs = Nothing
```

```
Set db = Nothing
```

Else

```
MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
```

End If

Else

```
MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
```

End If

End Sub

Private Sub UpdateFuelprice_Click()

```
Dim db As DAO.Database
```

```
Dim rs As DAO.Recordset
```

```
Dim selectedVendorTable As String
```

```
Dim selectedAirport As Variant
```

```
Dim selectedFlightType As Variant
```

```
selectedVendorTable = Me.Vendor.Value
```

```
selectedAirport = Me.AIRPORT.Column(0)
```

```
selectedFlightType = Me.FlightType
```

```
If IsNull(Me.BasePrice) Or IsNull(Me.FuelType) Or IsNull(Me.FuelType) Or IsNull(Me.FlightType) Or IsNull(Me.Currency) Or IsNull(Me.Unit) Or IsNull(Me.EstimatedTotaltxt) Or IsNull(Me.Validity) Then
```

```
MsgBox "Add missing fields " & err.Description, vbCritical, "Error"
```

Exit Sub

Else

```
Set db = CurrentDb
```

```
Set rs = db.OpenRecordset(selectedVendorTable, dbOpenDynaset)
```

If Not rs.EOF Then

```
rs.MoveFirst ' Move To the first record in the recordset
```

```
' Loop through the recordset
Do Until rs.EOF
    If rs("AIRPORT") = selectedAirport And rs("FlightType") = selectedFlightType Then
        rs.Edit
        rs.Fields("VendorPrice").Value = Me.BasePrice.Value
        rs.Fields("Notes").Value = Me.Notes.Value
        rs.Fields("Taxes").Value = Me.Taxes.Value
        rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value
        rs.Fields("IPA").Value = Me.IPA.Value
        rs.Fields("FuelType").Value = Me.FuelType.Value
        rs.Fields("FlightType").Value = Me.FlightTypepecmb.Value
        rs.Fields("FBO").Value = Me.FBO.Value
        rs.Fields("Validity").Value = Me.Validity.Value
        rs.Fields("Currency").Value = Me.Currency.Value
        rs.Fields("Unit").Value = Me.Unit.Value
        rs.Fields("InternalNotes").Value = Me.InternalNotes.Value
        rs.Fields("STC").Value = Me.STC.Value
        rs.Update
    End If

    rs.MoveNext ' Move To the Next record
Loop

rs.Close
Set rs = Nothing
Set db = Nothing

Me.Requery
ResetBtn_Click
MsgBox "Data updated successfully."
Else
    MsgBox "No records found.", vbExclamation + vbOKOnly, "Update Failed"
End If

End If

End Sub
```

Option Compare Database

```
Private Sub Airport_AfterUpdate()
    MinPrice_MinVendor
End Sub
```

```
Private Sub MinPrice_MinVendor()
    Dim selectedAirport As Variant
    Dim LowestPriceQ As String
    Dim MinVendorPrice As Variant
    Dim AirportIDQ As Integer
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
```

```
    selectedAirport = Me.AIRPORT
```

```
    If Not IsNull(selectedAirport) Then
        ' airportCode = selectedAirport
        Set db = CurrentDb
        Set rs = db.OpenRecordset("Select * FROM FuelSupport_NewFuelQ WHERE Airport = '" & selectedAirport & "'", dbOpenSnapshot)
        If Not rs.EOF Then
            RenderRecord
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    End If
End Sub
```

```
Private Sub MinPrice_MinVendor_FlightType()
    Dim selectedAirport As Variant
    Dim LowestPriceQ As String
    Dim selectedFlightType As String
    Dim MinVendorPrice As Variant
    Dim AirportIDQ As Integer
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
```

```
    selectedAirport = Me.AIRPORT
    selectedFlightType = Me.FlightType
    If Not IsNull(selectedAirport) Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset("Select * FROM FuelSupport_NewFuelQ WHERE Airport = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'", dbOpenSnapshot)
        If Not rs.EOF Then
            RenderRecord_FlightType
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    End If
End Sub
```

```
Private Sub Command35_Click()
    DoCmd.OpenForm "FuelSupport_AddFuel", WindowMode:=acWindowNormal
End Sub
```

```
Private Sub Command36_Click()
    DoCmd.OpenForm "FuelSupport_updateFuel", WindowMode:=acWindowNormal
End Sub
```

```
Private Sub FlightType_AfterUpdate()
    MinPrice_MinVendor_FlightType
End Sub
```

```
Private Sub Command659_Click()
    Me.Refresh
End Sub
```

```
Private Sub RenderRecord()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim rs As DAO.Recordset
```

```

Dim db As DAO.Database

selectedAirport = Me.AIRPORT

If IsNull(Me.Vendor.Value) Or Me.Vendor.Value = "" Then
    MsgBox "Please Select Vendor first.", vbExclamation + vbOKOnly, "Vendor Selection"
    Exit Sub
End If
selectedVendorTable = Me.Vendor.Value

If IsNull(selectedAirport) Or selectedAirport = "" Then
    MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
    Exit Sub
Else
    Set db = CurrentDb
    Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
    ' Find the row that matches the selectedAirport
    rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
    If Not rs.NoMatch Then
        ' Assign values To the fields in the form`
        Me.BasePrice.Value = rs("VendorPrice").Value
        Me.Notes.Value = rs("Notes").Value
        Me.Taxes.Value = rs("Taxes").Value
        Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
        Me.IPA.Value = rs("IPA").Value
        Me.FuelType.Value = rs("FuelType").Value
        Me.FlightType.Value = rs("FlightType").Value
        Me.Validity.Value = rs("Validity").Value
        Me.BasePrice.Value = rs("VendorPrice").Value
        Me.Currency.Value = rs("Currency").Value
        Me.Unit.Value = rs("Unit").Value
        Me.InternalNotes.Value = rs("InternalNotes").Value
        rs.Close
        Set rs = Nothing
        Set db = Nothing

        If Me.Validity < date Then
            Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
            Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
        Else
            Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
            Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
        End If
    Else
        MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
    End If
End If
End Sub

Private Sub RenderRecord_FlightType()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim selectedFlightType As String
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    selectedVendorTable = Me.Vendor
    selectedAirport = Me.AIRPORT
    selectedFlightType = Me.FlightType

    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
        Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
        ' Find the row that matches the selectedAirport
        rs.FindFirst "AIRPORT = '" & selectedAirport & "'" And FlightType = '" & selectedFlightType & "'"
        If Not rs.NoMatch Then
            ' Assign values To the fields in the form`

```

```

Me.BasePrice.Value = rs("VendorPrice").Value
Me.Notes.Value = rs("Notes").Value
Me.Taxes.Value = rs("Taxes").Value
Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
Me.IPA.Value = rs("IPA").Value
Me.FuelType.Value = rs("FuelType").Value
Me.FlightType.Value = rs("FlightType").Value
Me.Validity.Value = rs("Validity").Value
Me.BasePrice.Value = rs("VendorPrice").Value
Me.Currency.Value = rs("Currency").Value
Me.Unit.Value = rs("Unit").Value
Me.InternalNotes.Value = rs("InternalNotes").Value
rs.Close
Set rs = Nothing
Set db = Nothing

If Me.Validity < date Then
    Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
    Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
Else
    Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
    Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
End If
Else
    MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
End If
End If
End Sub

Private Sub openAddReleaseF()
    DoCmd.OpenForm "FlightSupport_FuelReleaseF_Seperate_New", WindowMode:=acWindowNormal
End Sub

Private Sub FuelStatus_BeforeUpdate(Cancel As Integer)
    Dim Loc_ID As Integer
    Dim rs As DAO.Recordset
    Dim db As DAO.Database

    Loc_ID = Me.Location_ID.Value

    If (Me.FuelStatus = "CONFIRMED") Or (Me.FuelStatus = "CONFIRMED - STC") Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset("FuelReleaseT_New", dbOpenSnapshot)

        rs.FindFirst "Location_ID = " & Loc_ID
        If IsNull(Me.IPA) Then
            MsgBox "Please add the IPA as per release received.", vbExclamation + vbOKOnly, "Record Not Found"
            Cancel = True ' Cancel the update
        ElseIf rs.NoMatch Then
            MsgBox "No fuel release found For this location. Please add a release first.", vbExclamation + vbOKOnly, "Record Not Found"
            Cancel = True ' Cancel the update
            rs.Close
            Set rs = Nothing
            openAddReleaseF
            Exit Sub ' Exit the procedure
        ElseIf rs.EOF Then ' Check For end of file
            MsgBox "No matching fuel release found. Please add a release before changing status To confirmed.", vbExclamation + vbOKOnly, "Record Not Found"
            Cancel = True ' Cancel the update
            rs.Close
            Set rs = Nothing
            openAddReleaseF
            Exit Sub ' Exit the procedure
        ElseIf rs!Location_ID = Loc_ID Then ' Check If the Location_ID matches
            If (Me.Validity < rs!DepartDate) Then ' Compare only the date portion if Location_ID matches
                MsgBox "Please update fuel price. Departure date is: " & Format(rs!DepartDate, "Short

```


Form_FuelSupport_UpdateFuelExpiredFuel_New - 4

```
Date"), vbExclamation + vbOKOnly
    Cancel = True ' Cancel the update
    rs.Close
    Set rs = Nothing
    Exit Sub ' Exit the procedure
End If
Else
    MsgBox "Error: Found a record With the same Location_ID, but it's Not the correct one.", vbExclamation + vbOKOnly
    Cancel = True ' Cancel the update
    rs.Close
    Set rs = Nothing
    Exit Sub ' Exit the procedure
End If

Else

Forms![FlightSupport_UpdateFuelExpiredFuelF].Form.Controls![RefNoCmb].Requery
'Forms [FlightSupport_UpdateFuelExpiredFuel_New].Controls.RefNoCmb.Requery
Me.FuelStatus.BackColor = RGB(255, 255, 255)
MsgBox "Status changed successfully ", vbOKOnly


Exit Sub

End If

End Sub

Private Sub Vendor_AfterUpdate()
    RenderRecord
End Sub

Private Sub RowSourceReset()
    Dim AirportQuery As String

    AirportQuery = "Select Airport FROM FuelSupport_PriceQ "

    Me.RecordSource = AirportQuery

    ' Set the RowSource Property of the AIRPORT combo box To the dynamic query
    Me.AIRPORT.RowSource = AirportQuery

    ' Requery the AIRPORT combo box To reflect the updated options
    Me.AIRPORT.Requery
End Sub

Private Sub ResetBtn_Click()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    Me.IPA.Value = Null
    Me.FlightType.Value = Null
    Me.AIRPORT.Value = Null
    Me.Location_ID.Value = Null
    Me.FuelType.Value = Null
    Me.FuelStatus.Value = Null
    Me.QuoteSent.Value = Null
    Me.EstimatedTotal.Value = Null

    RowSourceReset
End Sub

Private Sub Validity_Click()
    InputDateField Validity, "Select a date To use this on your form"
End Sub

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FuelSupport_FuelQuote", acSaveNo
End Sub

Private Sub AddFuelService_Click()
    'On Error Goto ErrorHandler
```

```

Dim db As DAO.Database
Dim rs As DAO.Recordset

If IsNull(Me.Location_ID) Or IsNull(Me.FuelStatus) Or IsNull(Me.PaymentMethod) Or IsNull(Me.CurrentVendorName) Or IsNull(Me.vendorName) Or IsNull(Me.AddedRate) Or IsNull(Me.TASPrice) Then
    MsgBox "Add Missing Field.", vbExclamation
    Exit Sub
Else
    Set db = CurrentDb
    Set rs = db.OpenRecordset("FuelBriefT_New", dbOpenDynaset)

    ' Find the existing record based on Location_ID And vendorName
    rs.FindFirst "Location_ID = " & Me.Location_ID.Value & " And Vendor = '" & Me.CurrentVendorName.Value & "'"

    If Not rs.NoMatch Then ' Existing record found
        rs.Edit ' Begin editing the existing record

        ' Assign values to the fields in the table
        rs.Fields("FuelType").Value = Me.FuelType.Value
        rs.Fields("FuelStatus").Value = Me.FuelStatus.Value ' Assuming FuelStatus is not updated
        rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value
        rs.Fields("IPA").Value = Me.IPA.Value
        rs.Fields("Quantity").Value = Me.Quantity.Value
        rs.Fields("VendorPrice").Value = Me.BasePrice.Value
        rs.Fields("TASPrice").Value = Me.TASPrice.Value
        rs.Fields("AddedRate").Value = Me.AddedRate.Value
        rs.Fields("Vendor").Value = Me.vendorName.Value ' Assuming Vendor is not updated
        rs.Fields("FBO").Value = Me.FBO.Value
        rs.Fields("QuoteSent").Value = Me.QuoteSentCb.Value
        rs.Fields("Taxes").Value = Me.Taxes.Value
        rs.Fields("Notes").Value = Me.Notes.Value
        rs.Fields("Validity").Value = Me.Validity.Value
        rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value
        rs.Fields("Airport").Value = Me.AIRPORT.Value
        rs.Fields("Currency").Value = Me.Currency.Value
        rs.Fields("InternalNotes").Value = Me.InternalNotes.Value
        rs.Fields("FlightType").Value = Me.FlightType.Value

        ' Save the updated record
        rs.Update

        ' Clean up
        rs.Close
        Set rs = Nothing
        Set db = Nothing

        ' Reset form values
        Me.Vendor = Null

        ' Display a message indicating successful update
        MsgBox "Service updated successfully.", vbInformation
    Else
        ' Clean up
        rs.Close
        Set rs = Nothing
        Set db = Nothing

        MsgBox "No existing record found for this Location_ID and Vendor.", vbExclamation
    End If

    Exit Sub
End If

'ErrorHandler:
'MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
'Me.Undo
'Exit Sub
End Sub

```

Option Compare Database

```
Private Sub Airport_AfterUpdate()
    MinPrice_MinVendor
End Sub
```

```
Private Sub MinPrice_MinVendor()
    Dim selectedAirport As Variant
    Dim LowestPriceQ As String
    Dim MinVendorPrice As Variant
    Dim AirportIDQ As Integer
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
```

```
    selectedAirport = Me.AIRPORT
```

```
    If Not IsNull(selectedAirport) Then
        ' airportCode = selectedAirport
        Set db = CurrentDb
        Set rs = db.OpenRecordset("Select * FROM FuelSupport_NewFuelQ WHERE Airport = '" & selectedAirport & "'", dbOpenSnapshot)
        If Not rs.EOF Then
            RenderRecord
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    End If
End Sub
```

```
Private Sub MinPrice_MinVendor_FlightType()
    Dim selectedAirport As Variant
    Dim LowestPriceQ As String
    Dim selectedFlightType As String
    Dim MinVendorPrice As Variant
    Dim AirportIDQ As Integer
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
```

```
    selectedAirport = Me.AIRPORT
    selectedFlightType = Me.FlightType
    If Not IsNull(selectedAirport) Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset("Select * FROM FuelSupport_NewFuelQ WHERE Airport = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'", dbOpenSnapshot)
        If Not rs.EOF Then
            RenderRecord_FlightType
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    End If
End Sub
```

```
Private Sub Command35_Click()
    DoCmd.OpenForm "FuelSupport_AddFuel", WindowMode:=acWindowNormal
End Sub
```

```
Private Sub Command36_Click()
    DoCmd.OpenForm "FuelSupport_updateFuel", WindowMode:=acWindowNormal
End Sub
```

```
Private Sub FlightType_AfterUpdate()
    MinPrice_MinVendor_FlightType
End Sub
```

```
Private Sub Command659_Click()
    Me.Refresh
End Sub
```

```
Private Sub RenderRecord()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim rs As DAO.Recordset
```

```

Dim db As DAO.Database

selectedAirport = Me.AIRPORT

If IsNull(Me.Vendor.Value) Or Me.Vendor.Value = "" Then
    MsgBox "Please Select Vendor first.", vbExclamation + vbOKOnly, "Vendor Selection"
Exit Sub
End If
selectedVendorTable = Me.Vendor.Value

If IsNull(selectedAirport) Or selectedAirport = "" Then
    MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
Exit Sub
Else
    Set db = CurrentDb
    Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
    ' Find the row that matches the selectedAirport
    rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
    If Not rs.NoMatch Then
        ' Assign values To the fields in the form`
        Me.BasePrice.Value = rs("VendorPrice").Value
        Me.Notes.Value = rs("Notes").Value
        Me.Taxes.Value = rs("Taxes").Value
        Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
        ' Me.IPA.Value = rs("IPA").Value
        Me.FuelType.Value = rs("FuelType").Value
        'Me.FlightType.Value = rs("FlightType").Value
        Me.Validity.Value = rs("Validity").Value
        Me.BasePrice.Value = rs("VendorPrice").Value
        Me.Currency.Value = rs("Currency").Value
        Me.Unit.Value = rs("Unit").Value
        Me.InternalNotes.Value = rs("InternalNotes").Value
        rs.Close
        Set rs = Nothing
        Set db = Nothing

        If Me.Validity < date Then
            Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
            Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
        Else
            Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
            Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
        End If
    Else
        MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
    End If
End If
End Sub

Private Sub RenderRecord_FlightType()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim selectedFlightType As String
    Dim rs As DAO.Recordset
    Dim db As DAO.Database

    selectedVendorTable = Me.Vendor
    selectedAirport = Me.AIRPORT
    selectedFlightType = Me.FlightType

    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
        Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
        ' Find the row that matches the selectedAirport
        rs.FindFirst "AIRPORT = '" & selectedAirport & "'" And FlightType = '" & selectedFlightType & "'
        If Not rs.NoMatch Then

```

```

' Assign values To the fields in the form`
Me.BasePrice.Value = rs("VendorPrice").Value
Me.Notes.Value = rs("Notes").Value
Me.Taxes.Value = rs("Taxes").Value
Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
' Me.IPA.Value = rs("IPA").Value
Me.FuelType.Value = rs("FuelType").Value
Me.FlightType.Value = rs("FlightType").Value
Me.Validity.Value = rs("Validity").Value
Me.BasePrice.Value = rs("VendorPrice").Value
Me.Currency.Value = rs("Currency").Value
Me.Unit.Value = rs("Unit").Value
Me.InternalNotes.Value = rs("InternalNotes").Value
rs.Close
Set rs = Nothing
Set db = Nothing

If Me.Validity < date Then
    Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
    Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
Else
    Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
    Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
End If
Else
    MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
End If
End If
End Sub

Private Sub openAddReleaseF()
    DoCmd.OpenForm "FlightSupport_FuelReleaseF_Seperate_New", WindowMode:=acWindowNormal
End Sub

Private Sub FuelStatus_BeforeUpdate(Cancel As Integer)
    Dim Loc_ID As Integer
    Dim rs As DAO.Recordset
    Dim db As DAO.Database

    Loc_ID = Me.Location_ID.Value

    If (Me.FuelStatus = "CONFIRMED") Or (Me.FuelStatus = "CONFIRMED - STC") Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset("FuelReleaseT_New", dbOpenSnapshot)

        rs.FindFirst "Location_ID = " & Loc_ID
        If IsNull(Me.IPA) Then
            MsgBox "Please add the IPA as per release received.", vbExclamation + vbOKOnly, "Record Not Found"
            Cancel = True ' Cancel the update
        ElseIf rs.NoMatch Then
            MsgBox "No fuel release found For this location. Please add a release first.", vbExclamation + vbOKOnly, "Record Not Found"
            Cancel = True ' Cancel the update
            rs.Close
            Set rs = Nothing
            openAddReleaseF
            Exit Sub ' Exit the procedure
        ElseIf rs.EOF Then ' Check For end of file
            MsgBox "No matching fuel release found. Please add a release before changing status To confirmed.", vbExclamation + vbOKOnly, "Record Not Found"
            Cancel = True ' Cancel the update
            rs.Close
            Set rs = Nothing
            openAddReleaseF
            Exit Sub ' Exit the procedure
        ElseIf rs!Location_ID = Loc_ID Then ' Check If the Location_ID matches
            If (Me.Validity < rs!DepartDate) Then ' Compare only the date portion if Location_ID matches
                MsgBox "Please update fuel price. Departure date is: " & Format(rs!DepartDate, "Short

```

```

Date"), vbExclamation + vbOKOnly
        Cancel = True ' Cancel the update
        rs.Close
        Set rs = Nothing
        Exit Sub ' Exit the procedure
    End If
Else
    MsgBox "Error: Found a record With the same Location_ID, but it's Not the correct one.", vbExclamation + vbOKOnly
    Cancel = True ' Cancel the update
    rs.Close
    Set rs = Nothing
    Exit Sub ' Exit the procedure
End If

Else
    Me.FuelStatus.BackColor = RGB(255, 255, 255)
    MsgBox "Status changed successfully ", vbOKOnly
    Exit Sub

End If

End Sub

Private Sub Vendor_AfterUpdate()
    RenderRecord
End Sub

Private Sub RowSourceReset()
    Dim AirportQuery As String

    AirportQuery = "Select Airport FROM FuelSupport_PriceQ "

    Me.RecordSource = AirportQuery

    ' Set the RowSource Property of the AIRPORT combo box To the dynamic query
    Me.AIRPORT.RowSource = AirportQuery

    ' Requery the AIRPORT combo box To reflect the updated options
    Me.AIRPORT.Requery
End Sub

Private Sub ResetBtn_Click()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    'Me.IPA.Value = Null
    Me.FlightType.Value = Null
    Me.AIRPORT.Value = Null
    Me.Location_ID.Value = Null
    Me.FuelType.Value = Null
    Me.FuelStatus.Value = Null
    Me.QuoteSent.Value = Null
    Me.EstimatedTotal.Value = Null

    RowSourceReset
End Sub

Private Sub Validity_Click()
    InputDateField Validity, "Select a date To use this on your form"
End Sub

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FuelSupport_FuelQuote", acSaveNo
End Sub

Private Sub AddFuelService_Click()
    'On Error Goto ErrorHandler
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    If IsNull(Me.Location_ID) Or IsNull(Me.FuelStatus) Or IsNull(Me.PaymentMethod) Or IsNull(Me.CurrentRate) Or IsNull(Me.vendorName) Or IsNull(Me.AddedRate) Or IsNull(Me.TASPrice) Then

```

```

        MsgBox "Add Missing Field.", vbExclamation
    Exit Sub
Else
    Set db = CurrentDb
    Set rs = db.OpenRecordset("FuelBriefT_New", dbOpenDynaset)

    ' Set optimistic locking for the recordset (to reduce locking issues)
    rs.LockEdits = dbEditOptimistic

    ' Find the existing record based on Location_ID And vendorName
    rs.FindFirst "Location_ID = " & Me.Location_ID.Value & " And Vendor = '" & Me.CurrentVendor.Value & "'"

    If Not rs.NoMatch Then ' Existing record found
        rs.Edit ' Begin editing the existing record

        ' Assign values to the fields in the table
        rs.Fields("FuelType").Value = Me.FuelType.Value
        rs.Fields("FuelStatus").Value = Me.FuelStatus.Value ' Assuming FuelStatus is not updated
        rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value
        rs.Fields("IPA").Value = Me.IPA.Value
        rs.Fields("Quantity").Value = Me.Quantity.Value
        rs.Fields("VendorPrice").Value = Me.BasePrice.Value
        rs.Fields("TASPrice").Value = Me.TASPrice.Value
        rs.Fields("AddedRate").Value = Me.AddedRate.Value
        rs.Fields("Vendor").Value = Me.vendorName.Value ' Assuming Vendor is not updated
        rs.Fields("FBO").Value = Me.FBO.Value
        rs.Fields("QuoteSent").Value = Me.QuoteSentCb.Value
        rs.Fields("Taxes").Value = Me.Taxes.Value
        rs.Fields("Notes").Value = Me.Notes.Value
        rs.Fields("Validity").Value = Me.Validity.Value
        rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value
        rs.Fields("Airport").Value = Me.AIRPORT.Value
        rs.Fields("Currency").Value = Me.Currency.Value
        rs.Fields("InternalNotes").Value = Me.InternalNotes.Value
        rs.Fields("FlightType").Value = Me.FlightType.Value

        ' Save the updated record
        rs.Update

        ' Clean up
        rs.Close
        Set rs = Nothing
        Set db = Nothing

        ' Reset form values
        Me.Vendor = Null

        ' Display a message indicating successful update
        MsgBox "Service updated successfully.", vbInformation
    Else
        ' Clean up
        rs.Close
        Set rs = Nothing
        Set db = Nothing

        MsgBox "No existing record found for this Location_ID and Vendor.", vbExclamation
    End If

    Exit Sub
End If

'ErrorHandler:
'MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
'Me.Undo
'Exit Sub
End Sub

```

Option Compare Database

```
Private Sub Airport_AfterUpdate()
    MinPrice_MinVendor
End Sub
```

```
Private Sub MinPrice_MinVendor()
    Dim selectedAirport As Variant
    Dim LowestPriceQ As String
    Dim MinVendorPrice As Variant
    Dim AirportIDQ As Integer
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
```

```
    selectedAirport = Me.AIRPORT
```

```
    If Not IsNull(selectedAirport) Then
        ' airportCode = selectedAirport
        Set db = CurrentDb
        Set rs = db.OpenRecordset("Select * FROM FuelSupport_NewFuelQ WHERE Airport = '" & selectedAirport & "'", dbOpenSnapshot)
        If Not rs.EOF Then
            RenderRecord
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    End If
End Sub
```

```
Private Sub MinPrice_MinVendor_FlightType()
    Dim selectedAirport As Variant
    Dim LowestPriceQ As String
    Dim selectedFlightType As String
    Dim MinVendorPrice As Variant
    Dim AirportIDQ As Integer
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
```

```
    selectedAirport = Me.AIRPORT
    selectedFlightType = Me.FlightType
    If Not IsNull(selectedAirport) Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset("Select * FROM FuelSupport_NewFuelQ WHERE Airport = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'", dbOpenSnapshot)
        If Not rs.EOF Then
            RenderRecord_FlightType
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    End If
End Sub
```

```
Private Sub Command35_Click()
    DoCmd.OpenForm "FuelSupport_AddFuel", WindowMode:=acWindowNormal
End Sub
```

```
Private Sub Command36_Click()
    DoCmd.OpenForm "FuelSupport_updateFuel", WindowMode:=acWindowNormal
End Sub
```

```
Private Sub FlightType_AfterUpdate()
    MinPrice_MinVendor_FlightType
End Sub
```

```
Private Sub Command659_Click()
    Me.Refresh
End Sub
```

```
Private Sub RenderRecord()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim rs As DAO.Recordset
```



```

Dim db As DAO.Database

selectedAirport = Me.AIRPORT

If IsNull(Me.Vendor.Value) Or Me.Vendor.Value = "" Then
    MsgBox "Please Select Vendor first.", vbExclamation + vbOKOnly, "Vendor Selection"
Exit Sub
End If
selectedVendorTable = Me.Vendor.Value

If IsNull(selectedAirport) Or selectedAirport = "" Then
    MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
Exit Sub
Else
    Set db = CurrentDb
    Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
    ' Find the row that matches the selectedAirport
    rs.FindFirst "AIRPORT = '" & selectedAirport & "'"
    If Not rs.NoMatch Then
        ' Assign values To the fields in the form`
        Me.BasePrice.Value = rs("VendorPrice").Value
        Me.Notes.Value = rs("Notes").Value
        Me.Taxes.Value = rs("Taxes").Value
        Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
        ' Me.IPA.Value = rs("IPA").Value
        Me.FuelType.Value = rs("FuelType").Value
        'Me.FlightType.Value = rs("FlightType").Value
        Me.Validity.Value = rs("Validity").Value
        Me.BasePrice.Value = rs("VendorPrice").Value
        Me.Currency.Value = rs("Currency").Value
        Me.Unit.Value = rs("Unit").Value
        Me.InternalNotes.Value = rs("InternalNotes").Value
        rs.Close
        Set rs = Nothing
        Set db = Nothing

        If Me.Validity < date Then
            Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
            Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
        Else
            Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
            Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
        End If
    Else
        MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
    End If
End If
End Sub

Private Sub RenderRecord_FlightType()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim selectedFlightType As String
    Dim rs As DAO.Recordset
    Dim db As DAO.Database

    selectedVendorTable = Me.Vendor
    selectedAirport = Me.AIRPORT
    selectedFlightType = Me.FlightType

    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
        Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
        ' Find the row that matches the selectedAirport
        rs.FindFirst "AIRPORT = '" & selectedAirport & "'" And FlightType = '" & selectedFlightType & "'
        If Not rs.NoMatch Then

```

```

    ' Assign values To the fields in the form`
    Me.BasePrice.Value = rs("VendorPrice").Value
    Me.Notes.Value = rs("Notes").Value
    Me.Taxes.Value = rs("Taxes").Value
    Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
    'Me.IPA.Value = rs("IPA").Value
    Me.FuelType.Value = rs("FuelType").Value
    Me.FlightType.Value = rs("FlightType").Value
    Me.Validity.Value = rs("Validity").Value
    Me.BasePrice.Value = rs("VendorPrice").Value
    Me.Currency.Value = rs("Currency").Value
    Me.Unit.Value = rs("Unit").Value
    Me.InternalNotes.Value = rs("InternalNotes").Value
    rs.Close
    Set rs = Nothing
    Set db = Nothing

    If Me.Validity < date Then
        Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
        Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
    Else
        Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
        Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
    End If
Else
    MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
End If
End If
End Sub

Private Sub openAddReleaseF()
    DoCmd.OpenForm "FlightSupport_FuelReleaseF_Seperate_New", WindowMode:=acWindowNormal
End Sub

Private Sub FuelStatus_BeforeUpdate(Cancel As Integer)
    Dim Loc_ID As Integer
    Dim rs As DAO.Recordset
    Dim db As DAO.Database

    Loc_ID = Me.Location_ID.Value

    If (Me.FuelStatus = "CONFIRMED") Or (Me.FuelStatus = "CONFIRMED - STC") Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset("FuelReleaseT_New", dbOpenSnapshot)

        rs.FindFirst "Location_ID = " & Loc_ID
        If IsNull(Me.IPA) Then
            MsgBox "Please add the IPA as per release received.", vbExclamation + vbOKOnly, "Record Not Found"
            Cancel = True ' Cancel the update
        ElseIf rs.NoMatch Then
            MsgBox "No fuel release found For this location. Please add a release first.", vbExclamation + vbOKOnly, "Record Not Found"
            Cancel = True ' Cancel the update
            rs.Close
            Set rs = Nothing
            openAddReleaseF
            Exit Sub ' Exit the procedure
        ElseIf rs.EOF Then ' Check For end of file
            MsgBox "No matching fuel release found. Please add a release before changing status To confirmed.", vbExclamation + vbOKOnly, "Record Not Found"
            Cancel = True ' Cancel the update
            rs.Close
            Set rs = Nothing
            openAddReleaseF
            Exit Sub ' Exit the procedure
        ElseIf rs!Location_ID = Loc_ID Then ' Check If the Location_ID matches
            If (Me.Validity < rs!DepartDate) Then ' Compare only the date portion if Location_ID matches
                MsgBox "Please update fuel price. Departure date is: " & Format(rs!DepartDate, "Short

```

```

Date"), vbExclamation + vbOKOnly
        Cancel = True ' Cancel the update
        rs.Close
        Set rs = Nothing
        Exit Sub ' Exit the procedure
    End If
Else
    MsgBox "Error: Found a record With the same Location_ID, but it's Not the correct one.", vbExclamation + vbOKOnly
    Cancel = True ' Cancel the update
    rs.Close
    Set rs = Nothing
    Exit Sub ' Exit the procedure
End If

Else
    Me.FuelStatus.BackColor = RGB(255, 255, 255)
    MsgBox "Status changed successfully ", vbOKOnly
    Exit Sub

End If

End Sub

Private Sub Vendor_AfterUpdate()
    RenderRecord
End Sub

Private Sub RowSourceReset()
    Dim AirportQuery As String

    AirportQuery = "Select Airport FROM FuelSupport_PriceQ "

    Me.RecordSource = AirportQuery

    ' Set the RowSource Property of the AIRPORT combo box To the dynamic query
    Me.AIRPORT.RowSource = AirportQuery

    ' Requery the AIRPORT combo box To reflect the updated options
    Me.AIRPORT.Requery
End Sub

Private Sub ResetBtn_Click()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    'Me.IPA.Value = Null
    Me.FlightType.Value = Null
    Me.AIRPORT.Value = Null
    Me.Location_ID.Value = Null
    Me.FuelType.Value = Null
    Me.FuelStatus.Value = Null
    Me.QuoteSent.Value = Null
    Me.EstimatedTotal.Value = Null

    ' RowSourceReset
End Sub

Private Sub Validity_Click()
    InputDateField Validity, "Select a date To use this on your form"
End Sub

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FuelSupport_FuelQuote", acSaveNo
End Sub

Private Sub AddFuelService_Click()
    'On Error Goto ErrorHandler
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    If IsNull(Me.Location_ID) Or IsNull(Me.FuelStatus) Or IsNull(Me.PaymentMethod) Or IsNull(Me.CurrentRate) Or IsNull(Me.vendorName) Or IsNull(Me.AddedRate) Or IsNull(Me.TASPrice) Then

```

```

        MsgBox "Add Missing Field.", vbExclamation
    Exit Sub
Else
    Set db = CurrentDb
    Set rs = db.OpenRecordset("FuelBriefT_New", dbOpenDynaset)

    ' Set optimistic locking for the recordset (to reduce locking issues)
    rs.LockEdits = dbEditOptimistic

    ' Find the existing record based on Location_ID And vendorName
    rs.FindFirst "Location_ID = " & Me.Location_ID.Value & " And Vendor = '" & Me.CurrentVendor.Value & "'"

    If Not rs.NoMatch Then ' Existing record found
        rs.Edit ' Begin editing the existing record

        ' Assign values to the fields in the table
        rs.Fields("FuelType").Value = Me.FuelType.Value
        rs.Fields("FuelStatus").Value = Me.FuelStatus.Value ' Assuming FuelStatus is not updated
        rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value
        rs.Fields("IPA").Value = Me.IPA.Value
        rs.Fields("Quantity").Value = Me.Quantity.Value
        rs.Fields("VendorPrice").Value = Me.BasePrice.Value
        rs.Fields("TASPrice").Value = Me.TASPrice.Value
        rs.Fields("AddedRate").Value = Me.AddedRate.Value
        rs.Fields("Vendor").Value = Me.vendorName.Value ' Assuming Vendor is not updated
        rs.Fields("FBO").Value = Me.FBO.Value
        rs.Fields("QuoteSent").Value = Me.QuoteSentCb.Value
        rs.Fields("Taxes").Value = Me.Taxes.Value
        rs.Fields("Notes").Value = Me.Notes.Value
        rs.Fields("Validity").Value = Me.Validity.Value
        rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value
        rs.Fields("Airport").Value = Me.AIRPORT.Value
        rs.Fields("Currency").Value = Me.Currency.Value
        rs.Fields("InternalNotes").Value = Me.InternalNotes.Value
        rs.Fields("FlightType").Value = Me.FlightType.Value

        ' Save the updated record
        rs.Update

        ' Clean up
        rs.Close
        Set rs = Nothing
        Set db = Nothing

        ' Reset form values
        Me.Vendor = Null

        ' Display a message indicating successful update
        MsgBox "Service updated successfully.", vbInformation
    Else
        ' Clean up
        rs.Close
        Set rs = Nothing
        Set db = Nothing

        MsgBox "No existing record found for this Location_ID and Vendor.", vbExclamation
    End If

    Exit Sub
End If

'ErrorHandler:
'MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
'Me.Undo
'Exit Sub
End Sub

```

Option Compare Database

```
Private Sub Airport_AfterUpdate()
    MinPrice_MinVendor
End Sub
```

```
Private Sub MinPrice_MinVendor()
    Dim selectedAirport As Variant
    Dim LowestPriceQ As String
    Dim MinVendorPrice As Variant
    Dim AirportIDQ As Integer
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
```

```
    selectedAirport = Me.AIRPORT
```

```
    If Not IsNull(selectedAirport) Then
        ' airportCode = selectedAirport
        Set db = CurrentDb
        Set rs = db.OpenRecordset("Select * FROM FuelSupport_NewFuelQ WHERE Airport = '" & selectedAirport & "'", dbOpenSnapshot)
        If Not rs.EOF Then
            RenderRecord
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    End If
End Sub
```

```
Private Sub MinPrice_MinVendor_FlightType()
    Dim selectedAirport As Variant
    Dim LowestPriceQ As String
    Dim selectedFlightType As String
    Dim MinVendorPrice As Variant
    Dim AirportIDQ As Integer
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
```

```
    selectedAirport = Me.AIRPORT
    selectedFlightType = Me.FlightType
    If Not IsNull(selectedAirport) Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset("Select * FROM FuelSupport_NewFuelQ WHERE Airport = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'", dbOpenSnapshot)
        If Not rs.EOF Then
            RenderRecord_FlightType
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    End If
End Sub
```

```
Private Sub Command35_Click()
    DoCmd.OpenForm "FuelSupport_AddFuel", WindowMode:=acWindowNormal
End Sub
```

```
Private Sub Command36_Click()
    DoCmd.OpenForm "FuelSupport_updateFuel", WindowMode:=acWindowNormal
End Sub
```

```
Private Sub FlightType_AfterUpdate()
    MinPrice_MinVendor_FlightType
End Sub
```

```
Private Sub Command659_Click()
    Me.Refresh
End Sub
```

```
Private Sub RenderRecord()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    Dim selectedFlightType As String
```

```

selectedFlightType = Me.FlightType
selectedAirport = Me.AIRPORT

If IsNull(Me.Vendor.Value) Or Me.Vendor.Value = "" Then
    MsgBox "Please Select Vendor first.", vbExclamation + vbOKOnly, "Vendor Selection"
Exit Sub
End If
selectedVendorTable = Me.Vendor.Value

If IsNull(selectedAirport) Or selectedAirport = "" Then
    MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
Exit Sub
Else
    Set db = CurrentDb
    Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
    ' Find the row that matches the selectedAirport
    rs.FindFirst "AIRPORT = '" & selectedAirport & "' And FlightType = '" & selectedFlightType & "'
    If Not rs.NoMatch Then
        ' Assign values To the fields in the form`
        Me.BasePrice.Value = rs("VendorPrice").Value
        Me.Notes.Value = rs("Notes").Value
        Me.Taxes.Value = rs("Taxes").Value
        Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
        ' Me.IPA.Value = rs("IPA").Value
        Me.FuelType.Value = rs("FuelType").Value
        'Me.FlightType.Value = rs("FlightType").Value
        Me.Validity.Value = rs("Validity").Value
        Me.BasePrice.Value = rs("VendorPrice").Value
        Me.Currency.Value = rs("Currency").Value
        Me.Unit.Value = rs("Unit").Value
        Me.InternalNotes.Value = rs("InternalNotes").Value
        rs.Close
        Set rs = Nothing
        Set db = Nothing

        If Me.Validity < date Then
            Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
            Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
        Else
            Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
            Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
        End If
    Else
        MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
    End If
End If
End Sub

Private Sub RenderRecord_FlightType()
    Dim selectedVendorTable As String
    Dim selectedAirport As Variant
    Dim selectedFlightType As String
    Dim rs As DAO.Recordset
    Dim db As DAO.Database

    selectedVendorTable = Me.Vendor
    selectedAirport = Me.AIRPORT
    selectedFlightType = Me.FlightType

    If IsNull(selectedAirport) Or selectedAirport = "" Then
        MsgBox "Please Select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
        Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)
        ' Find the row that matches the selectedAirport
        rs.FindFirst "FlightType = '" & selectedFlightType & "' And AIRPORT = '" & selectedAirport & "'

```

```

If Not rs.NoMatch Then
    ' Assign values To the fields in the form`
    Me.BasePrice.Value = rs("VendorPrice").Value
    Me.Notes.Value = rs("Notes").Value
    Me.Taxes.Value = rs("Taxes").Value
    Me.EstimatedTotaltxt.Value = rs("EstimatedTotal").Value
    'Me.IPA.Value = rs("IPA").Value
    Me.FuelType.Value = rs("FuelType").Value
    Me.FlightType.Value = rs("FlightType").Value
    Me.Validity.Value = rs("Validity").Value
    Me.BasePrice.Value = rs("VendorPrice").Value
    Me.Currency.Value = rs("Currency").Value
    Me.Unit.Value = rs("Unit").Value
    Me.InternalNotes.Value = rs("InternalNotes").Value
    rs.Close
    Set rs = Nothing
    Set db = Nothing

    If Me.Validity < date Then
        Me.Validity.BackColor = RGB(255, 0, 0) ' Set red background color
        Me.Validity.ForeColor = RGB(255, 255, 255) ' Set white font color
    Else
        Me.Validity.BackColor = RGB(255, 255, 255) ' Set white font color
        Me.Validity.ForeColor = RGB(47, 54, 153) ' Set tas font color
    End If
Else
    MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
End If
End If
End Sub

```

```

Private Sub openAddReleaseF()
    DoCmd.OpenForm "FlightSupport_AddFuelReleaseF_Alone_V12", WindowMode:=acWindowNormal

```

```

End Sub
Private Sub FuelStatus_BeforeUpdate(Cancel As Integer)
    Dim Loc_ID As Integer
    Dim rs As DAO.Recordset
    Dim db As DAO.Database

    Loc_ID = Me.Location_ID.Value

    If (Me.FuelStatus = "CONFIRMED") Or (Me.FuelStatus = "CONFIRMED - STC") Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset("FuelReleaseT_New_V12", dbOpenSnapshot)

        rs.FindFirst "Location_ID = " & Loc_ID
        If IsNull(Me.IPA) Then
            MsgBox "Please add the IPA as per release received.", vbExclamation + vbOKOnly, "Record Not Found"
            Cancel = True ' Cancel the update
        ElseIf rs.NoMatch Then
            MsgBox "No fuel release found For this location. Please add a release first.", vbExclamation + vbOKOnly, "Record Not Found"
            Cancel = True ' Cancel the update
            rs.Close
            Set rs = Nothing
            openAddReleaseF
            Exit Sub ' Exit the procedure
        ElseIf rs.EOF Then ' Check For end of file
            MsgBox "No matching fuel release found. Please add a release before changing status To confirmed.", vbExclamation + vbOKOnly, "Record Not Found"
            Cancel = True ' Cancel the update
            rs.Close
            Set rs = Nothing
            openAddReleaseF
            Exit Sub ' Exit the procedure
        ElseIf rs!Location_ID = Loc_ID Then ' Check If the Location_ID matches
            If (Me.Validity < rs!DepartDate) Then ' Compare only the date portion if Location_ID matches

```

es

```

        MsgBox "Please update fuel price. Departure date is: " & Format(rs!DepartDate, "Short
Date"), vbExclamation + vbOKOnly
        Cancel = True ' Cancel the update
        rs.Close
        Set rs = Nothing
        Exit Sub ' Exit the procedure
    End If

```

```

Else
    MsgBox "Error: Found a record With the same Location_ID, but it's Not the correct one.", v
bExclamation + vbOKOnly
    Cancel = True ' Cancel the update
    rs.Close
    Set rs = Nothing
    Exit Sub ' Exit the procedure
End If

```

```

Else
    Me.FuelStatus.BackColor = RGB(255, 255, 255)
    MsgBox "Status changed successfully ", vbOKOnly
    Exit Sub

    End If

```

End Sub

```

Private Sub Vendor_AfterUpdate()
    RenderRecord
End Sub

Private Sub RowSourceReset()
    Dim AirportQuery As String

    AirportQuery = "Select Airport FROM FuelSupport_PriceQ "

    Me.RecordSource = AirportQuery

    ' Set the RowSource Property of the AIRPORT combo box To the dynamic query
    Me.AIRPORT.RowSource = AirportQuery

    ' Requery the AIRPORT combo box To reflect the updated options
    Me.AIRPORT.Requery
End Sub

```

```

Private Sub ResetBtn_Click()
    Me.BasePrice.Value = Null
    Me.Notes.Value = Null
    Me.Taxes.Value = Null
    'Me.IPA.Value = Null
    Me.FlightType.Value = Null
    Me.AIRPORT.Value = Null
    Me.Location_ID.Value = Null
    Me.FuelType.Value = Null
    Me.FuelStatus.Value = Null
    Me.QuoteSent.Value = Null
    Me.EstimatedTotal.Value = Null

    ' RowSourceReset

```

End Sub

```

Private Sub Validity_Click()
    InputDateField Validity, "Select a date To use this on your form"
End Sub

```

```

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FuelSupport_FuelQuote", acSaveNo
End Sub

```

```

Private Sub AddFuelService_Click()
    'On Error Goto ErrorHandler
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

```



```

    If IsNull(Me.Location_ID) Or IsNull(Me.FuelStatus) Or IsNull(Me.PaymentMethod) Or IsNull(Me.CurrentVendor) Or IsNull(Me.vendorName) Or IsNull(Me.AddedRate) Or IsNull(Me.TASPrice) Then
        MsgBox "Add Missing Field.", vbExclamation
        Exit Sub
    Else
        Set db = CurrentDb
        Set rs = db.OpenRecordset("FuelBriefT_New", dbOpenDynaset)

        ' Set optimistic locking for the recordset (to reduce locking issues)
        rs.LockEdits = dbEditOptimistic

        ' Find the existing record based on Location_ID And vendorName
        rs.FindFirst "Location_ID = " & Me.Location_ID.Value & " And Vendor = '" & Me.CurrentVendor.Value & "'"

        If Not rs.NoMatch Then ' Existing record found
            rs.Edit ' Begin editing the existing record

            ' Assign values to the fields in the table
            rs.Fields("FuelType").Value = Me.FuelType.Value
            rs.Fields("FuelStatus").Value = Me.FuelStatus.Value ' Assuming FuelStatus is not updated
            rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value
            rs.Fields("IPA").Value = Me.IPA.Value
            rs.Fields("Quantity").Value = Me.Quantity.Value
            rs.Fields("VendorPrice").Value = Me.BasePrice.Value
            rs.Fields("TASPrice").Value = Me.TASPrice.Value
            rs.Fields("AddedRate").Value = Me.AddedRate.Value
            rs.Fields("Vendor").Value = Me.vendorName.Value ' Assuming Vendor is not updated
            rs.Fields("FBO").Value = Me.FBO.Value
            rs.Fields("QuoteSent").Value = Me.QuoteSentCb.Value
            rs.Fields("Taxes").Value = Me.Taxes.Value
            rs.Fields("Notes").Value = Me.Notes.Value
            rs.Fields("Validity").Value = Me.Validity.Value
            rs.Fields("EstimatedTotal").Value = Me.EstimatedTotaltxt.Value
            rs.Fields("Airport").Value = Me.AIRPORT.Value
            rs.Fields("Currency").Value = Me.Currency.Value
            rs.Fields("InternalNotes").Value = Me.InternalNotes.Value
            rs.Fields("FlightType").Value = Me.FlightType.Value

            ' Save the updated record
            rs.Update

            ' Reset form values
            Me.CurrentVendor.Value = rs.Fields("Vendor").Value

            ' Clean up
            rs.Close
            Set rs = Nothing
            Set db = Nothing
            ' Display a message indicating successful update
            MsgBox "Service updated successfully.", vbInformation
        Else
            ' Clean up
            rs.Close
            Set rs = Nothing
            Set db = Nothing

            MsgBox "No existing record found for this Location_ID and Vendor.", vbExclamation
        End If

        Exit Sub
    End If

'ErrorHandler:
'MsgBox "An unexpected error occurred: " & err.Description, vbCritical, "Error"
'Me.Undo
'Exit Sub
End Sub

```

Form_FuelSupport_ViewFuelPrice - 1

Option Compare Database

```
Private Sub Form_Load()  
Dim fw As New clFormWindow
```

```
    fw.hWnd = Me.hWnd  
    With fw  
        .Top = (.Parent.Height - .Height) / 2  
        .Left = (.Parent.Width - .Width) / 2  
    End With  
    Set fw = Nothing  
End Sub
```

```
Private Sub FuelReset()  
    Me.BasePrice.Value = Null  
    Me.Notes.Value = Null  
    Me.Taxes.Value = Null  
    Me.EstimatedTotal.Value = Null  
    Me.IPA.Value = Null  
    Me.FBO.Value = Null  
End Sub
```

```
Private Sub FlightType_AfterUpdate()  
RenderRecord  
End Sub
```

```
Private Sub ResetBtn_Click()  
    Me.BasePrice.Value = Null  
    Me.Notes.Value = Null  
    Me.Taxes.Value = Null  
    Me.EstimatedTotal.Value = Null  
    Me.IPA.Value = Null  
    Me.FuelType.Value = Null  
    Me.FlightType.Value = Null  
    Me.FBO.Value = Null  
    Me.AIRPORT.Value = Null  
    Me.Validity.Value = Null  
    'Me.Vendor.Value = Null  
    Me.Undo  
End Sub
```

```
Private Sub Validity_Click()  
    InputDateField Validity, "Select a date To use this on your form"  
End Sub
```

```
Private Sub closeBtn_Click()  
    Me.Undo  
    DoCmd.Close acForm, "FuelSupport_ViewFuelPrice", acSaveNo  
End Sub
```

```
Private Sub Vendor_AfterUpdate()  
    Dim selectedVendorTable As String  
    Dim query As String  
    Dim RecordQuery As String  
    selectedVendorTable = Me.Vendor.Value ' Get the selected value from Vendor combo box  
  
    RecordQuery = "Select Airport, ID, VendorPrice, Validity, Notes, Taxes, FBO, IPA, EstimatedTotal,  
FlightType, FuelType FROM " & selectedVendorTable  
    Me.RecordSource = RecordQuery  
  
    ' Construct the dynamic query based on the selected vendor table  
    query = "Select    Airport,ID FROM " & selectedVendorTable  
  
    ' Set the RowSource Property of the AIRPORT combo box To the dynamic query  
    Me.AIRPORT.RowSource = query  
  
    ' Requery the AIRPORT combo box To reflect the updated options  
    Me.AIRPORT.Requery
```

```

    Debug.Print "Record Query: " & RecordQuery
End Sub

Private Sub RenderRecord()
    Dim selectedVendorTable As String
    Dim selectedAirport As Integer
    Dim rs As DAO.Recordset
    Dim db As DAO.Database
    Dim FlightType As String

    selectedVendorTable = Me.Vendor.Value
    selectedAirport = Me.AIRPORT.Column(1)
    FlightType = Me.FlightType.Value

    If Not IsNull(selectedAirport) Then
        Set db = CurrentDb
        Set rs = db.OpenRecordset(selectedVendorTable, dbOpenSnapshot)

        ' Find the row that matches the selectedAirport and FlightType
        rs.FindFirst "ID = " & selectedAirport & " AND FlightType = '" & FlightType & "'"

        If Not rs.NoMatch Then
            ' Assign values to the fields in the form
            'Me.AIRPORT.Value = rs("Airport").Value
            Me.BasePrice.Value = rs("VendorPrice").Value
            Me.Notes.Value = rs("Notes").Value
            Me.Taxes.Value = rs("Taxes").Value
            Me.EstimatedTotal.Value = rs("EstimatedTotal").Value
            Me.IPA.Value = rs("IPA").Value
            Me.FuelType.Value = rs("FuelType").Value
            'Me.FlightType.Value = rs("FlightType").Value
            Me.FBO.Value = rs("FBO").Value
            Me.Validity.Value = rs("Validity").Value

            rs.Close
            Set rs = Nothing
            Set db = Nothing
            'MsgBox "Data rendered successfully."
        Else
            MsgBox "No matching records found.", vbExclamation + vbOKOnly, "Record Not Found"
        End If
    Else
        MsgBox "Please select an airport.", vbExclamation + vbOKOnly, "Airport Selection"
    End If
End Sub

Private Sub UpdateFuelprice_Click()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim selectedVendorTable As String
    Dim selectedAirport As Integer
    'Dim FlightType As String

    'FlightType = Me.FlightType.Value
    selectedVendorTable = Me.Vendor.Value
    selectedAirport = Me.AIRPORT.Column(1)

    Set db = CurrentDb
    Set rs = db.OpenRecordset(selectedVendorTable, dbOpenDynaset)

    If Not rs.EOF Then
        rs.MoveFirst ' Move to the first record in the recordset

        ' Loop through the recordset
        Do Until rs.EOF
            If rs("ID").Value = selectedAirport Then
                rs.Edit
                rs.Fields("VendorPrice").Value = Me.BasePrice.Value
                rs.Fields("Notes").Value = Me.Notes.Value
                rs.Fields("Taxes").Value = Me.Taxes.Value
                rs.Fields("EstimatedTotal").Value = Me.EstimatedTotal.Value
                rs.Fields("IPA").Value = Me.IPA.Value
                rs.Fields("FuelType").Value = Me.FuelType.Value
            End If
            rs.MoveNext
        Loop
    End If
End Sub

```

```
        rs.Fields("FlightType").Value = Me.FlightType.Value
        rs.Fields("FBO").Value = Me.FBO.Value
        rs.Fields("Validity").Value = Me.Validity.Value
        rs.Update
    End If

    rs.MoveNext ' Move to the next record
Loop

rs.Close
Set rs = Nothing
Set db = Nothing

Me.Requery
ResetBtn_Click
MsgBox "Data updated successfully."
Else
    MsgBox "No records found.", vbExclamation + vbOKOnly, "Update Failed"
End If
End Sub
```

Form_HandlingF - 1

Option Compare Database

Private Sub addServiceBtn_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim I As Integer

Dim Service As String, Vendor As String, Agent As String, ServiceStatus As String, PaymentMethod As String

Dim Notes As String, Location_ID As Variant ' Add variable declaration For Notes

' Open the main table's recordset

Set db = CurrentDb

Set rs = db.OpenRecordset("HandlingT", dbOpenDynaset)

' Loop through the sets of text boxes And add records

For I = 1 To 7 ' Change 10 To the desired number of services

 ' Retrieve values from text boxes

 Service = Nz(Me.Controls("Service" & I).Value, "")

 Vendor = Nz(Me.Controls("Vendor" & I).Value, "")

 Agent = Nz(Me.Controls("Agent" & I).Value, "")

 ServiceStatus = Nz(Me.Controls("ServiceStatus" & I).Value, "")

 PaymentMethod = Nz(Me.Controls("PaymentMethod" & I).Value, "")

 Notes = Nz(Me.Controls("Notes" & I).Value, "")

 Location_ID = Nz(Me.Controls("Location_ID" & I).Value, "")

 ' Check If at least one field is Not empty

 If Service <> "" Or Vendor <> "" Or Agent <> "" Or ServiceStatus <> "" Or PaymentMethod <> ""

Or Notes <> "" Or IsNull(Notes) Or IsNull(Location_ID) Then

 ' Check If a record With the same Service And Location_ID already exists

 If DCount("*", "HandlingT", "Service = '" & Service & "' And Location_ID = '" & Location_ID & "') > 0 Then

 MsgBox "A record With the same Service And Location_ID already exists.", vbExclamation

, "Duplicate Record"

 Else

 ' Add a record

 rs.AddNew

 ' Assign values To the fields in the table

 rs.Fields("Service").Value = Service

 rs.Fields("Vendor").Value = Vendor

 rs.Fields("Agent").Value = Agent

 rs.Fields("ServiceStatus").Value = ServiceStatus

 rs.Fields("PaymentMethod").Value = PaymentMethod

 rs.Fields("Notes").Value = Notes

 rs.Fields("Location_ID").Value = Location_ID

 rs.Update

 End If

 End If

 ' Clear the text boxes after adding a record

 Me.Controls("Service" & I).Value = Null

 Me.Controls("Vendor" & I).Value = Null

 Me.Controls("Agent" & I).Value = Null

 Me.Controls("ServiceStatus" & I).Value = Null

 Me.Controls("PaymentMethod" & I).Value = Null

 Me.Controls("Notes" & I).Value = Null

 Me.Controls("Location_ID" & I).Value = Null

Next I

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Display a message indicating successful addition

MsgBox "Service records added successfully.", vbInformation

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "HandlingF", acSaveNo

```
End Sub

Private Function GetLastLocID() As Variant

    ' Get the latest RefNo value from NewFlightRequestsT table
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim strSQL As String
    'Dim lastRefNo As Variant
    Dim MaxID As Long
    MaxID = DMax("ID", "LocationsT")
    ' Me.RecordSource = "Select * FROM NewSectorsT WHERE ID = " & MaxID & ";"

    Set db = CurrentDb
    strSQL = "Select * FROM LocationsT_New WHERE ID = " & MaxID & ";"
    Set rs = db.OpenRecordset(strSQL)

    ' Check If a record was found
    If Not rs.EOF Then
        LastLocID = rs.Fields("ID").Value
    End If

    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing

    GetLastLocID = LastLocID
End Function

Private Sub Form_Load()
    Dim fw As New clFormWindow

    fw.hWnd = Me.hWnd
    With fw
        .Top = (.Parent.Height - .Height) / 2
        .Left = (.Parent.Width - .Width) / 2
    End With
    Set fw = Nothing
    Me.closeBtn.Visible = False
    'Me.Location_ID1 = GetLastLocID
End Sub

Private Sub Form_GotFocus()
    Me.Location_ID = GetLastLocID
End Sub
```

Option Compare Database

Private Sub addServiceBtn_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim I As Integer

Dim Service As String, Vendor As String, Agent As String, ServiceStatus As String, PaymentMethod As String

Dim Notes As String, Location_ID As Variant ' Add variable declaration For Notes

' Open the main table's recordset

Set db = CurrentDb

Set rs = db.OpenRecordset("HandlingT_New", dbOpenDynaset)

' Loop through the sets of text boxes And add records

For I = 1 To 7 ' Change 10 To the desired number of services

' Retrieve values from text boxes

Service = Nz(Me.Controls("Service" & I).Value, "")

Vendor = Nz(Me.Controls("Vendor" & I).Value, "")

Agent = Nz(Me.Controls("Agent" & I).Value, "")

ServiceStatus = Nz(Me.Controls("ServiceStatus" & I).Value, "")

PaymentMethod = Nz(Me.Controls("PaymentMethod" & I).Value, "")

Notes = Nz(Me.Controls("Notes" & I).Value, "")

Location_ID = Nz(Me.Controls("Location_ID" & I).Value, "") ' Correct reference

' Check If at least one field is Not empty

If Service <> "" Or Vendor <> "" Or Agent <> "" Or ServiceStatus <> "" Or PaymentMethod <> "" Or IIsNull(Location_ID) Then

' Check If a record With the same Service And Location_ID already exists

If DCount("*", "HandlingT_New", "Service = '" & Service & "' And Location_ID = '" & Me.Controls("Location_ID" & I).Value) > 0 Then ' Access Column(1) and convert to string

MsgBox "A record With the same Service And Location_ID already exists.", vbExclamation, "Duplicate Record"

Exit Sub ' Exit the sub if duplicate found

Else

' Add a record

rs.AddNew

' Assign values To the fields in the table

rs.Fields("Service").Value = Service

rs.Fields("Vendor").Value = Vendor

rs.Fields("Agent").Value = Agent

rs.Fields("ServiceStatus").Value = ServiceStatus

rs.Fields("PaymentMethod").Value = PaymentMethod

rs.Fields("Notes").Value = Notes

rs.Fields("Location_ID").Value = Me.Controls("Location_ID" & I).Column(1) ' Access Column(1)

rs.Update

End If

End If

' Clear the text boxes after adding a record

Me.Controls("Service" & I).Value = Null

Me.Controls("Vendor" & I).Value = Null

Me.Controls("Agent" & I).Value = Null

Me.Controls("ServiceStatus" & I).Value = Null

Me.Controls("PaymentMethod" & I).Value = Null

Me.Controls("Notes" & I).Value = Null

Me.Controls("Location_ID" & I).Value = Null

Next I

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

MsgBox "Service records added successfully.", vbInformation

' Display a message indicating successful addition

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "HandlingF_New", acSaveNo

End Sub

Private Sub PaymentMethod1_GotFocus()

Me.PaymentMethod1.Value = "ON TAS CREDIT"

End Sub

Private Sub PaymentMethod2_GotFocus()

Me.PaymentMethod2.Value = "ON TAS CREDIT"

End Sub

Private Sub PaymentMethod3_GotFocus()

Me.PaymentMethod3.Value = "ON TAS CREDIT"

End Sub

Private Sub PaymentMethod4_GotFocus()

Me.PaymentMethod4.Value = "ON TAS CREDIT"

End Sub

Private Sub PaymentMethod5_GotFocus()

Me.PaymentMethod5.Value = "ON TAS CREDIT"

End Sub

Private Sub PaymentMethod6_GotFocus()

Me.PaymentMethod6.Value = "ON TAS CREDIT"

End Sub

Private Sub PaymentMethod7_GotFocus()

Me.PaymentMethod7.Value = "ON TAS CREDIT"

End Sub

Private Sub Vendor2_GotFocus()

Me.Vendor2.Value = Me.Vendor1.Value

End Sub

Private Sub Vendor3_GotFocus()

Me.Vendor3.Value = Me.Vendor2.Value

End Sub

Private Sub Vendor4_GotFocus()

Me.Vendor4.Value = Me.Vendor3.Value

End Sub

Private Sub Vendor5_GotFocus()

Me.Vendor5.Value = Me.Vendor4.Value

End Sub

Private Sub Vendor6_GotFocus()

Me.Vendor6.Value = Me.Vendor5.Value

End Sub

Private Sub Vendor7_GotFocus()

Me.Vendor7.Value = Me.Vendor6.Value

End Sub

Private Sub Agent2_GotFocus()

Me.Agent2.Value = Me.Agent1.Value

End Sub

Private Sub Agent3_GotFocus()

Me.Agent3.Value = Me.Agent2.Value

End Sub

Private Sub Agent4_GotFocus()

Me.Agent4.Value = Me.Agent3.Value

End Sub

Private Sub Agent5_GotFocus()

Me.Agent5.Value = Me.Agent4.Value

End Sub

Private Sub Agent6_GotFocus()

Me.Agent6.Value = Me.Agent5.Value

End Sub

Private Sub Agent7_GotFocus()

Me.Agent7.Value = Me.Agent6.Value

End Sub

Private Sub ServiceStatus2_GotFocus()

Me.ServiceStatus2.Value = Me.ServiceStatus1.Value

End Sub

Private Sub ServiceStatus3_GotFocus()

Me.ServiceStatus3.Value = Me.ServiceStatus2.Value

End Sub

Private Sub ServiceStatus4_GotFocus()

Me.ServiceStatus4.Value = Me.ServiceStatus3.Value

End Sub

Form_HandlingF_New - 3

```
Private Sub ServiceStatus5_GotFocus()  
    Me.ServiceStatus5.Value = Me.ServiceStatus4.Value  
End Sub  
Private Sub ServiceStatus6_GotFocus()  
    Me.ServiceStatus6.Value = Me.ServiceStatus5.Value  
End Sub  
Private Sub ServiceStatus7_GotFocus()  
    Me.ServiceStatus7.Value = Me.ServiceStatus6.Value  
End Sub
```

Option Compare Database

Option Explicit

Private Sub addServiceBtn_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim I As Integer

Dim Service As String, Vendor As String, Agent As String, ServiceStatus As String, PaymentMethod As String

Dim Notes As String, Location_ID As Variant ' Add variable declaration For Notes

' Open the main table's recordset

Set db = CurrentDb

Set rs = db.OpenRecordset("HandlingT_New", dbOpenDynaset)

' Loop through the sets of text boxes And add records

For I = 1 To 7 ' Change 10 To the desired number of services

' Retrieve values from text boxes

Service = Nz(Me.Controls("Service" & I).Value, "")

Vendor = Nz(Me.Controls("Vendor" & I).Value, "")

Agent = Nz(Me.Controls("Agent" & I).Value, "")

ServiceStatus = Nz(Me.Controls("ServiceStatus" & I).Value, "")

PaymentMethod = Nz(Me.Controls("PaymentMethod" & I).Value, "")

Notes = Nz(Me.Controls("Notes" & I).Value, "")

Location_ID = Nz(Me.Controls("Location_ID" & I).Value, "") ' Correct reference

' Check If at least one field is Not empty

If Service <> "" Or Vendor <> "" Or Agent <> "" Or ServiceStatus <> "" Or PaymentMethod <> "" Or IIsNull(Location_ID) Then

' Check If a record With the same Service And Location_ID already exists

If DCount("*", "HandlingT_New", "Service = '" & Service & "' And Location_ID = '" & Me.Controls("Location_ID" & I).Value) > 0 Then ' Access Column(1) and convert to string

MsgBox "A record With the same Service And Location_ID already exists.", vbExclamation, "Duplicate Record"

Exit Sub ' Exit the sub if duplicate found

Else

' Add a record

rs.AddNew

' Assign values To the fields in the table

rs.Fields("Service").Value = Service

rs.Fields("Vendor").Value = Vendor

rs.Fields("Agent").Value = Agent

rs.Fields("ServiceStatus").Value = ServiceStatus

rs.Fields("PaymentMethod").Value = PaymentMethod

rs.Fields("Notes").Value = Notes

rs.Fields("Location_ID").Value = Me.Controls("Location_ID" & I).Column(1) ' Access Column(1)

rs.Update

End If

End If

' Clear the text boxes after adding a record

Me.Controls("Service" & I).Value = Null

Me.Controls("Vendor" & I).Value = Null

Me.Controls("Agent" & I).Value = Null

Me.Controls("ServiceStatus" & I).Value = Null

Me.Controls("PaymentMethod" & I).Value = Null

Me.Controls("Notes" & I).Value = Null

Me.Controls("Location_ID" & I).Value = Null

Next I

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

MsgBox "Service records added successfully.", vbInformation

' Display a message indicating successful addition

End Sub

```

Private Sub closeBtn_Click()
    Me.Undo

    DoCmd.Close acForm, "HandlingF_New", acSaveNo
End Sub

Private Sub Form_GotFocus()
    Form_Load
End Sub

Private Sub Form_Load()
    Dim selectedSect_ID As Integer
    Dim LocationsQuery As String
    Dim Sect_ID As Variant ' Use Variant data type to handle Null values

    Sect_ID = Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_AddSectorsF").Form.Controls("Sect_IDCmb").Value

    If IsNull(Sect_ID) Then
        Exit Sub
    Else
        selectedSect_ID = Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_AddSectorsF").Form.Controls("Sect_IDCmb").Column(1)
        LocationsQuery = "Select Location,ID FROM LocationsT_New WHERE Sect_ID = " & selectedSect_ID &
";"

        ' Set the RowSource Property of the other subform's combo box To the dynamic query
        Me.Location_ID1.RowSource = LocationsQuery
        Me.Location_ID2.RowSource = LocationsQuery
        Me.Location_ID3.RowSource = LocationsQuery
        Me.Location_ID4.RowSource = LocationsQuery
        Me.Location_ID5.RowSource = LocationsQuery
        Me.Location_ID6.RowSource = LocationsQuery
        Me.Requery
    End If
End Sub

Private Sub PaymentMethod1_GotFocus()
    Me.PaymentMethod1.Value = "ON TAS CREDIT"
End Sub

Private Sub PaymentMethod2_GotFocus()
    Me.PaymentMethod2.Value = "ON TAS CREDIT"
End Sub

Private Sub PaymentMethod3_GotFocus()
    Me.PaymentMethod3.Value = "ON TAS CREDIT"
End Sub

Private Sub PaymentMethod4_GotFocus()
    Me.PaymentMethod4.Value = "ON TAS CREDIT"
End Sub

Private Sub PaymentMethod5_GotFocus()
    Me.PaymentMethod5.Value = "ON TAS CREDIT"
End Sub

Private Sub PaymentMethod6_GotFocus()
    Me.PaymentMethod6.Value = "ON TAS CREDIT"
End Sub

Private Sub PaymentMethod7_GotFocus()
    Me.PaymentMethod7.Value = "ON TAS CREDIT"
End Sub

Private Sub Vendor2_GotFocus()
    Me.Vendor2.Value = Me.Vendor1.Value
End Sub

Private Sub Vendor3_GotFocus()
    Me.Vendor3.Value = Me.Vendor2.Value
End Sub

Private Sub Vendor4_GotFocus()
    Me.Vendor4.Value = Me.Vendor3.Value
End Sub

Private Sub Vendor5_GotFocus()
    Me.Vendor5.Value = Me.Vendor4.Value
End Sub

Private Sub Vendor6_GotFocus()

```

```
Me.Vendor6.Value = Me.Vendor5.Value
End Sub
Private Sub Vendor7_GotFocus()
    Me.Vendor7.Value = Me.Vendor6.Value
End Sub
Private Sub Agent2_GotFocus()
    Me.Agent2.Value = Me.Agent1.Value
End Sub
Private Sub Agent3_GotFocus()
    Me.Agent3.Value = Me.Agent2.Value
End Sub
Private Sub Agent4_GotFocus()
    Me.Agent4.Value = Me.Agent3.Value
End Sub
Private Sub Agent5_GotFocus()
    Me.Agent5.Value = Me.Agent4.Value
End Sub
Private Sub Agent6_GotFocus()
    Me.Agent6.Value = Me.Agent5.Value
End Sub
Private Sub Agent7_GotFocus()
    Me.Agent7.Value = Me.Agent6.Value
End Sub
Private Sub ServiceStatus2_GotFocus()
    Me.ServiceStatus2.Value = Me.ServiceStatus1.Value
End Sub
Private Sub ServiceStatus3_GotFocus()
    Me.ServiceStatus3.Value = Me.ServiceStatus2.Value
End Sub
Private Sub ServiceStatus4_GotFocus()
    Me.ServiceStatus4.Value = Me.ServiceStatus3.Value
End Sub
Private Sub ServiceStatus5_GotFocus()
    Me.ServiceStatus5.Value = Me.ServiceStatus4.Value
End Sub
Private Sub ServiceStatus6_GotFocus()
    Me.ServiceStatus6.Value = Me.ServiceStatus5.Value
End Sub
Private Sub ServiceStatus7_GotFocus()
    Me.ServiceStatus7.Value = Me.ServiceStatus6.Value
End Sub
```

```

Option Compare Database
Option Explicit
Const acEmpty As Long = 0
Private Sub addServiceBtn_Click()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim I As Integer
    Dim Service As String, Vendor As String, Agent As String, ServiceStatus As String, PaymentMethod As String
    Dim Notes As String, Location_ID As Variant ' Add variable declaration For Notes

    ' Open the main table's recordset
    Set db = CurrentDb
    Set rs = db.OpenRecordset("HandlingT_New", dbOpenDynaset)

    ' Loop through the sets of text boxes And add records
    For I = 1 To 7 ' Change 10 To the desired number of services

        ' Retrieve values from text boxes
        Service = Nz(Me.Controls("Service" & I).Value, "")
        Vendor = Nz(Me.Controls("Vendor" & I).Value, "")
        Agent = Nz(Me.Controls("Agent" & I).Value, "")
        ServiceStatus = Nz(Me.Controls("ServiceStatus" & I).Value, "")
        PaymentMethod = Nz(Me.Controls("PaymentMethod" & I).Value, "")
        Notes = Nz(Me.Controls("Notes" & I).Value, "")
        Location_ID = Nz(Me.Controls("Location_ID" & I).Value, "") ' Correct reference

        ' Check If at least one field is Not empty
        If Service <> "" Or Vendor <> "" Or Agent <> "" Or ServiceStatus <> "" Or PaymentMethod <> "" Or I
sNull(Location_ID) Then
            ' Check If a record With the same Service And Location_ID already exists
            If DCount("*", "HandlingT_New", "Service = '" & Service & "' And Location_ID = '" & Me.Con
trols("Location_ID" & I).Value) > 0 Then ' Access Column(1) and convert to string
                MsgBox "A record With the same Service And Location_ID already exists.", vbExclamation
, "Duplicate Record"
                Exit Sub ' Exit the sub if duplicate found
            Else
                ' Add a record
                rs.AddNew
                ' Assign values To the fields in the table
                rs.Fields("Service").Value = Service
                rs.Fields("Vendor").Value = Vendor
                rs.Fields("Agent").Value = Agent
                rs.Fields("ServiceStatus").Value = ServiceStatus
                rs.Fields("PaymentMethod").Value = PaymentMethod
                rs.Fields("Notes").Value = Notes
                rs.Fields("Location_ID").Value = Me.Controls("Location_ID" & I).Column(1) ' Access Column(
1)

                rs.Update

            End If
        End If

        ' Clear the text boxes after adding a record
        Me.Controls("Service" & I).Value = Null
        Me.Controls("Vendor" & I).Value = Null
        Me.Controls("Agent" & I).Value = Null
        Me.Controls("ServiceStatus" & I).Value = Null
        Me.Controls("PaymentMethod" & I).Value = Null
        Me.Controls("Notes" & I).Value = Null
        Me.Controls("Location_ID" & I).Value = Null
    Next I

    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing
    MsgBox "Service records added successfully.", vbInformation
    ' Display a message indicating successful addition

```

```

End Sub
Private Sub closeBtn_Click()
    Me.Undo

    DoCmd.Close acForm, "HandlingF_New", acSaveNo
End Sub

Private Sub Form_GotFocus()
    Form_Load
End Sub
Private Sub Form_Load_ex()
    Dim selectedSect_ID As Integer
    Dim LocationsQuery As String
    Dim Sect_ID As Variant ' Use Variant data type to handle Null values

    Sect_ID = Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_AddSectorsF").Form.Controls("Sect_IDCmb").Value

    If IsNull(Sect_ID) Then
        Exit Sub
    Else
        selectedSect_ID = Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_AddSectorsF").Form.Controls("Sect_IDCmb").Column(1)
        LocationsQuery = "Select Location,ID FROM LocationsT_New WHERE Sect_ID = " & selectedSect_ID &
";"

        ' Set the RowSource Property of the other subform's combo box To the dynamic query
        Me.Location_ID1.RowSource = LocationsQuery
        Me.Location_ID2.RowSource = LocationsQuery
        Me.Location_ID3.RowSource = LocationsQuery
        Me.Location_ID4.RowSource = LocationsQuery
        Me.Location_ID5.RowSource = LocationsQuery
        Me.Location_ID6.RowSource = LocationsQuery
        Me.Requery
    End If
End Sub
Private Sub Form_Load()
    Dim selectedSect_ID As Integer
    Dim LocationsQuery As String
    Dim CurrentForm As Form

    On Error Resume Next
    selectedSect_ID = Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_AddUpdateRequestF").Controls("Add_UpdateRequestF").Form.Controls("SectorNoCmb").Column(1) ' Get the selected value from
RefNo combo box
    If Not IsNull(selectedSect_ID) Then
        LocationsQuery = "Select DISTINCT Location, Loc_ID FROM FlightSupport_locationsQ_V12 WHERE Sect_ID
= " & selectedSect_ID & ";"

        Set CurrentForm = Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_AddUpdateRequestF").Controls("Add_UpdateRequestF").Form.Controls("FlightSupport_ServicesTabs").Form.Controls("BriefsTabs").Form

        If CurrentForm.Form.Controls("Location_ID1").ControlType <> acEmpty Then
            CurrentForm.Form.Controls("Location_ID1").RowSource = LocationsQuery
            CurrentForm.Form.Controls("Location_ID2").RowSource = LocationsQuery
            CurrentForm.Form.Controls("Location_ID3").RowSource = LocationsQuery
            CurrentForm.Form.Controls("Location_ID4").RowSource = LocationsQuery
            CurrentForm.Form.Controls("Location_ID5").RowSource = LocationsQuery
            CurrentForm.Form.Controls("Location_ID6").RowSource = LocationsQuery
        ElseIf CurrentForm.Form.Controls("Location_ID").ControlType <> acEmpty Then
            CurrentForm.Form.Controls("Location_ID").RowSource = LocationsQuery
        Else
            CurrentForm.Form.Controls("Airport").RowSource = LocationsQuery
            CurrentForm.Controls("FlightSupport_FuelReleaseF").Form.Controls("Location").RowSource = LocationsQuery
        End If
    End If

    On Error GoTo 0
    Me.Refresh
End Sub

```

```

Private Sub PaymentMethod1_GotFocus()
Me.PaymentMethod1.Value = "ON TAS CREDIT"
End Sub

Private Sub PaymentMethod2_GotFocus()
Me.PaymentMethod2.Value = "ON TAS CREDIT"
End Sub

Private Sub PaymentMethod3_GotFocus()
Me.PaymentMethod3.Value = "ON TAS CREDIT"
End Sub

Private Sub PaymentMethod4_GotFocus()
Me.PaymentMethod4.Value = "ON TAS CREDIT"
End Sub

Private Sub PaymentMethod5_GotFocus()
Me.PaymentMethod5.Value = "ON TAS CREDIT"
End Sub

Private Sub PaymentMethod6_GotFocus()
Me.PaymentMethod6.Value = "ON TAS CREDIT"
End Sub

Private Sub PaymentMethod7_GotFocus()
Me.PaymentMethod7.Value = "ON TAS CREDIT"
End Sub

Private Sub Vendor2_GotFocus()
Me.Vendor2.Value = Me.Vendor1.Value
End Sub

Private Sub Vendor3_GotFocus()
Me.Vendor3.Value = Me.Vendor2.Value
End Sub

Private Sub Vendor4_GotFocus()
Me.Vendor4.Value = Me.Vendor3.Value
End Sub

Private Sub Vendor5_GotFocus()
Me.Vendor5.Value = Me.Vendor4.Value
End Sub

Private Sub Vendor6_GotFocus()
Me.Vendor6.Value = Me.Vendor5.Value
End Sub

Private Sub Vendor7_GotFocus()
Me.Vendor7.Value = Me.Vendor6.Value
End Sub

Private Sub Agent2_GotFocus()
Me.Agent2.Value = Me.Agent1.Value
End Sub

Private Sub Agent3_GotFocus()
Me.Agent3.Value = Me.Agent2.Value
End Sub

Private Sub Agent4_GotFocus()
Me.Agent4.Value = Me.Agent3.Value
End Sub

Private Sub Agent5_GotFocus()
Me.Agent5.Value = Me.Agent4.Value
End Sub

Private Sub Agent6_GotFocus()
Me.Agent6.Value = Me.Agent5.Value
End Sub

Private Sub Agent7_GotFocus()
Me.Agent7.Value = Me.Agent6.Value
End Sub

Private Sub ServiceStatus2_GotFocus()
Me.ServiceStatus2.Value = Me.ServiceStatus1.Value
End Sub

Private Sub ServiceStatus3_GotFocus()
Me.ServiceStatus3.Value = Me.ServiceStatus2.Value
End Sub

Private Sub ServiceStatus4_GotFocus()
Me.ServiceStatus4.Value = Me.ServiceStatus3.Value
End Sub

Private Sub ServiceStatus5_GotFocus()
Me.ServiceStatus5.Value = Me.ServiceStatus4.Value

```

Form_HandlingF_New_V12 - 4

End Sub

Private Sub ServiceStatus6_GotFocus()

Me.ServiceStatus6.Value = Me.ServiceStatus5.Value

End Sub

Private Sub ServiceStatus7_GotFocus()

Me.ServiceStatus7.Value = Me.ServiceStatus6.Value

End Sub

Form_HandlingServicesListF- 1

```
Option Compare Database
Private Sub Agent_Change()
Service_Change
End Sub
Private Sub Notes_Change()
Service_Change
End Sub
```

```
Private Sub PaymentMethod_Click()
Service_Change
End Sub
```

```
Private Sub Service_Change()
Dim UserID As Integer

    UserID = Forms!loggedInUser!txtUserID
    ' Me.Updated_date.ForeColor = RGB(255, 0, 0)
    ' Me.Updated_date.BackColor = RGB(255, 255, 0)
    ' Me.Updated_date.Value = Format(Now(), "dd mm yyyy, hh:nn")
    Me.Updated_date.Value = Format(Now(), "dd/mm/yyyy, hh:nn")
    Me.User = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub
```

```
Private Sub ServiceStatus_Change()
Service_Change
End Sub
```

```
Private Sub Vendor_Change()
Service_Change
End Sub
```

```
Option Compare Database
Private Sub Agent_Change()
Service_Change
End Sub

Private Sub Notes_Change()
Service_Change
End Sub

Private Sub PaymentMethod_Click()
Service_Change
End Sub

Private Sub Service_Change()
Dim UserID As Integer

    UserID = Forms!loggedInUser!txtUserID
    ' Me.Updated_date.ForeColor = RGB(255, 0, 0)
    ' Me.Updated_date.BackColor = RGB(255, 255, 0)
    ' Me.Updated_date.Value = Format(Now(), "dd mm yyyy, hh:nn")
    Me.Updated_date.Value = Format(Now(), "dd/mm/yyyy, hh:nn")
    Me.User = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub ServiceStatus_Change()
Service_Change
End Sub

Private Sub Vendor_Change()
Service_Change
End Sub
```

Form_HandlingServicesUpdateF- 1

```
Option Compare Database
Private Sub Agent_Change()
Service_Change
End Sub
Private Sub Notes_Change()
Service_Change
End Sub
```

```
Private Sub PaymentMethod_Click()
Service_Change
End Sub
```

```
Private Sub Service_Change()
Dim UserID As Integer

UserID = Forms!loggedInUser!txtUserID
' Me.Updated_date.ForeColor = RGB(255, 0, 0)
' Me.Updated_date.BackColor = RGB(255, 255, 0)
' Me.Updated_date.Value = Format(Now(), "dd mm yyyy, hh:nn")
Me.Updated_date.Value = Format(Now(), "dd/mm/yyyy, hh:nn")
Me.User = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub
```

```
Private Sub ServiceStatus_Change()
Service_Change
End Sub
```

```
Private Sub Vendor_Change()
Service_Change
End Sub
```


Option Compare Database

```
Private Sub addAServiceBtn_Click()
DoCmd.OpenForm "aviationServicesF", WindowMode:=acWindowNormal

End Sub
```

```
Private Sub FlightSupportBtn_Click()
DoCmd.OpenForm "FlightRequestF", WindowMode:=acWindowNormal

End Sub
```

```
Private Sub AddPermitRequest_Click()
DoCmd.OpenForm "OVF_RequestF_V1", WindowMode:=acWindowNormal
End Sub
```

```
Private Sub closeBtn_Click()
If MsgBox("Tables & SQL code will be exported to Excel files in " & exportPath & "." & vbCrLf & "Do you want to proceed?", vbQuestion + vbYesNo) = vbYes Then
ExportAllTablesToExcel
End If
DoCmd.Close acForm, "MainMenuF"

DoCmd.Close acForm, "LoggedInUser", acSaveNo

DoCmd.OpenForm "UserLoginF", acNormal
```

```
End Sub
Private Sub BackUpBtn_Click()
ExportAllTablesToExcel
End Sub
```

```
Public Sub ExportAllTablesToExcel()
Dim db As DAO.Database
Dim tblDef As DAO.TableDef
Dim exportPath As String
Dim excelFileName As String

' Set the directory where you want To save the Excel files
exportPath = Environ("USERPROFILE") & "\Documents\TahseenPro_BackUp\" ' Change this To your actual
directory path

' Check If the directory exists, If Not, create it
If Dir(exportPath, vbDirectory) = "" Then
MkDir exportPath
End If

' Set the database variable To the current database
Set db = CurrentDb()

' Loop through all table definitions in the database
For Each tblDef In db.TableDefs
' Ignore system And temporary tables
If Not (tblDef.Name Like "MSys*" Or tblDef.Name Like "~*") Then
' Define the file name For Excel format
excelFileName = exportPath & tblDef.Name & ".xlsx"

' Export the table To Excel
DoCmd.TransferSpreadsheet acExport, acSpreadsheetTypeExcel12Xml, tblDef.Name, excelFileName, True
End If
Next tblDef

' Clean up
Set tblDef = Nothing
Set db = Nothing
ExportQuerySQLToExcel

MsgBox "tables & SQL code exported To Excel files in " & exportPath, vbInformation
End Sub
Private Sub ExportQuerySQLToExcel()
```

```

Dim db As DAO.Database
Dim qdf As DAO.QueryDef
Dim excelApp As Object
Dim excelWorkbook As Object
Dim excelWorksheet As Object
Dim exportPath As String
Dim queryName As String
Dim sqlCode As String
' Set the directory where you want To save the Excel files
exportPath = Environ("USERPROFILE") & "\Documents\TahseenPro_BackUp\Queries\"

' Check If the directory exists, If Not, create it
If Dir(exportPath, vbDirectory) = "" Then
    MkDir exportPath
End If
' Set the database variable To the current database
Set db = CurrentDb()

' Create an Excel application
Set excelApp = CreateObject("Excel.Application")
excelApp.Visible = False

' Loop through all query definitions in the database
For Each qdf In db.QueryDefs
    queryName = qdf.Name
    sqlCode = qdf.SQL

    Debug.Print "Processing query: " & queryName ' Add this line

    ' Create a New Excel workbook
    Set excelWorkbook = excelApp.Workbooks.Add
    Set excelWorksheet = excelWorkbook.Sheets(1)

    ' Write query name And SQL code To the worksheet
    excelWorksheet.Cells(1, 1).Value = "Query Name"
    excelWorksheet.Cells(1, 2).Value = "SQL Code"
    excelWorksheet.Cells(2, 1).Value = queryName
    excelWorksheet.Cells(2, 2).Value = sqlCode

    ' Save the workbook
    excelWorkbook.SaveAs exportPath & queryName & ".xlsx"
    excelWorkbook.Close SaveChanges:=False
Next qdf

' Clean up
Set excelWorksheet = Nothing
Set excelWorkbook = Nothing
excelApp.Quit
Set excelApp = Nothing
Set qdf = Nothing
Set db = Nothing

End Sub

Private Sub cmdAddUsers_Click()
DoCmd.OpenForm "AddUserF", acNormal
End Sub

Private Sub cmdFlightSupport_Click()
DoCmd.OpenForm "FlightSupport_LASTFORM_New_V11", WindowMode:=acWindowNormal
End Sub

Private Sub cmdUpdateFlightSupport_Click()
DoCmd.OpenForm "FlightSupport_LASTFORM_New_V12", WindowMode:=acWindowNormal
End Sub

Private Sub Command35_Click()
DoCmd.OpenForm "FlightSupport_ReportGeneratorF_New", WindowMode:=acDialog
End Sub

```

Form_MainMenuF - 3

```
Private Sub Command36_Click()  
DoCmd.OpenForm "ACRegF", WindowMode:=acWindowNormal  
End Sub  
  
Private Sub Command45_Click()  
DoCmd.OpenForm "OVR_ReportGeneratorF", WindowMode:=acWindowNormal  
End Sub  
  
Private Sub Command46_Click()  
DoCmd.OpenForm "UpdateAirports_FIRsF", WindowMode:=acWindowNormal  
End Sub  
  
Private Sub Command47_Click()  
DoCmd.OpenForm "AddNewAirportF", WindowMode:=acWindowNormal  
End Sub  
  
Private Sub Command51_Click()  
DoCmd.OpenForm "FuelSupport_AddFuel", WindowMode:=acWindowNormal  
End Sub  
  
Private Sub Command52_Click()  
DoCmd.OpenForm "FuelSupport_UpdateFuel", WindowMode:=acWindowNormal  
End Sub  
  
Private Sub Command53_Click()  
DoCmd.OpenForm "FuelSupport_FuelQuote", WindowMode:=acWindowNormal  
End Sub  
  
Private Sub Command54_Click()  
DoCmd.OpenForm "FuelSupport_ReportGeneratorF", WindowMode:=acWindowNormal  
End Sub  
  
Private Sub Form_Load()  
Dim fw As New clFormWindow  
  
    fw.hWnd = Me.hWnd  
    With fw  
        .Top = (.Parent.Height - .Height) / 2  
        .Left = (.Parent.Width - .Width) / 2  
    End With  
    Set fw = Nothing  
End Sub  
  
Private Sub Form_Open(Cancel As Integer)  
Dim AddUser As Boolean  
Dim FinanceUser As Boolean  
Dim Trainee As Boolean  
Dim UserID As Integer  
  
UserID = Forms!loggedInUser!txtUserID  
FinanceUser = DLookup("FinanceDep", "UsersT", "ID =" & UserID)  
Trainee = DLookup("Trainee", "UsersT", "ID =" & UserID)  
AddUser = DLookup("CreateUser", "UsersT", "ID =" & UserID)  
  
If Not AddUser Then  
    Me.cmdAddUsers.Enabled = False  
Else  
    DoCmd.SelectObject acTable, , True  
    Me.cmdAddUsers.Enabled = True  
End If  
  
If FinanceUser Then  
    Me.cmdAddUsers.Enabled = False  
    Me.cmdFlightSupport.Enabled = False  
    Me.cmdUpdateFlightSupport.Enabled = False  
    Me.AddPermitRequest.Enabled = False  
End If
```

```
If Trainee Then
    Me.cmdAddUsers.Enabled = False
    Me.AddPermitRequest.Enabled = False
    Me.Command35.Enabled = False
    Me.Command45.Enabled = False
    Me.Command54.Enabled = False
    Me.Command51.Enabled = False
    Me.Command52.Enabled = False
    Me.BackUpBtn.Enabled = False
    DoCmd.NavigateTo "acNavigationCategoryObjectType"
    DoCmd.RunCommand acCmdWindowHide
End If

Me.lblUser.Caption = "User: " & DLookup("UserFullName", "UsersT", "ID =" & UserID)
End Sub

Private Sub Form_Timer()
Me.lblT.Caption = Format(Now, "dddd, d mmm yyyy, hh:mm:ss AMPM")
TimerInterval = 1000
End Sub
```


Form_NEW_OVRF_RequestWithUrgentF - 1

Option Compare Database

Private Sub cmdGenerate_Click()

Dim RefValue As Integer

Dim rst As DAO.Recordset

RefValue = Nz(DLookup("RefNum", "OVRF_RefNoT"), 0)

Me.RefNo = "TAS_P-" & Format(RefValue + 1, "000")

Set rst = CurrentDb.OpenRecordset("OVRF_RefNoT", dbOpenDynaset, dbSeeChanges)

With rst

.Edit

![RefNum] = ![RefNum] + 1

.Update

End With

rst.Close

Set rst = Nothing

End Sub

Private Sub AddOpsDatesBtn_Click()

DoCmd.OpenForm "OFR_NewAddOpsF", WindowMode:=acWindowNormal

End Sub

Private Sub AddRequestBtn_Click()

On Error GoTo ErrorHandler

' Check if all the required fields are filled

If IsNull(Me.RefNo.Value) Or IsNull(Me.RequestDate.Value) Or IsNull(Me.PFL.Value) Or IsNull(Me.RequestNo.Value) Then

MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"

Exit Sub

Else

' Add a new record to the table

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim PermitNo As String

Dim formattedPermit As String

Dim yearPart As String

PermitNo = Me.PermitNo

yearPart = Right(Year(date), 2)

formattedPermit = Format(PermitNo, "0") & " \" & yearPart

Set db = CurrentDb

Set rs = db.OpenRecordset("OVRF_RequestT", dbOpenDynaset)

rs.AddNew

' Assign values to the fields in the table

With rs

.Fields("RefNo").Value = Me.RefNo.Value

.Fields("RequestNo").Value = Me.RequestNo.Value

.Fields("RequestDate").Value = Me.RequestDate.Value

.Fields("PermitNo").Value = formattedPermit

.Fields("FLPR").Value = Me.PFL.Value

.Fields("UrgentSign").Value = Me.UrgentSign.Value

.Fields("MultiOPS").Value = Me.MultiChb.Value

.Fields("User").Value = Me.lblUser.Value

.Fields("Amends").Value = Me.Amends.Value

' Save the new record

.Update

End With

' Clean up

rs.Close

Form_NEW_OVRF_RequestWithUrgentF - 2

```
Set rs = Nothing
Set db = Nothing

Me.Undo
' Display a message indicating successful addition
MsgBox "Data added successfully."

End If

Exit Sub

ErrorHandler:
' MsgBox "An error occurred:" & err.Description, vbExclamation
MsgBox "An error occurred: " & err.Description & vbNewLine & vbNewLine & "Please exit the form.", vbExclamation

End Sub

Private Sub CAMA_AfterUpdate()
Me.RecordSource = "SELECT RefNo FROM OVRF_RequestT WHERE RefNo = '" & Me.RefNo & "';"
End Sub

Private Sub Form_Close()
UndoAll
End Sub

Private Sub Form_Load()
LoadLastRecord
End Sub

Public Sub UndoAll()
Me.Undo
End Sub

Private Sub LoadLast_Click()
LoadLastRecord
End Sub

Private Sub newRequestBtn_Click()
' Clear the form fields to prepare for a new record
' Set the default value for the RefNo field

If IsNull(Me.RefNo) Or Me.RefNo = "" Then
cmdGenerate_Click
AddUserName
End If
' Set focus to the first field for data entry
' Me.RequestNo.SetFocus
End Sub

Private Sub PermitNo_AfterUpdate()
Me.PermitNo = UCase(Me.PermitNo.Value)
End Sub

Private Sub ReqDate_Click()
InputDateField ReqDate, "Select a date to use this on your form"
End Sub

Private Sub AddUserName()

Dim AddUser As Boolean
Dim UserID As Integer

UserID = Forms!loggedInUser!txtUserID

AddUser = DLookup("CreateUser", "UsersT", "ID =" & UserID & "")

Me.lblUser.Value = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub ReqNo_AfterUpdate()
Me.RequestNo = UCase(Me.RequestNo.Value)
End Sub

Public Sub ResetBtn_Click()
On Error GoTo ErrorHandler
```

```
Me.Undo
DoCmd.CancelEvent
DoCmd.GoToRecord , , acNewRec
```

```
Exit Sub
```

```
ErrorHandler:
```

```
MsgBox "An error occurred: " & err.Description, vbExclamation
End Sub
```

```
Private Sub Amends_AfterUpdate()
Me.Amends = UCase(Me.Amends.Value)
End Sub
```

```
Private Sub LoadLastRecord()
Dim MaxID As Long
MaxID = DMax("ID", "OVRF_RequestT")
Me.RecordSource = "SELECT * FROM OVRF_RequestT WHERE ID = " & MaxID & ";"
End Sub
```

Form_NewFlightSupportUpdateSF - 1

Option Compare Database

```
Private Sub Form_BeforeUpdate(Cancel As Integer)
    Me.Updated_date.Value = Now()
End Sub
```

Form_NewLASTFORM - 1

Option Compare Database

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "LASTFORM", acSaveNo

End Sub

Private Sub Detail_Click()

Me.Undo

End Sub

Private Sub Form_Load()

Dim fw As New clFormWindow

fw.hWnd = Me.hWnd

With fw

.Top = (.Parent.Height - .Height) / 2

.Left = (.Parent.Width - .Width) / 2

End With

Set fw = Nothing

End Sub

Private Sub UpdateFormBtn_Click()

DoCmd.OpenForm "UpdateLASTFORM", WindowMode:=acWindowNormal

End Sub

Form_NewMultiServicesF - 1

Option Compare Database

Private Sub addServiceBtn_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim I As Integer

Dim Service As String, Vendor As String, Agent As String, ServiceStatus As String, PaymentMethod As String

Dim Notes As String, Sect_ID As Variant ' Add variable declaration for Notes

' Open the main table's recordset

Set db = CurrentDb

Set rs = db.OpenRecordset("NewServicesT", dbOpenDynaset)

' Loop through the sets of text boxes and add records

For I = 1 To 7 ' Change 10 to the desired number of services

' Retrieve values from text boxes

Service = Nz(Me.Controls("Service" & I).Value, "")

Vendor = Nz(Me.Controls("Vendor" & I).Value, "")

Agent = Nz(Me.Controls("Agent" & I).Value, "")

ServiceStatus = Nz(Me.Controls("ServiceStatus" & I).Value, "")

PaymentMethod = Nz(Me.Controls("PaymentMethod" & I).Value, "")

Notes = Nz(Me.Controls("Notes" & I).Value, "")

Sect_ID = Nz(Me.Controls("Sect_ID" & I).Value, "")

' Check if at least one field is not empty

If Service <> "" Or Vendor <> "" Or Agent <> "" Or ServiceStatus <> "" Or PaymentMethod <> "" Or Notes <> "" Or IsNull(Notes) Or IsNull(Sect_ID) Then

' Add a record

rs.AddNew

' Assign values to the fields in the table

rs.Fields("Service").Value = Service

rs.Fields("Vendor").Value = Vendor

rs.Fields("Agent").Value = Agent

rs.Fields("ServiceStatus").Value = ServiceStatus

rs.Fields("PaymentMethod").Value = PaymentMethod

rs.Fields("Notes").Value = Notes

rs.Fields("Sect_ID").Value = Sect_ID

rs.Update

End If

' Clear the text boxes after adding a record

Me.Controls("Service" & I).Value = Null

Me.Controls("Vendor" & I).Value = Null

Me.Controls("Agent" & I).Value = Null

Me.Controls("ServiceStatus" & I).Value = Null

Me.Controls("PaymentMethod" & I).Value = Null

Me.Controls("Notes" & I).Value = Null

Me.Controls("Sect_ID" & I).Value = Null

Next I

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Optional: Display a message indicating successful addition

MsgBox "Service records added successfully.", vbInformation

Exit Sub

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "HandlingF", acSaveNo

End Sub

Option Compare Database

```

Private Sub UpdateUser1()
    Dim UserID As Integer
    UserID = Forms!loggedInUser!txtUserID
    'UserID = 1
    Me.txtUser1 = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub UpdateUser2()
    Dim UserID As Integer
    UserID = Forms!loggedInUser!txtUserID
    'UserID = 1
    Me.txtUser2 = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub UpdateUser3()
    Dim UserID As Integer
    UserID = Forms!loggedInUser!txtUserID
    'UserID = 1
    Me.txtUser3 = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub addAmendBtn_Click()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim I As Integer
    Dim UserID As Integer
    UserID = Forms!loggedInUser!txtUserID

    LoggedUser = DLookup("UserName", "UsersT", "ID =" & UserID & "")
    Dim txtAmendDate As String, txtAmendType As String, txtAmendDetails As String, txtPermitNo As String, txtOPS_ID As String, txtUser As String

    ' Open the main table's recordset
    Set db = CurrentDb
    Set rs = db.OpenRecordset("OVRF_Amendst", dbOpenDynaset)

    ' Loop through the sets of text boxes And add records
    For I = 1 To 3

        ' Retrieve values from text boxes
        txtAmendDate = Nz(Me.Controls("txtAmendDate" & I).Value, "")
        txtAmendType = Nz(Me.Controls("txtAmendType" & I).Value, "")
        txtAmendDetails = Nz(Me.Controls("txtAmendDetails" & I).Value, "")
        txtPermitNo = Nz(Me.Controls("txtPermitNo" & I).Value, "")
        txtOPS_ID = Nz(Me.Controls("txtOPS_ID" & I).Value, "")
        txtUser = Nz(Me.Controls("txtUser" & I).Value, "")

        ' Check If at least one field is Not empty
        If txtAmendDate <> "" Or txtAmendType <> "" Or txtAmendDetails <> "" Or txtPermitNo <> "" Or txtOPS_ID <> "" Or txtUser <> "" Then
            ' Add a record
            rs.AddNew
            ' Assign values To the fields in the table
            rs.Fields("AmendDate").Value = txtAmendDate
            rs.Fields("TypeOfAmend").Value = txtAmendType
            rs.Fields("AmendDetails").Value = txtAmendDetails
            rs.Fields("OPSPermitNo").Value = txtPermitNo
            rs.Fields("OPS_ID").Value = txtOPS_ID
            rs.Fields("User").Value = txtUser
            rs.Update
        End If

        ' Clear the text boxes after adding a record
        Me.Controls("txtAmendDate" & I).Value = Null
        Me.Controls("txtAmendType" & I).Value = Null
        Me.Controls("txtAmendDetails" & I).Value = Null
        Me.Controls("txtPermitNo" & I).Value = Null
        Me.Controls("txtOPS_ID" & I).Value = Null
        Me.Controls("txtUser" & I).Value = Null
    Next I

```


Form_OFR_NewAddAmendF - 2

```
' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing

' Optional: Display a message indicating successful addition
MsgBox "Amend added successfully.", vbInformation
```

Exit Sub

End Sub

```
Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "OFR_NewAddAmendF", acSaveNo
End Sub
```

```
Private Sub Form_GotFocus()
    Form_Load
End Sub
```

```
Private Sub LoadLastBtn_Click()
    Me.CAMA = GetLastPermitNo()
    Me.OPS_ID = GetLastOPS_ID()
End Sub
```

Private Function GetLastPermitNo() As Variant

```
' Get the latest RefNo value from NewFlightRequestsT table
Dim db As DAO.Database
Dim rs As DAO.Recordset
Dim strSQL As String
'Dim lastRefNo As Variant
Dim MaxID As Long
MaxID = DMax("ID", "OVRF_OpsT")
' Me.RecordSource = "Select * FROM NewSectorst WHERE ID = " & MaxID & ";"
```

```
Set db = CurrentDb
strSQL = "Select * FROM OVRF_OpsT WHERE ID = " & MaxID & ";"
Set rs = db.OpenRecordset(strSQL)
```

```
' Check If a record was found
If Not rs.EOF Then
    PermitNo = rs.Fields("OPSPermitNo").Value
    'LastRefNo = rs.Fields("RefNo").Value
End If
```

```
' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing
```

GetLastPermitNo = PermitNo

End Function

Private Function GetLastOPS_ID() As Variant

```
' Get the latest RefNo value from NewFlightRequestsT table
Dim db As DAO.Database
Dim rs As DAO.Recordset
Dim strSQL As String
'Dim lastRefNo As Variant
Dim MaxID As Long
MaxID = DMax("ID", "OVRF_OpsT")
' Me.RecordSource = "Select * FROM NewSectorst WHERE ID = " & MaxID & ";"
```

```
Set db = CurrentDb
strSQL = "Select * FROM OVRF_OpsT WHERE ID = " & MaxID & ";"
Set rs = db.OpenRecordset(strSQL)
```

```
' Check If a record was found
If Not rs.EOF Then
```

```

        LastOPS_ID = rs.Fields("ID").Value
    End If

    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing

    GetLastOPS_ID = LastOPS_ID
End Function

Public Sub ResetBtn_Click()
    On Error GoTo ErrorHandler
    Me.Controls("CAMA").Value = Null
    Me.Controls("OPS_ID").Value = Null
    For I = 1 To 3
        Me.Controls("txtAmendDate" & I).Value = Null
        Me.Controls("txtAmendType" & I).Value = Null
        Me.Controls("txtAmendDetails" & I).Value = Null
        Me.Controls("txtPermitNo" & I).Value = Null
        Me.Controls("txtOPS_ID" & I).Value = Null
        Me.Controls("txtUser" & I).Value = Null
    Next I
    Me.Undo
    DoCmd.CancelEvent

    Exit Sub

ErrorHandler:
    MsgBox "An error occurred: " & err.Description, vbExclamation
End Sub

Private Sub txtAmendDate1_Click()
    InputDateField txtAmendDate1, "Select a date To use this on your form"
End Sub

Private Sub txtAmendDate2_Click()
    InputDateField txtAmendDate2, "Select a date To use this on your form"
End Sub

Private Sub txtAmendDate3_Click()
    InputDateField txtAmendDate3, "Select a date To use this on your form"
End Sub

Private Sub txtAmendType1_GotFocus()
    Me.txtPermitNo1 = Me.CAMA
    Me.txtOPS_ID1 = Me.OPS_ID
    UpdateUser1
End Sub

Private Sub txtAmendType2_GotFocus()
    Me.txtPermitNo2 = Me.CAMA
    Me.txtOPS_ID2 = Me.OPS_ID
    UpdateUser2
End Sub

Private Sub txtAmendType3_GotFocus()
    Me.txtPermitNo3 = Me.CAMA
    Me.txtOPS_ID3 = Me.OPS_ID
    UpdateUser3
End Sub

```

Option Compare Database

```

Private Sub ACRegCb1_Change()
    Dim selectedValue As Variant
    selectedValue = Me.ACRegCb1.Value ' Get the selected value from the combo box

    If Not IsNull(selectedValue) Then
        Dim rs As DAO.Recordset
        Set rs = CurrentDb.OpenRecordset("ACRegT", dbOpenSnapshot)

        rs.FindFirst "ACReg = '" & selectedValue & "'"
        If Not rs.NoMatch Then
            Me.ACType1.Value = rs("ACType").Value
            'Me.ACMTOW.Value = rs("ACMTOW").Value
            Me.Operator1.Value = rs("Operator").Value
            Me.Customer1.Value = rs("Customer").Value
        Else
            Me.ACType1.Value = Null
            'Me.ACMTOW.Value = Null
            Me.Operator1.Value = Null
            Me.Customer1.Value = Null
        End If

        rs.Close
        Set rs = Nothing
    Else
        Me.ACType1.Value = Null
        'Me.ACMTOW.Value = Null
        Me.Operator1.Value = Null
        Me.Customer1.Value = Null
    End If
End Sub

```

Exit Sub

End Sub

```

Private Sub ACRegCb2_Change()
    Dim selectedValue As Variant
    selectedValue = Me.ACRegCb2.Value ' Get the selected value from the combo box

    If Not IsNull(selectedValue) Then
        Dim rs As DAO.Recordset
        Set rs = CurrentDb.OpenRecordset("ACRegT", dbOpenSnapshot)

        rs.FindFirst "ACReg = '" & selectedValue & "'"
        If Not rs.NoMatch Then
            Me.ACType2.Value = rs("ACType").Value
            'Me.ACMTOW.Value = rs("ACMTOW").Value
            Me.Operator2.Value = rs("Operator").Value
            Me.Customer2.Value = rs("Customer").Value
        Else
            Me.ACType2.Value = Null
            'Me.ACMTOW.Value = Null
            Me.Operator2.Value = Null
            Me.Customer2.Value = Null
        End If

        rs.Close
        Set rs = Nothing
    Else
        'Me.ACType2.Value = Null
        'Me.ACMTOW.Value = Null
        'Me.Operator2.Value = Null
        'Me.Customer2.Value = Null
    End If

    Exit Sub
End Sub

```

End Sub

```

Private Sub ACRegCb3_Change()
    Dim selectedValue As Variant
    selectedValue = Me.ACRegCb3.Value ' Get the selected value from the combo box

    If Not IsNull(selectedValue) Then
        Dim rs As DAO.Recordset
        Set rs = CurrentDb.OpenRecordset("ACRegT", dbOpenSnapshot)

        rs.FindFirst "ACReg = '" & selectedValue & "'"
        If Not rs.NoMatch Then
            Me.ACType3.Value = rs("ACType").Value
            'Me.ACMTOW.Value = rs("ACMTOW").Value
            Me.Operator3.Value = rs("Operator").Value
            Me.Customer3.Value = rs("Customer").Value
        Else
            Me.ACType3.Value = Null
            'Me.ACMTOW.Value = Null
            Me.Operator3.Value = Null
            Me.Customer3.Value = Null
        End If

        rs.Close
        Set rs = Nothing
    Else
        'Me.ACType2.Value = Null
        'Me.ACMTOW.Value = Null
        'Me.Operator2.Value = Null
        'Me.Customer2.Value = Null
    End Sub
End If

End Sub

```

```

Private Sub ACRegCb4_Change()
    Dim selectedValue As Variant
    selectedValue = Me.ACRegCb4.Value ' Get the selected value from the combo box

    If Not IsNull(selectedValue) Then
        Dim rs As DAO.Recordset
        Set rs = CurrentDb.OpenRecordset("ACRegT", dbOpenSnapshot)

        rs.FindFirst "ACReg = '" & selectedValue & "'"
        If Not rs.NoMatch Then
            Me.ACType4.Value = rs("ACType").Value
            'Me.ACMTOW.Value = rs("ACMTOW").Value
            Me.Operator4.Value = rs("Operator").Value
            Me.Customer4.Value = rs("Customer").Value
        Else
            Me.ACType4.Value = Null
            'Me.ACMTOW.Value = Null
            Me.Operator4.Value = Null
            Me.Customer4.Value = Null
        End If

        rs.Close
        Set rs = Nothing
    Else
        'Me.ACType2.Value = Null
        'Me.ACMTOW.Value = Null
        'Me.Operator2.Value = Null
        'Me.Customer2.Value = Null
    End Sub
End If

End Sub

```

```

Private Sub ACRegCb5_Change()
    Dim selectedValue As Variant
    selectedValue = Me.ACRegCb5.Value ' Get the selected value from the combo box

```

```

If Not IsNull(selectedValue) Then
    Dim rs As DAO.Recordset
    Set rs = CurrentDb.OpenRecordset("ACRegT", dbOpenSnapshot)

    rs.FindFirst "ACReg = '" & selectedValue & "'"
    If Not rs.NoMatch Then
        Me.ACType5.Value = rs("ACType").Value
        'Me.ACMTOW.Value = rs("ACMTOW").Value
        Me.Operator5.Value = rs("Operator").Value
        Me.Customer5.Value = rs("Customer").Value
    Else
        Me.ACType5.Value = Null
        'Me.ACMTOW.Value = Null
        Me.Operator5.Value = Null
        Me.Customer5.Value = Null
    End If

    rs.Close
    Set rs = Nothing
Else
    'Me.ACType2.Value = Null
    'Me.ACMTOW.Value = Null
    'Me.Operator2.Value = Null
    'Me.Customer2.Value = Null
Exit Sub
End If

```

End Sub

```

Private Sub ACRegCb6_Change()
    Dim selectedValue As Variant
    selectedValue = Me.ACRegCb6.Value ' Get the selected value from the combo box

```

```

If Not IsNull(selectedValue) Then
    Dim rs As DAO.Recordset
    Set rs = CurrentDb.OpenRecordset("ACRegT", dbOpenSnapshot)

    rs.FindFirst "ACReg = '" & selectedValue & "'"
    If Not rs.NoMatch Then
        Me.ACType6.Value = rs("ACType").Value
        'Me.ACMTOW.Value = rs("ACMTOW").Value
        Me.Operator6.Value = rs("Operator").Value
        Me.Customer6.Value = rs("Customer").Value
    Else
        Me.ACType6.Value = Null
        'Me.ACMTOW.Value = Null
        Me.Operator6.Value = Null
        Me.Customer6.Value = Null
    End If

    rs.Close
    Set rs = Nothing
Else
    'Me.ACType2.Value = Null
    'Me.ACMTOW.Value = Null
    'Me.Operator2.Value = Null
    'Me.Customer2.Value = Null
Exit Sub
End If

```

End Sub

```

Private Sub UpdateUser1()
    Dim UserID As Integer
    UserID = Forms!loggedInUser!txtUserID
    'UserID = 1
    Me.User1 = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

```

```

Private Sub UpdateUser2()

```

```

    Dim UserID As Integer
    UserID = Forms!loggedInUser!txtUserID
    'UserID = 1
    Me.User2 = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub UpdateUser3()
    Dim UserID As Integer
    UserID = Forms!loggedInUser!txtUserID
    'UserID = 1
    Me.User3 = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub UpdateUser4()
    Dim UserID As Integer
    UserID = Forms!loggedInUser!txtUserID
    'UserID = 1
    Me.User4 = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub UpdateUser5()
    Dim UserID As Integer
    UserID = Forms!loggedInUser!txtUserID
    'UserID = 1
    Me.User5 = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub UpdateUser6()
    Dim UserID As Integer
    UserID = Forms!loggedInUser!txtUserID
    'UserID = 1
    Me.User6 = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub ActualOPSDat1_Click()
    InputDateField ActualOPSDat1, "Select a date To use this on your form"
End Sub

Private Sub ActualOPSDat2_Click()
    InputDateField ActualOPSDat2, "Select a date To use this on your form"
End Sub

Private Sub ActualOPSDat3_Click()
    InputDateField ActualOPSDat3, "Select a date To use this on your form"
End Sub

Private Sub ActualOPSDat4_Click()
    InputDateField ActualOPSDat4, "Select a date To use this on your form"
End Sub

Private Sub ActualOPSDat5_Click()
    InputDateField ActualOPSDat5, "Select a date To use this on your form"
End Sub

Private Sub ActualOPSDat6_Click()
    InputDateField ActualOPSDat6, "Select a date To use this on your form"
End Sub

Private Sub addOPSDateBtn_Click()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim I As Integer
    Dim UserID As Integer
    UserID = Forms!loggedInUser!txtUserID

    LoggedUser = DLookup("UserName", "UsersT", "ID =" & UserID & "")
    Dim txtCallSign As String, OPSDate As String, ActualOPSDate As String, ORIGIN As String, DEST As String,
    string, RefNo As Variant, PermitNo As String, ACRgCb As String, ACTyp As String, Operator As String, Customer As String, User As String
    ' Open the main table's recordset
    Set db = CurrentDb
    Set rs = db.OpenRecordset("OVRF_OpsT", dbOpenDynaset)

    ' Loop through the sets of text boxes And add records
    For I = 1 To 6 ' Change 5 To the desired number of OPSDATE

```

```

' Retrieve values from text boxes
txtCallSign = Nz(Me.Controls("txtCallSign" & I).Value, "")
OPSDate = Nz(Me.Controls("OPSDate" & I).Value, "")
ActualOPSDate = Nz(Me.Controls("ActualOPSDate" & I).Value, "")
ORIGIN = Nz(Me.Controls("ORIGIN" & I).Value, "")
DEST = Nz(Me.Controls("DEST" & I).Value, "")
RefNo = Nz(Me.Controls("RefNo" & I).Value, "")
'PermitNo = Nz(Me.Controls("PermitNo" & I).Value, "")
ACRegCb = Nz(Me.Controls("ACRegCb" & I).Value, "")
ACType = Nz(Me.Controls("ACType" & I).Value, "")
Operator = Nz(Me.Controls("Operator" & I).Value, "")
Customer = Nz(Me.Controls("Customer" & I).Value, "")
User = Nz(Me.Controls("User" & I).Value, "")

' Check If at least one field is Not empty
If txtCallSign <> "" Or OPSDate <> "" Or ActualOPSDate <> "" Or ORIGIN <> "" Or DEST <> "" Or
RefNo <> "" Or PermitNo <> "" Or ACRegCb <> "" Or ACType <> "" Or Operator <> "" Or Customer <> "" Or
User <> "" Then
    ' Add a record
    rs.AddNew
    ' Assign values To the fields in the table
    rs.Fields("txtCallSign").Value = txtCallSign
    rs.Fields("OPSDate").Value = OPSDate
    rs.Fields("ActualOPSDate").Value = ActualOPSDate
    rs.Fields("ORIGIN").Value = ORIGIN
    rs.Fields("DEST").Value = DEST
    rs.Fields("RefNo").Value = RefNo
    'rs.Fields("OPSPermitNo").Value = PermitNo
    rs.Fields("ACReg").Value = ACRegCb
    rs.Fields("ACType").Value = ACType
    rs.Fields("Operator").Value = Operator
    rs.Fields("Customer").Value = Customer
    rs.Fields("User").Value = User
    rs.Update
End If

' Clear the text boxes after adding a record
Me.Controls("txtCallSign" & I).Value = Null
Me.Controls("OPSDate" & I).Value = Null
Me.Controls("ActualOPSDate" & I).Value = Null
Me.Controls("ORIGIN" & I).Value = Null
Me.Controls("DEST" & I).Value = Null
Me.Controls("RefNo" & I).Value = Null
'Me.Controls("PermitNo" & I).Value = Null
'Me.Controls("CAMA").Value = Null
Me.Controls("ACRegCb" & I).Value = Null
Me.Controls("ACType" & I).Value = Null
Me.Controls("Operator" & I).Value = Null
Me.Controls("Customer" & I).Value = Null
Me.Controls("User" & I).Value = Null
Next I

' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing

' Optional: Display a message indicating successful addition
MsgBox "Flights record added successfully.", vbInformation

Exit Sub
Me.Refresh

End Sub

Private Sub closeBtn_Click()
Me.Undo
DoCmd.Close acForm, "OFR_NewAddOpsF", acSaveNo
End Sub

```

```
Private Sub Form_GotFocus()
    Form_Load
End Sub
```

```
Private Sub LoadLastBtn_Click()
    Me.CAMA = GetLastPermitNo()
    Me.LastRefNo = GetLastRefNo()
End Sub
```

```
Private Function GetLastPermitNo() As Variant
```

```
    ' Get the latest RefNo value from NewFlightRequestsT table
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim strSQL As String
    'Dim lastRefNo As Variant
    Dim MaxID As Long
    MaxID = DMax("ID", "OVRF_RequestT")
    ' Me.RecordSource = "Select * FROM NewSectorsT WHERE ID = " & MaxID & ";"
```

```
    Set db = CurrentDb
    strSQL = "Select * FROM OVRF_RequestT WHERE ID = " & MaxID & ";"
    Set rs = db.OpenRecordset(strSQL)
```

```
    ' Check If a record was found
    If Not rs.EOF Then
        PermitNo = rs.Fields("PermitNo").Value
        LastRefNo = rs.Fields("RefNo").Value
    End If
```

```
    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing
```

```
    GetLastPermitNo = PermitNo
```

```
End Function
```

```
Private Function GetLastRefNo() As Variant
```

```
    ' Get the latest RefNo value from NewFlightRequestsT table
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim strSQL As String
    'Dim lastRefNo As Variant
    Dim MaxID As Long
    MaxID = DMax("ID", "OVRF_RequestT")
    ' Me.RecordSource = "Select * FROM NewSectorsT WHERE ID = " & MaxID & ";"
```

```
    Set db = CurrentDb
    strSQL = "Select * FROM OVRF_RequestT WHERE ID = " & MaxID & ";"
    Set rs = db.OpenRecordset(strSQL)
```

```
    ' Check If a record was found
    If Not rs.EOF Then
        LastRefNo = rs.Fields("RefNo").Value
    End If
```

```
    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing
```

```
    GetLastRefNo = LastRefNo
```

```
End Function
```

```
Public Sub OPSDate2_GotFocus()
```

```
    UpdateUser2
    Me.OPSDate2 = Me.OPSDate1
```

```
End Sub
```

```
Public Sub OPSDate3_GotFocus()
```

```
    UpdateUser3
```



```

End Sub
Public Sub OPSDate4_GotFocus()
    UpdateUser4
    Me.OPSDate4 = Me.OPSDate3
End Sub

Public Sub OPSDate5_GotFocus()
    UpdateUser5
End Sub
Public Sub OPSDate6_GotFocus()
    UpdateUser6
    Me.OPSDate6 = Me.OPSDate5
End Sub
Public Sub OPSDate1_Click()
    UpdateUser1
    InputDateField OPSDate1, "Select a date To use this on your form"

End Sub
Public Sub OPSDate2_Click()
    InputDateField OPSDate2, "Select a date To use this on your form"
End Sub
Public Sub OPSDate3_Click()
    InputDateField OPSDate3, "Select a date To use this on your form"
End Sub
Public Sub OPSDate4_Click()
    InputDateField OPSDate4, "Select a date To use this on your form"
End Sub
Public Sub OPSDate5_Click()
    InputDateField OPSDate5, "Select a date To use this on your form"
End Sub
Public Sub OPSDate6_Click()
    InputDateField OPSDate6, "Select a date To use this on your form"
End Sub

Private Sub ORIGIN1_GotFocus()
    Me.ActualOPSDate1 = Me.OPSDate1
    Me.RefNo1 = Me.LastRefNo
End Sub
Private Sub ORIGIN2_GotFocus()
    Me.ActualOPSDate2 = Me.OPSDate2
    Me.ORIGIN2 = Me.DEST1
End Sub

Private Sub DEST2_GotFocus()
    Me.DEST2 = Me.ORIGIN1
    Me.RefNo2 = Me.LastRefNo
    Me.ACRegCb2 = Me.ACRegCb1
    ACRegCb2_Change
End Sub
Private Sub ORIGIN3_GotFocus()
    Me.ActualOPSDate3 = Me.OPSDate3
    Me.ORIGIN3 = Me.DEST2
End Sub
Private Sub DEST3_GotFocus()
    Me.DEST3 = Me.ORIGIN2
    Me.RefNo3 = Me.LastRefNo
    Me.ACRegCb3 = Me.ACRegCb2
    ACRegCb3_Change
End Sub
Private Sub ORIGIN4_GotFocus()
    Me.ActualOPSDate4 = Me.OPSDate4
    Me.ORIGIN4 = Me.DEST3
End Sub
Private Sub DEST4_GotFocus()
    Me.DEST4 = Me.ORIGIN3
    Me.RefNo4 = Me.LastRefNo
    Me.ACRegCb4 = Me.ACRegCb3
    ACRegCb4_Change
End Sub
Private Sub ORIGIN5_GotFocus()
    Me.ActualOPSDate5 = Me.OPSDate5

```

```

    Me.ORIGIN5 = Me.DEST4
End Sub
Private Sub DEST5_GotFocus()
    Me.DEST5 = Me.ORIGIN4
    Me.RefNo5 = Me.LastRefNo
    Me.ACRegCb5 = Me.ACRegCb4
    ACRegCb5_Change
End Sub
Private Sub ORIGIN6_GotFocus()
    Me.ActualOPSDate6 = Me.OPSDate6
    Me.ORIGIN6 = Me.DEST5
End Sub
Private Sub DEST6_GotFocus()
    Me.DEST6 = Me.ORIGIN5
    Me.RefNo6 = Me.LastRefNo
    Me.ACRegCb6 = Me.ACRegCb5
    ACRegCb6_Change
End Sub

Private Sub RefreshBtn_Click()
Me.Requery
Me.Refresh
End Sub

Public Sub ResetBtn_Click()
    On Error GoTo ErrorHandler
    Me.Controls("CAMA").Value = Null
    Me.Controls("LastRefNo").Value = Null
    For I = 1 To 6
        Me.Controls("txtCallSign" & I).Value = Null
        Me.Controls("OPSDate" & I).Value = Null
        Me.Controls("ActualOPSDate" & I).Value = Null
        Me.Controls("ORIGIN" & I).Value = Null
        Me.Controls("DEST" & I).Value = Null
        Me.Controls("RefNo" & I).Value = Null
        'Me.Controls("PermitNo" & I).Value = Null
        ' Me.Controls("CAMA").Value = Null
        Me.Controls("ACRegCb" & I).Value = Null
        Me.Controls("ACType" & I).Value = Null
        Me.Controls("Operator" & I).Value = Null
        Me.Controls("Customer" & I).Value = Null
        Me.Controls("User" & I).Value = Null
    Next I
    Me.Undo
    DoCmd.CancelEvent

Exit Sub

ErrorHandler:
    MsgBox "An error occurred: " & err.Description, vbExclamation
End Sub

Private Sub Form_Load()
Dim CAMA As Variant
Dim LastRefNo As Variant
Dim OVR_FORM As Form

On Error Resume Next
Set OVR_FORM = Forms("Update_OVFP_FORM")
On Error GoTo 0

If OVR_FORM Is Nothing Then
    ' Form is not loaded
    LoadLastBtn_Click
    Me.closeBtn.Visible = False
    'Me.ActualOPSDate1.Visible = False
    ' Me.ActualOPSDate2.Visible = False
    ' Me.ActualOPSDate3.Visible = False
    ' Me.ActualOPSDate4.Visible = False
    ' Me.ActualOPSDate5.Visible = False
    ' Me.ActualOPSDate6.Visible = False

```

```
Else
    Me.closeBtn.Visible = True
    Me.ActualOPSDate1.Visible = True
    Me.ActualOPSDate2.Visible = True
    Me.ActualOPSDate3.Visible = True
    Me.ActualOPSDate4.Visible = True
    Me.ActualOPSDate5.Visible = True
    Me.ActualOPSDate6.Visible = True
    ' Form is loaded
    If OVR_FORM.Visible = False Then
        LoadLastBtn_Click
    Else
        If OVR_FORM.Controls("Update_OVRF_RequestF").Form Is Nothing Then
            LoadLastBtn_Click
        Else
            CAMA = OVR_FORM.Controls("Update_OVRF_RequestF").Form.Controls("RefNo").Column(0)
            LastRefNo = OVR_FORM.Controls("Update_OVRF_RequestF").Form.Controls("txtRefNo")
            If IsNull(CAMA) Then
                LoadLastBtn_Click
            Else
                Me.CAMA = CAMA
                Me.LastRefNo = LastRefNo
            End If
        End If
    End If
End If
End Sub

Private Sub txtCallSign2_GotFocus()
    Me.txtCallSign2 = Me.txtCallSign1
End Sub

Private Sub txtCallSign3_GotFocus()
    Me.txtCallSign3 = Me.txtCallSign1
End Sub

Private Sub txtCallSign4_GotFocus()
    Me.txtCallSign4 = Me.txtCallSign2
End Sub

Private Sub txtCallSign5_GotFocus()
    Me.txtCallSign5 = Me.txtCallSign3
End Sub

Private Sub txtCallSign6_GotFocus()
    Me.txtCallSign6 = Me.txtCallSign4
End Sub
```

Option Compare Database

Private Sub cmdGenerate_Click()

Dim RefValue As Integer

Dim rst As DAO.Recordset

RefValue = Nz(DLookup("RefNum", "OVRF_RefNoT"), 0)

Me.RefNo = "TAS_P-" & Format(RefValue + 1, "000")

Set rst = CurrentDb.OpenRecordset("OVRF_RefNoT", dbOpenDynaset, dbSeeChanges)

With rst

.Edit

![RefNum] = ![RefNum] + 1

.Update

End With

rst.Close

Set rst = Nothing

End Sub

Private Sub AddOpsDatesBtn_Click()

DoCmd.OpenForm "OFR_NewAddOpsF", WindowMode:=acWindowNormal

End Sub

Private Sub AddRequestBtn_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim PermitNo As String

Dim formattedPermit As String

Dim yearPart As String

newRequestBtn_Click

On Error GoTo ErrorHandler

' Check if all the required fields are filled

If IsNull(Me.RefNo.Value) Or IsNull(Me.RequestDate.Value) Or IsNull(Me.PFL.Value) Or IsNull(Me.RequestNo.Value) Then

MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"

Exit Sub

Else

' Add a new record to the table

PermitNo = Me.PermitNo

'yearPart = Right(Year(Date), 2)

'formattedPermit = Format(PermitNo, "0") & " \" & yearPart

Set db = CurrentDb

Set rs = db.OpenRecordset("OVRF_RequestT", dbOpenDynaset)

rs.AddNew

' Assign values to the fields in the table

With rs

.Fields("RefNo").Value = Me.RefNo.Value

.Fields("RequestNo").Value = Me.RequestNo.Value

.Fields("RequestDate").Value = Me.RequestDate.Value

.Fields("PermitNo").Value = PermitNo

.Fields("FLPR").Value = Me.PFL.Value

.Fields("UrgentSign").Value = Me.UrgentSign.Value

.Fields("MultiOPS").Value = Me.MultiChb.Value

.Fields("User").Value = Me.lblUser.Value

.Fields("Amends").Value = Me.Amends.Value

' Save the new record

.Update

End With

```

    ' Clean up

rs.Close
Set rs = Nothing
Set db = Nothing

Me.Undo
' Display a message indicating successful addition
MsgBox "Data added successfully."

End If
Me.Requery
PermitsBx_AfterUpdate
Me.Requery
Exit Sub

ErrorHandler:
' MsgBox "An error occurred:" & err.Description, vbExclamation
MsgBox "An error occurred: " & err.Description & vbNewLine & vbNewLine & "Please exit the form.", vbExclamation

End Sub

Private Sub CAMA_AfterUpdate()
Me.RecordSource = "SELECT RefNo FROM OVRF_RequestT WHERE RefNo = '" & Me.RefNo & "';"
End Sub

Private Sub Form_Close()
UndoAll
End Sub

Private Sub Form_Load()
LoadLastRecord
End Sub

Public Sub UndoAll()
Me.Undo
End Sub

Private Sub LoadLast_Click()
LoadLastRecord
Me.Controls("OFR_NewAddOpsF").Form.Controls("RequestRefNotxt").Value = Me.RefNo.Value
Me.Controls("OFR_NewAddOpsF").Form.Controls("PermitNotxt").Value = Me.PermitNo.Value
Me.Refresh
End Sub

Private Sub newRequestBtn_Click()
' Clear the form fields to prepare for a new record
' Set the default value for the RefNo field

If IsNull(Me.RefNo) Or Me.RefNo = "" Then
    cmdGenerate_Click
    AddUserName
End If
' Set focus to the first field for data entry
' Me.RequestNo.SetFocus
End Sub

Private Sub AddUserName()

Dim AddUser As Boolean
Dim UserID As Integer

UserID = Forms!loggedInUser!txtUserID

AddUser = DLookup("CreateUser", "UsersT", "ID =" & UserID & "")

Me.lblUser.Value = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Private Sub PermitNo_AfterUpdate()
Me.PermitNo = UCase(Me.PermitNo.Value)
End Sub

Private Sub RefreshBtn_Click()

```

```

Me.Refresh
Me.Requery
End Sub

Private Sub PermitsBx_AfterUpdate()
Me.RecordSource = "SELECT * FROM OVRF_RequestT WHERE ID = " & Me.PermitsBx.Column(1) & " ORDER BY ID D
ESC;"
Me.Controls("OFR_NewAddOpsF").Form.Controls("RequestRefNotxt").Value = Me.RefNo.Value
Me.Controls("OFR_NewAddOpsF").Form.Controls("PermitNotxt").Value = Me.PermitNo.Value
Me.Refresh
End Sub

Private Sub ReqDate_Click()
    InputDateField ReqDate, "Select a date to use this on your form"
End Sub

Private Sub ReqNo_AfterUpdate()
    Me.RequestNo = UCase(Me.RequestNo.Value)
End Sub

Public Sub ResetBtn_Click()
    On Error GoTo ErrorHandler

    Me.Undo
    DoCmd.CancelEvent
    DoCmd.GoToRecord , , acNewRec
    AddUserName
    Exit Sub

ErrorHandler:
    MsgBox "An error occurred: " & err.Description, vbExclamation
End Sub

Private Sub Amends_AfterUpdate()
    Me.Amends = UCase(Me.Amends.Value)
End Sub

Private Sub LoadLastRecord()
Dim MaxID As Long
    MaxID = DMax("ID", "OVRF_RequestT")
    Me.RecordSource = "SELECT * FROM OVRF_RequestT WHERE ID = " & MaxID & ";"

End Sub

Private Sub UpdateRequestBtn_Click()
DoCmd.OpenForm "OVF_RequestUpdateF_V1", WindowMode:=acWindowNormal
End Sub

```

Form_OVF_RequestUpdateF_V1 -- 1

Option Compare Database

Private Sub cmdGenerate_Click()

Dim RefValue As Integer

Dim rst As DAO.Recordset

RefValue = Nz(DLookup("RefNum", "OVRF_RefNoT"), 0)

Me.RefNo = "TAS_P-" & Format(RefValue + 1, "000")

Set rst = CurrentDb.OpenRecordset("OVRF_RefNoT", dbOpenDynaset, dbSeeChanges)

With rst

.Edit

![RefNum] = ![RefNum] + 1

.Update

End With

rst.Close

Set rst = Nothing

End Sub

Private Sub AddOpsDatesBtn_Click()

DoCmd.OpenForm "OFR_NewAddOpsF", WindowMode:=acWindowNormal

End Sub

Private Sub AddRequestBtn_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim PermitNo As String

Dim formattedPermit As String

Dim yearPart As String

newRequestBtn_Click

On Error GoTo ErrorHandler

' Check if all the required fields are filled

If IsNull(Me.RefNo.Value) Or IsNull(Me.RequestDate.Value) Or IsNull(Me.PFL.Value) Or IsNull(Me.RequestNo.Value) Then

MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"

Exit Sub

Else

' Add a new record to the table

PermitNo = Me.PermitNo

'yearPart = Right(Year(Date), 2)

'formattedPermit = Format(PermitNo, "0") & " \" & yearPart

Set db = CurrentDb

Set rs = db.OpenRecordset("OVRF_RequestT", dbOpenDynaset)

rs.AddNew

' Assign values to the fields in the table

With rs

.Fields("RefNo").Value = Me.RefNo.Value

.Fields("RequestNo").Value = Me.RequestNo.Value

.Fields("RequestDate").Value = Me.RequestDate.Value

.Fields("PermitNo").Value = PermitNo

.Fields("FLPR").Value = Me.PFL.Value

.Fields("UrgentSign").Value = Me.UrgentSign.Value

.Fields("MultiOPS").Value = Me.MultiChb.Value

.Fields("User").Value = Me.lblUser.Value

.Fields("Amends").Value = Me.Amends.Value

' Save the new record

.Update

End With

Form_OVF_RequestUpdateF_V1 - 2

```
' Clean up

rs.Close
Set rs = Nothing
Set db = Nothing

Me.Undo
' Display a message indicating successful addition
MsgBox "Data added successfully."

End If
LoadLast_Click
Exit Sub

ErrorHandler:
' MsgBox "An error occurred:" & err.Description, vbExclamation
MsgBox "An error occurred: " & err.Description & vbNewLine & vbNewLine & "Please exit the form.", v
bExclamation
Me.Refresh

End Sub

Private Sub CAMA_AfterUpdate()
Me.RecordSource = "SELECT RefNo FROM OVRF_RequestT WHERE RefNo = '" & Me.RefNo & "';"
End Sub

Private Sub Form_Close()
UndoAll
End Sub

Private Sub Form_Load()
LoadLastRecord
End Sub

Public Sub UndoAll()
Me.Undo
End Sub

Private Sub LoadLast_Click()
LoadLastRecord
End Sub

Private Sub newRequestBtn_Click()
' Clear the form fields to prepare for a new record
' Set the default value for the RefNo field

If IsNull(Me.RefNo) Or Me.RefNo = "" Then
cmdGenerate_Click
AddUserName
End If
' Set focus to the first field for data entry
' Me.RequestNo.SetFocus
End Sub

Private Sub PermitNo_AfterUpdate()
Me.PermitNo = UCase(Me.PermitNo.Value)
End Sub

Private Sub RefreshBtn_Click()
Me.Refresh
Me.Requery
End Sub

Private Sub PermitNo_Change()
Me.Controls("OFR_NewAddOpsF").Form.Controls("PermitNotxt").Value = Me.PermitNo.Value
Me.Requery
End Sub

Private Sub PermitsBx_AfterUpdate()
Me.RecordSource = "SELECT * FROM OVRF_RequestT WHERE ID = " & Me.PermitsBx.Column(1) & " ORDER BY ID D
ESC;"
' Me.Controls("OVFSupport_AmendSectorsF").Form.Controls("RequestRefNotxt").Value = Me.RefNo.Value
' Me.Controls("OVFSupport_AmendSectorsF").Form.Controls("PermitNotxt").Value = Me.PermitNo.Value
Me.Refresh
End Sub
```



```
Private Sub RefNo_Change()
Me.Controls("OFR_NewAddOpsF").Form.Controls("RequestRefNotxt").Value = Me.RefNo.Value
Me.Requery
End Sub
```

```
Private Sub ReqDate_Click()
    InputDateField ReqDate, "Select a date to use this on your form"
End Sub
```

```
Private Sub AddUserName()
```

```
Dim AddUser As Boolean
Dim UserID As Integer
```

```
UserID = Forms!loggedInUser!txtUserID
```

```
AddUser = DLookup("CreateUser", "UsersT", "ID =" & UserID & "")
```

```
Me.lblUser.Value = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub
```

```
Private Sub ReqNo_AfterUpdate()
    Me.RequestNo = UCase(Me.RequestNo.Value)
End Sub
```

```
Public Sub ResetBtn_Click()
    On Error GoTo ErrorHandler

    Me.Undo
    DoCmd.CancelEvent
    DoCmd.GoToRecord , , acNewRec

    Exit Sub
```

```
ErrorHandler:
    MsgBox "An error occurred: " & err.Description, vbExclamation
End Sub
```

```
Private Sub Amends_AfterUpdate()
    Me.Amends = UCase(Me.Amends.Value)
End Sub
```

```
Private Sub LoadLastRecord()
Dim MaxID As Long
    MaxID = DMax("ID", "OVRF_RequestT")
    Me.RecordSource = "SELECT * FROM OVRF_RequestT WHERE ID = " & MaxID & ";"

End Sub
```

Option Compare Database

```

Private Sub AddACbtn_Click()
DoCmd.OpenForm "ACRegF", WindowMode:=acWindowNormal
End Sub

Private Sub AddAirportBtn_Click()
DoCmd.OpenForm "AddAirports_FIRsF", WindowMode:=acWindowNormal
End Sub

Private Sub addAServiceBtn_Click()
DoCmd.OpenForm "aviationServicesF", WindowMode:=acWindowNormal
End Sub

Private Sub AddICAO_IATABtn_Click()
DoCmd.OpenForm "AddNewAirportF", WindowMode:=acWindowNormal
End Sub

Private Sub closeBtn_Click()
'On Error GoTo MyError

    'Me.Undo
    'Forms("LASTFORM!RequestF").ResetBtn_Click
    Me.Undo
    'DoCmd.CancelEvent
    DoCmd.Close acForm, "OVFP_FORM", acSaveNo
    'DoCmd.Close acForm, "NewAddSectorF", acSaveNo
    'DoCmd.Close acForm, "RequestF", acSaveNo
'Exit Sub
'MyError:
'Err.Description
End Sub

Private Sub Detail_Click()
    Me.Undo
End Sub

Private Sub Form_Load()
Dim fw As New clFormWindow

    fw.hWnd = Me.hWnd
    With fw
        .Top = (.Parent.Height - .Height) / 2
        .Left = (.Parent.Width - .Width) / 2
    End With
    Set fw = Nothing
End Sub

Private Sub IATA_CODE_Change()
Dim selectedValue As Variant
    selectedValue = Me.IATA_CODE.Value ' Get the selected value from the combo box

    If Not IsNull(selectedValue) Then
        Dim rs As DAO.Recordset
        Set rs = CurrentDb.OpenRecordset("Airports_DataT", dbOpenSnapshot)

        rs.FindFirst "IATA = '" & selectedValue & "'"
        If Not rs.NoMatch Then
            Me.ICAO_CODE.Value = rs("ICAO").Value
        Else
            Me.ICAO_CODE.Value = Null
        End If

        rs.Close
        Set rs = Nothing
    Else
        Me.ICAO_CODE.Value = Null
    End If

```

Form_OVFP_FORM_V1 - 2

Exit Sub

End Sub

Private Sub UpdateFormBtn_Click()

DoCmd.Close acForm, "OVFP_FORM"

DoCmd.OpenForm "Update_OVFP_FORM", WindowMode:=acWindowNormal

End Sub

Option Compare Database

Private Sub ACRegCb_Change()

Dim selectedValue As Variant

selectedValue = Me.ACRegCb.Value ' Get the selected value from the combo box

If Not IsNull(selectedValue) Then

Dim rs As DAO.Recordset

Set rs = CurrentDb.OpenRecordset("ACRegT", dbOpenSnapshot)

rs.FindFirst "ACReg = '" & selectedValue & "'"

If Not rs.NoMatch Then

Me.ACType.Value = rs("ACType").Value

Me.MTOW.Value = rs("ACMTOW").Value

Me.Operator.Value = rs("Operator").Value

Me.Customer.Value = rs("Customer").Value

Me.CallSigntxt.Value = rs("callSign").Value

Else

Me.ACType.Value = Null

Me.MTOW.Value = Null

Me.Operator.Value = Null

Me.Customer.Value = Null

Me.CallSigntxt.Value = Null

End If

rs.Close

Set rs = Nothing

Else

Me.ACType.Value = Null

Me.MTOW.Value = Null

Me.Operator.Value = Null

Me.Customer.Value = Null

Me.CallSigntxt.Value = Null

End If

Exit Sub

End Sub

Private Sub UpdateUser1()

Dim UserID As Integer

UserID = Forms!loggedInUser!txtUserID

'UserID = 1

Me.User1 = DLookup("UserName", "UsersT", "ID =" & UserID & "")

End Sub

Private Sub addSectID()

Dim RefValue As Integer

Dim rst As DAO.Recordset

RefValue = Nz(DLookup("RefNum", "TSect_ID"), 0)

Me.Sect_ID.Value = Format(RefValue + 1, "000")

Set rst = CurrentDb.OpenRecordset("TSect_ID", dbOpenDynaset, dbSeeChanges)

With rst

.Edit

![RefNum] = ![RefNum] + 1

.Update

End With

rst.Close

Set rst = Nothing

End Sub

Private Sub addSectorBtn_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim newSectorNo As Long

Dim newDestination As String

Dim newArrivalDate As Date

addSectID

```

    If IsNull(Me.Sect_ID) Or IsNull(Me.SectorNo) Or IsNull(Me.ORIGIN) Or IsNull(Me.Destination) Or IsNull(Me.CallSigntxt) Or _
        IsNull(Me.ETD) Or IsNull(Me.ETA) Or IsNull(Me.ArrivalDate) Or IsNull(Me.DepartDate) Or IsNull(Me.PermitNotxt) Or _
        IsNull(Me.RequestRefNotxt) Or IsNull(Me.ACRegCb) Or IsNull(Me.Operator) Or IsNull(Me.Customer) Or IsNull(Me.ACType) Then

        MsgBox "Please add missing fields.", vbExclamation
        Exit Sub
    End If

    ' Check if a record with the same SectorNo, Sect_ID, ORIGIN, and Destination already exists
    Set db = CurrentDb
    If DCount("*", "FlightSupport_SectorsT", "Sect_ID = " & CInt(Me.Sect_ID.Value) & " AND [ORIGIN] = '" & CStr(Me.ORIGIN.Value) & "' AND Destination = '" & CStr(Me.Destination.Value) & "'") > 0 Then
        MsgBox "A record with the same Sect_ID, ORIGIN, and Destination already exists.", vbExclamation, "Duplicate Record"
        Exit Sub
    End If

    Set rs = db.OpenRecordset("OVFSupport_SectorsT", dbOpenDynaset)
    rs.AddNew
    ' Assign values to the fields in the table
    rs.Fields("ORIGIN").Value = Me.ORIGIN.Value
    rs.Fields("TripStatus").Value = Me.TripStatuscmb.Value
    rs.Fields("CallSign").Value = Me.CallSigntxt.Value
    rs.Fields("Sect_ID").Value = Me.Sect_ID.Value
    rs.Fields("SectorNo").Value = Me.SectorNo.Value
    rs.Fields("RequestRefNo").Value = Me.RequestRefNotxt.Value
    rs.Fields("PermitNo").Value = Me.PermitNotxt.Value
    rs.Fields("Destination").Value = Me.Destination.Value
    rs.Fields("ETA").Value = Me.ETA.Value
    rs.Fields("ETD").Value = Me.ETD.Value
    rs.Fields("Notes").Value = Me.Notes.Value
    rs.Fields("ArrivalDate").Value = Me.ArrivalDate.Value
    rs.Fields("DepartDate").Value = Me.DepartDate.Value
    rs.Fields("ACReg").Value = Me.ACRegCb.Value
    rs.Fields("Operator").Value = Me.Operator.Value
    rs.Fields("ACType").Value = Me.ACType.Value
    rs.Fields("MTOW").Value = Me.MTOW.Value
    rs.Fields("Customer").Value = Me.Customer.Value

    ' Save the new record
    rs.Update

    ' Store values to reset form controls
    newSectorNo = Me.SectorNo.Value + 1
    newDestination = Me.Destination.Value
    newArrivalDate = Me.ArrivalDate.Value

    ' Reset form values
    Me.ORIGIN.Value = newDestination
    Me.DepartDate.Value = newArrivalDate
    Me.SectorNo.Value = newSectorNo
    Me.Sect_ID.Value = Null
    Me.Destination.Value = Null
    Me.ETA.Value = Null
    Me.ETD.Value = Null
    ' Me.Notes.Value = Null
    Me.ArrivalDate.Value = Null

    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing

    ' Display a message indicating successful addition
    MsgBox "Data added successfully."
End Sub

```

```

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "OVFSupport_AddSectorsF_V1", acSaveNo
End Sub

Private Sub DepartDate_GotFocus()
    InputDateField DepartDate, "Select a date To use this on your form"
End Sub

```

```

Private Sub ArrivalDate_GotFocus()
    InputDateField ArrivalDate, "Select a date To use this on your form"
End Sub

```

```

Private Sub LoadLastBtn_Click()
    Me.RequestRefNotxt = GetLastRequestID
End Sub

Private Function GetLastRequestRefNo() As Variant
    Dim LastRequestID As Variant

    LastRequestID = DMax("ID", "OVFSupport_AddSectorsF_V1")
    GetLastRequestRefNo = LastRequestID
End Function

```

```

Public Sub DepartDate_Click()
    InputDateField DepartDate, "Select a date To use this on your form"
End Sub

Public Sub ArrivalDate_Click()
    InputDateField ArrivalDate, "Select a date To use this on your form"
End Sub

```

```

Private Sub RefreshBtn_Click()
    Me.Requery
    Me.Refresh
End Sub

```

```

Public Sub ResetBtn_Click()
    Me.ORIGIN.Value = Null
    Me.Sect_ID.Value = Null
    Me.SectorNo.Value = Null
    Me.Destination.Value = Null
    Me.ETA.Value = Null
    Me.ETD.Value = Null
    ' Me.Notes.Value = Null
    Me.ArrivalDate.Value = Null
    Me.DepartDate.Value = Null
    Me.ACRgCb.Value = Null
    Me.Operator.Value = Null
    Me.ACType.Value = Null
    Me.MTOW.Value = Null
    Me.Customer.Value = Null
    Me.CallSigntxt.Value = Null
End Sub

```

```

Private Sub Sect_IDCmb_AfterUpdate()
    UpdateIDQueries
End Sub

```

```

Private Sub UpdateIDQueries()
    Dim selectedSect_ID As Integer

    Dim LocationsQuery As String
    Dim locSect_ID As Integer

    selectedSect_ID = Me.Sect_IDCmb.Column(1) ' Get the selected value from RefNo combo box

    LocationsQuery = "Select Location,ID FROM LocationsT_New WHERE Sect_ID = " & selectedSect_ID & ";"

    Me.Controls("FlightSupport_BriefsF").Form.Controls("BriefsTabs").Controls("Location_ID").RowSource

```

Form_OVFSupport_AddSectorsF_V1 - 4

```
= LocationsQuery
' Me.Controls("FlightSupport_BriefsF").Form.Controls("BriefsTabs").Controls("FlightSupport_FuelReleaseF").Controls("Location_ID").RowSource = LocationsQuery

Me.Requery
' Assign selectedSect_ID To locSect_ID
locSect_ID = selectedSect_ID
' Update the value of Sect_ID in the other subform
Me.Controls("FlightSupport_AddLocationF").Controls("Sect_ID").Value = locSect_ID

End Sub

Private Sub selectLocations()
    Dim strSQL As String
    Dim rs As DAO.Recordset
    Dim strRowSource As String
    Dim selectedSect_ID As Integer

    ' Get the selected Sect_ID
    selectedSect_ID = Me.Sect_IDCmb.Column(1)

    ' Build the SQL query (using JOIN instead of IN)
    strSQL = "SELECT DISTINCT Airports_DataT.Full_Airport " & _
        "FROM Airports_DataT " & _
        "INNER JOIN FlightSupport_SectorsT ON (Airports_DataT.Full_Airport = FlightSupport_SectorsT.Origin OR Airports_DataT.Full_Airport = FlightSupport_SectorsT.Destination) " & _
        "WHERE FlightSupport_SectorsT.Sect_ID = " & selectedSect_ID & " " & _
        "ORDER BY Airports_DataT.Full_Airport;"

    ' Open the recordset
    Set rs = CurrentDb.OpenRecordset(strSQL)

    ' Build the row source string
    strRowSource = ""
    Do While Not rs.EOF
        strRowSource = strRowSource & rs!Full_Airport & ";"
        rs.MoveNext
    Loop

    ' Remove the trailing semicolon only if strRowSource is not empty
    If Len(strRowSource) > 0 Then
        strRowSource = Left(strRowSource, Len(strRowSource) - 1)
    End If

    ' Update the combo box's row source
    Me.Controls("FlightSupport_AddLocationF").Controls("Location").RowSource = strRowSource
    Me.Controls("FlightSupport_AddLocationF").Controls("Location").ColumnCount = 1

    ' Close the recordset
    rs.Close
    Set rs = Nothing

End Sub
```

Option Compare Database

Private Sub ACRgCb_Change()

Dim selectedValue As Variant

selectedValue = Me.ACRgCb.Value ' Get the selected value from the combo box

If Not IsNull(selectedValue) Then

Dim rs As DAO.Recordset

Set rs = CurrentDb.OpenRecordset("ACRgT", dbOpenSnapshot)

rs.FindFirst "ACRg = '" & selectedValue & "'"

If Not rs.NoMatch Then

Me.ACRg.Value = rs("ACRg").Value

Me.MTOW.Value = rs("ACMTOW").Value

Me.Operator.Value = rs("Operator").Value

Me.Customer.Value = rs("Customer").Value

Me.CallSigntxt.Value = rs("callSign").Value

Else

Me.ACRg.Value = Null

Me.MTOW.Value = Null

Me.Operator.Value = Null

Me.Customer.Value = Null

Me.CallSigntxt.Value = Null

End If

rs.Close

Set rs = Nothing

Else

Me.ACRg.Value = Null

Me.MTOW.Value = Null

Me.Operator.Value = Null

Me.Customer.Value = Null

Me.CallSigntxt.Value = Null

End If

Exit Sub

End Sub

Private Sub UpdateUser1()

Dim UserID As Integer

UserID = Forms!loggedInUser!txtUserID

'UserID = 1

Me.User1 = DLookup("UserName", "UsersT", "ID =" & UserID & "")

End Sub

Private Sub AmendSectorBtn_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim newSectorNo As Long

Dim newDestination As String

Dim newArrivalDate As Date

If IsNull(Me.Sect_ID) Or IsNull(Me.SectorNo) Or IsNull(Me.ORIGIN) Or IsNull(Me.Destination) Or IsNull(Me.CallSigntxt) Or

IsNull(Me.ETD) Or IsNull(Me.ETA) Or IsNull(Me.ArrivalDate) Or IsNull(Me.DepartDate) Or

IsNull(Me.ACRgCb) Or IsNull(Me.Operator) Or IsNull(Me.Customer) Or IsNull(Me.ACRg) Or IsNull(Me.AmendTypetxt) Or IsNull(Me.AmendDatetxt) Then

MsgBox "Please add missing fields.", vbExclamation

Exit Sub

End If

Set db = CurrentDb

Set rs = db.OpenRecordset("OVFSupport_SectorAmendsT", dbOpenDynaset)

rs.AddNew

' Assign values To the fields in the table

rs.Fields("ORIGIN").Value = Me.ORIGIN.Value

rs.Fields("TripStatus").Value = Me.TripStatuscmb.Value

rs.Fields("CallSign").Value = Me.CallSigntxt.Value

rs.Fields("Sect_ID").Value = Me.Sect_ID.Value

rs.Fields("SectorNo").Value = Me.SectorNo.Value

rs.Fields("Destination").Value = Me.Destination.Value


```

rs.Fields("ETA").Value = Me.ETA.Value
rs.Fields("ETD").Value = Me.ETD.Value
rs.Fields("Notes").Value = Me.Notetxt.Value
rs.Fields("ArrivalDate").Value = Me.ArrivalDate.Value
rs.Fields("DepartDate").Value = Me.DepartDate.Value
rs.Fields("ACReg").Value = Me.ACRegCb.Value
rs.Fields("Operator").Value = Me.Operator.Value
rs.Fields("ACType").Value = Me.ACType.Value
rs.Fields("MTOW").Value = Me.MTOW.Value
rs.Fields("Customer").Value = Me.Customer.Value
rs.Fields("AmendType").Value = Me.AmendTypetxt.Value
rs.Fields("AmendDate").Value = Me.AmendDatetxt.Value

' Save the New record
rs.Update

' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing
ResetBtn_Click
' Display a message indicating successful addition
MsgBox "Data added successfully."
End Sub

Private Sub AmendDatetxt_Click()
    InputDateField AmendDatetxt, "Select a date To use this on your form"
End Sub

Private Sub AmendDatetxt_GotFocus()
    InputDateField AmendDatetxt, "Select a date To use this on your form"
End Sub

Private Sub closeBtn_Click()
    Me.Undo
    DoCmd.Close acForm, "FlightSupport_AddSectorsF", acSaveNo
End Sub

Private Sub DepartDate_GotFocus()
    InputDateField DepartDate, "Select a date To use this on your form"
End Sub

Private Sub ArrivalDate_GotFocus()
    InputDateField ArrivalDate, "Select a date To use this on your form"
End Sub

Public Sub DepartDate_Click()
    InputDateField DepartDate, "Select a date To use this on your form"
End Sub

Public Sub ArrivalDate_Click()
    InputDateField ArrivalDate, "Select a date To use this on your form"
End Sub

Private Sub RefreshBtn_Click()
    Me.Requery
    Me.Refresh
End Sub

Private Sub Form_Load()
    AddUserName
End Sub

Private Sub AddUserName()

    Dim AddUser As Boolean
    Dim UserID As Integer

    UserID = Forms!loggedInUser!txtUserID

    AddUser = DLookup("CreateUser", "UsersT", "ID =" & UserID & "")

    Me.Userstxt.Value = DLookup("UserName", "UsersT", "ID =" & UserID & "")
End Sub

Public Sub ResetBtn_Click()
    Me.AmendTypetxt.Value = Null

```

Form_OVFSupport_AmendSectorsF_V1 - 3

```
Me.AmendDatetxt.Value = Null
```

```
End Sub
```

```
Private Sub Sect_IDCmb_AfterUpdate()
```

```
UpdateIDQueries
```

```
End Sub
```

```
Private Sub Sect_IDtxt_Change()
```

```
Me.RecordSource = "Select * FROM OVFSupport_SectorsT WHERE Sect_ID = " & Me.Sect_IDtxt.Value & " O  
RDER BY ID DESC;"
```

```
End Sub
```

Form_OVFSupport_SectorsListF_V1 - 1

Option Compare Database

Option Explicit

```
Private Sub Amendbtn_Click()  
    Dim selectedSect_ID As Integer  
    selectedSect_ID = Me.Sect_IDtxt.Value  
    Forms("OVF_RequestUpdateF_V1").Controls("Sect_ID_Txt").Value = selectedSect_ID  
  
    Me.Requery
```

'Sect_ID_AfterUpdate

'Forms("OVFSupport_AmendSectorsF_V1").Form.TriggerAfterUpdate

'DoCmd.OpenForm "OVFSupport_AmendSectorsF_V1", WindowMode:=acWindowNormal

End Sub

Private Sub Sect_ID_AfterUpdate()

Dim selectedSect_ID As Integer

selectedSect_ID = Me.Sect_IDtxt.Value

If Not IsNull(selectedSect_ID) Then

DoCmd.OpenForm "OVFSupport_AmendSectorsF_V1", WindowMode:=acWindowNormal

Forms("OVFSupport_AmendSectorsF_V1").Controls("Sect_IDtxt").Value = selectedSect_ID

'Me.Requery

Else

Exit Sub

End If

End Sub

Private Sub DepartDate_GotFocus()

DepartDate_Click

End Sub

Private Sub ArrivalDate_GotFocus()

ArrivalDate_Click

End Sub

Public Sub DepartDate_Click()

InputDateField DepartDate, "Select a date To use this on your form"

End Sub

Public Sub ArrivalDate_Click()

InputDateField ArrivalDate, "Select a date To use this on your form"

End Sub

Option Compare Database

```

Private Sub chkOPSDDate_Click()
If Me.chkOPSDDate = 1 Or Me.chkOPSDDate = -1 Or Me.chkOPSDDate = True Then
Me.lblEndDate.Caption = "OPS Date"
Else
Me.lblEndDate.Caption = "Retrun Date"
End If

End Sub

Private Sub closeBtn_Click()
DoCmd.Close acForm, "OVR_ReportGeneratorF"
End Sub

Private Sub Command16_Click()

End Sub

Private Sub Command17_Click()
Dim strWehre As String
Dim InLeng As Long

Const conJetDate = "\#mm\dd\yyyy\#"

If Not IsNull(Me.PermiNoCbx) Then
strWhere = strWhere & "([OPSPermiNo] Like "*" & Me.PermiNoCbx & "*)" And "
End If

If Not IsNull(Me.CustomerName) Then
strWhere = strWhere & "([Customer] Like "*" & Me.CustomerName & "*)" And "
End If

If Not IsNull(Me.OperatorListCb) Then
strWhere = strWhere & "([Operator] Like "*" & Me.OperatorListCb & "*)" And "
End If

If Not IsNull(Me.ReqNoList) Then
strWhere = strWhere & "([RequestNo] Like "*" & Me.ReqNoList & "*)" And "
End If

If Not IsNull(Me.StartDate) Then
strWhere = strWhere & "([RequestDate] >= " & Format(Me.StartDate, conJetDate) & ") And "
End If

' If Me.lblEndDate.Caption = "Return Date" Then
' If Not IsNull(Me.EndDate) Then
' strWhere = strWhere & "([OPSDDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
' End If
' End If

' If Me.lblEndDate.Caption = "OPS Date" Then
' If Not IsNull(Me.EndDate) Then
' MsgBox "Untick the Ops checkbox", vbCritical, "My Flight App"
' Exit Sub
' End If
' End If

If Not IsNull(Me.EndDate) Then
strWhere = strWhere & "([RequestDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
End If

IngLeng = Len(strWhere) - 5
If IngLeng <= 0 Then
MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
Else
strWhere = Left$(strWhere, IngLeng)
Me.Filter = strWhere
Me.FilterOn = True
DoCmd.OpenReport "OVRF_Permits_Amends_Report", acViewPreview, , strWhere

```

```

    End If
End Sub

Private Sub Form_Load()
Dim fw As New clFormWindow

    fw.hWnd = Me.hWnd
    With fw
        .Top = (.Parent.Height - .Height) / 2
        .Left = (.Parent.Width - .Width) / 2
    End With
    Set fw = Nothing

    Me.chkOPSDate = False

End Sub

Private Sub PerrmitsCountBtn_Click()
Dim strWhere As String
Dim InLeng As Long

    Const conJetDate = "\#mm\dd\yyyy\#"

    If Not IsNull(Me.PermmitNoCbx) Then
        strWhere = strWhere & "([OPSPermitNo] Like "*" & Me.PermmitNoCbx & "*)" And "
    End If

    If Not IsNull(Me.CustomerName) Then
        strWhere = strWhere & "([Customer] Like "*" & Me.CustomerName & "*)" And "
    End If

    If Not IsNull(Me.OperatorListCb) Then
        strWhere = strWhere & "([Operator] Like "*" & Me.OperatorListCb & "*)" And "
    End If

    If Not IsNull(Me.ReqNoList) Then
        strWhere = strWhere & "([RequestNo] Like "*" & Me.ReqNoList & "*)" And "
    End If

    If Not IsNull(Me.StartDate) Then
        strWhere = strWhere & "([RequestDate] >= " & Format(Me.StartDate, conJetDate) & ") And "
    End If

' If Me.lblEndDate.Caption = "Return Date" Then
'     If Not IsNull(Me.EndDate) Then
'         strWhere = strWhere & "([OPSDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
'     End If
' End If

' If Me.lblEndDate.Caption = "OPS Date" Then
'     If Not IsNull(Me.EndDate) Then
'         MsgBox "Untick the Ops checkbox", vbCritical, "My Flight App"
'         Exit Sub
'     End If
' End If

If Not IsNull(Me.EndDate) Then
    strWhere = strWhere & "([RequestDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
End If

IngLeng = Len(strWhere) - 5
If IngLeng <= 0 Then
    MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
Else
    strWhere = Left$(strWhere, IngLeng)
    Me.Filter = strWhere
    Me.FilterOn = True
    DoCmd.OpenReport "OVRF_Permits_Report", acViewPreview, , strWhere
End If

End Sub

```

```

Private Sub GenerateINReportBtn_Click()
    Dim strWhere As String
    Dim InLeng As Long

    Const conJetDate = "\#mm\dd\yyyy\#"

    If Not IsNull(Me.PermiNoCbx) Then
        strWhere = strWhere & "([OPSPermiNo] Like "*" & Me.PermiNoCbx & "*)" And "
    End If

    If Not IsNull(Me.CustomerName) Then
        strWhere = strWhere & "([Customer] Like "*" & Me.CustomerName & "*)" And "
    End If

    If Not IsNull(Me.OperatorListCb) Then
        strWhere = strWhere & "([Operator] Like "*" & Me.OperatorListCb & "*)" And "
    End If

    If Not IsNull(Me.ReqNoList) Then
        strWhere = strWhere & "([RequestNo] Like "*" & Me.ReqNoList & "*)" And "
    End If

    If Not IsNull(Me.StartDate) Then
        strWhere = strWhere & "([OPSDate] >= " & Format(Me.StartDate, conJetDate) & ") And "
    End If

' If Me.lblEndDate.Caption = "Return Date" Then
'     If Not IsNull(Me.EndDate) Then
'         strWhere = strWhere & "([OPSDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
'     End If
' End If

' If Me.lblEndDate.Caption = "OPS Date" Then
'     If Not IsNull(Me.EndDate) Then
'         MsgBox "Untick the Ops checkbox", vbCritical, "My Flight App"
'         Exit Sub
'     End If
' End If

If Not IsNull(Me.EndDate) Then
    strWhere = strWhere & "([OPSDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
End If

InLeng = Len(strWhere) - 5
If InLeng <= 0 Then
    MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
Else
    strWhere = Left$(strWhere, InLeng)
    Me.Filter = strWhere
    Me.FilterOn = True
    DoCmd.OpenReport "New_OVRF_REPORT", acViewPreview, , strWhere
End If

End Sub

Private Sub GenerateOUTReportBtn_Click()
    Dim strWhere As String
    Dim InLeng As Long

    Const conJetDate = "\#mm\dd\yyyy\#"

'Const conJetDate = "Short Date"

    If Not IsNull(Me.PermiNoCbx) Then
        strWhere = strWhere & "([PermiNo] Like "*" & Me.PermiNoCbx & "*)" And "
    End If

    If Not IsNull(Me.CustomerName) Then
        strWhere = strWhere & "([Customer] Like "*" & Me.CustomerName & "*)" And "
    End If

```

```

If Not IsNull(Me.OperatorListCb) Then
    strWhere = strWhere & "([Operator] Like ""*"" & Me.OperatorListCb & ""*) And "
End If

If Not IsNull(Me.ReqNoList) Then
    strWhere = strWhere & "([RequestNo] Like ""*"" & Me.ReqNoList & ""*) And "
End If

If Not IsNull(Me.StartDate) Then
    strWhere = strWhere & "([AmendDate] >= " & Format(Me.StartDate, conJetDate) & ") And "
End If

' If Me.lblEndDate.Caption = "Return Date" Then
'     If Not IsNull(Me.EndDate) Then
'         strWhere = strWhere & "([OPSDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
'     End If
' End If

' If Me.lblEndDate.Caption = "OPS Date" Then
'     If Not IsNull(Me.EndDate) Then
'         MsgBox "Untick the Ops checkbox", vbCritical, "My Flight App"
'         Exit Sub
'     End If
' End If

If Not IsNull(Me.EndDate) Then
    strWhere = strWhere & "([AmendDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
End If

IngLen = Len(strWhere) - 5
If IngLen <= 0 Then
    MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
Else
    strWhere = Left$(strWhere, IngLen)
    Me.Filter = strWhere
    Me.FilterOn = True
DoCmd.OpenReport "OVRF_Amendments_REPORT", acViewPreview, , strWhere

End If
End Sub

Private Sub StartDate_Click()
    InputDateField StartDate, "Select a date to use this on your form"
End Sub

Private Sub EndDate_Click()
    InputDateField EndDate, "Select a date to use this on your form"
End Sub

Private Sub UrgentBtn_Click()
    Dim strWhere As String
    Dim lng As Long

    Const conJetDate = "\#mm\dd\yyyy\#"

    'Const conJetDate = "Short Date"

    If Not IsNull(Me.PermittedCb) Then
        strWhere = strWhere & "([Permitted] Like ""*"" & Me.PermittedCb & ""*) And "
    End If

    If Not IsNull(Me.CustomerName) Then
        strWhere = strWhere & "([Customer] Like ""*"" & Me.CustomerName & ""*) And "
    End If

    If Not IsNull(Me.OperatorListCb) Then
        strWhere = strWhere & "([Operator] Like ""*"" & Me.OperatorListCb & ""*) And "
    End If

```

Form_OVR_ReportGeneratorF 5

```
    If Not IsNull(Me.ReqNoList) Then
        strWhere = strWhere & "([RequestNo] Like "*" & Me.ReqNoList & "*)" And "
    End If

    If Not IsNull(Me.StartDate) Then
        strWhere = strWhere & "([RequestDate] >= " & Format(Me.StartDate, conJetDate) & ") And "
    End If

' If Me.lblEndDate.Caption = "Return Date" Then
'     If Not IsNull(Me.EndDate) Then
'         strWhere = strWhere & "([OPSDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
'     End If
' End If

' If Me.lblEndDate.Caption = "OPS Date" Then
'     If Not IsNull(Me.EndDate) Then
'         MsgBox "Untick the Ops checkbox", vbCritical, "My Flight App"
'         Exit Sub
'     End If
' End If

If Not IsNull(Me.EndDate) Then
    strWhere = strWhere & "([RequestDate] < " & Format(Me.EndDate + 1, conJetDate) & ") And "
End If

IngLen = Len(strWhere) - 5
If IngLen <= 0 Then
    MsgBox "No parameter specified. Generating report For all data...", vbCritical, "My Flight App"
Else
    strWhere = Left$(strWhere, IngLen)
    Me.Filter = strWhere
    Me.FilterOn = True
    DoCmd.OpenReport "OVRF_Urgents_REPORT", acViewPreview, , strWhere

    End If
End Sub
```


Option Compare Database

```
Private Sub CAMA_AfterUpdate()
Me.RefNo = Me.CAMA
End Sub
```

```
Private Sub closeBtn_Click()
Me.Undo

DoCmd.Close acForm, "OVRF_AddOpsF", acSaveNo
End Sub
```

```
Private Sub Detail_Click()
If Me.Dirty Then
Me.Undo
DoCmd.CancelEvent
'Me.Recordset.UndoRecord
End If
End Sub
```

```
Private Sub Form_Click()
If Me.Dirty Then
Me.Undo
DoCmd.CancelEvent
'Me.Recordset.UndoRecord
End If

End Sub
```

```
Private Sub Form_Load()
Dim fw As New clFormWindow

fw.hWnd = Me.hWnd
With fw
.Top = (.Parent.Height - .Height) / 2
.Left = (.Parent.Width - .Width) / 2
End With
Set fw = Nothing
End Sub
```

```
Private Sub Form_LostFocus()
If Me.Dirty Then
Me.Undo
DoCmd.CancelEvent
'Me.Recordset.UndoRecord
End If
End Sub
```

```
Private Sub LoadLastBtn_Click()
Me.RefNo.DefaultValue = "" & GetLastRefNo() & ""
End Sub
```

```
Private Sub cmdGenerate_Click()
Dim RefValue As Integer
Dim rst As DAO.Recordset

RefValue = Nz(DLookup("RefNum", "OVRF_OPSID"), 0)

Me.OPS_ID = Format(RefValue + 1, "000")

Set rst = CurrentDb.OpenRecordset("OVRF_OPSID", dbOpenDynaset, dbSeeChanges)

With rst
.Edit
![RefNum] = ![RefNum] + 1
.Update
End With

rst.Close
```

```

        Set rst = Nothing
    End Sub

Private Function GetLastRefNo() As Variant

    ' Get the latest RefNo value from NewFlightRequestsT table
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim strSQL As String
    'Dim lastRefNo As Variant
    Dim MaxID As Long
    MaxID = DMax("ID", "OVRF_RequestT")
    ' Me.RecordSource = "SELECT * FROM NewSectorst WHERE ID = " & MaxID & ";"

    Set db = CurrentDb
    strSQL = "SELECT * FROM OVRF_RequestT WHERE ID = " & MaxID & ";"
    Set rs = db.OpenRecordset(strSQL)

    ' Check if a record was found
    If Not rs.EOF Then
        LastRefNo = rs.Fields("RefNo").Value
    End If

    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing

    GetLastRefNo = LastRefNo
End Function

Private Sub AddOpsBtn_Click()
    If IsNull(Me.RefNo.Value) Or IsNull(Me.OPS_ID.Value) Or IsNull(Me.OPSDDate.Value) Or IsNull(Me.DEST
.Value) Or IsNull(Me.ORIGIN.Value) Then
        MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"
        Exit Sub
    Else
        DoCmd.RunCommand acCmdSaveRecord
        DoCmd.RunCommand acCmdRecordsGoToNew
        cmdGenerate_Click
    End If
End Sub

Private Sub newOVRBtn_Click()

If IsNull(Me.OPS_ID) Or Me.OPS_ID = "" Then

cmdGenerate_Click
Me.CAMA = GetLastRefNo
End If

Me.RefNo.SetFocus

End Sub

Private Sub OPSDate_Click()
    InputDateField OPSDate, "Select a date to use this on your form"
End Sub

Private Sub RefNo_GotFocus()
    If Not IsNull(Me.CAMA) Then
        Me.RefNo = Me.CAMA
    End If
End Sub

Private Sub ResetBtn_Click()

    On Error GoTo ErrorHandler

    Me.Undo

```

Form_OVRF_AddAmendF - 3

```
DoCmd.CancelEvent  
DoCmd.GoToRecord , , acNewRec
```

```
Exit Sub
```

ErrorHandler:

```
MsgBox "An error occurred: " & err.Description, vbExclamation
```

```
End Sub
```

Option Compare Database

```
Private Sub CAMA_AfterUpdate()
Me.RefNo = Me.CAMA
End Sub
```

```
Private Sub closeBtn_Click()
Me.Undo
```

```
DoCmd.Close acForm, "OVRF_AddOpsF", acSaveNo
End Sub
```

```
Private Sub Detail_Click()
If Me.Dirty Then
Me.Undo
DoCmd.CancelEvent
'Me.Recordset.UndoRecord
End If
End Sub
```

```
Private Sub Form_Click()
If Me.Dirty Then
Me.Undo
DoCmd.CancelEvent
'Me.Recordset.UndoRecord
End If
```

```
End Sub
```

```
Private Sub Form_Load()
Dim fw As New clFormWindow
```

```
fw.hWnd = Me.hWnd
With fw
.Top = (.Parent.Height - .Height) / 2
.Left = (.Parent.Width - .Width) / 2
End With
Set fw = Nothing
```

```
End Sub
```

```
Private Sub Form_LostFocus()
If Me.Dirty Then
Me.Undo
DoCmd.CancelEvent
'Me.Recordset.UndoRecord
End If
End Sub
```

```
Private Sub LoadLastBtn_Click()
Me.RefNo.DefaultValue = "'" & GetLastRefNo() & "'"
End Sub
```

```
Private Sub cmdGenerate_Click()
Dim RefValue As Integer
Dim rst As DAO.Recordset
```

```
RefValue = Nz(DLookup("RefNum", "OVRF_OPSID"), 0)
```

```
Me.OPS_ID = Format(RefValue + 1, "000")
```

```
Set rst = CurrentDb.OpenRecordset("OVRF_OPSID", dbOpenDynaset, dbSeeChanges)
```

```
With rst
.Edit
![RefNum] = ![RefNum] + 1
.Update
End With
```

```
rst.Close
```

Form_OVRF_AddOpsF - 2

```
        Set rst = Nothing

End Sub

Private Function GetLastRefNo() As Variant

    ' Get the latest RefNo value from NewFlightRequestsT table
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim strSQL As String
    'Dim lastRefNo As Variant
    Dim MaxID As Long
    MaxID = DMax("ID", "OVRF_RequestT")
    ' Me.RecordSource = "SELECT * FROM NewSectorst WHERE ID = " & MaxID & ";"

    Set db = CurrentDb
    strSQL = "SELECT * FROM OVRF_RequestT WHERE ID = " & MaxID & ";"
    Set rs = db.OpenRecordset(strSQL)

    ' Check if a record was found
    If Not rs.EOF Then
        LastRefNo = rs.Fields("RefNo").Value
    End If

    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing

    GetLastRefNo = LastRefNo
End Function

Private Sub AddOpsBtn_Click()
    If IsNull(Me.RefNo.Value) Or IsNull(Me.OPS_ID.Value) Or IsNull(Me.OPSDDate.Value) Or IsNull(Me.DEST
.Value) Or IsNull(Me.ORIGIN.Value) Then
        MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"
        Exit Sub
    Else
        DoCmd.RunCommand acCmdSaveRecord
        DoCmd.RunCommand acCmdRecordsGoToNew
        cmdGenerate_Click
    End If
End Sub

End Sub

Private Sub newOVRBtn_Click()

If IsNull(Me.OPS_ID) Or Me.OPS_ID = "" Then

cmdGenerate_Click
Me.CAMA = GetLastRefNo
End If

Me.RefNo.SetFocus

End Sub

Private Sub OPSDate_Click()
    InputDateField OPSDate, "Select a date to use this on your form"
End Sub

Private Sub RefNo_GotFocus()
    If Not IsNull(Me.CAMA) Then
        Me.RefNo = Me.CAMA
    End If
End Sub

Private Sub ResetBtn_Click()

    On Error GoTo ErrorHandler

    Me.Undo
```

Form_OVRF_AddOpsF - 3

```
DoCmd.CancelEvent  
DoCmd.GoToRecord , , acNewRec
```

```
Exit Sub
```

ErrorHandler:

```
MsgBox "An error occurred: " & err.Description, vbExclamation
```

```
End Sub
```

Option Compare Database

```
Private Sub CAMA_AfterUpdate()
Me.RefNo = Me.CAMA
End Sub
```

```
Private Sub closeBtn_Click()
Me.Undo

DoCmd.Close acForm, "OVRF_AddOpsF", acSaveNo
End Sub
```

```
Private Sub Detail_Click()
If Me.Dirty Then
Me.Undo
DoCmd.CancelEvent
'Me.Recordset.UndoRecord
End If
End Sub
```

```
Private Sub Form_Click()
If Me.Dirty Then
Me.Undo
DoCmd.CancelEvent
'Me.Recordset.UndoRecord
End If
```

```
End Sub
```

```
Private Sub Form_Load()
Dim fw As New clFormWindow
```

```
fw.hWnd = Me.hWnd
With fw
.Top = (.Parent.Height - .Height) / 2
.Left = (.Parent.Width - .Width) / 2
End With
Set fw = Nothing
```

```
End Sub
```

```
Private Sub Form_LostFocus()
If Me.Dirty Then
Me.Undo
DoCmd.CancelEvent
'Me.Recordset.UndoRecord
End If
End Sub
```

```
Private Sub LoadLastBtn_Click()
Me.RefNo.DefaultValue = "'" & GetLastRefNo() & "'"
End Sub
```

```
Private Sub cmdGenerate_Click()
Dim RefValue As Integer
Dim rst As DAO.Recordset
```

```
RefValue = Nz(DLookup("RefNum", "OVRF_OPSID"), 0)
```

```
Me.OPS_ID = Format(RefValue + 1, "000")
```

```
Set rst = CurrentDb.OpenRecordset("OVRF_OPSID", dbOpenDynaset, dbSeeChanges)
```

```
With rst
.Edit
![RefNum] = ![RefNum] + 1
.Update
End With
```

```
rst.Close
```

```

    Set rst = Nothing

End Sub

Private Function GetLastRefNo() As Variant

    ' Get the latest RefNo value from NewFlightRequestsT table
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim strSQL As String
    'Dim lastRefNo As Variant
    Dim MaxID As Long
    MaxID = DMax("ID", "OVRF_OpsT")
    ' Me.RecordSource = "SELECT * FROM NewSectorsT WHERE ID = " & MaxID & ";"

    Set db = CurrentDb
    strSQL = "SELECT * FROM OVRF_OpsT WHERE ID = " & MaxID & ";"
    Set rs = db.OpenRecordset(strSQL)

    ' Check if a record was found
    If Not rs.EOF Then
        LastRefNo = rs.Fields("RefNo").Value
    End If

    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing

    GetLastRefNo = LastRefNo
End Function

Private Sub AddOpsBtn_Click()
    If IsNull(Me.RefNo.Value) Or IsNull(Me.OPS_ID.Value) Or IsNull(Me.OPSDDate.Value) Or IsNull(Me.DEST
.Value) Or IsNull(Me.ORIGIN.Value) Then
        MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"
        Exit Sub
    Else
        DoCmd.RunCommand acCmdSaveRecord
        DoCmd.RunCommand acCmdRecordsGoToNew
        cmdGenerate_Click
        Me.RefNo = GetLastRefNo
    End If
End Sub

Private Sub addServiceBtn_Click()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim I As Integer

    Dim Service As String, Vendor As String, Agent As String, ServiceStatus As String, PaymentMethod A
s String
    Dim Notes As String, Sect_ID As Variant ' Add variable declaration for Notes

    ' Open the main table's recordset
    Set db = CurrentDb
    Set rs = db.OpenRecordset("NewServicesT", dbOpenDynaset)

    ' Loop through the sets of text boxes and add records
    For I = 1 To 7 ' Change 10 to the desired number of services

        ' Retrieve values from text boxes
        Service = Nz(Me.Controls("Service" & I).Value, "")
        Vendor = Nz(Me.Controls("Vendor" & I).Value, "")
        Agent = Nz(Me.Controls("Agent" & I).Value, "")
        ServiceStatus = Nz(Me.Controls("ServiceStatus" & I).Value, "")
        PaymentMethod = Nz(Me.Controls("PaymentMethod" & I).Value, "")
        Notes = Nz(Me.Controls("Notes" & I).Value, "")
        Sect_ID = Nz(Me.Controls("Sect_ID" & I).Value, "")

        ' Check if at least one field is not empty
        If Service <> "" Or Vendor <> "" Or Agent <> "" Or ServiceStatus <> "" Or PaymentMethod <> ""
Or Notes <> "" Or IsNull(Notes) Or IsNull(Sect_ID) Then

```



```

        ' Add a record
        rs.AddNew
        ' Assign values to the fields in the table
        rs.Fields("Service").Value = Service
        rs.Fields("Vendor").Value = Vendor
        rs.Fields("Agent").Value = Agent
        rs.Fields("ServiceStatus").Value = ServiceStatus
        rs.Fields("PaymentMethod").Value = PaymentMethod
        rs.Fields("Notes").Value = Notes
        rs.Fields("Sect_ID").Value = Sect_ID
        rs.Update
    End If

    ' Clear the text boxes after adding a record
    Me.Controls("Service" & I).Value = Null
    Me.Controls("Vendor" & I).Value = Null
    Me.Controls("Agent" & I).Value = Null
    Me.Controls("ServiceStatus" & I).Value = Null
    Me.Controls("PaymentMethod" & I).Value = Null
    Me.Controls("Notes" & I).Value = Null
    Me.Controls("Sect_ID" & I).Value = Null
Next I

' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing

' Optional: Display a message indicating successful addition
MsgBox "Service records added successfully.", vbInformation

Exit Sub

End Sub

Private Sub newOVRBtn_Click()

If IsNull(Me.OPS_ID) Or Me.OPS_ID = "" Then

cmdGenerate_Click
Me.CAMA = GetLastRefNo
End If

Me.RefNo.SetFocus

End Sub

Private Sub OPSDate_Click()
    InputDateField OPSDate, "Select a date to use this on your form"
End Sub

Private Sub RefNo_GotFocus()
    If Not IsNull(Me.CAMA) Then
        Me.RefNo = Me.CAMA
    End If
End Sub

Private Sub ResetBtn_Click()

    On Error GoTo ErrorHandler

    Me.Undo
    DoCmd.CancelEvent
    DoCmd.GoToRecord , , acNewRec

Exit Sub

ErrorHandler:
    MsgBox "An error occurred: " & err.Description, vbExclamation

```

End Sub

Form_OVRFUpdateOpsF - 1

Option Compare Database

Form_PermitBriefF - 1

Option Compare Database

Private Sub AddPermit_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim strSQL As String

Set db = CurrentDb

' Check If a record With the same Country And Sect_ID already exists

strSQL = "Select COUNT(*) FROM PermitBriefT WHERE Country = '" & Me.CountriesCmb.Value & "' And Sect_ID = '" & Me.Sect_ID.Column(1)

If DCount("*", "PermitBriefT", "Country = '" & Me.CountriesCmb.Value & "' And Sect_ID = '" & Me.Sect_ID.Column(1)) > 0 Then

MsgBox "A record With the same Country And Sect_ID already exists.", vbExclamation, "Duplicate Record"

Exit Sub

End If

Set rs = db.OpenRecordset("PermitBriefT", dbOpenDynaset)

rs.AddNew

' Assign values To the fields in the table

rs.Fields("Country").Value = Me.CountriesCmb.Value

rs.Fields("Sect_ID").Value = Me.Sect_ID.Column(1)

rs.Fields("PermitType").Value = Me.PermitType.Value

rs.Fields("PermitStatus").Value = Me.ServiceStatus.Value

rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value

rs.Fields("PermitNumber").Value = Me.PermitNumber.Value

rs.Fields("Vendor").Value = Me.Vendor.Value

' Save the New record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values

Me.CountriesCmb.Value = Null

Me.PermitNumber.Value = Null

' Display a message indicating successful addition

MsgBox "Data added successfully."

Me.Undo

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "ConciergeBriefF", acSaveNo

End Sub

Private Function GetLastSectID() As Variant

' Get the latest RefNo value from NewFlightRequestsT table

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim strSQL As String

'Dim lastRefNo As Variant

Dim MaxID As Long

MaxID = DMax("ID", "NewSectorsT")

' Me.RecordSource = "Select * FROM NewSectorsT WHERE ID = " & MaxID & ";"

Set db = CurrentDb

strSQL = "Select * FROM NewSectorsT WHERE ID = " & MaxID & ";"

Set rs = db.OpenRecordset(strSQL)

' Check If a record was found

If Not rs.EOF Then

```

        LastSectID = rs.Fields("Sect_ID").Value
    End If

    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing

    GetLastSectID = LastSectID
End Function

Private Sub CountriesCmb_AfterUpdate()
Me.Refresh
End Sub

Private Sub Form_Load()

Me.Sect_ID = GetLastSectID

End Sub

Private Sub ResetBtn_Click()

    Me.CountriesCmb.Value = Null
    Me.PermittType.Value = Null
    Me.ServiceStatus.Value = Null
    Me.PaymentMethod.Value = Null
    Me.PermittNumber.Value = Null
    Me.Undo

End Sub

' for future usage once we have enough data to select from
Private Sub VendorLocCmb_Change()
    Dim selectedValue As Variant
    selectedValue = Me.VendorLocCmb.Value ' Get the selected value from the combo box

    If Not IsNull(selectedValue) Then
        Dim rs As DAO.Recordset
        Set rs = CurrentDb.OpenRecordset("FuelVendorsT", dbOpenSnapshot)

        rs.FindFirst "VendorICAO = '" & selectedValue & "'"
        If Not rs.NoMatch Then
            Me.IPA.Value = rs("IPA").Value
            Me.FBO.Value = rs("FBO").Value
            Me.Vendor.Value = rs("FuelVendor").Value
            Me.Location_ID.Value = rs("Location_ID").Value
            Me.VendorPrice.Value = rs("VendorPrice").Value
        Else
            Me.IPA.Value = Null
            Me.Vendor.Value = Null
            Me.Location_ID.Value = Null
            Me.VendorPrice.Value = Null
            Me.FBO.Value = Null
        End If

        rs.Close
        Set rs = Nothing
    Else
        Me.IPA.Value = Null
        Me.Vendor.Value = Null
        Me.Location_ID.Value = Null
        Me.VendorPrice.Value = Null
        Me.FBO.Value = Null
    End If

Exit Sub
End Sub

```

Form_PermitBriefF_New - 1

Option Compare Database

Private Sub AddPermit_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim strSQL As String

Set db = CurrentDb

If IsNull(Me.Sect_ID) Or IsNull(Me.CountriesCmb) Or IsNull(Me.PermitType) Or IsNull(Me.ServiceStatus) Or IsNull(Me.PaymentMethod) Or IsNull(Me.Vendor) Then

MsgBox "Please add missing fields.", vbExclamation

Exit Sub

End If

' Check If a record With the same Country And Sect_ID already exists

strSQL = "Select COUNT(*) FROM PermitBriefT_New WHERE Country = '" & Me.CountriesCmb.Value & "' And Sect_ID = " & Me.Sect_ID.Column(1)

If DCount("*", "PermitBriefT_New", "Country = '" & Me.CountriesCmb.Value & "' And Sect_ID = " & Me.Sect_ID.Column(1) & " And PermitType = '" & Me.PermitType.Value & "'") > 0 Then

MsgBox "A record With the same Country, Sect_ID, And PermitType already exists.", vbExclamation, "Duplicate Record"

Exit Sub

End If

Set rs = db.OpenRecordset("PermitBriefT_New", dbOpenDynaset)

rs.AddNew

' Assign values To the fields in the table

rs.Fields("Country").Value = Me.CountriesCmb.Value

rs.Fields("Sect_ID").Value = Me.Sect_ID.Column(1)

rs.Fields("PermitType").Value = Me.PermitType.Value

rs.Fields("PermitStatus").Value = Me.ServiceStatus.Value

rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value

rs.Fields("PermitNumber").Value = Me.PermitNumber.Value

rs.Fields("Vendor").Value = Me.Vendor.Value

rs.Fields("PermitValidity").Value = Me.PermitValidity.Value

' Save the New record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values

Me.CountriesCmb.Value = Null

Me.PermitNumber.Value = Null

Me.PermitValidity.Value = Null

' Display a message indicating successful addition

MsgBox "Data added successfully."

Me.Undo

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "ConciergeBriefF", acSaveNo

End Sub

Private Sub CountriesCmb_AfterUpdate()

Dim selectedValue As Variant

selectedValue = Me.CountriesCmb.Value ' Get the selected value from the combo box

If Not IsNull(selectedValue) Then

Dim rs As DAO.Recordset

Set rs = CurrentDb.OpenRecordset("CountriesT_New", dbOpenSnapshot)

rs.FindFirst "COUNTRY = '" & selectedValue & "'"

If Not rs.NoMatch Then

Me.PermitValidity.Value = rs("OVF_PermitValidity").Value

Else

```
        Me.PermitValidity.Value = Null
    End If

    rs.Close
    Set rs = Nothing
Else
    Me.PermitValidity.Value = Null
End If

Exit Sub

End Sub

Private Sub ResetBtn_Click()

    Me.CountriesCmb.Value = Null
    Me.PermitType.Value = Null
    Me.ServiceStatus.Value = Null
    Me.PaymentMethod.Value = Null
    Me.PermitNumber.Value = Null
    Me.Undo

End Sub
```

Option Compare Database

Option Explicit

Private Sub Form_Load()

Dim selectedRefNo As Variant

selectedRefNo = Forms("FlightSupport_LASTFORM_New_V11").Controls("FlightSupport_RequestF_New").Form.Controls("RefNo2").Value

Dim query As String

' Construct the dynamic query based on the selected value

query = "Select SectorNo, Sect_ID FROM FlightSupport_SectorsT WHERE RequestRefNo = '" & selectedRefNo & "' And TripStatus = 'Active' ORDER BY SectorNo ASC;"

' query = "Select SectorNo, Sect_ID FROM FlightSupport_SectorsT WHERE RequestRefNo = '" & SelectedRefNo & "' ORDER BY SectorNo ASC;"

Me.Sect_ID.RowSource = query

End Sub

Private Sub AddPermit_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim strSQL As String

Set db = CurrentDb

If IsNull(Me.Sect_ID) Or IsNull(Me.CountriesCmb) Or IsNull(Me.PermitType) Or IsNull(Me.ServiceStatus) Or IsNull(Me.PaymentMethod) Or IsNull(Me.Vendor) Then

MsgBox "Please add missing fields.", vbExclamation

Exit Sub

End If

' Check If a record With the same Country And Sect_ID already exists

strSQL = "Select COUNT(*) FROM PermitBriefT_New WHERE Country = '" & Me.CountriesCmb.Value & "' And Sect_ID = '" & Me.Sect_ID.Column(1)

If DCount("*", "PermitBriefT_New", "Country = '" & Me.CountriesCmb.Value & "' And Sect_ID = '" & Me.Sect_ID.Column(1) & "' And PermitType = '" & Me.PermitType.Value & "'") > 0 Then

MsgBox "A record With the same Country, Sect_ID, And PermitType already exists.", vbExclamation

n, "Duplicate Record"

Exit Sub

End If

Set rs = db.OpenRecordset("PermitBriefT_New", dbOpenDynaset)

rs.AddNew

' Assign values To the fields in the table

rs.Fields("Country").Value = Me.CountriesCmb.Value

rs.Fields("Sect_ID").Value = Me.Sect_ID.Column(1)

rs.Fields("PermitType").Value = Me.PermitType.Value

rs.Fields("PermitStatus").Value = Me.ServiceStatus.Value

rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value

rs.Fields("PermitNumber").Value = Me.PermitNumber.Value

rs.Fields("Vendor").Value = Me.Vendor.Value

rs.Fields("PermitValidity").Value = Me.PermitValidity.Value

' Save the New record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values

Me.CountriesCmb.Value = Null

Me.PermitNumber.Value = Null

Me.PermitValidity.Value = Null

' Display a message indicating successful addition

MsgBox "Data added successfully."

Me.Undo

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "ConciergeBriefF", acSaveNo

End Sub


```
Private Sub CountriesCmb_AfterUpdate()  
    Dim selectedValue As Variant  
  
    selectedValue = Me.CountriesCmb.Value ' Get the selected value from the combo box  
  
    If Not IsNull(selectedValue) Then  
        Dim rs As DAO.Recordset  
        Set rs = CurrentDb.OpenRecordset("CountriesT_New", dbOpenSnapshot)  
  
        rs.FindFirst "COUNTRY = '" & selectedValue & "'"   
        If Not rs.NoMatch Then  
            Me.PermitValidity.Value = rs("OVF_PermitValidity").Value  
        Else  
            Me.PermitValidity.Value = Null  
        End If  
  
        rs.Close  
        Set rs = Nothing  
    Else  
        Me.PermitValidity.Value = Null  
    End If  
  
Exit Sub
```

```
End Sub  
Private Sub ResetBtn_Click()  
  
    Me.CountriesCmb.Value = Null  
    Me.PermitType.Value = Null  
    Me.ServiceStatus.Value = Null  
    Me.PaymentMethod.Value = Null  
    Me.PermitNumber.Value = Null  
    Me.Undo  
End Sub
```

Form_PermitBriefF_New_V12 1

Option Compare Database

Option Explicit

Private Sub Form_Load()

Dim selectedRefNo As Variant

Dim SectorNoCmbQ As String

Dim CurrentForm As Form

Set CurrentForm = Forms("FlightSupport_LASTFORM_New_V12").Controls("FlightSupport_AddUpdateRequestF").Form.Controls("Add_UpdateRequestF").Form

selectedRefNo = CurrentForm.Form.Controls("RequestRefNo").Value

SectorNoCmbQ = "Select SectorNo, Sect_ID FROM FlightSupport_SectorsT_New_V12 WHERE FlightRefNo = '" & selectedRefNo & "' And SectorStatus = 'Active' ORDER BY SectorNo ASC;"

CurrentForm.Controls("FlightSupport_ServicesTabs").Controls("BriefsTabs").Form.Controls("Sect_ID").RowSource = SectorNoCmbQ

Me.Refresh

End Sub

Private Sub AddPermit_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim strSQL As String

Set db = CurrentDb

If IsNull(Me.Sect_ID) Or IsNull(Me.CountriesCmb) Or IsNull(Me.PermitType) Or IsNull(Me.ServiceStatus) Or IsNull(Me.PaymentMethod) Or IsNull(Me.Vendor) Then

MsgBox "Please add missing fields.", vbExclamation

Exit Sub

End If

' Check If a record With the same Country And Sect_ID already exists

strSQL = "Select COUNT(*) FROM PermitBriefT_New WHERE Country = '" & Me.CountriesCmb.Value & "' And Sect_ID = '" & Me.Sect_ID.Column(1)

If DCount("*", "PermitBriefT_New", "Country = '" & Me.CountriesCmb.Value & "' And Sect_ID = '" & Me.Sect_ID.Column(1) & "' And PermitType = '" & Me.PermitType.Value & "'") > 0 Then

MsgBox "A record With the same Country, Sect_ID, And PermitType already exists.", vbExclamation, "Duplicate Record"

Exit Sub

End If

Set rs = db.OpenRecordset("PermitBriefT_New", dbOpenDynaset)

rs.AddNew

' Assign values To the fields in the table

rs.Fields("Country").Value = Me.CountriesCmb.Value

rs.Fields("Sect_ID").Value = Me.Sect_ID.Column(1)

rs.Fields("PermitType").Value = Me.PermitType.Value

rs.Fields("PermitStatus").Value = Me.ServiceStatus.Value

rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value

rs.Fields("PermitNumber").Value = Me.PermitNumber.Value

rs.Fields("Vendor").Value = Me.Vendor.Value

rs.Fields("PermitValidity").Value = Me.PermitValidity.Value

' Save the New record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values

Me.CountriesCmb.Value = Null

Me.PermitNumber.Value = Null

Me.PermitValidity.Value = Null

' Display a message indicating successful addition

MsgBox "Data added successfully."

Me.Undo

End Sub

Form_PermitBriefF_New_V12_2

```
Private Sub closeBtn_Click()  
    Me.Undo  
    DoCmd.Close acForm, "ConciergeBriefF", acSaveNo  
End Sub  
Private Sub CountriesCmb_AfterUpdate()  
    Dim selectedValue As Variant  
  
    selectedValue = Me.CountriesCmb.Value ' Get the selected value from the combo box  
  
    If Not IsNull(selectedValue) Then  
        Dim rs As DAO.Recordset  
        Set rs = CurrentDb.OpenRecordset("CountriesT_New", dbOpenSnapshot)  
  
        rs.FindFirst "COUNTRY = '" & selectedValue & "'"  
        If Not rs.NoMatch Then  
            Me.PermitValidity.Value = rs("OVF_PermitValidity").Value  
        Else  
            Me.PermitValidity.Value = Null  
        End If  
  
        rs.Close  
        Set rs = Nothing  
    Else  
        Me.PermitValidity.Value = Null  
    End If  
  
Exit Sub  
  
End Sub  
Private Sub ResetBtn_Click()  
  
    Me.CountriesCmb.Value = Null  
    Me.PermitType.Value = Null  
    Me.ServiceStatus.Value = Null  
    Me.PaymentMethod.Value = Null  
    Me.PermitNumber.Value = Null  
    Me.Undo  
End Sub
```

Form_ServicesTabF - 1

Option Compare Database

Private Sub closeBtn_Click()

'On Error GoTo MyError

 'Me.Undo

 'Forms("LASTFORM!RequestF").ResetBtn_Click

 Me.Undo

 'DoCmd.CancelEvent

 DoCmd.Close acForm, "FlightSupport_LASTFORM", acSaveNo

 'DoCmd.Close acForm, "NewAddSectorF", acSaveNo

 'DoCmd.Close acForm, "RequestF", acSaveNo

'Exit Sub

'MyError:

'Err.Description

End Sub

Private Sub UpdateFormBtn_Click()

 DoCmd.OpenForm "FlightSupport_UpdateLASTFORM", WindowMode:=acWindowNormal

End Sub

Private Sub Handling_Brief_Click()

Me.Refresh

End Sub

Private Sub UpdateFuelReleasebtn_Click()

DoCmd.OpenForm "FlightSupport_UpdateFuelReleaseF", WindowMode:=acWindowNormal

End Sub

Form_UPDATE_OVF_NewAddOpsF_V1 - 1

```
Option Compare Database
Private Sub addOPSDateBtn_Click()
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim I As Integer

    Dim txtCallSign As String, OPSDate As String, ORIGIN As String, DEST As String, RefNo As Variant

    ' Open the main table's recordset
    Set db = CurrentDb
    Set rs = db.OpenRecordset("OVRF_OpsT", dbOpenDynaset)

    ' Loop through the sets of text boxes and add records
    For I = 1 To 5 ' Change 5 to the desired number of OPSDATE

        ' Retrieve values from text boxes
        txtCallSign = Nz(Me.Controls("txtCallSign" & I).Value, "")
        OPSDate = Nz(Me.Controls("OPSDate" & I).Value, "")
        ORIGIN = Nz(Me.Controls("ORIGIN" & I).Value, "")
        DEST = Nz(Me.Controls("DEST" & I).Value, "")
        RefNo = Nz(Me.Controls("RefNo" & I).Value, "")

        ' Check if at least one field is not empty
        If txtCallSign <> "" Or OPSDate <> "" Or ORIGIN <> "" Or DEST <> "" Or RefNo <> "" Then
            ' Edit the current record
            rs.Edit
            ' Assign values to the fields in the table
            rs.Fields("txtCallSign").Value = txtCallSign
            rs.Fields("OPSDate").Value = OPSDate
            rs.Fields("ORIGIN").Value = ORIGIN
            rs.Fields("DEST").Value = DEST
            rs.Fields("PermitNo").Value = RefNo
            ' Save the changes to the current record
            rs.Update
        End If
    Next I

    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing

    ' Optional: Display a message indicating successful addition
    'MsgBox "Flights records added successfully.", vbInformation

Exit Sub

End Sub

Private Sub CAMA_AfterUpdate()
    Me.RecordSource = "SELECT * FROM OVRF_OpsT WHERE PermitNo = '" & Me.CAMA & "' ORDER BY ID DESC;"
    'addOPSDateBtn_Click
End Sub

Private Sub CAMA_Change()
    CAMA_AfterUpdate
End Sub

Private Sub LoadLastBtn_Click()
    Me.CAMA.DefaultValue = "" & GetLastPermitNo() & ""
End Sub

Private Function GetLastPermitNo() As Variant

    ' Get the latest RefNo value from NewFlightRequestsT table
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim strSQL As String
    'Dim lastRefNo As Variant
    Dim MaxID As Long
    MaxID = DMax("ID", "OVRF_RequestT")

```

Form_UPDATE_OVF_NewAddOpsF_V1 - 2

```
' Me.RecordSource = "SELECT * FROM NewSectorST WHERE ID = " & MaxID & ";"
```

```
Set db = CurrentDb
```

```
strSQL = "SELECT * FROM OVRF_RequestT WHERE ID = " & MaxID & ";"
```

```
Set rs = db.OpenRecordset(strSQL)
```

```
' Check if a record was found
```

```
If Not rs.EOF Then
```

```
    PermitNo = rs.Fields("PermitNo").Value
```

```
End If
```

```
' Clean up
```

```
rs.Close
```

```
Set rs = Nothing
```

```
Set db = Nothing
```

```
GetLastPermitNo = PermitNo
```

```
End Function
```

```
Private Sub OPSDate1_Click()
```

```
InputDateField OPSDate1, "Select a date to use this on your form"
```

```
End Sub
```

```
Private Sub OPSDate2_Click()
```

```
InputDateField OPSDate2, "Select a date to use this on your form"
```

```
End Sub
```

```
Private Sub OPSDate3_Click()
```

```
InputDateField OPSDate3, "Select a date to use this on your form"
```

```
End Sub
```

```
Private Sub OPSDate4_Click()
```

```
InputDateField OPSDate4, "Select a date to use this on your form"
```

```
End Sub
```

```
Private Sub OPSDate5_Click()
```

```
InputDateField OPSDate5, "Select a date to use this on your form"
```

```
End Sub
```

```
Private Sub Form_Load()
```

```
Dim fw As New clFormWindow
```

```
fw.hWnd = Me.hWnd
```

```
With fw
```

```
    .Top = (.Parent.Height - .Height) / 2
```

```
    .Left = (.Parent.Width - .Width) / 2
```

```
End With
```

```
Set fw = Nothing
```

```
End Sub
```

```
Public Sub ResetBtn_Click()
```

```
On Error GoTo ErrorHandler
```

```
Me.Controls("CAMA").Value = Null
```

```
For I = 1 To 5
```

```
    Me.Controls("txtCallSign" & I).Value = Null
```

```
    Me.Controls("OPSDate" & I).Value = Null
```

```
    Me.Controls("ORIGIN" & I).Value = Null
```

```
    Me.Controls("DEST" & I).Value = Null
```

```
    Me.Controls("RefNo" & I).Value = Null
```

```
Next I
```

```
Me.Undo
```

```
DoCmd.CancelEvent
```

```
Exit Sub
```

```
ErrorHandler:
```

```
MsgBox "An error occurred: " & err.Description, vbExclamation
```

```
End Sub
```

Form_Update_OVFP_FORM_V1 -1

Option Compare Database

```
Private Sub closeBtn_Click()  
    Me.Undo  
    DoCmd.OpenForm "OVFP_FORM", WindowMode:=acWindowNormal  
    DoCmd.Close acForm, "Update_OVFP_FORM", acSaveNo  
End Sub
```

```
Private Sub Detail_Click()  
    Me.Undo  
End Sub
```

```
Private Sub Form_Load()  
    Dim fw As New clFormWindow
```

```
    fw.hWnd = Me.hWnd  
    With fw  
        .Top = (.Parent.Height - .Height) / 2  
        .Left = (.Parent.Width - .Width) / 2  
    End With  
    Set fw = Nothing  
End Sub
```

```
Private Sub UpdateFormBtn_Click()  
    DoCmd.OpenForm "UpdateOVFP_FORM", WindowMode:=acWindowNormal  
End Sub
```

Option Compare Database

```
Private Sub closeBtn_Click()  
    Me.Undo
```

```
        DoCmd.Close acForm, "Update_OVFP_FORM", acSaveNo  
End Sub
```

```
Private Sub Detail_Click()  
    Me.Undo  
End Sub
```

```
Private Sub Form_Load()  
    Dim fw As New clFormWindow
```

```
        fw.hWnd = Me.hWnd  
        With fw  
            .Top = (.Parent.Height - .Height) / 2  
            .Left = (.Parent.Width - .Width) / 2  
        End With  
        Set fw = Nothing  
End Sub
```

```
Private Sub UpdateFormBtn_Click()  
    DoCmd.OpenForm "UpdateOVFP_FORM", WindowMode:=acWindowNormal  
End Sub
```


Form_Update_OVR_OPSPF - 1

Option Compare Database
Private Sub UpdateUser()

Dim UserID As Integer
UserID = Forms!loggedInUser!txtUserID
Me.Updated_date = Format(Now(), "mm/dd/yyyy")
Me.User = DLookup("UserName", "UsersT", "ID =" & UserID & "")
Me.Refresh

End Sub

Private Sub ACRegCb_AfterUpdate()
UpdateUser
Dim selectedValue As Variant
selectedValue = Me.ACRegCb.Value ' Get the selected value from the combo box

If Not IsNull(selectedValue) Then
Dim rs As DAO.Recordset
Set rs = CurrentDb.OpenRecordset("ACRegT", dbOpenSnapshot)

rs.FindFirst "ACReg = '" & selectedValue & "'"
If Not rs.NoMatch Then
Me.ACTYPE.Value = rs("ACType").Value
'Me.ACMTOW.Value = rs("ACMTOW").Value
Me.Operator.Value = rs("Operator").Value
Me.Customer.Value = rs("Customer").Value
Else
Me.ACTYPE.Value = Null
'Me.ACMTOW.Value = Null
Me.Operator.Value = Null
Me.Customer.Value = Null
End If

rs.Close
Set rs = Nothing
Else
Exit Sub
End If

Exit Sub

End Sub

Private Sub ActualOPSDate_Click()
InputDateField ActualOPSDate, "Select a date to use this on your form"
UpdateUser
End Sub

Private Sub ACType_AfterUpdate()
UpdateUser
End Sub
Private Sub Customer_AfterUpdate()
UpdateUser
End Sub

Private Sub DEST_AfterUpdate()
UpdateUser
End Sub
Private Sub Operator_AfterUpdate()
UpdateUser
End Sub

Private Sub ORIGIN_AfterUpdate()
UpdateUser
End Sub
Private Sub txtCallSign_AfterUpdate()
UpdateUser
End Sub
Private Sub PermitNo_AfterUpdate()
UpdateUser
End Sub
Private Sub RefNo_AfterUpdate()
UpdateUser

Form_Update_OVR_OPSF - 2

```
End Sub
Private Sub Detail_Click()
    If Me.Dirty Then
        Me.Undo
        DoCmd.CancelEvent
        'Me.Recordset.UndoRecord
    End If
End Sub

Private Sub Form_Click()
    If Me.Dirty Then
        Me.Undo
        DoCmd.CancelEvent
        'Me.Recordset.UndoRecord
    End If
End Sub

Private Sub Form_Load()
Dim fw As New clFormWindow

    fw.hWnd = Me.hWnd
    With fw
        .Top = (.Parent.Height - .Height) / 2
        .Left = (.Parent.Width - .Width) / 2
    End With
    Set fw = Nothing
End Sub

Private Sub Form_LostFocus()
    If Me.Dirty Then
        Me.Undo
        DoCmd.CancelEvent
        'Me.Recordset.UndoRecord
    End If
End Sub

Private Sub OPSDate_Click()
    InputDateField OPSDate, "Select a date to use this on your form"
    UpdateUser
End Sub
```

Option Compare Database

```

Private Sub DepatureDate_Click()
    InputDateField DepatureDate, "Select a date to use this on your form"
End Sub

Private Sub Form_Load()
Dim fw As New clFormWindow

    fw.hWnd = Me.hWnd
    With fw
        .Top = (.Parent.Height - .Height) / 2
        .Left = (.Parent.Width - .Width) / 2
    End With
    Set fw = Nothing

LoadLastBtn_Click
End Sub

Private Sub LoadLastBtn_Click()
    Me.RefNo.DefaultValue = "" & GetLastRefNo() & ""
End Sub

Private Sub cmdGenerate_Click()
    Dim RefValue As Integer
    Dim rst As DAO.Recordset

    RefValue = Nz(DLookup("RefNum", "OVRF_OPSID"), 0)

    Me.OPS_ID = Format(RefValue + 1, "000")

    Set rst = CurrentDb.OpenRecordset("OVRF_OPSID", dbOpenDynaset, dbSeeChanges)

    With rst
        .Edit
        ![RefNum] = ![RefNum] + 1
        .Update
    End With

    rst.Close
    Set rst = Nothing

End Sub

Private Function GetLastRefNo() As Variant

    ' Get the latest RefNo value from NewFlightRequestsT table
    Dim db As DAO.Database
    Dim rs As DAO.Recordset
    Dim strSQL As String
    'Dim lastRefNo As Variant
    Dim MaxID As Long
    MaxID = DMax("ID", "OVRF_RequestT")
    ' Me.RecordSource = "SELECT * FROM NewSectorst WHERE ID = " & MaxID & ";"

    Set db = CurrentDb
    strSQL = "SELECT * FROM OVRF_RequestT WHERE ID = " & MaxID & ";"
    Set rs = db.OpenRecordset(strSQL)

    ' Check if a record was found
    If Not rs.EOF Then
        LastRefNo = rs.Fields("RefNo").Value
    End If

    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing

    GetLastRefNo = LastRefNo
End Function

```

```
Private Sub AddOpsBtn_Click()  
    If IsNull(Me.RefNo.Value) Or IsNull(Me.OPS_ID.Value) Or IsNull(Me.DepatureDate.Value) Or IsNull(Me.  
.D_DEST.Value) Or IsNull(Me.D_ORIGIN.Value) Or IsNull(Me.D_ORIGIN.Value) Then  
        MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"  
        Exit Sub  
    Else  
        DoCmd.RunCommand acCmdSaveRecord  
        DoCmd.RunCommand acCmdRecordsGoToNew  
        cmdGenerate_Click  
        Me.RefNo.Value = GetLastRefNo  
    End If  
End Sub  
  
Private Sub newOVRBtn_Click()  
  
If IsNull(Me.OPS_ID) Or Me.OPS_ID = "" Then  
  
cmdGenerate_Click  
  
End If  
  
Me.DepatureDate.SetFocus  
  
End Sub  
  
Private Sub ResetBtn_Click()  
  
    On Error GoTo ErrorHandler  
  
    Me.Undo  
    DoCmd.CancelEvent  
    DoCmd.GoToRecord , , acNewRec  
  
    Exit Sub  
  
ErrorHandler:  
    MsgBox "An error occurred: " & err.Description, vbExclamation  
  
End Sub  
  
Private Sub ReturnDate_Click()  
    InputDateField.ReturnDate, "Select a date to use this on your form"  
End Sub
```

Form_Update_OVRF_OPSF - 1

Option Compare Database

Private Sub Amends_Change()

Dim UserID As Integer

UserID = Forms!loggedInUser!txtUserID

' Me.Updated_date.ForeColor = RGB(255, 0, 0)

' Me.Updated_date.BackColor = RGB(255, 255, 0)

Me.Updated_date.Value = Format(Now(), "dd mm yyyy, hh:nn")

Me.User = DLookup("UserName", "UsersT", "ID =" & UserID & "")

End Sub

Private Sub D_DEST_Change()

Amends_Change

End Sub

Private Sub D_ORIGIN_Change()

Amends_Change

End Sub

Private Sub DepartureDate_Change()

Amends_Change

End Sub

Private Sub DepartureDate_Click()

InputDateField DepartureDate, "Select a date to use this on your form"

End Sub

Private Sub PermitNo_Change()

Amends_Change

End Sub

Private Sub R_DEST_Change()

Amends_Change

End Sub

Private Sub R_ORIGIN_Change()

Amends_Change

End Sub

Private Sub ReturnDate_Change()

Amends_Change

End Sub

Private Sub ReturnDate_Click()

InputDateField ReturnDate, "Select a date to use this on your form"

End Sub

Form_Update_OVRF_RequestF 1

Option Compare Database

```
Private Sub AmendsNo_AfterUpdate()  
Amends_AfterUpdate  
End Sub
```

```
Private Sub RefreshBtn_Click()  
Me.Requery  
End Sub
```

```
Private Sub DeleteRecordBtn_Click()  
On Error GoTo ErrorHandler
```

ClearAndRenderLastRecord

```
ErrorHandler:  
MsgBox "An error occurred: " & err.Description, vbExclamation, "Error"  
End Sub
```

```
Private Sub ClearAndRenderLastRecord()  
On Error GoTo ErrorHandler
```

```
DoCmd.SetWarnings False  
RunCommand acCmdDeleteRecord  
DoCmd.SetWarnings True  
If Me.NewRecord Then  
DoCmd.GoToRecord , , acPrevious  
End If
```

```
ErrorHandler:  
MsgBox "An error occurred: " & err.Description, vbExclamation, "Error"  
End Sub
```

```
Private Sub PermitNo_Change()  
LoggedUserUpdate  
End Sub
```

```
Private Sub LoggedUserUpdate()  
Dim UserID As Integer  
UserID = Forms!loggedInUser!txtUserID  
Me.Updated_date.ForeColor = RGB(255, 0, 0)  
' Me.Updated_date.BackColor = RGB(255, 255, 0)  
Me.Updated_date.Value = Format(Now(), "dd" & "/" & " mm " & "/YYYY")  
Me.User = DLookup("UserName", "UsersT", "ID =" & UserID & "")  
End Sub
```

```
Private Sub Form_Load()  
LoadLastBtn_Click  
End Sub
```

```
Public Sub UndoAll()  
Me.Undo  
End Sub
```

```
Private Sub PermitNo_AfterUpdate()  
Me.PermitNo = UCase(Me.PermitNo.Value)  
End Sub
```

```
Private Sub RefNo_AfterUpdate()  
'Me.RecordSource = "SELECT * FROM OVRF_RequestT WHERE RefNo = '" & Me.RefNo & "';"  
Me.RecordSource = "SELECT * FROM OVRF_RequestT WHERE RefNo = '" & Me.RefNo & "' ORDER BY ID DESC;"  
End Sub
```

```
Private Sub ReqDate_Click()  
InputDateField ReqDate, "Select a date to use this on your form"  
End Sub
```

```
Private Sub ReqNo_AfterUpdate()  
Me.RequestNo = UCase(Me.RequestNo.Value)  
End Sub
```

```
Private Sub Amends_AfterUpdate()  
Me.Amends = UCase(Me.Amends.Value)  
LoggedUserUpdate  
End Sub  
Private Sub LoadLastBtn_Click()
```

Form_Update_OVRF_RequestF 2

```
Dim MaxID As Long
MaxID = DMax("ID", "OVRF_RequestT")
Me.RecordSource = "SELECT * FROM OVRF_RequestT WHERE ID = " & MaxID & ";"
End Sub

Private Sub UpdateOpsDatesBtn_Click()
DoCmd.OpenForm "OFR_NewAddOpsF", WindowMode:=acWindowNormal
End Sub
```

Form_UpdateAirports_FIRsF 1

Option Compare Database

Private Sub AddNewARPs_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

If IsNull(Me.CurrentARP.Value) Then

MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"

Exit Sub

Else

' Me.Customer.Value = Nz(Me.CurrentARP.Value, "")

Set db = CurrentDb

Set rs = db.OpenRecordset("Airports_FIRsT", dbOpenDynaset)

rs.AddNew

' Assign values to the fields in the table

rs.Fields("AIRPORTS_FIRs").Value = Me.CurrentARP.Value

' Save the new record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values

ResetBtn_Click

' Display a message indicating successful addition

MsgBox "Data added successfully."

End If

End Sub

Private Sub ARPCmb_AfterUpdate()

Me.RecordSource = "SELECT * FROM Airports_FIRsT ORDER BY ID DESC;"

Me.CurrentARP = Me.ARPCmb

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "UpdateAirports_FIRsF", acSaveNo

End Sub

Private Sub Form_Load()

Dim fw As New clFormWindow

Dim MaxID As Long

fw.hWnd = Me.hWnd

With fw

.Top = (.Parent.Height - .Height) / 2

.Left = (.Parent.Width - .Width) / 2

End With

Set fw = Nothing

DoCmd.GoToRecord , , acNewRec

'MaxID = DMax("ID", "Airports_FIRsT")

'Me.RecordSource = "SELECT * FROM Airports_FIRsT WHERE ID = " & MaxID & ";"

End Sub

Private Sub UpdateACBtn_Click()

DoCmd.Save

DoCmd.Requery

End Sub

Public Sub ResetBtn_Click()

On Error GoTo ErrorHandler

Me.Undo

DoCmd.CancelEvent

DoCmd.GoToRecord , , acNewRec

Exit Sub

ErrorHandler:

MsgBox "An error occurred: " & err.Description, vbExclamation

End Sub

Form_Updated_PermitBriefF 1

Option Compare Database

Private Sub AddPermit_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

If IsNull(Me.CountriesCmb.Value) Or IsNull(Me.Sect_ID.Value) Or IsNull(Me.Vendor.Value) Or IsNull(Me.PaymentMethod.Value) Or IsNull(Me.PermitType.Value) Then

MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"

Exit Sub

Else

Set db = CurrentDb

Set rs = db.OpenRecordset("PermitBriefT", dbOpenDynaset)

rs.AddNew

' Assign values to the fields in the table

rs.Fields("Country").Value = Me.CountriesCmb.Value

rs.Fields("Sect_ID").Value = Me.Sect_ID.Column(1)

rs.Fields("PermitType").Value = Me.PermitType.Value

rs.Fields("PermitStatus").Value = Me.ServiceStatus.Value

rs.Fields("PaymentMethod").Value = Me.PaymentMethod.Value

rs.Fields("PermitNumber").Value = Me.PermitNumber.Value

rs.Fields("Vendor").Value = Me.Vendor.Value

' Save the new record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Reset form values

Me.CountriesCmb.Value = Null

Me.PermitNumber.Value = Null

' Display a message indicating successful addition

MsgBox "Data added successfully."

Me.Undo

End If

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "ConciergeBriefF", acSaveNo

End Sub

Private Function GetLastSectID() As Variant

' Get the latest RefNo value from NewFlightRequestsT table

Dim db As DAO.Database

Dim rs As DAO.Recordset

Dim strSQL As String

'Dim lastRefNo As Variant

Dim MaxID As Long

MaxID = DMax("ID", "NewSectorsT")

' Me.RecordSource = "Select * FROM NewSectorsT WHERE ID = " & MaxID & ";"

Set db = CurrentDb

strSQL = "Select * FROM NewSectorsT WHERE ID = " & MaxID & ";"

Set rs = db.OpenRecordset(strSQL)

' Check If a record was found

If Not rs.EOF Then

LastSectID = rs.Fields("Sect_ID").Value

End If

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

```

    GetLastSectID = LastSectID
End Function

Private Sub CountriesCmb_AfterUpdate()
Me.Refresh
End Sub

Private Sub Form_Load()

Me.Sect_ID = GetLastSectID

End Sub

Private Sub ResetBtn_Click()

    Me.CountriesCmb.Value = Null
    Me.PermitType.Value = Null
    Me.ServiceStatus.Value = Null
    Me.PaymentMethod.Value = Null
    Me.PermitNumber.Value = Null
    Me.Undo
End Sub
' for future usage once we have enough data to select from
Private Sub VendorLocCmb_Change()
Dim selectedValue As Variant
    selectedValue = Me.VendorLocCmb.Value ' Get the selected value from the combo box

If Not IsNull(selectedValue) Then
    Dim rs As DAO.Recordset
    Set rs = CurrentDb.OpenRecordset("FuelVendorsT", dbOpenSnapshot)

    rs.FindFirst "VendorICAO = '" & selectedValue & "'"
    If Not rs.NoMatch Then
        Me.IPA.Value = rs("IPA").Value
        Me.FBO.Value = rs("FBO").Value
        Me.Vendor.Value = rs("FuelVendor").Value
        Me.Location_ID.Value = rs("Location_ID").Value
        Me.VendorPrice.Value = rs("VendorPrice").Value
    Else
        Me.IPA.Value = Null
        Me.Vendor.Value = Null
        Me.Location_ID.Value = Null
        Me.VendorPrice.Value = Null
        Me.FBO.Value = Null
    End If

    rs.Close
    Set rs = Nothing
Else
    Me.IPA.Value = Null
    Me.Vendor.Value = Null
    Me.Location_ID.Value = Null
    Me.VendorPrice.Value = Null
    Me.FBO.Value = Null
End If

Exit Sub
End Sub

```

Form_UpdateICAO_IATAF - 1

Option Compare Database

Private Sub AddNewARPs_Click()

Dim db As DAO.Database

Dim rs As DAO.Recordset

If IsNull(Me.CurrentARP.Value) Then

MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"

Exit Sub

Else

' Me.Customer.Value = Nz(Me.CurrentARP.Value, "")

Set db = CurrentDb

Set rs = db.OpenRecordset("Airports_DataT", dbOpenDynaset)

rs.AddNew

' Assign values to the fields in the table

rs.Fields("AIRPORT_DETAILS").Value = Me.CurrentARP.Value

rs.Fields("ICAO").Value = Me.ICAO.Value

rs.Fields("IATA").Value = Me.IATA.Value

rs.Fields("Location").Value = Me.Location.Value

rs.Fields("Country").Value = Me.Country.Value

rs.Fields("AIRPORT").Value = Me.AIRPORT.Value

rs.Fields("AIRPORTS_FIRs").Value = Me.AIRPORTS_FIRs.Value

' Save the new record

rs.Update

' Clean up

rs.Close

Set rs = Nothing

Set db = Nothing

' Display a message indicating successful addition

MsgBox "Data added successfully."

' Reset form values

ResetBtn_Click

End If

End Sub

Private Sub ARPCmb_AfterUpdate()

Me.RecordSource = "SELECT * FROM ICAO_IATAF ORDER BY ID DESC;"

Me.CurrentARP = Me.ARPCmb

End Sub

Private Sub closeBtn_Click()

Me.Undo

DoCmd.Close acForm, "UpdateICAO_IATAF", acSaveNo

End Sub

Private Sub Form_Load()

Dim fw As New clFormWindow

Dim MaxID As Long

fw.hWnd = Me.hWnd

With fw

.Top = (.Parent.Height - .Height) / 2

.Left = (.Parent.Width - .Width) / 2

End With

Set fw = Nothing

Me.Undo

DoCmd.GoToRecord , , acNewRec

'MaxID = DMax("ID", "Airports_FIRsT")

'Me.RecordSource = "SELECT * FROM Airports_FIRsT WHERE ID = " & MaxID & ";"

End Sub

Private Sub UpdateACBtn_Click()

DoCmd.Save

Form_UpdateICAO_IATAF - 2

DoCmd.Requery

End Sub

Public Sub ResetBtn_Click()

On Error GoTo ErrorHandler

DoCmd.CancelEvent

Me.Undo

DoCmd.GoToRecord , , acNewRec

Exit Sub

ErrorHandler:

MsgBox "An error occurred: " & err.Description, vbExclamation

End Sub

Option Compare Database

```

Private Sub LoadLastBtn_Click()
    Me.RefNo.DefaultValue = "" & GetLastRefNo() & ""
End Sub

Private Sub newSectorBtn_Click()
    ' Clear the form fields To prepare For a New record
    Me.Sect_ID.Value = GenerateNewSect_ID
    Me.RefNo.Value = GetLastRefNo
    Me.SectorNo.Value = ""
    Me.SectorRoute.Value = ""
    Me.Location.Value = ""
    Me.A_ETA.Value = ""
    Me.A_ETD.Value = ""
    Me.A_ATA.Value = ""
    Me.A_ATD.Value = ""
End Sub

Private Function ValidateFormFields() As Boolean
    ' Check if any required fields are empty
    If Me.SectorNo.Value = "" Then
        MsgBox "Sector Number is required.", vbExclamation
        ' Me.SectorNo.SetFocus

        ValidateFormFields = False
        Exit Function
    End If

    If Me.SectorRoute.Value = "" Then
        MsgBox "Route is required.", vbExclamation
        ' Me.SectorRoute.SetFocus
        ValidateFormFields = False
        Exit Function
    End If

    If Me.Location.Value = "" Then
        MsgBox "Location is required.", vbExclamation
        'Me.Location.SetFocus
        ValidateFormFields = False
        Exit Function
    End If

    ' Add more field validations as needed

    ' If all validations pass, return True
    ValidateFormFields = True
End Function

Private Function GenerateNewSect_ID() As String
    ' Calculate the New Sect_ID value based on existing records
    Dim lastSect_ID As Variant
    Dim newSect_ID As Integer

    lastSect_ID = DMax("Sect_ID", "NewSectorsT", "IsNumeric(Sect_ID) = True")

    If IsNull(lastSect_ID) Then
        ' If the table is empty, set the initial Sect_ID to 1
        newSect_ID = 1
    Else
        ' Increment the last Sect_ID value by 1
        newSect_ID = CInt(lastSect_ID) + 1
    End If

    ' Return the New Sect_ID value
    GenerateNewSect_ID = Format(newSect_ID, "0000")
End Function

Private Function GetLastRefNo() As Variant

    ' Get the latest RefNo value from NewFlightRequestsT table
    Dim db As DAO.Database

```

Form_UpdateNewAddSectorF - 2

```
Dim rs As DAO.Recordset
Dim strSQL As String
Dim LastRefNo As Variant
```

```
Set db = CurrentDb
strSQL = "SELECT TOP 1 RefNo FROM NewFlightRequestsT ORDER BY AddedTime DESC"
Set rs = db.OpenRecordset(strSQL)
```

```
' Check if a record was found
If Not rs.EOF Then
    LastRefNo = rs.Fields("RefNo").Value
End If
```

```
' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing
```

```
GetLastRefNo = LastRefNo
```

End Function

Private Sub addSectorBtn_Click()

```
' Check if all required fields are filled in
If Not ValidateFormFields() Then
    Exit Sub
End If
```

```
' Open the main table's recordset
Dim db As DAO.Database
Dim rs As DAO.Recordset
Set db = CurrentDb
Set rs = db.OpenRecordset("NewSectorsT", dbOpenDynaset)
```

```
' Add a new record
With rs
```

```
    .AddNew
    !Sect_ID = Me.Sect_ID.Value
    !RefNo = Me.RefNo.Value
    !SectorNo = Me.SectorNo.Value
    !SectorRoute = Me.SectorRoute.Value
    !Location = Me.Location.Value
    !A_ETA = Me.A_ETA.Value
    !A_ETD = Me.A_ETD.Value
    !A_ATA = Me.A_ATA.Value
    !A_ATD = Me.A_ATD.Value
```

```
' Attempt to update the recordset
```

```
    .Update
```

```
End With
```

```
' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing
```

```
' Reset the form fields
```

```
Me.Sect_ID.Value = GenerateNewSect_ID
Me.RefNo.Value = GetLastRefNo
Me.SectorNo.Value = ""
Me.SectorRoute.Value = ""
Me.Location.Value = ""
Me.A_ETA.Value = ""
Me.A_ETD.Value = ""
Me.A_ATA.Value = ""
Me.A_ATD.Value = ""
```

```
' Me.SectorNo.SetFocus
```

```
' Optional: Display a message indicating successful addition
MsgBox "Sector added successfully.", vbInformation
```

Form_UpdateNewAddSectorF -3

Exit Sub

End Sub

Private Sub Sect_ID_AfterUpdate()

'Forms!UpdateLASTFORM!ServicesUpdateF.RecordSource = "SELECT * FROM NewServicesT WHERE Sect_ID = " & Me.Sect_ID & ";"

End Sub

Option Compare Database

Private Sub ACRgb_Change()

Dim selectedValue As Variant

selectedValue = Me.ACRgb.Value ' Get the selected value from the combo box

If Not IsNull(selectedValue) Then

Dim rs As DAO.Recordset

Set rs = CurrentDb.OpenRecordset("ACRegT", dbOpenSnapshot)

rs.FindFirst "ACReg = '" & selectedValue & "'"

If Not rs.NoMatch Then

Me.ACType.Value = rs("ACType").Value

Me.ACMTOW.Value = rs("ACMTOW").Value

Me.Operator.Value = rs("Operator").Value

Me.Customer.Value = rs("Customer").Value

Else

Me.ACType.Value = Null

Me.ACMTOW.Value = Null

Me.Operator.Value = Null

Me.Customer.Value = Null

End If

rs.Close

Set rs = Nothing

Else

Me.ACType.Value = Null

Me.ACMTOW.Value = Null

Me.Operator.Value = Null

Me.Customer.Value = Null

End If

Exit Sub

End Sub

Private Sub AddFlightBtn_Click()

' Check if all the required fields are filled

If IsNull(Me.RefNo.Value) Or IsNull(Me.RegNo.Value) Or IsNull(Me.RegDate.Value) Or IsNull(Me.Customer.Value) Or IsNull(Me.Operator.Value)

Or IsNull(Me.ACType.Value) Or IsNull(Me.ACMTOW.Value) Or IsNull(Me.ACRgb.Value) Or IsNull(Me.PFL.Value) Or IsNull(Me.Schedule.Value) Then

MsgBox "Please fill in all the required fields.", vbExclamation, "Incomplete Data"

Exit Sub

End If

' Add a new record to the table

Dim db As DAO.Database

Dim rs As DAO.Recordset

Set db = CurrentDb

Set rs = db.OpenRecordset("NewFlightRequestsT", dbOpenDynaset)

rs.AddNew

' Assign values to the fields in the table

With rs

.Fields("RefNo").Value = Me.RefNo.Value

.Fields("RegNo").Value = Me.RegNo.Value

.Fields("ReqDate").Value = Me.RegDate.Value

.Fields("Customer").Value = Me.Customer.Value

.Fields("Operator").Value = Me.Operator.Value

.Fields("ACType").Value = Me.ACType.Value

.Fields("ACMTOW").Value = Me.ACMTOW.Value

.Fields("ACReg").Value = Me.ACRgb.Value

.Fields("PFL").Value = Me.PFL.Value

.Fields("Schedule").Value = Me.Schedule.Value

.Fields("ORIGIN").Value = Me.ORIGIN.Value

.Fields("DEST").Value = Me.DEST.Value

' Save the new record

.Update

End With

```

' Clean up

rs.Close
Set rs = Nothing
Set db = Nothing

' Reset form values
Me.RefNo.Value = ""
Me.RegNo.Value = ""
Me.RegDate.Value = Null
Me.Customer.Value = ""
Me.Operator.Value = ""
Me.ACType.Value = ""
Me.ACMTOW.Value = Null
Me.ACRegCb.Value = ""
Me.PFL.Value = ""
Me.Schedule.Value = ""

' Display a message indicating successful addition
MsgBox "Data added successfully."

End Sub

Private Sub newRequestBtn_Click()

' Clear the form fields to prepare for a new record
' Set the default value for the RefNo field
Me.RefNo.Value = GenerateNewRefNo()
Me.RegNo.Value = ""
Me.RegDate.Value = Null
Me.Customer.Value = ""
Me.Operator.Value = ""
Me.ACType.Value = ""
Me.ACMTOW.Value = Null
Me.ACReg.Value = ""
Me.PFL.Value = ""
Me.Schedule.Value = ""
Me.ORIGIN.Value = ""
Me.DEST.Value = ""

' Set focus to the first field for data entry
Me.RegNo.SetFocus

End Sub

Private Function GenerateNewRefNo() As String
' Calculate the New RefNo value based on existing records
Dim LastRefNo As Variant
LastRefNo = DMax("RefNo", "NewFlightRequestsT")

Dim newRefNo As String

If IsNull(LastRefNo) Then
' If the table is empty, set the initial reference number
newRefNo = "TAS-000001"
Else
' Extract the numeric part of the last reference number
Dim lastNumber As Long
lastNumber = CLng(Mid(LastRefNo, 5))

' Generate the next number greater than the last number
Dim nextNumber As Long
nextNumber = lastNumber + 1

' Combine the next number with the prefix and format it
newRefNo = "TAS-" & Format(nextNumber, "000000")
End If

' Return the new RefNo value
GenerateNewRefNo = newRefNo
End Function

Private Function DataLoad()
' Check if the form is not in DataEntry mode
If Not Me.NewRecord Then

```

```
' Get the latest record from NewFlightRequestsT table
Dim db As DAO.Database
Dim rs As DAO.Recordset
Dim strSQL As String

Set db = CurrentDb
strSQL = "SELECT TOP 1 * FROM NewFlightRequestsT ORDER BY AddedTime DESC"
Set rs = db.OpenRecordset(strSQL)

' Check if a record was found
If Not rs.EOF Then
    ' Assign the field values to the form controls
    Me.RefNo.Value = rs.Fields("RefNo").Value
    Me.RegNo.Value = rs.Fields("ReqNo").Value
    Me.RegDate.Value = rs.Fields("ReqDate").Value
    Me.Customer.Value = rs.Fields("Customer").Value
    Me.Operator.Value = rs.Fields("Operator").Value
    Me.ACType.Value = rs.Fields("ACType").Value
    Me.ACMTOW.Value = rs.Fields("ACMTOW").Value
    Me.ACReg.Value = rs.Fields("ACReg").Value
    Me.PFL.Value = rs.Fields("PFL").Value
    Me.Schedule.Value = rs.Fields("Schedule").Value
    Me.ORIGIN.Value = rs.Fields("ORIGIN").Value
    Me.DEST.Value = rs.Fields("DEST").Value
End If

' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing
End If
End Function
Private Sub updateFlightbtn_Click()
DataLoad
End Sub
```

Form_UrgentF - 1

Option Compare Database

```
Private Sub closeBtn_Click()  
DoCmd.Close acForm, "UrgentF"  
End Sub
```

```
Private Sub AddACbtn_Click()  
    ' Assign values to the fields in the form  
    Me.UrgentID.Value = Nz(Me.UrgentID.Value, "")  
    Me.Urgent.Value = Nz(Me.Urgent.Value, "")  
    Me.RefNo.Value = Nz(Me.RefNo.Value, "")  
  
    ' Add a new record to the table  
    Dim db As DAO.Database  
    Dim rs As DAO.Recordset  
  
    Set db = CurrentDb  
    Set rs = db.OpenRecordset("UrgentT", dbOpenDynaset)  
  
    rs.AddNew  
  
    ' Assign values to the fields in the table  
    rs.Fields("UrgentID").Value = Me.UrgentID.Value  
    rs.Fields("Urgent").Value = Me.Urgent.Value  
    rs.Fields("RefNo").Value = Me.RefNo.Value  
  
    ' Save the new record  
    rs.Update  
  
    ' Clean up  
    rs.Close  
    Set rs = Nothing  
    Set db = Nothing
```

```
    ' Reset form values  
ResetBtn_Click
```

```
    ' Display a message indicating successful addition  
    MsgBox "Data added successfully."
```

```
End Sub  
Private Sub Form_Load()  
    DoCmd.GoToRecord , , acNewRec  
End Sub
```

```
Private Sub UpdateACBtn_Click()  
DoCmd.Save  
DoCmd.Requery  
End Sub
```

```
Public Sub ResetBtn_Click()  
    On Error GoTo ErrorHandler  
  
    Me.Undo  
    DoCmd.CancelEvent  
    DoCmd.GoToRecord , , acNewRec  
  
Exit Sub
```

```
ErrorHandler:  
    MsgBox "An error occurred: " & err.Description, vbExclamation  
End Sub
```

Option Compare Database

```

Private Sub closeBtn_Click()
DoCmd.Close acForm, "UrgentF"
End Sub

Private Sub AddUrgentBtn_Click()

    ' Assign values to the fields in the form
Me.UrgentID.Value = Nz(Me.UrgentID.Value, "")
Me.UrgentCbx.Value = Nz(Me.UrgentCbx.Value, "")
Me.UrgentRefNo.Value = Nz(Me.UrgentRefNo.Value, "")
Me.MultiOPSCbx.Value = Nz(Me.MultiOPSCbx.Value, "")
    On Error GoTo ErrorHandler
    ' Add a new record to the table
Dim db As DAO.Database
Dim rs As DAO.Recordset

Set db = CurrentDb
Set rs = db.OpenRecordset("UrgentT", dbOpenDynaset)

rs.AddNew

    ' Assign values to the fields in the table
'rs.Fields("UrgentID").Value = Me.UrgentID.Value
rs.Fields("Urgent").Value = Me.UrgentCbx.Value
rs.Fields("RefNo").Value = Me.UrgentRefNo.Value
rs.Fields("MultiOPS").Value = Me.MultiOPSCbx.Value

    ' Save the new record
rs.Update

    ' Clean up
rs.Close
Set rs = Nothing
Set db = Nothing

    ' Reset form values
    ResetBtn_Click

    ' Display a message indicating successful addition
    'MsgBox "Data added successfully."

```

```

ErrorHandler:
    MsgBox "Data added successfully."
End Sub

```

```

Public Sub ResetBtn_Click()
    On Error GoTo ErrorHandler

    'Me.Undo
    'DoCmd.CancelEvent
    'DoCmd.GoToRecord , , acNewRec
Me.UrgentID.Value = Null
    ' Me.UrgentCbx.Value = Null
Me.UrgentRefNo.Value = Null
    ' Me.MultiOPSCbx.Value = Null
Me.Undo
DoCmd.CancelEvent
Exit Sub

```

```

ErrorHandler:
    MsgBox "An error occurred: " & err.Description, vbExclamation
End Sub

```

```

Private Sub LoadCurrent_Click()
Me.UrgentRefNo = Forms![OVFP_FORM]![OVRF_RequestF].Form![RefNo]
End Sub

```

Form_UrgentUpdateSubF - 1

Option Compare Database

```
Private Sub closeBtn_Click()
DoCmd.Close acForm, "UrgentF"
End Sub

Private Sub AddUrgentBtn_Click()
On Error GoTo ErrorHandler
    ' Assign values to the fields in the form
    Me.UrgentID.Value = Nz(Me.UrgentID.Value, "")
    Me.UrgentCbx.Value = Nz(Me.UrgentCbx.Value, "")
    Me.UrgentRefNo.Value = Nz(Me.UrgentRefNo.Value, "")
    Me.MultiOPSCbx.Value = Nz(Me.MultiOPSCbx.Value, "")

    ' Add a new record to the table
    Dim db As DAO.Database
    Dim rs As DAO.Recordset

    Set db = CurrentDb
    Set rs = db.OpenRecordset("UrgentT", dbOpenDynaset)

    rs.AddNew

    ' Assign values to the fields in the table
    'rs.Fields("UrgentID").Value = Me.UrgentID.Value
    rs.Fields("Urgent").Value = Me.UrgentCbx.Value
    rs.Fields("RefNo").Value = Me.UrgentRefNo.Value
    rs.Fields("MultiOPS").Value = Me.MultiOPSCbx.Value

    ' Save the new record
    rs.Update

    ' Clean up
    rs.Close
    Set rs = Nothing
    Set db = Nothing

    ' Reset form values
    ResetBtn_Click

    ' Display a message indicating successful addition
    ' MsgBox "Data added successfully."
```

```
ErrorHandler:
    MsgBox "Data added successfully."
End Sub
```

```
Public Sub ResetBtn_Click()
On Error GoTo ErrorHandler

'Me.Undo
'DoCmd.CancelEvent
'DoCmd.GoToRecord , , acNewRec
Me.UrgentID.Value = Null
'Me.UrgentCbx.Value = Null
Me.UrgentRefNo.Value = Null
'Me.MultiOPSCbx.Value = Null
Me.Undo
DoCmd.CancelEvent
Exit Sub
```

```
ErrorHandler:
    MsgBox "An error occurred: " & err.Description, vbExclamation
End Sub
```

```
Private Sub LoadCurrent_Click()
Me.UrgentRefNo = Forms![Update_OVFP_FORM]![Update_OVRF_RequestF].Form![txtRefNo]
End Sub
```

Form_UserLoginF - 1

Option Compare Database

```
Private Sub CancelBtn_Click()
If MsgBox("You are leaving the application. Are you sure?", vbYesNo, "App Title") = vbYes Then
Application.DoCmd.Quit
End If

End Sub

Private Sub Form_Load()
Dim fw As New clFormWindow

    fw.hWnd = Me.hWnd
    With fw
        .Top = (.Parent.Height - .Height) / 2
        .Left = (.Parent.Width - .Width) / 2
    End With
    Set fw = Nothing

Me.UserName = ""
Me.UserPassword = ""

End Sub

Private Sub LogInBtn_Click()
Dim LookUser As String
Dim LookUserPass As String

If IsNull(Me.UserName) Or Me.UserName = "" Then
MsgBox "You must enter a User Name", vbCritical
Exit Sub
End If

If IsNull(Me.UserPassword) Or Me.UserPassword = "" Then
MsgBox "You must enter a Password", vbCritical
Exit Sub
End If

LookUser = Nz(DLookup("UserName", "UsersT", "UserName ='" & Me.UserName & "'"), "")

If Me.UserName <> LookUser Then
MsgBox "Sorry, the specified User Name doesn't exist. Kindly specify a valid User Name.", vbCritical,
"App Title"
Exit Sub
End If

LookUserPass = DLookup("UserPassword", "UsersT", "UserName ='" & Me.UserName & "'")

If Me.UserPassword <> LookUserPass Then
MsgBox "Sorry, the password is invalid. Try again!", vbCritical, "App Title"
Exit Sub
End If

DoCmd.OpenForm "LoggedInUser", acNormal
Forms!loggedInUser.txtUserID = DLookup("ID", "UsersT", "UserName ='" & Me.UserName & "'")
Forms!loggedInUser.Visible = False

DoCmd.OpenForm "MainMenuf", acNormal

DoCmd.Close acForm, "UserLoginF", acSaveNo

End Sub
```

Option Compare Database
Option Explicit

Report_ExternalReport - 1

Option Compare Database

Private Sub Report_Load()

If IsNull(Me.Payment) Or Me.Payment = "" Then

Me.Payment = "ON TAS CREDIT"

End If

End Sub

Report_Flight_Support_UrgentRequests_R - 1

Option Compare Database
Option Explicit

Private Sub Report_Open(Cancel As Integer)
 LoadUrgentRequests

End Sub

Private Sub LoadUrgentRequests()
 Dim TodayRequest As Date
 Dim TomorrowRequest As Date
 Dim UrgentQuery As String

 TodayRequest = date
 TomorrowRequest = DateAdd("d", 1, TodayRequest)

 ' Construct the dynamic query based on the selected value
 UrgentQuery = "SELECT RefNo, OPSDate, Customer, RequestStatus, FuelRequest, FlightSupport FROM NewFlightRequestsT WHERE RequestStatus <> 'CONFIRMED' AND (OPSDate = #" & Format(TodayRequest, "yyyy-mm-dd") & "# OR OPSDate = #" & Format(TomorrowRequest, "yyyy-mm-dd") & "#);"

 ' Set the record source of the report to the dynamic query
 Me.RecordSource = UrgentQuery

End Sub

Report_FlightSupport_BriefReport - 1

Option Compare Database

Option Explicit

Private Sub Report_Load()

End Sub

Option Compare Database

Option Explicit

Report_FlightSupport_ConciergeBrief_New - 1

```
Private Sub Report_NoData(Cancel As Integer)
    Me.PermitBrief_R.Visible = False
End Sub
```

Report_FlightSupport_ConciergeBrief_R - 1

```
Private Sub Report_NoData(Cancel As Integer)
    Me.PermitBrief_R.Visible = False
End Sub
```

Report_FlightSupport_ConciergeBrief_R_New - 1

```
Private Sub Report_NoData(Cancel As Integer)
    Me.PermitBrief_R.Visible = False
End Sub
```

Report_FlightSupport_ConciergeBrief_V12 - 1

```
Private Sub Report_NoData(Cancel As Integer)
    Me.PermitBrief_R.Visible = False
End Sub
```


Option Compare Database

```

Private Function GetSubreportRecordCount(subreportName As String) As Long
    Dim subreport As Report
    Dim recordCount As Long

    On Error Resume Next
    Set subreport = Me.Controls(subreportName).Report

    If Not subreport Is Nothing Then
        recordCount = DCount("*", subreport.RecordSource)
    End If

    GetSubreportRecordCount = recordCount
End Function

Private Sub GroupFooter1_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.ConciergeBrief_R.Report.hasData
End Sub

Private Sub GroupFooter6_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.FuelBrief_R.Report.hasData
End Sub

Private Sub GroupHeader3_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.PermitBrief_R.Report.hasData
End Sub

Private Sub GroupHeader4_Format(Cancel As Integer, FormatCount As Integer)
    ' Check if there's data in the Tripstatus_loc field
    If IsNull(Me.Location.Value) And Me.Location.Value <> "" Then
        ' If no data, hide the field
        Cancel = True ' Stop the group header from being rendered
    End If
End Sub

Private Sub GroupHeader5_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.HandlingBrief_R.Report.hasData
End Sub

Private Sub Report_Open(Cancel As Integer)
    ' Set the RecordSource of the report to "FlightSupportQ"
    Me.RecordSource = "FlightSupport_ExternalReport_New"
End Sub

```

Option Compare Database

```

Private Function GetSubreportRecordCount(subreportName As String) As Long
    Dim subreport As Report
    Dim recordCount As Long

    On Error Resume Next
    Set subreport = Me.Controls(subreportName).Report

    If Not subreport Is Nothing Then
        recordCount = DCount("*", subreport.RecordSource)
    End If

    GetSubreportRecordCount = recordCount
End Function

Private Sub GroupFooter1_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.ConciergeBrief_R.Report.hasData
End Sub

Private Sub GroupFooter6_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.FuelBrief_R.Report.hasData
End Sub

Private Sub GroupHeader3_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.PermitBrief_R.Report.hasData
End Sub

Private Sub GroupHeader4_Format(Cancel As Integer, FormatCount As Integer)
    If IsNull(Me.Location) Then
        Cancel = IsNull(Me.Location)
    End If
End Sub

Private Sub GroupHeader5_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.HandlingBrief_R.Report.hasData
End Sub

Private Sub Report_Open(Cancel As Integer)
    ' Set the RecordSource of the report to "FlightSupportQ"
    Me.RecordSource = "FlightSupportQ"
End Sub

```

Option Compare Database

```

Private Function GetSubreportRecordCount(subreportName As String) As Long
    Dim subreport As Report
    Dim recordCount As Long

    On Error Resume Next
    Set subreport = Me.Controls(subreportName).Report

    If Not subreport Is Nothing Then
        recordCount = DCount("*", subreport.RecordSource)
    End If

    GetSubreportRecordCount = recordCount
End Function

```

```

Private Sub FlightSupport_Schedule_New_Enter()

```

```

    ' Loop through each field in the recordset
    ' Check If the field name matches the specified fields
    If Me.DepartDate = date Or Me.DepartDate > date Then
        Me.SectorNo.ForeColor = RGB(151, 148, 194)
        Me.DepartDate.ForeColor = RGB(151, 148, 194)
        Me.ETD.ForeColor = RGB(151, 148, 194)
        Me.ETA.ForeColor = RGB(151, 148, 194)
        Me.ArrivalDate.ForeColor = RGB(151, 148, 194)
        Me.ORIGIN.ForeColor = RGB(151, 148, 194)
        Me.Destination.ForeColor = RGB(151, 148, 194)
        Me.CallSign.ForeColor = RGB(151, 148, 194)
        Me.SectorNo.FontItalic = True
        Me.DepartDate.FontItalic = True
        Me.ETD.FontItalic = True
        Me.ETA.FontItalic = True
        Me.ArrivalDate.FontItalic = True
        Me.ORIGIN.FontItalic = True
        Me.Destination.FontItalic = True
        Me.CallSign.FontItalic = True
    Else
        Me.SectorNo.FontBold = True
        Me.DepartDate.FontBold = True
        Me.ETD.FontBold = True
        Me.ETA.FontBold = True
        Me.ArrivalDate.FontBold = True
        Me.ORIGIN.FontBold = True
        Me.Destination.FontBold = True
        Me.CallSign.FontBold = True
    End If
End Sub

```

```

Private Sub GroupFooter1_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.ConciergeBrief_R.Report.hasData
End Sub

```

```

Private Sub GroupFooter6_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.FuelBrief_R.Report.hasData
End Sub

```

```

Private Sub GroupHeader2_Format(Cancel As Integer, FormatCount As Integer)
    ' Check if there's data in the Tripstatus_loc field
    ' If Not IsNull(Me.Tripstatus_loc.Value) And Me.Tripstatus_loc.Value <> "" Then
        ' If there's data, check if the status is "CANCELED"
        ' If Me.Tripstatus_loc.Value = "CANCELED" Or Me.Loc_ID.Value = 0 Or IsNull(Me.Loc_ID.Value) Then
            ' Me.Locationtxt.Visible = False
            ' Me.Loc_ID.Visible = False
            ' Me.Tripstatus_loc.Visible = False
            ' Cancel = True ' Stop the group header from being rendered

        ' Else
            ' If not canceled, make the field visible

```

Report_FlightSupport_ExternalReport_New - 2

```
        ' Me.Locationtxt.Visible = True
    ' End If
' Else
    ' If no data, hide the field
    'Cancel = True ' Stop the group header from being rendered
' End If
'End Sub
```

```
Private Sub GroupHeader3_Format(Cancel As Integer, FormatCount As Integer)
Cancel = Not Me.PermitBrief_R.Report.hasData
```

```
End Sub

Private Sub GroupHeader4_Format(Cancel As Integer, FormatCount As Integer)
If IsNull(Me.Locationtxt) Then
Cancel = IsNull(Me.Locationtxt)
End If
End Sub
```

```
Private Sub GroupHeader5_Format(Cancel As Integer, FormatCount As Integer)

Cancel = Not Me.HandlingBrief_R.Report.hasData
```

```
End Sub
```

```
Private Sub Report_Open(Cancel As Integer)
' Set the RecordSource of the report to "FlightSupportQ"
Me.RecordSource = "FlightSupport_ExternalReport_New"
```

```
End Sub
```

Report_FlightSupport_FuelBrief_New - 1

```
Private Sub Report_NoData(Cancel As Integer)
    Me.PermitBrief_R.Visible = False
End Sub
```

Report_FlightSupport_FuelBrief_New_V12 - 1

```
Private Sub Report_NoData(Cancel As Integer)
    Me.PermitBrief_R.Visible = False
End Sub
```

Report_FlightSupport_FuelBrief_R - 1

```
Private Sub Report_NoData(Cancel As Integer)
    Me.PermitBrief_R.Visible = False
End Sub
```

Report_FlightSupport_FuelBrief_R_New - 1

```
Private Sub Report_NoData(Cancel As Integer)
    Me.PermitBrief_R.Visible = False
End Sub
```


Report_FlightSupport_FuelBrief_V12 - 1

```
Private Sub Report_NoData(Cancel As Integer)
    Me.PermitBrief_R.Visible = False
End Sub
```

Report_FlightSupport_FuelBriefdest_New_V12 - 1

```
Private Sub Report_NoData(Cancel As Integer)
    Me.PermitBrief_R.Visible = False
End Sub
```

Option Compare Database

```
Private Function GetSubreportRecordCount(subreportName As String) As Long
    Dim subreport As Report
    Dim recordCount As Long

    On Error Resume Next
    Set subreport = Me.Controls(subreportName).Report

    If Not subreport Is Nothing Then
        recordCount = DCount("*", subreport.RecordSource)
    End If

    GetSubreportRecordCount = recordCount
End Function

Private Sub GroupFooter1_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.ConciergeBrief_R.Report.hasData
End Sub

Private Sub GroupFooter6_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.FuelBrief_R.Report.hasData
End Sub

Private Sub GroupHeader3_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.PermitBrief_R.Report.hasData
End Sub

Private Sub GroupHeader4_Format(Cancel As Integer, FormatCount As Integer)
    If IsNull(Me.Location) Then
        Cancel = IsNull(Me.Location)
    End If
End Sub

Private Sub GroupHeader5_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.HandlingBrief_R.Report.hasData
End Sub

Private Sub GroupFooter2_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = IsNull(Me.TASEstimatedTotal.Value) Or Me.TASEstimatedTotal.Value = 0
End Sub
```

Option Compare Database

```
Private Function GetSubreportRecordCount(subreportName As String) As Long
    Dim subreport As Report
    Dim recordCount As Long

    On Error Resume Next
    Set subreport = Me.Controls(subreportName).Report

    If Not subreport Is Nothing Then
        recordCount = DCount("*", subreport.RecordSource)
    End If

    GetSubreportRecordCount = recordCount
End Function

Private Sub GroupFooter1_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.ConciergeBrief_R.Report.hasData
End Sub

Private Sub GroupFooter6_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.FuelBrief_R.Report.hasData
End Sub

Private Sub GroupHeader3_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.PermitBrief_R.Report.hasData
End Sub

Private Sub GroupHeader4_Format(Cancel As Integer, FormatCount As Integer)
    If IsNull(Me.Location) Then
        Cancel = IsNull(Me.Location)
    End If
End Sub

Private Sub GroupHeader5_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.HandlingBrief_R.Report.hasData
End Sub

Private Sub GroupFooter2_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = IsNull(Me.TASEstimatedTotal.Value) Or Me.TASEstimatedTotal.Value = 0
End Sub
```

Option Compare Database

```
Private Function GetSubreportRecordCount(subreportName As String) As Long
    Dim subreport As Report
    Dim recordCount As Long

    On Error Resume Next
    Set subreport = Me.Controls(subreportName).Report

    If Not subreport Is Nothing Then
        recordCount = DCount("*", subreport.RecordSource)
    End If

    GetSubreportRecordCount = recordCount
End Function

Private Sub GroupFooter1_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.ConciergeBrief_R.Report.hasData
End Sub

Private Sub GroupFooter6_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.FuelBrief_R.Report.hasData
End Sub

Private Sub GroupHeader3_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.PermitBrief_R.Report.hasData
End Sub

Private Sub GroupHeader4_Format(Cancel As Integer, FormatCount As Integer)
    If IsNull(Me.Location) Then
        Cancel = IsNull(Me.Location)
    End If
End Sub

Private Sub GroupHeader5_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.HandlingBrief_R.Report.hasData
End Sub

Private Sub GroupFooter2_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = IsNull(Me.TASEstimatedTotal.Value) Or Me.TASEstimatedTotal.Value = 0
End Sub
```

Option Compare Database

```

Private Function GetSubreportRecordCount(subreportName As String) As Long
    Dim subreport As Report
    Dim recordCount As Long

    On Error Resume Next
    Set subreport = Me.Controls(subreportName).Report

    If Not subreport Is Nothing Then
        recordCount = DCount("*", subreport.RecordSource)
    End If

    GetSubreportRecordCount = recordCount
End Function

Private Sub GroupFooter1_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.ConciergeBrief_R.Report.hasData
End Sub

Private Sub GroupFooter6_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.FuelBrief_R.Report.hasData
End Sub

Private Sub GroupHeader3_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.PermitBrief_R.Report.hasData
End Sub

Private Sub GroupHeader4_Format(Cancel As Integer, FormatCount As Integer)
    If IsNull(Me.Location) Then
        Cancel = IsNull(Me.Location)
    End If
End Sub

Private Sub GroupHeader5_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.HandlingBrief_R.Report.hasData
End Sub

Private Sub GroupFooter2_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = IsNull(Me.TASEstimatedTotal.Value) Or Me.TASEstimatedTotal.Value = 0
End Sub

```

Option Compare Database

```
Private Function GetSubreportRecordCount(subreportName As String) As Long
    Dim subreport As Report
    Dim recordCount As Long

    On Error Resume Next
    Set subreport = Me.Controls(subreportName).Report

    If Not subreport Is Nothing Then
        recordCount = DCount("*", subreport.RecordSource)
    End If

    GetSubreportRecordCount = recordCount
End Function

Private Sub GroupFooter1_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.ConciergeBrief_R.Report.hasData
End Sub

Private Sub GroupFooter6_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.FuelBrief_R.Report.hasData
End Sub

Private Sub GroupHeader3_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.PermitBrief_R.Report.hasData
End Sub

Private Sub GroupHeader4_Format(Cancel As Integer, FormatCount As Integer)
    If IsNull(Me.Location) Then
        Cancel = IsNull(Me.Location)
    End If
End Sub

Private Sub GroupHeader5_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.HandlingBrief_R.Report.hasData
End Sub

Private Sub GroupFooter2_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = IsNull(Me.TASEstimatedTotal.Value) Or Me.TASEstimatedTotal.Value = 0
End Sub
```

Option Compare Database

```
Private Function GetSubreportRecordCount(subreportName As String) As Long
    Dim subreport As Report
    Dim recordCount As Long

    On Error Resume Next
    Set subreport = Me.Controls(subreportName).Report

    If Not subreport Is Nothing Then
        recordCount = DCount("*", subreport.RecordSource)
    End If

    GetSubreportRecordCount = recordCount
End Function

Private Sub GroupFooter1_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.ConciergeBrief_R.Report.hasData
End Sub

Private Sub GroupFooter6_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.FuelBrief_R.Report.hasData
End Sub

Private Sub GroupHeader3_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.PermitBrief_R.Report.hasData
End Sub

Private Sub GroupHeader4_Format(Cancel As Integer, FormatCount As Integer)
    If IsNull(Me.Location) Then
        Cancel = IsNull(Me.Location)
    End If
End Sub

Private Sub GroupHeader5_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.HandlingBrief_R.Report.hasData
End Sub
```


Option Compare Database

Option Explicit

Private Sub FlightSupport_Schedule_New_Enter()

If Me.DepartDate = date Or Me.DepartDate > date Then

Me.SectorNo.ForeColor = RGB(151, 148, 194)

Me.DepartDate.ForeColor = RGB(151, 148, 194)

Me.ETD.ForeColor = RGB(151, 148, 194)

Me.ETA.ForeColor = RGB(151, 148, 194)

Me.ArrivalDate.ForeColor = RGB(151, 148, 194)

Me.ORIGIN.ForeColor = RGB(151, 148, 194)

Me.Destination.ForeColor = RGB(151, 148, 194)

Me.CallSign.ForeColor = RGB(151, 148, 194)

Me.SectorNo.FontItalic = True

Me.DepartDate.FontItalic = True

Me.ETD.FontItalic = True

Me.ETA.FontItalic = True

Me.ArrivalDate.FontItalic = True

Me.ORIGIN.FontItalic = True

Me.Destination.FontItalic = True

Me.CallSign.FontItalic = True

Else

Me.SectorNo.FontBold = True

Me.DepartDate.FontBold = True

Me.ETD.FontBold = True

Me.ETA.FontBold = True

Me.ArrivalDate.FontBold = True

Me.ORIGIN.FontBold = True

Me.Destination.FontBold = True

Me.CallSign.FontBold = True

End If

End Sub

Private Sub OriginGroup_Format(Cancel As Integer, FormatCount As Integer)

' First, check if the FlightSupport_HandlingBrief report is not empty

If Not Me.FlightSupport_HandlingBrief.Report.IsEmpty Then

' Then, check if none of the reports have data

If Me.FlightSupport_HandlingBrief.Report.hasData Or _

Me.FlightSupport_FuelBrief.Report.hasData Or _

Me.FlightSupport_ConciergeBrief.Report.hasData Then

' If none of the reports have data, cancel the formatting

Cancel = False

Else

' Otherwise, allow the formatting to proceed

Cancel = True

End If

End If

End Sub

Private Sub Report_Open(Cancel As Integer)

Me.RecordSource = "FlightSupport_FullExternalReport_New_V12"

End Sub

Private Sub Sect_IDGroup_Format(Cancel As Integer, FormatCount As Integer)

If Not Me.FlightSupport_PermitBrief_New.Report.hasData Then

Cancel = True

Else

Cancel = False

End If

End Sub

Private Sub GroupFooter0_Format(Cancel As Integer, FormatCount As Integer)

If Not Me.FlightSupport_ConciergeBrief.Report.hasData Then

Cancel = True

Else

Cancel = False

End If

End Sub

Private Sub GroupHeader2_Format(Cancel As Integer, FormatCount As Integer)

If Not Me.FlightSupport_FuelBrief.Report.hasData Then

Cancel = True

Else

Cancel = False

Report_FlightSupport_FullExternalReport_V12 - 2

```
End If
End Sub
Private Sub OriginLocationIDHandlingBrief_Format(Cancel As Integer, FormatCount As Integer)
    If Not Me.FlightSupport_HandlingBrief.Report.hasData Then
        Cancel = True
    Else
        Cancel = False
    End If
End Sub
```

Option Compare Database

Private Function GetSubreportRecordCount(subreportName As String) As Long

Dim subreport As Report

Dim recordCount As Long

On Error Resume Next

Set subreport = Me.Controls(subreportName).Report

If Not subreport Is Nothing Then

recordCount = DCount("*", subreport.RecordSource)

End If

GetSubreportRecordCount = recordCount

End Function

Private Sub FlightSupport_Schedule_New_Enter()

' Loop through each field in the recordset

' Check If the field name matches the specified fields

If Me.DepartDate = date Or Me.DepartDate > date Then

Me.SectorNo.ForeColor = RGB(151, 148, 194)

Me.DepartDate.ForeColor = RGB(151, 148, 194)

Me.ETD.ForeColor = RGB(151, 148, 194)

Me.ETA.ForeColor = RGB(151, 148, 194)

Me.ArrivalDate.ForeColor = RGB(151, 148, 194)

Me.ORIGIN.ForeColor = RGB(151, 148, 194)

Me.Destination.ForeColor = RGB(151, 148, 194)

Me.CallSign.ForeColor = RGB(151, 148, 194)

Me.SectorNo.FontItalic = True

Me.DepartDate.FontItalic = True

Me.ETD.FontItalic = True

Me.ETA.FontItalic = True

Me.ArrivalDate.FontItalic = True

Me.ORIGIN.FontItalic = True

Me.Destination.FontItalic = True

Me.CallSign.FontItalic = True

Else

Me.SectorNo.FontBold = True

Me.DepartDate.FontBold = True

Me.ETD.FontBold = True

Me.ETA.FontBold = True

Me.ArrivalDate.FontBold = True

Me.ORIGIN.FontBold = True

Me.Destination.FontBold = True

Me.CallSign.FontBold = True

End If

End Sub

Private Sub GroupFooter1_Format(Cancel As Integer, FormatCount As Integer)

Cancel = Not Me.ConciergeBrief_R.Report.hasData

End Sub

Private Sub GroupFooter6_Format(Cancel As Integer, FormatCount As Integer)

Cancel = Not Me.FuelBrief_R.Report.hasData

End Sub

'Private Sub GroupHeader2_Format(Cancel As Integer, FormatCount As Integer)

' Get the value of the Location field For the current record in the group

'Dim locationValue As Variant

' locationValue = DLookup("Location", "[FlightSupport_ExternalReport_New]", "Nz([Sect_ID], '') = ''

& CStr(Me.[Sect_ID]) & "'")

Private Sub GroupHeader2_Format(Cancel As Integer, FormatCount As Integer)

If Not Me.HandlingBrief_R.Report.hasData And Not Me.FuelBrief_R.Report.hasData And Not Me.ConciergeBrief_R.Report.hasData Then

Cancel = True

Else

Cancel = False

End If

End Sub

' Get the value of the Tripstatus field For the current record in the group

'Dim statusValue As Variant

'statusValue = DLookup("Tripstatus", "[FlightSupport_ExternalReport_New]", "Nz([Sect_ID], '') = ''

& CStr(Me.[Sect_ID]) & "'")

```
' Check If either condition is True
'If IsNull(locationValue) Or statusValue = "CANCELED" Then
'    Cancel = True ' Stop the group header from being rendered
' Else
'     ' If both conditions are False, make the field visible
'     Cancel = False
' End If

'End Sub

Private Sub GroupHeader3_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.PermittBrief_R.Report.hasData
End Sub

Private Sub GroupHeader4_Format(Cancel As Integer, FormatCount As Integer)
    If IsNull(Me.Locationtxt) Then
        Cancel = IsNull(Me.Locationtxt)
    End If
End Sub

Private Sub GroupHeader5_Format(Cancel As Integer, FormatCount As Integer)

    Cancel = Not Me.HandlingBrief_R.Report.hasData

End Sub

Private Sub Report_Open(Cancel As Integer)
    ' Set the RecordSource of the report To "FlightSupportQ"
    Me.RecordSource = "FlightSupport_ExternalReport_New"
End Sub
```

Option Compare Database

```

Private Sub DestinationAirportConciergeBrief_Format(Cancel As Integer, FormatCount As Integer)
    If Not Me.FlightSupport_DestConciergeBrief_New.Report.hasData Then
        Cancel = True
    Else
        Cancel = False
    End If
End Sub

```

```

Private Sub DestinationLocationIDFuelBrief_Format(Cancel As Integer, FormatCount As Integer)
    If Not Me.FlightSupport_DestFuelBrief_R_New.Report.hasData Then
        Cancel = True
    Else
        Cancel = False
    End If
End Sub

```

```

Private Sub DestinationLocationIDHandlingBrief_Format(Cancel As Integer, FormatCount As Integer)
    If Not Me.FlightSupport_DestHandlingBrief_New.Report.hasData Then
        Cancel = True
    Else
        Cancel = False
    End If
End Sub

```

```

Private Sub OriginGroup_Format(Cancel As Integer, FormatCount As Integer)
    If Me.FlightSupport_HandlingBriefOrigin_New.Report.hasData Or Me.FlightSupport_OriginConciergeBrief_New.Report.hasData Or Me.FlightSupport_OriginFuelBrief_R_New.Report.hasData Then
        Cancel = False
    Else
        Cancel = True
    End If
End Sub

```

```

Private Sub DestGroup_Format(Cancel As Integer, FormatCount As Integer)
    If Me.FlightSupport_DestHandlingBrief_New.Report.hasData Or Me.FlightSupport_DestConciergeBrief_New.Report.hasData Or Me.FlightSupport_DestFuelBrief_R_New.Report.hasData Then
        Cancel = False
    Else
        Cancel = True
    End If
End Sub

```

```

Private Sub FlightSupport_Schedule_New_Enter()
    If Me.DepartDate = date Or Me.DepartDate > date Then
        Me.SectorNo.ForeColor = RGB(151, 148, 194)
        Me.DepartDate.ForeColor = RGB(151, 148, 194)
        Me.ETD.ForeColor = RGB(151, 148, 194)
        Me.ETA.ForeColor = RGB(151, 148, 194)
        Me.ArrivalDate.ForeColor = RGB(151, 148, 194)
        Me.ORIGIN.ForeColor = RGB(151, 148, 194)
        Me.Destination.ForeColor = RGB(151, 148, 194)
        Me.CallSign.ForeColor = RGB(151, 148, 194)
        Me.SectorNo.FontItalic = True
        Me.DepartDate.FontItalic = True
        Me.ETD.FontItalic = True
        Me.ETA.FontItalic = True
        Me.ArrivalDate.FontItalic = True
        Me.ORIGIN.FontItalic = True
        Me.Destination.FontItalic = True
        Me.CallSign.FontItalic = True
    Else
        Me.SectorNo.FontBold = True
        Me.DepartDate.FontBold = True
        Me.ETD.FontBold = True
        Me.ETA.FontBold = True
        Me.ArrivalDate.FontBold = True
        Me.ORIGIN.FontBold = True
        Me.Destination.FontBold = True
        Me.CallSign.FontBold = True
    End If
End Sub

```

```
Private Sub OriginAirportConciergeBrief_Format(Cancel As Integer, FormatCount As Integer)
    If Not Me.FlightSupport_OriginConciergeBrief_New.Report.hasData Then
        Cancel = True
    Else
        Cancel = False
    End If
End Sub

Private Sub OriginLocationIDFuelBrief_Format(Cancel As Integer, FormatCount As Integer)
    If Not Me.FlightSupport_OriginFuelBrief_R_New.Report.hasData Then
        Cancel = True
    Else
        Cancel = False
    End If
End Sub

Private Sub OriginLocationIDHandlingBrief_Format(Cancel As Integer, FormatCount As Integer)
    If Not Me.FlightSupport_HandlingBriefOrigin_New.Report.hasData Then
        Cancel = True
    Else
        Cancel = False
    End If
End Sub

Private Sub Report_Open(Cancel As Integer)
    Me.RecordSource = "FlightSupport_FullExternalReport_New"
End Sub

Private Sub Report_Close()
    ' Reset Cancel to False when the report closes
    Cancel = False
End Sub

Private Sub Sect_IDGroup_Format(Cancel As Integer, FormatCount As Integer)
    If Not Me.FlightSupport_PermitBrief_New.Report.hasData Then
        Cancel = True
    Else
        Cancel = False
    End If
End Sub
```

Option Compare Database

```
Private Sub DestinationAirportConciergeBrief_Format(Cancel As Integer, FormatCount As Integer)
    If Not Me.FlightSupport_DestConciergeBrief_New.Report.hasData Then
        Cancel = True
    Else
        Cancel = False
    End If
End Sub
```

```
Private Sub DestinationLocationIDFuelBrief_Format(Cancel As Integer, FormatCount As Integer)
    If Not Me.FlightSupport_DestFuelBrief_R_New.Report.hasData Then
        Cancel = True
    Else
        Cancel = False
    End If
End Sub
```

```
Private Sub DestinationLocationIDHandlingBrief_Format(Cancel As Integer, FormatCount As Integer)
    If Me.FlightSupport_DestHandlingBrief_New.Report.hasData Or Me.FlightSupport_DestConciergeBrief_New.Report.hasData Or Me.FlightSupport_DestFuelBrief_R_New.Report.hasData Then
        Cancel = False
    Else
        Cancel = True
    End If
End Sub
```

```
Private Sub GroupFooter0_Format(Cancel As Integer, FormatCount As Integer)
    If Not Me.FlightSupport_DestConciergeBrief_New.Report.hasData Then
        Cancel = True
    Else
        Cancel = False
    End If
End Sub
```

```
Private Sub GroupFooter1_Format(Cancel As Integer, FormatCount As Integer)
    If Not Me.FlightSupport_DestFuelBrief_R_New.Report.hasData Then
        Cancel = True
    Else
        Cancel = False
    End If
End Sub
```

```
Private Sub GroupHeader2_Format(Cancel As Integer, FormatCount As Integer)
    If Not Me.FlightSupport_OriginFuelBrief_R_New.Report.hasData Then
        Cancel = True
    Else
        Cancel = False
    End If
End Sub
```

```
Private Sub GroupHeader3_Format(Cancel As Integer, FormatCount As Integer)
    If Not Me.FlightSupport_DestHandlingBrief_New.Report.hasData Then
        Cancel = True
    Else
        Cancel = False
    End If
End Sub
```

```
Private Sub OriginGroup_Format(Cancel As Integer, FormatCount As Integer)
    If Not Me.FlightSupport_HandlingBriefOrigin_New.Report.hasData And Not Me.FlightSupport_OriginFuelBrief_R_New.Report.hasData And Not Me.FlightSupport_OriginConciergeBrief_New.Report.hasData Then
        Cancel = True
    Else
        Cancel = False
    End If
End Sub
```

```
Private Sub DestGroup_Format(Cancel As Integer, FormatCount As Integer)
    If Not Me.FlightSupport_OriginConciergeBrief_New.Report.hasData Then
```

```

        Cancel = True
    Else
        Cancel = False
    End If
End Sub

Private Sub FlightSupport_Schedule_New_Enter()
    If Me.DepartDate = date Or Me.DepartDate > date Then
        Me.SectorNo.ForeColor = RGB(151, 148, 194)
        Me.DepartDate.ForeColor = RGB(151, 148, 194)
        Me.ETD.ForeColor = RGB(151, 148, 194)
        Me.ETA.ForeColor = RGB(151, 148, 194)
        Me.ArrivalDate.ForeColor = RGB(151, 148, 194)
        Me.ORIGIN.ForeColor = RGB(151, 148, 194)
        Me.Destination.ForeColor = RGB(151, 148, 194)
        Me.CallSign.ForeColor = RGB(151, 148, 194)
        Me.SectorNo.FontItalic = True
        Me.DepartDate.FontItalic = True
        Me.ETD.FontItalic = True
        Me.ETA.FontItalic = True
        Me.ArrivalDate.FontItalic = True
        Me.ORIGIN.FontItalic = True
        Me.Destination.FontItalic = True
        Me.CallSign.FontItalic = True
    Else
        Me.SectorNo.FontBold = True
        Me.DepartDate.FontBold = True
        Me.ETD.FontBold = True
        Me.ETA.FontBold = True
        Me.ArrivalDate.FontBold = True
        Me.ORIGIN.FontBold = True
        Me.Destination.FontBold = True
        Me.CallSign.FontBold = True
    End If
End Sub

Private Sub OriginLocationIDFuelBrief_Format(Cancel As Integer, FormatCount As Integer)
    If Not Me.FlightSupport_OriginFuelBrief_R_New.Report.hasData Then
        Cancel = True
    Else
        Cancel = False
    End If
End Sub

Private Sub OriginLocationIDHandlingBrief_Format(Cancel As Integer, FormatCount As Integer)
    If Not Me.FlightSupport_HandlingBriefOrigin_New.Report.hasData Then
        Cancel = True
    Else
        Cancel = False
    End If
End Sub

Private Sub Report_Open(Cancel As Integer)
    Me.RecordSource = "FlightSupport_FullExternalReport_New_V12"
End Sub

Private Sub Report_Close()
    ' Reset Cancel to False when the report closes
    Cancel = False
End Sub

Private Sub Sect_IDGroup_Format(Cancel As Integer, FormatCount As Integer)
    If Not Me.FlightSupport_PermitBrief_New.Report.hasData Then
        Cancel = True
    Else
        Cancel = False
    End If
End Sub

```


Option Compare Database

Option Explicit

Private Sub FlightSupport_Schedule_New_Enter()

If Me.DepartDate = date Or Me.DepartDate > date Then

Me.SectorNo.ForeColor = RGB(151, 148, 194)

Me.DepartDate.ForeColor = RGB(151, 148, 194)

Me.ETD.ForeColor = RGB(151, 148, 194)

Me.ETA.ForeColor = RGB(151, 148, 194)

Me.ArrivalDate.ForeColor = RGB(151, 148, 194)

Me.ORIGIN.ForeColor = RGB(151, 148, 194)

Me.Destination.ForeColor = RGB(151, 148, 194)

Me.CallSign.ForeColor = RGB(151, 148, 194)

Me.SectorNo.FontItalic = True

Me.DepartDate.FontItalic = True

Me.ETD.FontItalic = True

Me.ETA.FontItalic = True

Me.ArrivalDate.FontItalic = True

Me.ORIGIN.FontItalic = True

Me.Destination.FontItalic = True

Me.CallSign.FontItalic = True

Else

Me.SectorNo.FontBold = True

Me.DepartDate.FontBold = True

Me.ETD.FontBold = True

Me.ETA.FontBold = True

Me.ArrivalDate.FontBold = True

Me.ORIGIN.FontBold = True

Me.Destination.FontBold = True

Me.CallSign.FontBold = True

End If

End Sub

Private Sub OriginGroup_Format(Cancel As Integer, FormatCount As Integer)

' First, check if the FlightSupport_HandlingBrief report is not empty

If Not Me.FlightSupport_HandlingBrief.Report.IsEmpty Then

' Then, check if none of the reports have data

If Me.FlightSupport_HandlingBrief.Report.hasData Or _

Me.FlightSupport_FuelBrief.Report.hasData Or _

Me.FlightSupport_ConciergeBrief.Report.hasData Then

' If none of the reports have data, cancel the formatting

Cancel = False

Else

' Otherwise, allow the formatting to proceed

Cancel = True

End If

End If

End Sub

Private Sub Report_Open(Cancel As Integer)

Me.RecordSource = "FlightSupport_FullExternalReport_New_V12"

End Sub

Private Sub Sect_IDGroup_Format(Cancel As Integer, FormatCount As Integer)

If Not Me.FlightSupport_PermitBrief_New.Report.hasData Then

Cancel = True

Else

Cancel = False

End If

End Sub

Private Sub GroupFooter0_Format(Cancel As Integer, FormatCount As Integer)

If Not Me.FlightSupport_ConciergeBrief.Report.hasData Then

Cancel = True

Else

Cancel = False

End If

End Sub

Private Sub GroupHeader2_Format(Cancel As Integer, FormatCount As Integer)

If Not Me.FlightSupport_FuelBrief.Report.hasData Then

Cancel = True

Else

Cancel = False

Report_FlightSupport_FullExternalReport_V12 - 2

```
    End If
End Sub
Private Sub OriginLocationIDHandlingBrief_Format(Cancel As Integer, FormatCount As Integer)
    If Not Me.FlightSupport_HandlingBrief.Report.hasData Then
        Cancel = True
    Else
        Cancel = False
    End If
End Sub
```

Option Compare Database
Private Sub ReportLoad()

```
' Loop through each field in the recordset
' Check If the field name matches the specified fields
If Me.DepartDate = date Or Me.DepartDate > date Then
    Me.SectorNo.ForeColor = RGB(151, 148, 194)
    Me.DepartDate.ForeColor = RGB(151, 148, 194)
    Me.ETD.ForeColor = RGB(151, 148, 194)
    Me.ETA.ForeColor = RGB(151, 148, 194)
    Me.ArrivalDate.ForeColor = RGB(151, 148, 194)
    Me.ORIGIN.ForeColor = RGB(151, 148, 194)
    Me.Destination.ForeColor = RGB(151, 148, 194)
    Me.CallSign.ForeColor = RGB(151, 148, 194)
    Me.SectorNo.FontItalic = True
    Me.DepartDate.FontItalic = True
    Me.ETD.FontItalic = True
    Me.ETA.FontItalic = True
    Me.ArrivalDate.FontItalic = True
    Me.ORIGIN.FontItalic = True
    Me.Destination.FontItalic = True
    Me.CallSign.FontItalic = True
Else
    Me.SectorNo.FontBold = True
    Me.DepartDate.FontBold = True
    Me.ETD.FontBold = True
    Me.ETA.FontBold = True
    Me.ArrivalDate.FontBold = True
    Me.ORIGIN.FontBold = True
    Me.Destination.FontBold = True
    Me.CallSign.FontBold = True
End If
End Sub

Private Sub Report_Activate()
ReportLoad
End Sub

Private Sub Report_Filter(Cancel As Integer, FilterType As Integer)
ReportLoad
End Sub
```

Option Compare Database
Private Sub ReportLoad()

```
' Loop through each field in the recordset
' Check If the field name matches the specified fields
If Me.DepartDate = date Or Me.DepartDate > date Then
    Me.SectorNo.ForeColor = RGB(151, 148, 194)
    Me.DepartDate.ForeColor = RGB(151, 148, 194)
    Me.ETD.ForeColor = RGB(151, 148, 194)
    Me.ETA.ForeColor = RGB(151, 148, 194)
    Me.ArrivalDate.ForeColor = RGB(151, 148, 194)
    Me.ORIGIN.ForeColor = RGB(151, 148, 194)
    Me.Destination.ForeColor = RGB(151, 148, 194)
    Me.CallSign.ForeColor = RGB(151, 148, 194)
    Me.SectorNo.FontItalic = True
    Me.DepartDate.FontItalic = True
    Me.ETD.FontItalic = True
    Me.ETA.FontItalic = True
    Me.ArrivalDate.FontItalic = True
    Me.ORIGIN.FontItalic = True
    Me.Destination.FontItalic = True
    Me.CallSign.FontItalic = True
Else
    Me.SectorNo.FontBold = True
    Me.DepartDate.FontBold = True
    Me.ETD.FontBold = True
    Me.ETA.FontBold = True
    Me.ArrivalDate.FontBold = True
    Me.ORIGIN.FontBold = True
    Me.Destination.FontBold = True
    Me.CallSign.FontBold = True
End If
End Sub

Private Sub Report_Activate()
ReportLoad
End Sub

Private Sub Report_Filter(Cancel As Integer, FilterType As Integer)
ReportLoad
End Sub
```

Report_FlightSupport_HandlingBrief_New - 1

Option Compare Database
Option Explicit

```
Private Sub Report_Load()  
Me.ServiceStatustxt.Height = Me.Noteetxt.Height  
Me.Servicetxt.Height = Me.Noteetxt.Height  
Me.Paymentmethodtxt.Height = Me.Noteetxt.Height  
End Sub
```

Report_FlightSupport_HandlingBrief_R - 1

Option Compare Database
Option Explicit

```
Private Sub Report_Load()  
Me.ServiceStatustxt.Height = Me.Noteetxt.Height  
Me.Servicetxt.Height = Me.Noteetxt.Height  
Me.Paymentmethodtxt.Height = Me.Noteetxt.Height  
End Sub
```

Report_FlightSupport_HandlingBrief_R_New - 1

Option Compare Database
Option Explicit

```
Private Sub Report_Load()  
Me.ServiceStatustxt.Height = Me.Noteetxt.Height  
Me.Servicetxt.Height = Me.Noteetxt.Height  
Me.Paymentmethodtxt.Height = Me.Noteetxt.Height  
End Sub
```

Option Compare Database
Option Explicit

```
Private Sub Report_Load()  
Me.ServiceStatustxt.Height = Me.Noteetxt.Height  
Me.Servicetxt.Height = Me.Noteetxt.Height  
Me.Paymentmethodtxt.Height = Me.Noteetxt.Height  
End Sub
```


Report_FlightSupport_HandOver_R - 1

Option Compare Database

Option Explicit

Option Compare Database

Option Explicit

Report_FlightSupport_INT_ConciergeBrief_R - 1

```
Private Sub Report_NoData(Cancel As Integer)
    Me.PermitBrief_R.Visible = False
End Sub
```

Report_FlightSupport_INT_ConciergeBrief_R_New - 1

```
Private Sub Report_NoData(Cancel As Integer)
    Me.PermittBrief_R.Visible = False
End Sub
```

Report_FlightSupport_INT_FuelBrief_R - 1

```
Private Sub Report_NoData(Cancel As Integer)
    Me.PermitBrief_R.Visible = False
End Sub
```

Report_FlightSupport_INT_FuelBrief_R_New - 1

```
Private Sub Report_NoData(Cancel As Integer)
    Me.PermitBrief_R.Visible = False
End Sub
```

Option Compare Database

```
Private Function GetSubreportRecordCount(subreportName As String) As Long
    Dim subreport As Report
    Dim recordCount As Long

    On Error Resume Next
    Set subreport = Me.Controls(subreportName).Report

    If Not subreport Is Nothing Then
        recordCount = DCount("*", subreport.RecordSource)
    End If

    GetSubreportRecordCount = recordCount
End Function

Private Sub GroupFooter1_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.ConciergeBrief_R.Report.hasData
End Sub

Private Sub GroupFooter6_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.FuelBrief_R.Report.hasData
End Sub

Private Sub GroupHeader3_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.PermitBrief_R.Report.hasData
End Sub

Private Sub GroupHeader4_Format(Cancel As Integer, FormatCount As Integer)
    If IsNull(Me.Location) Then
        Cancel = IsNull(Me.Location)
    End If
End Sub

Private Sub GroupHeader5_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.HandlingBrief_R.Report.hasData
End Sub
```

Option Compare Database

```
Private Function GetSubreportRecordCount(subreportName As String) As Long
    Dim subreport As Report
    Dim recordCount As Long

    On Error Resume Next
    Set subreport = Me.Controls(subreportName).Report

    If Not subreport Is Nothing Then
        recordCount = DCount("*", subreport.RecordSource)
    End If

    GetSubreportRecordCount = recordCount
End Function

Private Sub GroupFooter1_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.ConciergeBrief_R.Report.hasData
End Sub

Private Sub GroupFooter6_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.FuelBrief_R.Report.hasData
End Sub

Private Sub GroupHeader3_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.PermitBrief_R.Report.hasData
End Sub

Private Sub GroupHeader4_Format(Cancel As Integer, FormatCount As Integer)
    If IsNull(Me.Location) Then
        Cancel = IsNull(Me.Location)
    End If
End Sub

Private Sub GroupHeader5_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.HandlingBrief_R.Report.hasData
End Sub
```


Report_FlightSupport_INT_PermitBrief_R - 1

```
Private Sub Report_NoData(Cancel As Integer)
    Me.PermitBrief_R.Visible = False
End Sub
```

Report_FlightSupport_INT_PermitBrief_R_New - 1

```
Private Sub Report_NoData(Cancel As Integer)
    Me.PermitBrief_R.Visible = False
End Sub
```

Report_FlightSupport_INT_Schedule_New - 1

Option Compare Database

Option Explicit

Report_FlightSupport_INT_TrackFuelBrief_R - 1

```
Private Sub Report_NoData(Cancel As Integer)
    Me.PermitBrief_R.Visible = False
End Sub
```

Option Compare Database

```
Private Function GetSubreportRecordCount(subreportName As String) As Long
    Dim subreport As Report
    Dim recordCount As Long

    On Error Resume Next
    Set subreport = Me.Controls(subreportName).Report

    If Not subreport Is Nothing Then
        recordCount = DCount("*", subreport.RecordSource)
    End If

    GetSubreportRecordCount = recordCount
End Function

Private Sub GroupFooter1_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.ConciergeBrief_R.Report.hasData
End Sub

Private Sub GroupFooter6_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.FuelBrief_R.Report.hasData
End Sub

Private Sub GroupHeader3_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.PermitBrief_R.Report.hasData
End Sub

Private Sub GroupHeader4_Format(Cancel As Integer, FormatCount As Integer)
    If IsNull(Me.Location) Then
        Cancel = IsNull(Me.Location)
    End If
End Sub

Private Sub GroupHeader5_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.HandlingBrief_R.Report.hasData
End Sub
```

Option Compare Database

```
Private Function GetSubreportRecordCount(subreportName As String) As Long
    Dim subreport As Report
    Dim recordCount As Long

    On Error Resume Next
    Set subreport = Me.Controls(subreportName).Report

    If Not subreport Is Nothing Then
        recordCount = DCount("*", subreport.RecordSource)
    End If

    GetSubreportRecordCount = recordCount
End Function

Private Sub GroupFooter1_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.ConciergeBrief_R.Report.hasData
End Sub

Private Sub GroupFooter6_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.FuelBrief_R.Report.hasData
End Sub

Private Sub GroupHeader3_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.PermitBrief_R.Report.hasData
End Sub

Private Sub GroupHeader4_Format(Cancel As Integer, FormatCount As Integer)
    If IsNull(Me.Location) Then
        Cancel = IsNull(Me.Location)
    End If
End Sub

Private Sub GroupHeader5_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.HandlingBrief_R.Report.hasData
End Sub
```

Option Compare Database

```
Private Function GetSubreportRecordCount(subreportName As String) As Long
    Dim subreport As Report
    Dim recordCount As Long

    On Error Resume Next
    Set subreport = Me.Controls(subreportName).Report

    If Not subreport Is Nothing Then
        recordCount = DCount("*", subreport.RecordSource)
    End If

    GetSubreportRecordCount = recordCount
End Function

Private Sub GroupFooter1_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.ConciergeBrief_R.Report.hasData
End Sub

Private Sub GroupFooter6_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.FuelBrief_R.Report.hasData
End Sub

Private Sub GroupHeader3_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.PermitBrief_R.Report.hasData
End Sub

Private Sub GroupHeader4_Format(Cancel As Integer, FormatCount As Integer)
    If IsNull(Me.Location) Then
        Cancel = IsNull(Me.Location)
    End If
End Sub

Private Sub GroupHeader5_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.HandlingBrief_R.Report.hasData
End Sub
```

Report_FlightSupport_PermitBrief_New - 1

```
Private Sub Report_NoData(Cancel As Integer)
    Me.PermitBrief_R.Visible = False
End Sub
```


Report_FlightSupport_PermitBrief_R - 1

```
Private Sub Report_NoData(Cancel As Integer)
    Me.PermitBrief_R.Visible = False
End Sub
```

Report_FlightSupport_PermitBrief_R_New - 1

```
Private Sub Report_NoData(Cancel As Integer)
    Me.PermittBrief_R.Visible = False
End Sub
```

Option Compare Database
Private Sub ReportLoad()

```
' Loop through each field in the recordset
' Check If the field name matches the specified fields
If Me.DepartDate = date Or Me.DepartDate > date Then
    Me.SectorNo.ForeColor = RGB(151, 148, 194)
    Me.DepartDate.ForeColor = RGB(151, 148, 194)
    Me.ETD.ForeColor = RGB(151, 148, 194)
    Me.ETA.ForeColor = RGB(151, 148, 194)
    Me.ArrivalDate.ForeColor = RGB(151, 148, 194)
    Me.ORIGIN.ForeColor = RGB(151, 148, 194)
    Me.Destination.ForeColor = RGB(151, 148, 194)
    Me.CallSign.ForeColor = RGB(151, 148, 194)
    Me.SectorNo.FontItalic = True
    Me.DepartDate.FontItalic = True
    Me.ETD.FontItalic = True
    Me.ETA.FontItalic = True
    Me.ArrivalDate.FontItalic = True
    Me.ORIGIN.FontItalic = True
    Me.Destination.FontItalic = True
    Me.CallSign.FontItalic = True
Else
    Me.SectorNo.FontBold = True
    Me.DepartDate.FontBold = True
    Me.ETD.FontBold = True
    Me.ETA.FontBold = True
    Me.ArrivalDate.FontBold = True
    Me.ORIGIN.FontBold = True
    Me.Destination.FontBold = True
    Me.CallSign.FontBold = True
End If
End Sub

Private Sub Report_Activate()
ReportLoad
End Sub

Private Sub Report_Filter(Cancel As Integer, FilterType As Integer)
ReportLoad
End Sub
```

Option Compare Database

```

Private Function GetSubreportRecordCount(subreportName As String) As Long
    Dim subreport As Report
    Dim recordCount As Long

    On Error Resume Next
    Set subreport = Me.Controls(subreportName).Report

    If Not subreport Is Nothing Then
        recordCount = DCount("*", subreport.RecordSource)
    End If

    GetSubreportRecordCount = recordCount
End Function

Private Sub GroupFooter1_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.ConciergeBrief_R.Report.hasData
End Sub

Private Sub GroupFooter6_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.FuelBrief_R.Report.hasData
End Sub

Private Sub GroupHeader3_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.PermitBrief_R.Report.hasData
End Sub

Private Sub GroupHeader4_Format(Cancel As Integer, FormatCount As Integer)
    If IsNull(Me.Location) Then
        Cancel = IsNull(Me.Location)
    End If
End Sub

Private Sub GroupHeader5_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.HandlingBrief_R.Report.hasData
End Sub

Private Sub Report_Open(Cancel As Integer)
    ' Set the RecordSource of the report to "FlightSupportQ"
    Me.RecordSource = "FlightSupport_FuelTrackQ"
End Sub

```

Report_FuelSupport_ActualFuelQuote - 1

```
Option Compare Database
Option Explicit
Private Function GetSubreportRecordCount(subreportName As String) As Long
    Dim subreport As Report
    Dim recordCount As Long

    On Error Resume Next
    Set subreport = Me.Controls(subreportName).Report

    If Not subreport Is Nothing Then
        recordCount = DCount("*", subreport.RecordSource)
    End If

    GetSubreportRecordCount = recordCount
End Function

Private Sub GroupFooter1_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.ConciergeBrief_R.Report.hasData
End Sub

Private Sub GroupFooter6_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.FuelBrief_R.Report.hasData
End Sub

Private Sub GroupHeader3_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.PermitBrief_R.Report.hasData
End Sub

Private Sub GroupHeader4_Format(Cancel As Integer, FormatCount As Integer)
    If IsNull(Me.Location) Then
        Cancel = IsNull(Me.Location)
    End If
End Sub

Private Sub GroupHeader5_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.HandlingBrief_R.Report.hasData
End Sub

Private Sub GroupFooter2_Format(Cancel As Integer, FormatCount As Integer)
    'Cancel = IsNull(Me.TASEstimatedTotal.Value) Or Me.TASEstimatedTotal.Value = 0
    If Me.TASEstimatedTotal.Value = 0 Then
        Cancel = True
    Else
        Cancel = False
    End If
End Sub

Private Sub ShowCountry()
    Dim selectedValue As Variant
    selectedValue = Me.AIRPORT.Value ' Get the selected value from the combo box

    If Not IsNull(selectedValue) Then
        Dim rs As DAO.Recordset
        Set rs = CurrentDb.OpenRecordset("Airports_DataT", dbOpenSnapshot)

        rs.FindFirst "AIRPORT_DETAILS = '" & selectedValue & "'"
        If Not rs.NoMatch Then
            Me.Countrytxt.Value = rs("Country").Value
        Else
            Me.Countrytxt.Value = Null
        End If

        rs.Close
        Set rs = Nothing
    Else
        Me.Countrytxt.Value = Null
    End If
End Sub
```

Report_FuelSupport_ActualFuelQuote - 2

Exit Sub

End Sub

Private Sub Report_Load()

ShowCountry

End Sub

Report_FuelSupport_FuelQuote - 1

Option Compare Database

Option Explicit

Private Sub GroupFooter2_Format(Cancel As Integer, FormatCount As Integer)

'Cancel = IsNull(Me.TASEstimatedTotal.Value) Or Me.TASEstimatedTotal.Value = 0

 If Me.TASEstimatedTotal.Value = 0 Then

 Cancel = True

 Else

 Cancel = False

 End If

End Sub

Private Sub Report_Load()

'Me.RowSource = "SELECT FuelSupport_FuelQuotationsT.* FROM FuelSupport_FuelQuotationsT;"

End Sub

Report_InternalReport - 1

Option Compare Database

Private Sub Report_Load()

If IsNull(Me.Payment) Or Me.Payment = "" Then

Me.Payment = "ON TAS CREDIT"

End If

End Sub

Report_New_ExternalReport 1

Option Compare Database

```
Private Function GetSubreportRecordCount(subreportName As String) As Long
    Dim subreport As Report
    Dim recordCount As Long

    On Error Resume Next
    Set subreport = Me.Controls(subreportName).Report

    If Not subreport Is Nothing Then
        recordCount = DCount("*", subreport.RecordSource)
    End If

    GetSubreportRecordCount = recordCount
End Function

Private Sub GroupHeader3_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.PermitBrief_R.Report.hasData
End Sub

Private Sub Report_Load()
    If Not Me.PermitBrief_R.Report.hasData Then
        Me.PermitBrief_R.Visible = True
    Else
        Me.PermitBrief_R.Visible = False
    End If
End Sub
```

Report_Old_FlightSupport_INT_TrackFuelBrief_R - 1

```
Private Sub Report_NoData(Cancel As Integer)
    Me.PermitBrief_R.Visible = False
End Sub
```

Option Compare Database

```

Private Function GetSubreportRecordCount(subreportName As String) As Long
    Dim subreport As Report
    Dim recordCount As Long

    On Error Resume Next
    Set subreport = Me.Controls(subreportName).Report

    If Not subreport Is Nothing Then
        recordCount = DCount("*", subreport.RecordSource)
    End If

    GetSubreportRecordCount = recordCount
End Function

Private Sub GroupFooter1_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.ConciergeBrief_R.Report.hasData
End Sub

Private Sub GroupFooter6_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.FuelBrief_R.Report.hasData
End Sub

Private Sub GroupHeader3_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.PermitBrief_R.Report.hasData
End Sub

Private Sub GroupHeader4_Format(Cancel As Integer, FormatCount As Integer)
    If IsNull(Me.Location) Then
        Cancel = IsNull(Me.Location)
    End If
End Sub

Private Sub GroupHeader5_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.HandlingBrief_R.Report.hasData
End Sub

Private Sub Report_Open(Cancel As Integer)
    ' Set the RecordSource of the report to "FlightSupportQ"
    Me.RecordSource = "FlightSupport_FuelTrackQ"
End Sub

```


Option Compare Database

Private Function GetSubreportRecordCount(subreportName As String) As Long

Dim subreport As Report

Dim recordCount As Long

On Error Resume Next

Set subreport = Me.Controls(subreportName).Report

If Not subreport Is Nothing Then

recordCount = DCount("*", subreport.RecordSource)

End If

GetSubreportRecordCount = recordCount

End Function

Private Sub FlightSupport_Schedule_New_Enter()

' Loop through each field in the recordset

' Check If the field name matches the specified fields

If Me.DepartDate = date Or Me.DepartDate > date Then

Me.SectorNo.ForeColor = RGB(151, 148, 194)

Me.DepartDate.ForeColor = RGB(151, 148, 194)

Me.ETD.ForeColor = RGB(151, 148, 194)

Me.ETA.ForeColor = RGB(151, 148, 194)

Me.ArrivalDate.ForeColor = RGB(151, 148, 194)

Me.ORIGIN.ForeColor = RGB(151, 148, 194)

Me.Destination.ForeColor = RGB(151, 148, 194)

Me.CallSign.ForeColor = RGB(151, 148, 194)

Me.SectorNo.FontItalic = True

Me.DepartDate.FontItalic = True

Me.ETD.FontItalic = True

Me.ETA.FontItalic = True

Me.ArrivalDate.FontItalic = True

Me.ORIGIN.FontItalic = True

Me.Destination.FontItalic = True

Me.CallSign.FontItalic = True

Else

Me.SectorNo.FontBold = True

Me.DepartDate.FontBold = True

Me.ETD.FontBold = True

Me.ETA.FontBold = True

Me.ArrivalDate.FontBold = True

Me.ORIGIN.FontBold = True

Me.Destination.FontBold = True

Me.CallSign.FontBold = True

End If

End Sub

Private Sub GroupFooter1_Format(Cancel As Integer, FormatCount As Integer)

Cancel = Not Me.ConciergeBrief_R.Report.hasData

End Sub

Private Sub GroupFooter6_Format(Cancel As Integer, FormatCount As Integer)

Cancel = Not Me.FuelBrief_R.Report.hasData

End Sub

'Private Sub GroupHeader2_Format(Cancel As Integer, FormatCount As Integer)

' Get the value of the Location field For the current record in the group

'Dim locationValue As Variant

' locationValue = DLookup("Location", "[FlightSupport_ExternalReport_New]", "Nz([Sect_ID], '') = ''

& CStr(Me.[Sect_ID]) & "'")

Private Sub GroupHeader2_Format(Cancel As Integer, FormatCount As Integer)

If Not Me.HandlingBrief_R.Report.hasData And Not Me.FuelBrief_R.Report.hasData And Not Me.ConciergeBrief_R.Report.hasData Then

Cancel = True

Else

Cancel = False

End If

End Sub

' Get the value of the Tripstatus field For the current record in the group

'Dim statusValue As Variant

'statusValue = DLookup("Tripstatus", "[FlightSupport_ExternalReport_New]", "Nz([Sect_ID], '') = ''

& CStr(Me.[Sect_ID]) & "'")

```
' Check If either condition is True
'If IsNull(locationValue) Or statusValue = "CANCELED" Then
'    Cancel = True ' Stop the group header from being rendered
' Else
'     ' If both conditions are False, make the field visible
'     Cancel = False
' End If

'End Sub

Private Sub GroupHeader3_Format(Cancel As Integer, FormatCount As Integer)
    Cancel = Not Me.PermittBrief_R.Report.hasData
End Sub

Private Sub GroupHeader4_Format(Cancel As Integer, FormatCount As Integer)
    If IsNull(Me.Locationtxt) Then
        Cancel = IsNull(Me.Locationtxt)
    End If
End Sub

Private Sub GroupHeader5_Format(Cancel As Integer, FormatCount As Integer)

    Cancel = Not Me.HandlingBrief_R.Report.hasData

End Sub

Private Sub GroupFooter0_Click()
    If Not Me.AmendBrief_R.Report.hasData Then
        Cancel = True
    Else
        Cancel = False
    End If
End Sub

Private Sub Report_Open(Cancel As Integer)
    ' Set the RecordSource of the report To "FlightSupportQ"
    Me.RecordSource = "FlightSupport_ExternalReport_New"
End Sub
```


Report_OVRF_Permits_Amends_Report - 1

Option Compare Database

```
Private Sub GroupFooter1_Format(Cancel As Integer, FormatCount As Integer)
Cancel = Not Me.OVRF_AmendsT.Report.hasData
End Sub
```

Report_OVRF_Permits_Report - 1

Option Compare Database

```
Private Sub GroupFooter1_Format(Cancel As Integer, FormatCount As Integer)
Cancel = Not Me.Amends_Table_REPORT.Report.hasData
End Sub
```


modDatePicker - 1

' modDatePicker

' Copyright (c) 2003 Brendan Kidwell

' The latest version of this software can be found at
' <http://www.glump.net/content/accessdatepicker/> .

' -----
' This module and its accompanying form provides a convenient
' way to input dates into your program. It is licensed under
' the Open Software License version 1.1. Please See
' <http://opensource.org/licenses/osl.php> .
' -----

' Usage

' From a form:

' InputDateField(t[, p])

' t is a TextBox on your form

' p is an optional String with a custom prompt.

' Example:

' Private Sub cmdLogEntryDate_Click()
' InputDateField txtLogEntryDate, _
' "Select Log Entry Date"
' End Sub

' From a procedure:

' d = InputDate([p][, initd])

' p is an optional String with a custom prompt

' initd is an optional Variant with the initial date for
' the dialog box

' d is a Variant that will receive either Null or the
' selected date

' Example:

' Dim d As Variant
' d = InputDate
' If IsDate(d) Then
' MsgBox "You chose " & d & "."
' Else
' MsgBox "You hit the Cancel button."
' End If

Option Compare Database

Option Explicit

Private mRunning As Boolean

Private mPrompt As String

Private mInitDate As Variant

Private mReturnValue As Variant

' colour definitions - Colin Riddington

' Public Const ColOrange = 10079487

' Public Const ColPaleYellow = 10092543

' Public Const ColBlue = 6697728

Public Const ColDarkBlue = 8388608

' Public Const ColBorder = 4210752

Public Const ColLemon = 10092543

Public Const ColDarkRed = 128

' Public Const ColMidRed = 1643706

' Public Const ColPaleGreen = 13434828

' Public Const ColDarkGreen = 32768

Public Const ColPaleGrey = 14869218

Public Const ColDarkGrey = 9868950

```
'Public Const ColMidGrey = 11842740
```

```
' +-----
'|
'| methods for using this module
'|
```

```
' Use this method to prompt for a date inside a procedure
```

```
Public Function InputDate(Optional Prompt As String = "Select Date", _
    Optional InitDate As Variant) As Variant
```

```
    mPrompt = Prompt
```

```
    mInitDate = InitDate
```

```
    RunDialog
```

```
    InputDate = mReturnValue
```

```
End Function
```

```
' Use this method to prompt for and set a new date on a textbox
```

```
Public Sub InputDateField(x As TextBox, Optional Prompt As String = "Select Date")
```

```
    mPrompt = Prompt
```

```
    mInitDate = x.Value
```

```
    RunDialog
```

```
If IsDate(mReturnValue) Then
```

```
    x.Value = mReturnValue
```

```
End If
```

```
End Sub
```

```
Private Sub RunDialog()
```

```
    mRunning = True
```

```
    DoCmd.OpenForm "frmDatePicker", , , , , acDialog
```

```
    DoCmd.Close acForm, "frmDatePicker"
```

```
    mRunning = False
```

```
End Sub
```

```
' +-----
'|
'| properties for communicating with Form_DatePicker
'|
```

```
' DON'T MESS WITH THESE PROPERTIES. CALL InputDateField() OR
```

```
' InputDate() AS SHOWN ABOVE.
```

```
Public Property Get Running() As Boolean
```

```
    Running = mRunning
```

```
End Property
```

```
Public Property Get Prompt() As String
```

```
    Prompt = mPrompt
```

```
End Property
```

```
Public Property Get InitDate() As Variant
```

```
    InitDate = mInitDate
```

```
End Property
```

```
Public Property Let ReturnValue(x As Variant)
```

```
    mReturnValue = x
```

```
End Property
```

clFormWindow - 1

Option Compare Database
Option Explicit

```
*****
' Class module: clFormWindow *
*****
' Moves and resizes a window in the coordinate system *
' of its parent window. *
' N.B.: This class was developed for use on Access forms *
' and has not been tested for use with other window *
' types. *
*****
```

```
*****
' Type declarations
*****
```

```
Private Type RECT          'RECT structure used for API calls.
    Left As Long
    Top As Long
    Right As Long
    Bottom As Long
End Type
```

```
Private Type POINTAPI      'POINTAPI structure used for API calls.
    x As Long
    Y As Long
End Type
```

```
*****
' Member variables
*****
```

```
Private m_hWnd As Long      'Handle of the window.
Private m_rctWindow As RECT 'Rectangle describing the sides of the last polled location of the window.
```

```
*****
' Private error constants for use with RaiseError procedure
*****
```

```
Private Const m_ERR_INVALIDHWND = 1
Private Const m_ERR_NOPARENTWINDOW = 2
```

```
*****
' API function declarations
*****
```

```
Private Declare PtrSafe Function apiIsWindow Lib "User32" Alias "IsWindow" (ByVal hWnd As Long) As Long
```

```
Private Declare PtrSafe Function apiMoveWindow Lib "User32" Alias "MoveWindow" (ByVal hWnd As Long, ByVal x As Long, ByVal Y As Long, _
    ByVal nWidth As Long, ByVal nHeight As Long, ByVal bRepaint As Long) As Long
    'Moves and resizes a window in the coordinate system of its parent window.
```

```
Private Declare PtrSafe Function apiGetWindowRect Lib "User32" Alias "GetWindowRect" (ByVal hWnd As Long, lpRect As RECT) As Long
    'After calling, the lpRect parameter contains the RECT structure describing the sides of the window in screen coordinates.
```


clFormWindow - 2

```
Private Declare PtrSafe Function apiScreenToClient Lib "User32" Alias "ScreenToClient" (ByVal hWnd As Long, lpPoint As POINTAPI) As Long
```

```
'Converts lpPoint from screen coordinates to the coordinate system of the specified client window.
```

```
Private Declare PtrSafe Function apiGetParent Lib "User32" Alias "GetParent" (ByVal hWnd As Long) As Long
```

```
'Returns the handle of the parent window of the specified window.
```

```
*****
```

```
' Private procedures
```

```
*****
```

```
Private Sub RaiseError(ByVal lngErrNumber As Long, ByVal strErrDesc As String)
```

```
'Raises a user-defined error to the calling procedure.
```

```
err.Raise vbObjectError + lngErrNumber, "clFormWindow", strErrDesc
```

```
End Sub
```

```
Private Sub UpdateWindowRect()
```

```
'Places the current window rectangle position (in pixels, in coordinate system of parent window) in m_rctWindow.
```

```
Dim ptCorner As POINTAPI
```

```
If m_hWnd = 0 Or apiIsWindow(m_hWnd) Then
```

```
apiGetWindowRect m_hWnd, m_rctWindow 'm_rctWindow now holds window coordinates in screen coordinates.
```

```
If Not Me.Parent Is Nothing Then
```

```
'If there is a parent window, convert top, left of window from screen coordinates to parent window coordinates.
```

```
With ptCorner
```

```
.x = m_rctWindow.Left
```

```
.Y = m_rctWindow.Top
```

```
End With
```

```
apiScreenToClient Me.Parent.hWnd, ptCorner
```

```
With m_rctWindow
```

```
.Left = ptCorner.x
```

```
.Top = ptCorner.Y
```

```
End With
```

```
'If there is a parent window, convert bottom, right of window from screen coordinates to parent window coordinates.
```

```
With ptCorner
```

```
.x = m_rctWindow.Right
```

```
.Y = m_rctWindow.Bottom
```

```
End With
```

```
apiScreenToClient Me.Parent.hWnd, ptCorner
```

```
With m_rctWindow
```

```
.Right = ptCorner.x
```

```
.Bottom = ptCorner.Y
```

```
End With
```

```
End If
```

```
Else
```

```
RaiseError m_ERR_INVALIDHWND, "The window handle " & m_hWnd & " is no longer valid."
```

```
End If
```

```
End Sub
```

```
*****
```

```
' Public read-write properties
'*****
```

```
Public Property Get hWnd() As Long
'Returns the value the user has specified for the window's handle.
```

```
    If m_hWnd = 0 Or apiIsWindow(m_hWnd) Then
        hWnd = m_hWnd
    Else
        RaiseError m_ERR_INVALIDHWND, "The window handle " & m_hWnd & " is no longer valid."
    End If
```

```
End Property
```

```
Public Property Let hWnd(ByVal lngNewValue As Long)
```

```
'Sets the window to use by specifying its handle.
```

```
'Only accepts valid window handles.
```

```
    If lngNewValue = 0 Or apiIsWindow(lngNewValue) Then
        m_hWnd = lngNewValue
    Else
        RaiseError m_ERR_INVALIDHWND, "The value passed to the hWnd property is not a valid window handle."
    End If
```

```
End Property
```

```
'-----
```

```
Public Property Get Left() As Long
```

```
'Returns the current position (in pixels) of the left edge of the window in the coordinate system of its parent window.
```

```
    If m_hWnd = 0 Or apiIsWindow(m_hWnd) Then
        UpdateWindowRect
        Left = m_rctWindow.Left
    Else
        RaiseError m_ERR_INVALIDHWND, "The window handle " & m_hWnd & " is no longer valid."
    End If
```

```
End Property
```

```
Public Property Let Left(ByVal lngNewValue As Long)
```

```
'Moves the window such that its left edge falls at the position indicated
```

```
'(measured in pixels, in the coordinate system of its parent window).
```

```
    If m_hWnd = 0 Or apiIsWindow(m_hWnd) Then
        UpdateWindowRect
        With m_rctWindow
            apiMoveWindow m_hWnd, lngNewValue, .Top, .Right - .Left, .Bottom - .Top, True
        End With
    Else
        RaiseError m_ERR_INVALIDHWND, "The window handle " & m_hWnd & " is no longer valid."
    End If
```

```
End Property
```

```
'-----
```

```
Public Property Get Top() As Long
```

```
'Returns the current position (in pixels) of the top edge of the window in the coordinate system of its parent window.
```

```
    If m_hWnd = 0 Or apiIsWindow(m_hWnd) Then
        UpdateWindowRect
        Top = m_rctWindow.Top
    Else
        RaiseError m_ERR_INVALIDHWND, "The window handle " & m_hWnd & " is no longer valid."
    End If
```

End Property

Public Property Let Top(ByVal lngNewValue As Long)

'Moves the window such that its top edge falls at the position indicated
'(measured in pixels, in the coordinate system of its parent window).

If m_hWnd = 0 Or apiIsWindow(m_hWnd) Then

UpdateWindowRect

With m_rctWindow

apiMoveWindow m_hWnd, .Left, lngNewValue, .Right - .Left, .Bottom - .Top, True

End With

Else

RaiseError m_ERR_INVALIDHWND, "The window handle " & m_hWnd & " is no longer valid."

End If

End Property

'-----

Public Property Get Width() As Long

'Returns the current width (in pixels) of the window.

If m_hWnd = 0 Or apiIsWindow(m_hWnd) Then

UpdateWindowRect

With m_rctWindow

Width = .Right - .Left

End With

Else

RaiseError m_ERR_INVALIDHWND, "The window handle " & m_hWnd & " is no longer valid."

End If

End Property

Public Property Let Width(ByVal lngNewValue As Long)

'Changes the width of the window to the value provided (in pixels).

If m_hWnd = 0 Or apiIsWindow(m_hWnd) Then

UpdateWindowRect

With m_rctWindow

apiMoveWindow m_hWnd, .Left, .Top, lngNewValue, .Bottom - .Top, True

End With

Else

RaiseError m_ERR_INVALIDHWND, "The window handle " & m_hWnd & " is no longer valid."

End If

End Property

'-----

Public Property Get Height() As Long

'Returns the current height (in pixels) of the window.

If m_hWnd = 0 Or apiIsWindow(m_hWnd) Then

UpdateWindowRect

With m_rctWindow

Height = .Bottom - .Top

End With

Else

RaiseError m_ERR_INVALIDHWND, "The window handle " & m_hWnd & " is no longer valid."

End If

End Property

Public Property Let Height(ByVal lngNewValue As Long)

'Changes the height of the window to the value provided (in pixels).

If m_hWnd = 0 Or apiIsWindow(m_hWnd) Then

```

        UpdateWindowRect
        With m_rctWindow
            apiMoveWindow m_hWnd, .Left, .Top, .Right - .Left, lngNewValue, True
        End With
    Else
        RaiseError m_ERR_INVALIDHWND, "The window handle " & m_hWnd & " is no longer valid."
    End If
End Property

```

```

'*****
' Public read-only properties
'*****

```

```

Public Property Get Parent() As clFormWindow
'Returns the parent window as a clFormWindow object.
'For forms, this should be the Access MDI window.

```

```

    Dim fwParent As New clFormWindow
    Dim lngHWND As Long

```

```

    If m_hWnd = 0 Then
        Set Parent = Nothing
    ElseIf apiIsWindow(m_hWnd) Then
        lngHWND = apiGetParent(m_hWnd)
        fwParent.hWnd = lngHWND
        Set Parent = fwParent
    Else
        RaiseError m_ERR_INVALIDHWND, "The window handle " & m_hWnd & " is no longer valid."
    End If

    Set fwParent = Nothing

```

```

End Property

```