#### CO226: Database Systems

Database Design Methodology

Sampath Deegalla dsdeegalla@pdn.ac.lk

1st July 2014

#### Information System Life Cycle

- Database system is typically part of the information system
- Phases of the information system life cycle
  - Feasibility analysis
  - Requirements collection and analysis
  - Design
  - Implementation
  - Validation and acceptance testing
  - Deployment, operation, and maintenace

#### Information System Life Cycle

- Database system is typically part of the information system
- Phases of the information system life cycle
  - Feasibility analysis
  - Requirements collection and analysis
  - Design
  - Implementation
  - Validation and acceptance testing
  - Deployment, operation, and maintenace

## Information System Life Cycle

- Database system is typically part of the information system
- Phases of the information system life cycle
  - Feasibility analysis
  - Requirements collection and analysis
  - Design
  - Implementation
  - Validation and acceptance testing
  - Deployment, operation, and maintenace

- System definition
  - Defining scope of database system, its users and applications
- Database Design
  - Logical and physical design of the database system on the chosen DBMS
- Database implementation
  - Specifying conceptual, external and internal database definitions
  - Creating empty database files
  - Implementing software applications

- System definition
  - Defining scope of database system, its users and applications
- Database Design
  - Logical and physical design of the database system on the chosen DBMS
- Database implementation
  - Specifying conceptual, external and internal database definitions
  - Creating empty database files
  - Implementing software applications



- System definition
  - Defining scope of database system, its users and applications
- Database Design
  - Logical and physical design of the database system on the chosen DBMS
- Database implementation
  - Specifying conceptual, external and internal database definitions
  - Creating empty database files
  - Implementing software applications



- System definition
  - Defining scope of database system, its users and applications
- Database Design
  - Logical and physical design of the database system on the chosen DBMS
- Database implementation
  - Specifying conceptual, external and internal database definitions
  - Creating empty database files
  - Implementing software applications



- Loading or data conversion
  - Populating the database
- Application conversior
  - Converting applications to the new system
- Testing and validation
- Operation
  - Running the new system
- Monitoring and maintenance
  - System maintenance
  - Performance monitoring

- Loading or data conversion
  - Populating the database
- Application conversion
  - Converting applications to the new system
- Testing and validation
- Operation
  - Running the new system
- Monitoring and maintenance
  - System maintenance
  - Performance monitoring

- Loading or data conversion
  - Populating the database
- Application conversion
  - Converting applications to the new system
  - Testing and validation
- Operation
  - Running the new system
- Monitoring and maintenance
  - System maintenance
  - Performance monitoring

- Loading or data conversion
  - Populating the database
- Application conversion
  - Converting applications to the new system
- Testing and validation
- Operation
  - Running the new system
- Monitoring and maintenance
  - System maintenance
  - Performance monitoring

- Loading or data conversion
  - Populating the database
- Application conversion
  - Converting applications to the new system
- Testing and validation
- Operation
  - Running the new system
- Monitoring and maintenance
  - System maintenance
  - Performance monitoring

- Loading or data conversion
  - Populating the database
- Application conversion
  - Converting applications to the new system
- Testing and validation
- Operation
  - Running the new system
- Monitoring and maintenance
  - System maintenance
  - Performance monitoring



## Database Design Process

#### Problem

 Design the logical and physical structure of one or more databases to accommodate the information needs of the users in an organization for a defined set of applications.

#### Goals

- Satisfy the content requirements
- Provide easy structuring of information
- Support processing requirements and performance objectives

## Database Design Process

#### Problem

 Design the logical and physical structure of one or more databases to accommodate the information needs of the users in an organization for a defined set of applications.

#### Goals

- Satisfy the content requirements
- Provide easy structuring of information
- Support processing requirements and performance objectives

## Database Design Process

#### Problem

 Design the logical and physical structure of one or more databases to accommodate the information needs of the users in an organization for a defined set of applications.

#### Goals

- Satisfy the content requirements
- Provide easy structuring of information
- Support processing requirements and performance objectives

- Requirements Collections and Analysis
- Conceptual Database Design
- Choice of a DBMS
- Data Model Mapping (Logical Database Design)
- Physical Database Design
- Database System Implementation and Tuning

- Requirements Collections and Analysis
- Conceptual Database Design
- Choice of a DBMS
- Data Model Mapping (Logical Database Design)
- Physical Database Design
- Database System Implementation and Tuning


- Requirements Collections and Analysis
- Conceptual Database Design
- Choice of a DBMS
- Data Model Mapping (Logical Database Design)
- Physical Database Design
- Database System Implementation and Tuning

- Requirements Collections and Analysis
- Conceptual Database Design
- Choice of a DBMS
- Data Model Mapping (Logical Database Design)
- Physical Database Design
- Database System Implementation and Tuning

- Requirements Collections and Analysis
- Conceptual Database Design
- Choice of a DBMS
- Data Model Mapping (Logical Database Design)
- Physical Database Design
- Database System Implementation and Tuning

- Requirements Collections and Analysis
- Conceptual Database Design
- Choice of a DBMS
- Data Model Mapping (Logical Database Design)
- Physical Database Design
- Database System Implementation and Tuning

- Requirements Collections and Analysis
- Conceptual Database Design
- Choice of a DBMS
- Data Model Mapping (Logical Database Design)
- Physical Database Design
- Database System Implementation and Tuning



- Identifying Users
- Interacting with users to gather requirements
- Time consuming BUT very important
  - Very expensive to fix requirements error

- Identifying Users
- Interacting with users to gather requirements
- Time consuming BUT very important
  - Very expensive to fix requirements error

- Identifying Users
- Interacting with users to gather requirements
- Time consuming BUT very important
  - Very expensive to fix requirements error

- Identifying Users
- Interacting with users to gather requirements
- Time consuming BUT very important
  - Very expensive to fix requirements error

- Produce a conceptual schema for the database that is independent of a specific DBMS
- Involves two parallel activities
  - Conceptual Schema Design
  - Transaction and Application Design

- Produce a conceptual schema for the database that is independent of a specific DBMS
- Involves two parallel activities
  - Conceptual Schema Design
  - Transaction and Application Design

- Produce a conceptual schema for the database that is independent of a specific DBMS
- Involves two parallel activities
  - Conceptual Schema Design
  - Transaction and Application Design

- Produce a conceptual schema for the database that is independent of a specific DBMS
- Involves two parallel activities
  - Conceptual Schema Design
  - Transaction and Application Design

- Produce a conceptual schema for the database that is independent of a specific DBMS
- Involves two parallel activities
  - Conceptual Schema Design
  - Transaction and Application Design

#### Choice of DBMS

#### Many factors to consider

- Technical Factors
  - Type of DBMS: Relational, object-relational, object etc
  - Storage Structures
  - Architectural options
- Economic Factors
  - Acquisition, maintenance, training and operating costs
  - Database creation and conversion cost
- Organizational Factors
  - Organizational philosophy
    - Relational or Object Oriented
    - Vendor Preference
  - Familiarity of staff with the system
  - Availability of vendor services



#### Choice of DBMS

#### Many factors to consider

- Technical Factors
  - Type of DBMS: Relational, object-relational, object etc.
  - Storage Structures
  - Architectural options
- Economic Factors
  - Acquisition, maintenance, training and operating costs
  - Database creation and conversion cost
- Organizational Factors
  - Organizational philosophy
    - Relational or Object Oriented
    - Vendor Preference
  - Familiarity of staff with the system
  - Availability of vendor services



#### Choice of DBMS

#### Many factors to consider

- Technical Factors
  - Type of DBMS: Relational, object-relational, object etc.
  - Storage Structures
  - Architectural options
- Economic Factors
  - Acquisition, maintenance, training and operating costs
  - Database creation and conversion cost
- Organizational Factors
  - Organizational philosophy
    - Relational or Object Oriented
    - Vendor Preference
  - Familiarity of staff with the system
  - Availability of vendor services



#### Choice of DBMS

#### Many factors to consider

- Technical Factors
  - Type of DBMS: Relational, object-relational, object etc.
  - Storage Structures
  - Architectural options
- Economic Factors
  - Acquisition, maintenance, training and operating costs
  - Database creation and conversion cost
- Organizational Factors
  - Organizational philosophy
    - Relational or Object Oriented
    - Vendor Preference
  - Familiarity of staff with the system
  - Availability of vendor services



- Transform the Schema from high-level data model into the data model of the selected DBMS.
- Design of external schemas for specific applications
- Two stages
  - System-independent mapping
    - DBMS independent mapping
  - 2 Tailoring the schemas to a specific DBMS
    - Adjusting the schemas obtained in step 1 to conform to the specific implementation features of the data model used in the selected DBMS
- Result: DDL statements in the language of the chosen DBMS

- Transform the Schema from high-level data model into the data model of the selected DBMS.
- Design of external schemas for specific applications
- Two stages
  - System-independent mapping
    - DBMS independent mapping
  - 2 Tailoring the schemas to a specific DBMS
    - Adjusting the schemas obtained in step 1 to conform to the specific implementation features of the data model used in the selected DBMS
- Result: DDL statements in the language of the chosen DBMS



- Transform the Schema from high-level data model into the data model of the selected DBMS.
- Design of external schemas for specific applications
- Two stages
  - System-independent mapping
    - DBMS independent mapping
  - 2 Tailoring the schemas to a specific DBMS
    - Adjusting the schemas obtained in step 1 to conform to the specific implementation features of the data model used in the selected DBMS
- Result: DDL statements in the language of the chosen DBMS



- Transform the Schema from high-level data model into the data model of the selected DBMS.
- Design of external schemas for specific applications
- Two stages
  - System-independent mapping
    - DBMS independent mapping
  - 2 Tailoring the schemas to a specific DBMS
    - Adjusting the schemas obtained in step 1 to conform to the specific implementation features of the data model used in the selected DBMS
- Result: DDL statements in the language of the chosen DBMS



- Transform the Schema from high-level data model into the data model of the selected DBMS.
- Design of external schemas for specific applications
- Two stages
  - System-independent mapping
    - DBMS independent mapping
  - 2 Tailoring the schemas to a specific DBMS
    - Adjusting the schemas obtained in step 1 to conform to the specific implementation features of the data model used in the selected DBMS
- Result: DDL statements in the language of the chosen DBMS



- Transform the Schema from high-level data model into the data model of the selected DBMS.
- Design of external schemas for specific applications
- Two stages
  - System-independent mapping
    - DBMS independent mapping
  - 2 Tailoring the schemas to a specific DBMS
    - Adjusting the schemas obtained in step 1 to conform to the specific implementation features of the data model used in the selected DBMS
- Result: DDL statements in the language of the chosen DBMS

- Design the specifications for the stored database in terms of physical storage structures, record placements and indexes.
- Design Criteria
  - Response Time: Elapsed Time between submitting a database transaction for execution and receiving a response
  - Space Utilization: Storage space used by database files and their access path structures
  - Transaction throughput
    - Average number of transactions/minute
    - Must be measured under peak conditions
- Result: Initial determination of storage structures and access paths for database files

- Design the specifications for the stored database in terms of physical storage structures, record placements and indexes.
- Design Criteria
  - Response Time: Elapsed Time between submitting a database transaction for execution and receiving a response
  - Space Utilization: Storage space used by database files and their access path structures
  - Transaction throughput
    - Average number of transactions/minute
    - Must be measured under peak conditions
- Result: Initial determination of storage structures and access paths for database files

- Design the specifications for the stored database in terms of physical storage structures, record placements and indexes.
- Design Criteria
  - Response Time: Elapsed Time between submitting a database transaction for execution and receiving a response
  - Space Utilization: Storage space used by database files and their access path structures
  - Transaction throughput
    - Average number of transactions/minute
    - Must be measured under peak conditions
- Result: Initial determination of storage structures and access paths for database files

- Design the specifications for the stored database in terms of physical storage structures, record placements and indexes.
- Design Criteria
  - Response Time: Elapsed Time between submitting a database transaction for execution and receiving a response
  - Space Utilization: Storage space used by database files and their access path structures
  - Transaction throughput
    - Average number of transactions/minute
    - Must be measured under peak conditions
- Result: Initial determination of storage structures and access paths for database files

- Design the specifications for the stored database in terms of physical storage structures, record placements and indexes.
- Design Criteria
  - Response Time: Elapsed Time between submitting a database transaction for execution and receiving a response
  - Space Utilization: Storage space used by database files and their access path structures
  - Transaction throughput
    - Average number of transactions/minute
    - Must be measured under peak conditions
- Result: Initial determination of storage structures and access paths for database files



- Design the specifications for the stored database in terms of physical storage structures, record placements and indexes.
- Design Criteria
  - Response Time: Elapsed Time between submitting a database transaction for execution and receiving a response
  - Space Utilization: Storage space used by database files and their access path structures
  - Transaction throughput
    - Average number of transactions/minute
    - Must be measured under peak conditions
- Result: Initial determination of storage structures and access paths for database files



- Design the specifications for the stored database in terms of physical storage structures, record placements and indexes.
- Design Criteria
  - Response Time: Elapsed Time between submitting a database transaction for execution and receiving a response
  - Space Utilization: Storage space used by database files and their access path structures
  - Transaction throughput
    - Average number of transactions/minute
    - Must be measured under peak conditions
- Result: Initial determination of storage structures and access paths for database files

- During this phase database and application programs are implemented, tested and deployed
- Database Tuning
  - System and Performance Monitoring
  - Data indexing
  - Reorganization
- Tuning is a continuous process

- During this phase database and application programs are implemented, tested and deployed
- Database Tuning
  - System and Performance Monitoring
  - Data indexing
  - Reorganization
- Tuning is a continuous process

- During this phase database and application programs are implemented, tested and deployed
- Database Tuning
  - System and Performance Monitoring
  - Data indexing
  - Reorganization
- Tuning is a continuous process

- During this phase database and application programs are implemented, tested and deployed
- Database Tuning
  - System and Performance Monitoring
  - Data indexing
  - Reorganization
- Tuning is a continuous process