CO226: Database Systems

EER Modeling

Sampath Deegalla dsdeegalla@pdn.ac.lk

10th July 2014

- Includes all modeling concepts of basic ER
- Additional concepts: subclasses/superclasses, specialization/generalization, categories, attribute inheritance
- The resulting model is called the enhanced-ER or Extended ER (EER) model
- It is used to model applications more completely and accurately if needed
- It includes some object-oriented concepts, such as inheritance

- Includes all modeling concepts of basic ER
- Additional concepts: subclasses/superclasses, specialization/generalization, categories, attribute inheritance
- The resulting model is called the enhanced-ER or Extended ER (EER) model
- It is used to model applications more completely and accurately if needed
- It includes some object-oriented concepts, such as inheritance

- Includes all modeling concepts of basic ER
- Additional concepts: subclasses/superclasses, specialization/generalization, categories, attribute inheritance
- The resulting model is called the enhanced-ER or Extended ER (EER) model
- It is used to model applications more completely and accurately if needed
- It includes some object-oriented concepts, such as inheritance

- Includes all modeling concepts of basic ER
- Additional concepts: subclasses/superclasses, specialization/generalization, categories, attribute inheritance
- The resulting model is called the enhanced-ER or Extended ER (EER) model
- It is used to model applications more completely and accurately if needed
- It includes some object-oriented concepts, such as inheritance

- Includes all modeling concepts of basic ER
- Additional concepts: subclasses/superclasses, specialization/generalization, categories, attribute inheritance
- The resulting model is called the enhanced-ER or Extended ER (EER) model
- It is used to model applications more completely and accurately if needed
- It includes some object-oriented concepts, such as inheritance

- Includes all modeling concepts of basic ER
- Additional concepts: subclasses/superclasses, specialization/generalization, categories, attribute inheritance
- The resulting model is called the enhanced-ER or Extended ER (EER) model
- It is used to model applications more completely and accurately if needed
- It includes some object-oriented concepts, such as inheritance

- An entity type may have additional meaningful subgroupings of its entities
 - Example: EMPLOYEE may be further grouped into SECRETARY, ENGINEER, MANAGER, TECHNICIAN, SALARIED_EMPLOYEE, HOURLY_EMPLOYEE, ...
- These are called superclass/subclass relationships.
 - Example: EMPLOYEE/SECRETARY, EMPLOYEE/TECHNICIAN

- An entity type may have additional meaningful subgroupings of its entities
 - Example: EMPLOYEE may be further grouped into SECRETARY, ENGINEER, MANAGER, TECHNICIAN, SALARIED_EMPLOYEE, HOURLY_EMPLOYEE, . . .
- These are called superclass/subclass relationships
 - Example: EMPLOYEE/SECRETARY, EMPLOYEE/TECHNICIAN

- An entity type may have additional meaningful subgroupings of its entities
 - Example: EMPLOYEE may be further grouped into SECRETARY, ENGINEER, MANAGER, TECHNICIAN, SALARIED_EMPLOYEE, HOURLY_EMPLOYEE, . . .
- These are called superclass/subclass relationships.
 - Example: EMPLOYEE/SECRETARY, EMPLOYEE/TECHNICIAN

- These are also called IS-A relationships (SECRETARY IS-A EMPLOYEE, TECHNICIAN IS-A EMPLOYEE, ...).
- Note: An entity that is member of a subclass represents the same real-world entity as some member of the superclass
- Example: A salaried employee who is also an engineer belongs to the two subclasses ENGINEER and SALARIED_EMPLOYEE
 - It is not necessary that every entity in a superclass be a member of some subclass

- These are also called IS-A relationships (SECRETARY IS-A EMPLOYEE, TECHNICIAN IS-A EMPLOYEE, ...).
- Note: An entity that is member of a subclass represents the same real-world entity as some member of the superclass
- Example: A salaried employee who is also an engineer belongs to the two subclasses ENGINEER and SALARIED_EMPLOYEE
 - It is not necessary that every entity in a superclass be a member of some subclass

- These are also called IS-A relationships (SECRETARY IS-A EMPLOYEE, TECHNICIAN IS-A EMPLOYEE, ...).
- Note: An entity that is member of a subclass represents the same real-world entity as some member of the superclass
- Example: A salaried employee who is also an engineer belongs to the two subclasses ENGINEER and SALARIED_EMPLOYEE
 - It is not necessary that every entity in a superclass be a member of some subclass

- These are also called IS-A relationships (SECRETARY IS-A EMPLOYEE, TECHNICIAN IS-A EMPLOYEE, ...).
- Note: An entity that is member of a subclass represents the same real-world entity as some member of the superclass
- Example: A salaried employee who is also an engineer belongs to the two subclasses ENGINEER and SALARIED_EMPLOYEE
 - It is not necessary that every entity in a superclass be a member of some subclass

Attribute Inheritance in Superclass/ Subclass Relationships

- An entity that is member of a subclass inherits all attributes of the entity as a member of the superclass
- It also inherits all relationships

Attribute Inheritance in Superclass/ Subclass Relationships

- An entity that is member of a subclass inherits all attributes of the entity as a member of the superclass
- It also inherits all relationships

Attribute Inheritance in Superclass/ Subclass Relationships

- An entity that is member of a subclass inherits all attributes of the entity as a member of the superclass
- It also inherits all relationships

- Is the process of defining a set of subclasses of a superclass
- The set of subclasses is based upon some distinguishing characteristics of the entities in the superclass
- Example: SECRETARY, ENGINEER, TECHNICIAN is a specialization of EMPLOYEE based upon job type.
- Example: Another specialization of EMPLOYEE based in method of pay is SALARIED_EMPLOYEE, HOURLY_EMPLOYEE.


- Is the process of defining a set of subclasses of a superclass
- The set of subclasses is based upon some distinguishing characteristics of the entities in the superclass
- Example: SECRETARY, ENGINEER, TECHNICIAN is a specialization of EMPLOYEE based upon job type.
- Example: Another specialization of EMPLOYEE based in method of pay is SALARIED_EMPLOYEE, HOURLY_EMPLOYEE.

- Is the process of defining a set of subclasses of a superclass
- The set of subclasses is based upon some distinguishing characteristics of the entities in the superclass
- Example: SECRETARY, ENGINEER, TECHNICIAN is a specialization of EMPLOYEE based upon job type.
- Example: Another specialization of EMPLOYEE based in method of pay is SALARIED_EMPLOYEE, HOURLY_EMPLOYEE.


- Is the process of defining a set of subclasses of a superclass
- The set of subclasses is based upon some distinguishing characteristics of the entities in the superclass
- Example: SECRETARY, ENGINEER, TECHNICIAN is a specialization of EMPLOYEE based upon job type.
- Example: Another specialization of EMPLOYEE based in method of pay is SALARIED_EMPLOYEE, HOURLY EMPLOYEE.

- Is the process of defining a set of subclasses of a superclass
- The set of subclasses is based upon some distinguishing characteristics of the entities in the superclass
- Example: SECRETARY, ENGINEER, TECHNICIAN is a specialization of EMPLOYEE based upon job type.
- Example: Another specialization of EMPLOYEE based in method of pay is SALARIED_EMPLOYEE, HOURLY_EMPLOYEE.

Example of a Specialization



EER diagram notation to represent subclasses and specialization




- The reverse of the specialization process
- Several classes with common features are generalized into a superclass; original classes become its subclasses
- Example: CAR, TRUCK generalized into VEHICLE; both CAR, TRUCK become subclasses of the superclass VEHICLE.
 - We can view CAR, TRUCK as a specialization of VEHICLE
 - Alternatively, we can view VEHICLE as a generalization of CAR and TRUCK

- The reverse of the specialization process
 - Several classes with common features are generalized into a superclass; original classes become its subclasses
- Example: CAR, TRUCK generalized into VEHICLE; both CAR, TRUCK become subclasses of the superclass VEHICLE.
 - We can view CAR, TRUCK as a specialization of VEHICLE
 - Alternatively, we can view VEHICLE as a generalization of CAR and TRUCK

- The reverse of the specialization process
- Several classes with common features are generalized into a superclass; original classes become its subclasses
- Example: CAR, TRUCK generalized into VEHICLE; both CAR, TRUCK become subclasses of the superclass VEHICLE.
 - We can view CAR, TRUCK as a specialization of VEHICLE
 - Alternatively, we can view VEHICLE as a generalization of CAR and TRUCK

- The reverse of the specialization process
- Several classes with common features are generalized into a superclass; original classes become its subclasses
- Example: CAR, TRUCK generalized into VEHICLE; both CAR, TRUCK become subclasses of the superclass VEHICLE.
 - We can view CAR, TRUCK as a specialization of VEHICLE
 - Alternatively, we can view VEHICLE as a generalization of CAR and TRUCK

Examples of generalization



Disjointness Constraint

- Specifies that the subclasses of the specialization must be disjointed (an entity can be a member of at most one of the subclasses of the specialization)
- Specified by d in EER diagram
- If not disjointed, overlap; that is the same entity may be a member of more than one subclass of the specialization
- Specified by o in EER diagram

Completeness Constraint

- Total specifies that every entity in the superclass must be a member of some subclass in the specialization/ generalizatior
- Shown in EER diagrams by a double line
- Partial allows an entity not to belong to any of the subclasses
- Shown in EER diagrams by a single line



Disjointness Constraint

- Specifies that the subclasses of the specialization must be disjointed (an entity can be a member of at most one of the subclasses of the specialization)
- Specified by d in EER diagram
- If not disjointed, overlap; that is the same entity may be a member of more than one subclass of the specialization
- Specified by o in EER diagram



Disjointness Constraint

- Specifies that the subclasses of the specialization must be disjointed (an entity can be a member of at most one of the subclasses of the specialization)
- Specified by d in EER diagram
- If not disjointed, overlap; that is the same entity may be a member of more than one subclass of the specialization
- Specified by o in EER diagram

Completeness Constraint

- Total specifies that every entity in the superclass must be a member of some subclass in the specialization/ generalization
- Shown in EER diagrams by a double line
- Partial allows an entity not to belong to any of the subclasses
- Shown in EER diagrams by a single line



- Hence, we have four types of specialization/generalization:
 - Disjoint, total
 - Disjoint, partial
 - Overlapping, total
 - Overlapping, partial
- Note: Generalization usually is total because the superclass is derived from the subclasses.

- Hence, we have four types of specialization/generalization:
 - Disjoint, total
 - Disjoint, partia
 - Overlapping, total
 - Overlapping, partial
- Note: Generalization usually is total because the superclass is derived from the subclasses.

- Hence, we have four types of specialization/generalization:
 - Disjoint, total
 - Disjoint, partial
 - Overlapping, total
 - Overlapping, partial
- Note: Generalization usually is total because the superclass is derived from the subclasses.

- Hence, we have four types of specialization/generalization:
 - Disjoint, total
 - Disjoint, partial
 - Overlapping, total
 - Overlapping, partial
- Note: Generalization usually is total because the superclass is derived from the subclasses.

Constraints on Specialization/ Generalization

- Hence, we have four types of specialization/generalization:
 - Disjoint, total
 - Disjoint, partial
 - Overlapping, total
 - Overlapping, partial
- Note: Generalization usually is total because the superclass is derived from the subclasses.


Constraints on Specialization/ Generalization

- Hence, we have four types of specialization/generalization:
 - Disjoint, total
 - Disjoint, partial
 - Overlapping, total
 - Overlapping, partial
- Note: Generalization usually is total because the superclass is derived from the subclasses.


Constraints on Specialization/ Generalization

- Hence, we have four types of specialization/generalization:
 - Disjoint, total
 - Disjoint, partial
 - Overlapping, total
 - Overlapping, partial
- Note: Generalization usually is total because the superclass is derived from the subclasses.

Example of disjoint partial specialization



Example of overlapping specialization



- All of the superclass/subclass relationships we have seen thus far have a single superclass
- A shared subclass is subclass in more than one distinct superclass/subclass relationships, where each relationships has a single superclass (multiple inheritance)
- In some cases, need to model a single superclass/subclass relationship with more than one superclass
- Superclasses represent different entity types
- Such a subclass is called a category or UNION TYPE

- All of the superclass/subclass relationships we have seen thus far have a single superclass
- A shared subclass is subclass in more than one distinct superclass/subclass relationships, where each relationships has a single superclass (multiple inheritance)
- In some cases, need to model a single superclass/subclass relationship with more than one superclass
- Superclasses represent different entity types
- Such a subclass is called a category or UNION TYPE

- All of the superclass/subclass relationships we have seen thus far have a single superclass
- A shared subclass is subclass in more than one distinct superclass/subclass relationships, where each relationships has a single superclass (multiple inheritance)
- In some cases, need to model a single superclass/subclass relationship with more than one superclass
- Superclasses represent different entity types
- Such a subclass is called a category or UNION TYPE


- All of the superclass/subclass relationships we have seen thus far have a single superclass
- A shared subclass is subclass in more than one distinct superclass/subclass relationships, where each relationships has a single superclass (multiple inheritance)
- In some cases, need to model a single superclass/subclass relationship with more than one superclass
- Superclasses represent different entity types
- Such a subclass is called a category or UNION TYPE

- All of the superclass/subclass relationships we have seen thus far have a single superclass
- A shared subclass is subclass in more than one distinct superclass/subclass relationships, where each relationships has a single superclass (multiple inheritance)
- In some cases, need to model a single superclass/subclass relationship with more than one superclass
- Superclasses represent different entity types
- Such a subclass is called a category or UNION TYPE


- All of the superclass/subclass relationships we have seen thus far have a single superclass
- A shared subclass is subclass in more than one distinct superclass/subclass relationships, where each relationships has a single superclass (multiple inheritance)
- In some cases, need to model a single superclass/subclass relationship with more than one superclass
- Superclasses represent different entity types
- Such a subclass is called a category or UNION TYPE

- Example: Database for vehicle registration, vehicle owner can be a person, a bank (holding a lien on a vehicle) or a company.
 - Category (subclass) OWNER is a subset of the union of the three superclasses COMPANY, BANK, and PERSON
 - A category member must exist in at least one of its superclasses


Example of categories (UNION TYPES)



An EER conceptual schema for a UNIVERSITY database.



An EER conceptual schema for a UNIVERSITY database.



An EER conceptual schema for a UNIVERSITY database.

