



Week3_day1_Activity 1: Logo change

First changed the image with the file already available in the code. Successfully updated





Next downloaded an image from google with 128 pixel. Saved in assets folder and then changed the image file in the code. Successfully updated.




Week3_day1_activity2: model update

Using Agent mode asked the agent to include the model. Prompted as below

Add "openai/gpt-oss-120b" model under the Groq LLM model at the settings tab of the browser extension and take my approval before the change




Model got listed successfully



Week3_day1_activity3: Model update In the list



Ask mode



Existing implementation is to generate Selenium with Java code. Understand the impacted files for these implementation



Agent mode:

Add implementation for playwright with typescript. Get my approval before implementation.





```
import { Locator, Page } from '@playwright/test';
```

```
/**
```

```
 * Page object representing the login component.
```

```
 */
```

```
export class LoginPage {
```

```
  readonly page: Page;
```

readonly usernameInput: Locator;

/**

* Initializes the login page object.

* @param page The Playwright page object.

*/

constructor(page: Page) {

 this.page = page;

 this.usernameInput = page.locator('#username');

}

/**

* Enters the username into the username input field.

* @param username The username to enter.

*/

async enterUsername(username: string): Promise<void> {

 await this.usernameInput.fill(username);

}

/**

* Clears the username input field.

*/

async clearUsername(): Promise<void> {

 await this.usernameInput.click({ clickCount: 3 });

 await this.page.keyboard.press('Delete');

}

/**

```

    * Gets the current value of the username input field.
    * @returns The current username value.
    */
    async getUsername(): Promise<string> {
        return await this.usernameInput.inputValue();
    }
}

```

When all the fields are inspected

```
import { Locator, Page } from '@playwright/test';
```

```

/**
 * Page object representing the login component.
 */
export class LoginPage {
    readonly page: Page;
    readonly usernameInput: Locator;

    /**
     * Initializes the login page object.
     * @param page The Playwright page object.
     */
    constructor(page: Page) {
        this.page = page;
        this.usernameInput = page.locator('#username');
    }
}

```

```

/**
 * Enters the username into the username input field.

```

```


    * @param username The username to enter.
    */
    async enterUsername(username: string): Promise<void> {
        await this.usernameInput.fill(username);
    }

    /**
     * Clears the username input field.
     */
    async clearUsername(): Promise<void> {
        await this.usernameInput.click({ clickCount: 3 });
        await this.page.keyboard.press('Delete');
    }


    /**
     * Gets the current value of the username input field.
     * @returns The current username value.
     */
    async getUsername(): Promise<string> {
        return await this.usernameInput.inputValue();
    }
}

```

Selecting both feature file and page class for code generation



Getting the error message ⚠️ ts/playwright combination is not yet supported. Supported combinations: Java/Selenium and TypeScript/Playwright.



Feature: Login to LeafTaps

Scenario Outline: Successful login with valid credentials

Given I open the LeafTaps login page

When I type "<username>" into the Username field

And I type "<password>" into the Password field

And I click the Login button

Then I should be logged in successfully

Examples:

username	password	
demo123	demopass123	
testuser	testpass	
admin	admin123	

Scenario Outline: Unsuccessful login with invalid credentials

Given I open the Leaflets login page

When I type "<username>" into the Username field

And I type "<password>" into the Password field

And I click the Login button

Then I should see an error message

Examples:

username	password	
demo123	wrongpass	
wronguser	demopass123	
	demopass123	
demo123		

Scenario: Verify username and password fields are present



Given I open the Leaflets login page

Then I should see the Username field

And I should see the Password field

And I should see the Login button

Tried once again



Feature: Login to Leaf taps

Scenario Outline: Successful login with valid credentials

Given I open the login page
When I type "<username>" into the Username field
And I type "<password>" into the Password field
And I click the Login button
Then I should be logged in successfully

Examples:

username	password
"ranganathan"	"chennai123"
"kumaraswamy"	"bangalore456"
"senthilnathan"	"hyderabad789"

Scenario Outline: Unsuccessful login with invalid credentials

Given I open the login page
When I type "<username>" into the Username field
And I type "<password>" into the Password field
And I click the Login button
Then I should see an error message

Examples:

username	password
"invaliduser"	"wrongpass"
"wrongusername"	"rightpass"
"empty"	"

Scenario Outline: Login with empty fields

Given I open the login page
When I type "<username>" into the Username field

And I type "<password>" into the Password field

And I click the Login button

Then I should see a validation error

Examples:

```
| username | password |
```

```
| ""      | ""      |
```

```
| "user"  | ""      |
```

```
| ""      | "pass"  |
```

Learnings

1. Learnt how to find which file has to be updated if we don't have any idea about the code yet need to make some changes. Ask Mode.
2. Generate md file with the plan of changes and implementation
3. If we get any error in ui after successful implementation, learnt how to ask AI agent and fix it.
4. Learnt how to fetch the API key and model names of the LLM.
5. Learnt on how to create automated scripts with browser extensions using different languages/tools, (selenium,Playwrightetc.)