

CUSTOMER TABLE:

	CUSTOMERID	NAME	DOB	BALANCE
1	1	John Doe	5/15/1985, 12:00:00	1000
2	2	Jane Smith	7/20/1990, 12:00:00	1500
3	3	Robert King	2/10/1955, 12:00:00	12000
4	4	Mary Thomas	9/18/1960, 12:00:00	18000
5	5	David Wilson	12/25/1998, 12:00:00	9000

SCENARIO 1 : Apply a **1% discount** to loan interest rates for customers **above 60 years**.

QUERY :

```
DECLARE
    CURSOR c_customer IS
        SELECT CustomerID, DOB
        FROM Customers;

    v_customerid Customers.CustomerID%TYPE;
    v_dob Customers.DOB%TYPE;
    v_age NUMBER;

BEGIN
    OPEN c_customer;

    LOOP
        FETCH c_customer INTO v_customerid, v_dob;

        EXIT WHEN c_customer%NOTFOUND;

        -- Calculate age
        v_age := TRUNC(MONTHS_BETWEEN(SYSDATE, v_dob) / 12);

        -- Check if customer is above 60
        IF v_age > 60 THEN

            UPDATE Loans
```

```

        SET InterestRate = InterestRate - 1
        WHERE CustomerID = v_customerid;

        DBMS_OUTPUT.PUT_LINE('Discount applied for Customer ID: '
                               || v_customerid);

    END IF;

END LOOP;

CLOSE c_customer;

COMMIT;
END;
/

SELECT * FROM LOANS;

```

OUTPUT:

	LOANID	CUSTOMERID	LOANAMOUNT	INTERESTRATE	STARTDATE	ENDDATE
1	1	1	5000	5	6/28/2026, 6:25:43	6/28/2031, 6:25:43
2	2	3	10000	4	6/28/2026, 4:06:41	6/28/2028, 4:06:41
3	3	4	15000	5	6/28/2026, 4:06:41	6/28/2029, 4:06:41
4	4	5	8000	5	6/28/2026, 4:06:41	6/28/2027, 4:06:41

SENARIO 2: Write a PL/SQL block that iterates through all customers and sets a flag **IsVIP** to **TRUE** for those with a balance over **10000**.

QUERY:

```

ALTER TABLE CUSTOMERS ADD IsVIP VARCHAR2(5);

DECLARE
    CURSOR c IS SELECT customerID, balance FROM CUSTOMERS;
    v_id CUSTOMERS.CUSTOMERID%TYPE;
    v_balance CUSTOMERS.balance%TYPE;
    vip Customers.IsVIP%TYPE;

BEGIN
    OPEN c;
    LOOP

```

```

        FETCH c INTO v_id, v_balance;
        EXIT WHEN c%NOTFOUND;
        IF v_balance > 10000 THEN
            vip := 'TRUE';

        ELSE
            vip := 'FALSE';
        END IF;
        UPDATE Customers
        SET IsVIP = v_vip
        WHERE CustomerID = v_id;
    END LOOP;
    CLOSE c;

    commit;

END;
/

```

OUTPUT:

	CUSTOMERID	NAME	DOB	BALANCE	LASTMODIFIED	ISVIP
1	1	John Doe	5/15/1985, 12:00:00	1000	6/28/2026, 6:25:43	FALSE
2	2	Jane Smith	7/20/1990, 12:00:00	1500	6/28/2026, 6:25:43	FALSE
3	3	Robert King	2/10/1955, 12:00:00	12000	6/28/2026, 4:06:41	TRUE
4	4	Mary Thomas	9/18/1960, 12:00:00	18000	6/28/2026, 4:06:41	TRUE
5	5	David Wilson	12/25/1998, 12:00:00	9000	6/28/2026, 4:06:41	FALSE

SENARIO 3: The bank wants to send reminders to customers whose loans are due within the next 30 days.

QUERY:

```

DECLARE
    CURSOR c IS SELECT customerID, LoanID, EndDate FROM LOANS
    WHERE EndDate BETWEEN SYSDATE AND SYSDATE + 30;
    v_id loans.CUSTOMERID%TYPE;
    v_loanid loans.LOANID%TYPE;
    v_end loans.ENDDATE%TYPE;
BEGIN

```

```
OPEN c;  
  
LOOP  
    FETCH c INTO v_id, v_loanid, v_end;  
    EXIT WHEN c%notfound;  
  
    DBMS_OUTPUT.PUT_LINE('Reminder: Customer ' || v_id || ' Loan ' || v_loanid || '  
Due on ' || v_end);  
  
END LOOP;  
  
CLOSE c;  
END;  
/
```

OUTPUT:

```
Reminder: Customer ID = 1, Loan ID = 1, Due Date = 18-JUL-2026
```