

Tech Domains — Mixed Tough Quiz (15 Q/Domain)

Coding (type-answer) + MCQ questions mixed together. Answers shown directly in **blue**.

1) Web Development

Q1 (Coding). What will `console.log(1 + "1")`

- 1) output?

Answer: 10

Q2 (MCQ). What does the CSS property `z-index` require to work?

A) `display: flex` B) `position` set to relative/absolute/fixed/sticky C) `float: left`
D) `overflow: hidden`

Answer: B

Q3 (MCQ). What is `typeof null` in JavaScript?

A) "undefined" B) "null" C) "number" D) "object"

Answer: D

Q4 (Coding). Predict the output:

```
for (var i = 0; i < 3; i++) {  
  setTimeout(() => console.log(i),  
  0);  
}
```

Answer: 3, 3, 3
(var is function-scoped; all callbacks share the same i)

Q5 (MCQ). Which HTTP status code means "Partial Content"?

A) 200 B) 202 C) 206 D) 304

Answer: C

Q6 (MCQ). What does React's "key" prop mainly solve?

A) Styling B) Efficient re-rendering by identifying changed items C) Sorting D) XSS

prevention

Answer: B

Q7 (Coding). What will `[1, 2, 3].map(parseInt)` output?

Answer: [1, NaN, NaN] — map passes index as radix to parseInt

Q8 (MCQ). What is a CORS preflight request?

A) Cached GET B) OPTIONS request checking cross-origin permission C) Retried request D) Bypasses SSL

Answer: B

Q9 (MCQ). What does `defer` do on a `<script>` tag?

A) Blocks parsing B) Downloads in parallel, executes after parsing, in order C) Deletes the script D) Minifies it

Answer: B

Q10 (Coding). What will `console.log(0.1 + 0.2 === 0.3)` output?

Answer: false
(floating-point precision error)

Q11 (MCQ). Main difference: `localStorage` vs `sessionStorage` ?

A) No difference B) `localStorage` persists until cleared; `sessionStorage` clears on tab close C) `sessionStorage` is bigger D) `localStorage` is encrypted

Answer: B

Q12 (MCQ). What does `box-sizing: border-box` change?

A) Font rendering B) Width/height include padding & border C) Removes margins D) Nothing visual

Answer: B

Q13 (Coding). What will `console.log([] + [])` output?

Answer: ""
(empty string)

Q14 (MCQ). What HTTP method is NOT idempotent?

A) GET B) PUT C) DELETE D) POST

Answer: D

Q15 (MCQ). What is "hydration" in SSR frameworks like Next.js?

A) Caching images B) Attaching JS interactivity to server-rendered HTML on the client C) Compressing HTML D) A database migration

Answer: B

2) Data & Machine Learning

Q1 (Coding). Write the formula for precision.

Answer: $TP / (TP + FP)$

Q2 (MCQ). Why does L2 regularization rarely make coefficients exactly zero?

A) It uses absolute penalty B) Its gradient is proportional to the weight, shrinking smoothly C) It removes features first D) Only works on categorical data

Answer: B

Q3 (MCQ). What is a "False Negative" in disease detection?

- A) Predicted disease, healthy patient B) Predicted no disease, patient has it C) Correct disease prediction D) Correct healthy prediction

Answer: B

Q4 (Coding). Write the formula for recall.

Answer: $TP / (TP + FN)$

Q5 (MCQ). Vanishing gradient problem is most associated with?

- A) Too few samples B) Deep nets with sigmoid/tanh activations C) Overfitting D) High learning rate

Answer: B

Q6 (MCQ). Why is accuracy misleading on imbalanced datasets?

- A) Can't compute it B) Majority-class-only

prediction gets high accuracy while useless C)
Only for regression D) Needs normalization
Answer: B

Q7 (Coding). In sklearn-style pseudocode, what does `model.fit(X_train, y_train)` followed by `model.predict(X_test)` represent as a workflow?
Answer: Training the model on labeled training data, then generating predictions on unseen test data

Q8 (MCQ). What does "curse of dimensionality" refer to?
A) Only 2D models B) High dimensions make data sparse, distance loses meaning C) Too many rows D) GPU limits
Answer: B

Q9 (MCQ). Bagging primarily reduces:
A) Bias B) Variance C) Both equally D) Neither
Answer: B

Q10 (Coding). What does a Gini impurity value of 0 at a decision tree node mean?

Answer: The node is perfectly pure — all samples belong to a single class

Q11 (MCQ). Boosting primarily reduces:

A) Bias B) Variance C) Both equally D) Neither

Answer: A

Q12 (MCQ). Dropout in neural networks solves:

A) Underfitting B) Overfitting C) Vanishing gradients only D) Slow training

Answer: B

Q13 (Coding). If a model has 95% training accuracy but 60% test accuracy, what phenomenon is occurring?

Answer: Overfitting

Q14 (MCQ). ROC-AUC of 0.5 means:

A) Perfect model B) Model no better than random guessing C) Model is overfit D) Model

has high precision

Answer: B

Q15 (MCQ). Why is random splitting inappropriate for time-series data?

- A) It's too slow
- B) Breaks temporal order, leaks future info into training
- C) Requires more RAM
- D) It's actually fine

Answer: B

3) Data Analytics

Q1 (Coding). Write the SQL clause used to filter groups after `GROUP BY`.

Answer: HAVING

Q2 (MCQ). `RANK()` vs `DENSE_RANK()` difference?

- A) No difference
- B) `RANK()` skips numbers after ties, `DENSE_RANK()` doesn't
- C) `DENSE_RANK()` only for strings
- D) `RANK()` needs `GROUP BY`

Answer: B

Q3 (MCQ). What is Simpson's Paradox?

A) A visualization bug B) A trend reverses when groups are combined C) A sampling error D) A correlation type

Answer: B

Q4 (Coding). What does `SELECT`

`COUNT(DISTINCT customer_id) FROM orders;` return?

Answer: The number of unique customers who placed orders

Q5 (MCQ). Which is more robust to outliers?

A) Mean B) Median C) Both equal D) Neither

Answer: B

Q6 (MCQ). UNION vs UNION ALL?

A) No difference B) UNION removes duplicates, UNION ALL keeps them C) UNION ALL is slower D) UNION only works on 1 column

Answer: B

Q7 (Coding). Name the SQL window function used to compare a row's value to the previous row's value.

Answer: LAG()

Q8 (MCQ). What is p-hacking?

A) Encrypting p-values B) Manipulating tests until significance appears by chance C) A speed technique D) A chart type

Answer: B

Q9 (MCQ). Correlation coefficient of -0.9 indicates:

A) No relationship B) Strong negative linear relationship C) Strong positive relationship D) Non-linear relationship

Answer: B

Q10 (Coding). Write the SQL window function syntax to rank employees by salary within each department.

Answer: RANK()
OVER (PARTITION BY department ORDER BY
salary DESC)

Q11 (MCQ). What does normalization
(1NF/2NF/3NF) primarily reduce?

A) Query speed B) Data redundancy and
update anomalies C) Storage cost only D)
Index size

Answer: B

Q12 (MCQ). Risk of `SELECT *` on large
production tables?

A) None B) Unnecessary I/O cost and schema
fragility C) Improves speed D) Required for
joins

Answer: B

Q13 (Coding). In a LEFT JOIN, what value
appears for unmatched right-table columns?

Answer:
NULL

Q14 (MCQ). p-value of 0.03 ($\alpha = 0.05$)
means:

A) Accept null hypothesis B) Statistically significant, reject null hypothesis C) Test is invalid D) Sample size too small

Answer: B

Q15 (MCQ). What is cohort analysis used for?

A) Ad design B) Comparing groups sharing a common starting point over time C) Server monitoring D) Email formatting

Answer: B

4) UI/UX Designing

Q1 (Technical). What is the recommended minimum touch target size per Apple guidelines?

Answer: ~44x44 pt

Q2 (MCQ). Difference: usability testing vs A/B testing?

A) Same thing B) Usability testing observes friction in one design; A/B compares variant

performance C) A/B only for mobile D)

Usability testing needs no users

Answer: B

Q3 (MCQ). What is a "dark pattern"?

A) A dark theme B) A design that manipulates users into unintended actions C) An accessibility feature D) High-contrast design

Answer: B

Q4 (Technical). What WCAG AA contrast ratio is required for normal body text?

Answer: At least 4.5:1

Q5 (MCQ). Wireframe vs high-fidelity prototype?

A) No difference B) Wireframes are low-detail structural layouts; prototypes are interactive & near-final C) Wireframes are colored D) Prototypes can't show navigation

Answer: B

Q6 (MCQ). What is "cognitive load"?

A) Server load B) Mental effort to use an interface C) Page load time D) Number of features

Answer: B

Q7 (Technical). Name the psychology principle: people judge an experience mainly by its most intense moment and its ending.

Answer: The Peak-End Rule

Q8 (MCQ). Heuristic evaluation vs usability test?

A) Same B) Experts review vs. real users perform tasks C) Both use only surveys D) Heuristic eval needs users

Answer: B

Q9 (MCQ). Purpose of a "design system"?

A) One-time deliverable B) Shared reusable components/patterns for consistency C) Marketing tool D) Backend architecture

Answer: B

Q10 (Technical). Name the law: decision time increases with the number/complexity of choices.

Answer: Hick's Law

Q11 (MCQ). Affordance vs signifier?

A) Same thing B) Affordance = what's actually possible; signifier = visual cue indicating it C) Signifier is a color scheme D) Affordance only applies to icons

Answer: B

Q12 (MCQ). What is "progressive disclosure"?

A) Showing all info at once B) Revealing info/options gradually as needed C) A loading animation D) A form validation method

Answer: B

Q13 (Technical). Name the law: time to reach a target depends on its distance and size.

Answer: Fitts's Law

Q14 (MCQ). Accessibility vs usability?

A) Same B) Accessibility = usable by people with disabilities; usability = ease of use for all (accessibility is a subset) C) Usability is a legal requirement, accessibility isn't D) No relation
Answer: B

Q15 (MCQ). Why use card sorting in IA planning?

A) For color choices B) To understand how users naturally group/label content C) To test load speed D) To pick fonts
Answer: B

5) Cloud Computing

Q1 (Technical). Which AWS service is primarily used for object storage?

Answer: Amazon S3

Q2 (MCQ). Difference between IaaS, PaaS, SaaS?

A) Only price differs B) They differ in how much infra/platform management is abstracted away C) SaaS needs more config than IaaS D) PaaS is only for databases

Answer: B

Q3 (MCQ). What does auto-scaling achieve?

A) Backs up data B) Adjusts compute resources based on demand C) Encrypts data D) Migrates cloud providers

Answer: B

Q4 (Technical). What does RTO stand for in disaster recovery?

Answer: Recovery Time Objective

Q5 (MCQ). IAM role vs IAM user?

A) No difference B) Roles are temporary/assumable; users are persistent identities with long-term creds C) Roles are for billing only D) Users can't have permissions

Answer: B

Q6 (MCQ). What does multi-AZ deployment solve?

A) Reduces cost B) Increases fault tolerance across data centers C) Improves UI D) Speeds local dev

Answer: B

Q7 (Technical). What does RPO stand for in disaster recovery?

Answer: Recovery Point Objective

Q8 (MCQ). What is vendor lock-in?

A) A certification B) Difficulty switching providers due to proprietary services/APIs C) A pricing discount D) An encryption type

Answer: B

Q9 (MCQ). Container vs VM?

A) Same thing B) Containers share host OS kernel (lightweight); VMs run full guest OS (heavier, more isolated) C) VMs are always faster D) Containers need a hypervisor

Answer: B

Q10 (Technical). Name one common Infrastructure as Code (IaC) tool.

Answer:
Terraform (or AWS CloudFormation)

Q11 (MCQ). What does Kubernetes primarily manage?

A) Billing B) Orchestration of containerized apps (deployment, scaling, healing) C) DNS routing only D) Code compilation

Answer: B

Q12 (MCQ). Spot instance tradeoff vs on-demand?

A) Spot is always more expensive B) Spot is cheaper but can be reclaimed with little notice C) Spot has guaranteed uptime D) No difference

Answer: B

Q13 (Technical). What port does HTTPS use by default?

Answer:
443

Q14 (MCQ). What is "cold start" in serverless functions?

A) A billing error B) Extra latency initializing runtime after idle time C) A security breach D) A deployment failure

Answer: B

Q15 (MCQ). Shared responsibility model means:

A) Provider handles everything B) Provider secures infra; customer secures data/access/config C) Customer handles everything D) No security responsibility exists

Answer: B

6) Cybersecurity

Q1 (Technical). What port does HTTPS use by default?

Answer: 443

Q2 (MCQ). Symmetric vs asymmetric encryption?

A) No difference B) Symmetric uses one shared key; asymmetric uses public/private key pair C) Asymmetric is always faster D) Symmetric can't be broken

Answer: B

Q3 (MCQ). What is a man-in-the-middle attack?

A) File-deleting malware B) Attacker secretly intercepts communication between two parties C) Server traffic overload D) Password guessing

Answer: B

Q4 (Technical). Name the three principles of the CIA triad.

Answer: Confidentiality, Integrity, Availability

Q5 (MCQ). What does CSRF exploit?

A) SQL flaws B) A user's authenticated session to trigger unwanted requests C) Weak

encryption D) DNS misconfig

Answer: B

Q6 (MCQ). Principle of least privilege means:

A) Give everyone admin access B) Grant only minimum access needed C) Encrypt least important data D) A firewall rule

Answer: B

Q7 (Technical). What technique adds random unique data to a password before hashing?

Answer: Salting

Q8 (MCQ). Authentication vs Authorization?

A) Same thing B) Authentication = who you are; Authorization = what you can do C) Authorization comes first D) No real difference

Answer: B

Q9 (MCQ). Virus vs Worm vs Trojan?

A) All identical B) Virus needs a host+execution; worm self-replicates over networks; trojan disguises as legitimate

software C) Trojan self-replicates D) Worm needs user action

Answer: B

Q10 (Technical). What do you call an attack exploiting unsanitized input concatenated into SQL queries?

Answer: SQL Injection

Q11 (MCQ). What does stateful firewall inspection do differently from stateless?

A) Nothing different B) Tracks connection state/context vs evaluating each packet independently C) Stateless is more secure D) Stateful is only for wifi

Answer: B

Q12 (MCQ). What is privilege escalation?

A) Getting a raise B) Gaining higher access/permissions than originally granted C) Password reset D) Firewall bypass only

Answer: B

Q13 (Technical). What term describes a vulnerability unknown to the vendor with no patch available?

Answer: Zero-day vulnerability

Q14 (MCQ). Purpose of a honeypot?

A) Encrypt traffic B) Decoy system to attract/study attackers C) Speed up network D) Block malware only

Answer: B

Q15 (MCQ). Vulnerability scan vs penetration test?

A) Same thing B) Scan is automated check for known flaws; pentest is hands-on simulated exploitation C) Pentest is always automated D) Scan requires a live attacker

Answer: B

7) AI & Automation

Q1 (Technical). What is a "token" in the context of LLMs?

Answer: A unit of text (word/subword/character piece) the model processes as input/output

Q2 (MCQ). Supervised vs unsupervised learning?

A) Same thing B) Supervised uses labeled data; unsupervised finds patterns in unlabeled data
C) Unsupervised needs more compute D) Supervised is always more accurate

Answer: B

Q3 (MCQ). What is overfitting?

A) Model too simple B) Model learns training data (incl. noise) too well, fails on new data C) Model trains too fast D) Model uses too little data always

Answer: B

Q4 (Technical). What technique fine-tunes a model using human-ranked responses and a reward model?

Answer: RLHF

(Reinforcement Learning from Human Feedback)

Q5 (MCQ). Fine-tuning vs training from scratch?

A) Same process B) Fine-tuning adapts a pretrained model on a smaller task-specific dataset C) Fine-tuning needs more data than scratch training D) No real difference

Answer: B

Q6 (MCQ). Narrow AI vs AGI?

A) Narrow AI is just slower B) Narrow AI excels at one task; AGI would match human reasoning across domains (not yet achieved) C) Same thing D) AGI only exists in robots

Answer: B

Q7 (Technical). What mechanism allows transformers to weigh relevance between different parts of an input sequence?

Answer: Attention mechanism

Q8 (MCQ). RPA bots typically struggle with:

- A) Structured repetitive tasks
- B) Unstructured data/tasks requiring judgment
- C) Rule-based workflows
- D) Data entry

Answer: B

Q9 (MCQ). What is "automation bias"?

- A) Bias in training data only
- B) Humans over-trusting automated outputs without verifying
- C) A hardware defect
- D) A UI design flaw

Answer: B

Q10 (Technical). What term describes an LLM generating plausible but factually false content?

Answer: Hallucination

Q11 (MCQ). Few-shot learning means:

- A) Model needs thousands of examples
- B) Model performs a task from a few examples in the prompt, no retraining
- C) Model can't learn new tasks
- D) Training with very small batch size

Answer: B

Q12 (MCQ). Generalization vs memorization?

- A) Same thing
- B) Generalization learns transferable patterns; memorization stores specific examples
- C) Memorization is preferred
- D) Generalization only applies to images

Answer: B

Q13 (Technical). What attack manipulates an LLM into ignoring its original instructions via crafted input?

Answer: Prompt injection

Q14 (MCQ). What does "model drift" mean?

- A) Model file corruption
- B) Performance degrading as real-world data diverges from training data
- C) GPU failure
- D) Code refactoring

Answer: B

Q15 (MCQ). Why is explainability (XAI) important in high-stakes AI

(healthcare/lending)?

A) Makes models faster B) Lets humans audit/understand decisions for trust & regulation C) Reduces testing needs D) Only relevant for images

Answer: B

8) Mobile App Development

Q1 (Coding). Name the Android Activity lifecycle method that runs once when an activity is first created.

Answer: onCreate()

Q2 (MCQ). Native vs cross-platform apps?

A) No difference B) Native uses platform-specific SDKs (Swift/Kotlin); cross-platform uses one shared codebase C) Cross-platform can't access hardware D) Native only works offline

Answer: B

Q3 (MCQ). Purpose of the app lifecycle (onPause/onResume etc.)?

A) Icon design B) Respond to state transitions & manage resources properly C) Control pricing D) Handle only networking

Answer: B

Q4 (Coding). Which Android component reuses item views efficiently for large scrolling lists?

Answer: RecyclerView (via ViewHolder pattern)

Q5 (MCQ). Why is lazy loading important for mobile performance?

A) Loads everything upfront B) Defers non-critical resource loading until needed C) Disables animations D) Only for images

Answer: B

Q6 (MCQ). What does "offline-first" architecture solve?

A) Removes backend entirely B) Ensures core functionality works without network, syncs

later C) Increases app size D) Only for games

Answer: B

Q7 (Coding). In Flutter, which widget type has no internal mutable state?

Answer: StatelessWidget

Q8 (MCQ). What is "jank" in mobile UI?

A) A crash log B) Visible stuttering/dropped frames below smooth frame rate C) A memory leak type D) A navigation pattern

Answer: B

Q9 (MCQ). What is "deep linking"?

A) A backend API B) A URL opening a specific in-app screen directly C) A push notification type D) A database schema

Answer: B

Q10 (Coding). What Android error occurs when the main thread is blocked for too long (commonly >5 sec)?

Answer: ANR
(Application Not Responding)

Q11 (MCQ). Push notifications vs in-app messages?

- A) Same thing B) Push works even when app is closed; in-app only shows while app is active
- C) In-app is OS-level D) Push requires no permissions

Answer: B

Q12 (MCQ). What is "APK bloat" and one fix?

- A) A crash type; fixed by restarting B) Unnecessarily large package size; reduced via code shrinking/removing unused assets
- C) A UI bug; fixed by CSS D) A permission issue

Answer: B

Q13 (Coding). Name the technology allowing persistent bidirectional connection for real-time chat apps, unlike REST polling.

Answer:
WebSockets

Q14 (MCQ). Why must API keys never be hardcoded in mobile client code?

A) It slows the app B) Compiled apps can be decompiled, exposing secrets C) It increases APK size only D) It's a style preference

Answer: B

Q15 (MCQ). What causes memory leaks with Android Activities/Contexts?

A) Too many layouts B) Long-lived references (e.g., static fields) preventing garbage collection C) Using RecyclerView D) Using Kotlin instead of Java

Answer: B

9) Digital Marketing

Q1 (Technical). Write the formula for CTR (Click-Through Rate).

Answer: CTR = (Clicks / Impressions) × 100

Q2 (MCQ). CPC vs CPM vs CPA?

A) All the same B) Cost per click / per 1000 impressions / per acquisition — different goals
C) CPA is always cheapest D) CPM is for email only

Answer: B

Q3 (MCQ). What is domain authority meant to predict?

A) Server speed B) Likelihood to rank well in search engines
C) Ad spend efficiency D) Email open rate

Answer: B

Q4 (Technical). What does CPM stand for in ad bidding?

Answer: Cost Per 1000 (Mille) Impressions

Q5 (MCQ). Organic reach vs paid reach?

A) Same thing B) Organic is unpaid algorithmic distribution; paid is bought visibility
C) Paid reach is always lower D) Organic requires ad spend

Answer: B

Q6 (MCQ). What is conversion rate optimization (CRO) focused on?

A) Increasing traffic only B) Improving % of visitors completing a desired action C) Reducing ad cost only D) SEO backlinks

Answer: B

Q7 (Technical). What term describes showing ads to users who previously visited but didn't convert?

Answer: Retargeting (Remarketing)

Q8 (MCQ). What is a "lookalike audience"?

A) A/B test group B) Algorithmically generated audience resembling existing high-value customers C) A retargeting list only D) A demographic filter

Answer: B

Q9 (MCQ). Reach vs impressions?

A) Same metric B) Reach = unique viewers;

impressions = total display count including repeats
C) Impressions are always smaller than reach
D) Reach only applies to TV ads

Answer: B

Q10 (Technical). What do TOFU, MOFU, BOFU stand for in a marketing funnel?

Answer: Top, Middle, Bottom of Funnel

Q11 (MCQ). What is programmatic advertising?

A) Manual ad placement
B) Automated, algorithm-driven real-time ad buying
C) Print advertising
D) Influencer marketing only

Answer: B

Q12 (MCQ). First-party vs third-party data?

A) Same thing
B) First-party = your own collected data; third-party = aggregated from external providers
C) Third-party is more accurate
D) First-party requires no consent

Answer: B

Q13 (Technical). What metric determines how much can be spent to acquire/retain a customer while staying profitable?

Answer: Customer Lifetime Value (LTV)

Q14 (MCQ). Why has third-party cookie deprecation impacted marketing?

A) No real impact B) Limits cross-site tracking, pushing focus to first-party data C) It banned all advertising D) It only affects email marketing

Answer: B

Q15 (MCQ). Why must CAC stay below LTV?

A) It's a legal requirement B) For sustainable, profitable customer acquisition over time C) It affects SEO ranking D) It's unrelated to profitability

Answer: B

10) HR

Q1 (Technical). What does PIP stand for in performance management?

Answer:
Performance Improvement Plan

Q2 (MCQ). Hard skills vs soft skills?

A) Same thing B) Hard skills are teachable/measurable technical abilities; soft skills are interpersonal traits C) Soft skills are always more important D) Hard skills can't be tested

Answer: B

Q3 (MCQ). Why does onboarding quality affect retention?

A) It doesn't B) Poor onboarding causes confusion/disengagement, raising early attrition C) Onboarding is only paperwork D) It only affects payroll

Answer: B

Q4 (Technical). What term describes employees leaving/turnover rate over a period?

Answer: Attrition rate

Q5 (MCQ). Exempt vs non-exempt employees?

- A) Same classification
- B) Exempt aren't entitled to overtime pay; non-exempt must be paid overtime
- C) Non-exempt are always salaried
- D) Exempt refers to interns only

Answer: B

Q6 (MCQ). What is employer branding?

- A) A logo design process
- B) How a company is perceived as a workplace, affecting recruitment
- C) A payroll system
- D) A legal compliance term

Answer: B

Q7 (Technical). What metric measures how likely employees are to recommend the company as a workplace?

Answer: eNPS (Employee Net Promoter Score)

Q8 (MCQ). Skip-level meeting vs regular 1:1?

- A) Same meeting
- B) Skip-level is with manager's manager; 1:1 is with direct manager
- C) Skip-level is only for HR issues
- D) 1:1

involves the whole team

Answer: B

Q9 (MCQ). Diversity vs inclusion?

A) Same concept B) Diversity = presence of varied identities; inclusion = whether they feel valued/able to participate C) Inclusion is a legal quota D) Diversity means only gender balance

Answer: B

Q10 (Technical). What term describes resigning because the employer created intolerable working conditions?

Answer: Constructive dismissal

Q11 (MCQ). What is "quiet quitting"?

A) Formally resigning quietly B) Doing only minimum required work without formally resigning C) Getting fired silently D) Working overtime without pay

Answer: B

Q12 (MCQ). Why is asking a candidate's current salary risky/banned in some regions?

A) It's time-consuming B) Can perpetuate existing pay gaps by anchoring new offers to past low pay C) It violates copyright D) It's a scheduling issue

Answer: B

Q13 (Technical). What process identifies/develops internal employees to fill future key leadership roles?

Answer: Succession planning

Q14 (MCQ). Compensation vs total rewards?

A) Same thing B) Compensation = pay; total rewards = pay + benefits + growth + recognition, etc. C) Total rewards means only stock options D) Compensation includes company culture

Answer: B

Q15 (MCQ). Employee engagement vs employee satisfaction?

A) Same thing B) Engagement = emotional

commitment/discretionary effort; satisfaction =
mere contentment, doesn't guarantee effort C)
Satisfaction is always higher than engagement
D) They're measured identically

Answer: B
